┝ **INTERNATIONAL MARITIME** DANGEROUS GOODS CODE **2020 EDITION**

INCORPORATING AMENDMENT 40-20



INTERNATIONAL MARITIME ORGANIZATION

London, 2020

Contents

				Page			
Note				v			
Foreword		See vo	olume 1				
Preamble		See vo	olume 1				
PART 1	GENER	GENERAL PROVISIONS, DEFINITIONS AND TRAINING See volume 1					
PART 2	CLASSIFICATION See volume 1						
PART 3	DANGE	ROUS	GOODS LIST, SPECIAL PROVISIONS AND EXCEPTIONS				
	Chapter	3.1.1 3.1.2 3.1.3 3.1.3 3.1.4	General Scope and general provisions Proper shipping names Mixtures or solutions Segregation groups	3 4 5 6			
	Chapter	• 3.2 3.2.1 3.2.2	Dangerous Goods List Structure of the Dangerous Goods List Abbreviations and symbols Dangerous Goods List	21 23 25			
	Chapter	3.3	Special provisions applicable to certain substances, materials or articles	199			
	Chapter	3.4.1 3.4.2 3.4.3 3.4.4 3.4.5 3.4.6	Dangerous goods packed in limited quantities General Packing Stowage. Segregation. Marking and placarding Documentation	228 228 228 228 229 230			
	Chapter	3.5 .1 3.5.2 3.5.3 3.5.4 3.5.5 3.5.6 3.5.7 3.5.8	Dangerous goods packed in excepted quantities Excepted quantities Packagings Tests for packages Marking of packages. Maximum number of packages in any cargo transport unit Documentation Stowage. Segregation.	231 232 232 233 233 233 233 233			

Page

PART 4 PACKING AND TANK PROVISIONS See volume 1

PART 5 CONSIGNMENT PROCEDURES

See volume 1

PART 6 CONSTRUCTION AND TESTING OF PACKAGINGS, INTERMEDIATE BULK CONTAINERS (IBCs), LARGE PACKAGINGS, PORTABLE TANKS, MULTIPLE-ELEMENT GAS CONTAINERS (MEGCs) AND ROAD TANK VEHICLES

See volume 1

PART 7 PROVISIONS CONCERNING TRANSPORT OPERATIONS See volume 1

APPENDICES

Appendix A	List of generic and N.O.S. proper shipping names	237
Appendix B	Glossary of terms	253
INDEX		263

Note

The following symbols placed against an item indicate changes from the previous edition, in accordance with Amendment 40-20 to the IMDG Code:

- Insertion of an item
- ODE Deletion of an item
- \triangle Change to an item

For detailed information on changes, please visit http://gisis.imo.org and navigate to the IMDG Code module (free, instant registration required).

PART 3

DANGEROUS GOODS LIST, SPECIAL PROVISIONS AND EXCEPTIONS

Chapter 3.1

General

3.1.1 Scope and general provisions

- 3.1.1.1 The Dangerous Goods List in chapter 3.2 lists many of the dangerous goods most commonly transported. The list includes entries for specific chemical substances and articles and generic or "not otherwise specified" entries. Since it is not practical to include a separate entry for every chemical substance or article of commercial importance specifically by name, especially names for mixtures and solutions of various chemical constituents and concentrations, the Dangerous Goods List also includes generic or "not otherwise specified" names (e.g. EXTRACTS, FLAVOURING, LIQUID, UN 1197 or FLAMMABLE LIQUID, N.O.S., UN 1993). On this basis, the Dangerous Goods List is intended to include an appropriate name or entry for any dangerous good which may be transported.
- 3.1.1.2 Where a dangerous good is specifically listed by name in the Dangerous Goods List, it shall be transported in accordance with the provisions in the List which are appropriate for that dangerous good. A generic or "not otherwise specified" entry may be used to permit the transport of substances, materials or articles which do not appear specifically by name in the Dangerous Goods List. Such a dangerous good may be transported only after its dangerous properties have been determined. Dangerous goods shall be classified according to the class definitions, tests and criteria. The name which most appropriately describes the dangerous goods shall be used. Only when the specific name of the dangerous goods does not appear in the Dangerous Goods List or the associated primary or subsidiary hazards assigned to it are not appropriate may a generic or "not otherwise specified" name be used. The classification shall be made by the shipper/consignor or by the appropriate competent authority where so specified in the Code. Once the class of the dangerous good has been so established, all conditions for transport, as provided in this Code, shall be met. Any dangerous good having or suspected of having explosive characteristics shall first be considered for inclusion in class 1. Some collective entries may be of the generic or "not otherwise specified" type provided that the Code contains provisions ensuring safety, both by excluding extremely dangerous goods from normal transport and by covering all subsidiary hazards inherent in some goods.
- 3.1.1.3 Inherent instability in goods may take different dangerous forms, for example explosion, polymerization with intense evolution of heat or emission of flammable, toxic, corrosive or asphyxiant gases. The Dangerous Goods List indicates that certain dangerous goods, or dangerous goods in a specific form, concentration or state, are prohibited for transport by sea. This means that the goods specified are not suitable for transport by sea under normal conditions of transport. This does not mean that such goods may not be transported under any circumstances. For most goods, such inherent instability can be controlled by suitable packaging, dilution, stabilization, addition of an inhibitor, temperature control or other measures.
- **3.1.1.4** Where precautionary measures are laid down in the Dangerous Goods List in respect of a given dangerous good (such as that it shall be "stabilized" or "with x% water or phlegmatizer"), such dangerous good may not normally be transported when these measures have not been taken, unless the item in question is listed elsewhere (such as class 1) without any indication of, or with different, precautionary measures.
- **3.1.1.5** Certain substances, by the nature of their chemical composition, tend to polymerize or otherwise react in a dangerous manner under certain conditions of temperature or in contact with a catalyst. Mitigation of this tendency can be carried out either by requiring special transport conditions or by adding adequate amounts of chemical inhibitors or stabilizers to the product. These products shall be sufficiently stabilized to prevent any dangerous reaction during the intended voyage. If this cannot be ensured, the transport of such products is prohibited.
- **3.1.1.6** Where the contents of a portable tank is to be transported heated, the transport temperature is to be maintained during the intended voyage unless it is established that crystallization or solidification on cooling would not result in instability, which can occur with some stabilized or inhibited products.

3.1.2 Proper shipping names

Note 1: The proper shipping names of the dangerous goods are those listed in chapter 3.2, Dangerous Goods List. Synonyms, secondary names, initials, abbreviations of names, etc. have been included in the Index to facilitate the search for the proper shipping name (see part 5, Consignment procedures).

Note 2: For proper shipping names to be used for transport of samples, see 2.0.4. For proper shipping names to be used for transport of wastes, see 5.4.1.4.3.3.

- **3.1.2.1** The proper shipping name is that portion of the entry most accurately describing the goods in the Dangerous Goods List, which is shown in upper-case characters (plus any numbers, Greek letters, 'sec', 'tert', and the letters *m*, *n*, *o*, *p*, which form an integral part of the name). An alternative proper shipping name may be shown in brackets following the main proper shipping name (such as ETHANOL (ETHYL ALCOHOL)). Portions of an entry appearing in lower case need not be considered as part of the proper shipping name but may be used.
- **3.1.2.2** When a combination of several distinct proper shipping names are listed under a single UN number, and these are separated by "and" or "or" in lower case or are punctuated by commas, only the most appropriate shall be shown in the transport document and package marks.

Examples illustrating the selection of the proper shipping name for such entries are:

- .1 UN 1057 LIGHTERS or LIGHTER REFILLS The proper shipping name is the most appropriate of the following possible combinations:
 - LIGHTERS
 - LIGHTER REFILLS;
- .2 UN 2583 ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid The proper shipping name is the most appropriate of the following:

ALKYLSULPHONIC ACIDS, SOLID

ARYLSULPHONIC ACIDS, SOLID;

.3 UN 2793 FERROUS METAL BORINGS, SHAVINGS, TURNINGS or CUTTINGS in a form liable to self-heating. The proper shipping name is the most appropriate of the following combinations:

FERROUS METAL BORINGS FERROUS METAL SHAVINGS FERROUS METAL TURNINGS FERROUS METAL CUTTINGS.

- **3.1.2.3** Proper shipping names may be used in the singular or plural as appropriate. In addition, when qualifying words are used as part of the proper shipping name, their sequence on documentation or packages is optional. Commercial or military names for goods of class 1, which contain the proper shipping name supplemented by additional text, may be used.
- **3.1.2.4** Many substances have an entry for both the liquid and solid state (see definitions for *liquids* and *solids* in 1.2.1), or for the solid and solution. These are allocated separate UN numbers which are not necessarily adjacent to each other. Details are provided in the alphabetical index, e.g.:

NITROXYLENES, LIQUID	-	6.1	1665
NITROXYLENES, SOLID		6.1	3447.

- **3.1.2.5** Where it is not already included, the qualifying word "MOLTEN" shall be added to the proper shipping name when a substance which is solid in accordance with the definition in 1.2.1 is offered for transport in the molten state (such as ALKYLPHENOL, SOLID, N.O.S., MOLTEN). For elevated temperature substances, see 5.4.1.4.3.4.
- **3.1.2.6** Except for self-reactive substances and organic peroxides and unless it is already included in capital letters in the name indicated in the Dangerous Goods List, the word STABILIZED shall be added as part of the proper shipping name of the substance which without stabilization would be forbidden from transport in accordance with 1.1.3 due to it being liable to dangerously react under conditions normally encountered in transport (such as TOXIC LIQUID, ORGANIC, N.O.S., STABILIZED). When temperature control is used to stabilize such substances to prevent the development of any dangerous excess pressure, or the evolution of excessive heat, or when chemical stabilization is used in combination with temperature control, then:
 - .1 For liquids and solids where the SAPT (measured without or with inhibitor, when chemical stabilization is applied) is less than or equal to that prescribed in 2.4.2.5.2, special provision 386 of chapter 3.3 and the provisions of 7.3.7 apply;
 - .2 Unless it is already included in capital letters in the name indicated in the Dangerous Goods List, the words "TEMPERATURE CONTROLLED" shall be added as part of the proper shipping name.
 - .3 For gases: the conditions of transport shall be approved by the competent authority.
- **3.1.2.7** Hydrates may be transported under the proper shipping name for the anhydrous substance.

3.1.2.8 Generic or "not otherwise specified" (N.O.S.) entries

- **3.1.2.8.1** Generic and "not otherwise specified" proper shipping names that are assigned to special provision 274 or 318 in column 6 of the Dangerous Goods List shall be supplemented with the technical or chemical group names unless a national law or international convention prohibits its disclosure if it is a controlled substance. For explosives of class 1, the dangerous goods description may be supplemented by additional descriptive text to indicate commercial or military names. Technical and chemical group names shall be entered in brackets immediately following the proper shipping name. An appropriate modifier, such as "contains" or "containing" or other qualifying words such as "mixture", "solution", etc., and the percentage of the technical constituent may also be used. For example: "UN 1993 Flammable liquid, n.o.s. (contains xylene and benzene), 3, PG II".
- **3.1.2.8.1.1** The technical name shall be a recognized chemical or biological name or other name currently used in scientific and technical handbooks, journals and texts. Trade names shall not be used for this purpose. In the case of pesticides, only ISO common name(s), other name(s) in *The WHO Recommended Classification of Pesticides by Hazard and Guidelines to Classification*, or the name(s) of the active substance(s) may be used.
- **3.1.2.8.1.2** When a mixture of dangerous goods or articles containing dangerous goods are described by one of the "N.O.S." or "generic" entries to which special provision 274 has been allocated in the Dangerous Goods List, not more than the two constituents which most predominantly contribute to the hazard or hazards of the mixture or of the articles need to be shown, excluding controlled substances when their disclosure is prohibited by national law or international convention. If a package containing a mixture is labelled with any subsidiary hazard label, one of the two technical names shown in brackets shall be the name of the constituent which compels the use of the subsidiary hazard label.
- **3.1.2.8.1.3** Examples illustrating the selection of the proper shipping name supplemented with the technical name of goods for such N.O.S. entries are:
 - UN 2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (drazoxolon)
 - UN 3394 ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE (trimethylgallium).
 - UN 3540 ARTICLES CONTAINING FLAMMABLE LIQUID, N.O.S. (pyrrolidine)

3.1.2.9 Marine pollutants

- \triangle 3.1.2.9.1 For the purpose of documentation, the proper shipping name of "not otherwise specified" (N.O.S.) entries which are classified as marine pollutants in accordance with 2.10.3, shall be supplemented with the recognized chemical name of the constituent which most predominantly contributes to the classification as marine pollutant unless otherwise provided by SP274.
- \triangle 3.1.2.9.2 An example illustrating the selection of the proper shipping name supplemented with the recognized technical name of goods for such entries are is indicated below:
 - UN 1993 FLAMMABLE LIQUID, N.O.S. (propyl acetate, di-*n*-butyltin di-2-ethylhexanoate) class 3 PG III (50°C c.c.) MARINE POLLUTANT

3.1.3 Mixtures or solutions

Note: Where a substance is specifically listed by name in the Dangerous Goods List, it shall be identified in transport by the proper shipping name in the Dangerous Goods List. Such substances may contain technical impurities (for example those deriving from the production process) or additives for stability or other purposes that do not affect their classification. However, a substance listed by name containing technical impurities or additives for stability or other purposes affecting its classification shall be considered a mixture or solution (see 2.0.2.2 and 2.0.2.5).

- **3.1.3.1** A mixture or solution is not subject to the provisions of this Code if the characteristics, properties, form or physical state of the mixture or solution are such that it does not meet the criteria, including human experience criteria, for inclusion in any class.
- 3.1.3.2 A mixture or solution meeting the classification criteria of this Code composed of a single predominant substance identified by name in the Dangerous Goods List and one or more substances not subject to the provisions of this Code and/or traces of one or more substances identified by name in the Dangerous Goods List, shall be assigned the UN number and proper shipping name of the predominant substance named in the Dangerous Goods List unless:
 - .1 the mixture or solution is identified by name in the Dangerous Goods List;
 - .2 the name and description of the substance named in the Dangerous Goods List specifically indicate that they apply only to the pure substance;
 - .3 the hazard class or division, subsidiary hazard(s), packing group, or physical state of the mixture or solution is different from that of the substance named in the Dangerous Goods List; or

- .4 the hazard characteristics and properties of the mixture or solution necessitate emergency response measures that are different from those required for the substance identified by name in the Dangerous Goods List.
- **3.1.3.3** Qualifying words such as "MIXTURE" or "SOLUTION", as appropriate, shall be added as part of the proper shipping name, for example, "ACETONE SOLUTION". In addition, the concentration of the mixture or solution may also be indicated after the basic description of the mixture or solution, for example, "ACETONE 75% SOLUTION".
- **3.1.3.4** A mixture or solution meeting the classification criteria of this Code that is not identified by name in the Dangerous Goods List and that is composed of two or more dangerous goods shall be assigned to an entry that has the proper shipping name, description, hazard class or division, subsidiary hazard(s) and packing group that most precisely describe the mixture or solution.

3.1.4 Segregation groups

- **3.1.4.1** For the purpose of segregation, dangerous goods having certain similar chemical properties have been grouped together in segregation groups, see 7.2.5.
- **3.1.4.2** It is recognized that not all substances, mixtures, solutions or preparations falling within a segregation group are listed in the IMDG Code by name. These are shipped under N.O.S. entries. Although these N.O.S. entries are not themselves listed in the segregation groups (see 3.1.4.4), the consignor shall decide whether inclusion under the segregation group is appropriate and, if so, shall mention that fact in the transport document (see 5.4.1.5.11).
- **3.1.4.3** The segregation groups in this Code do not cover substances which fall outside the classification criteria of the Code. It is recognized that some non-hazardous substances have similar chemical properties as substances listed in the segregation groups. A consignor or the person responsible for packing the goods into a cargo transport unit who does have knowledge of the chemical properties of such non-dangerous goods may decide to implement the segregation provisions of a related segregation group on a voluntary basis.

3.1.4.4 The following segregation groups are identified.

1 Acids (SGG1 or SGG1a)

- 1052 Hydrogen fluoride, anhydrous*
- 1182 Ethyl chloroformate
- 1183 Ethyldichlorosilane
- 1238 Methyl chloroformate
- 1242 Methyldichlorosilane
- 1250 Methyltrichlorosilane
- 1295 Trichlorosilane
- 1298 Trimethylchlorosilane
- 1305 Vinyltrichlorosilane
- 1572 Cacodylic acid
- 1595 Dimethyl sulphate
- 1715 Acetic anhydride
- 1716 Acetyl bromide
- 1717 Acetyl chloride
- 1718 Butyl acid phosphate
- 1722 Allyl chloroformate
- 1723 Allyl iodide
- 1724 Allyltrichlorosilane, stabilized
- 1725 Aluminium bromide, anhydrous
- 1726 Aluminium chloride, anhydrous
- 1727 Ammonium hydrogendifluoride, solid
- 1728 Amyltrichlorosilane
- 1729 Anisoyl chloride
- 1730 Antimony pentachloride, liquid
- 1731 Antimony pentachloride solution

- 1732 Antimony pentafluoride
- 1733 Antimony trichloride
- 1736 Benzoyl chloride
- 1737 Benzyl bromide
- 1738 Benzyl chloride
- 1739 Benzyl chloroformate
- 1740 Hydrogendifluorides, n.o.s.
- 1742 Boron trifluoride acetic acid complex, liquid
- 1743 Boron trifluoride propionic acid complex, liquid
- 1744 Bromine or bromine solution
- 1745 Bromine pentafluoride
- 1746 Bromine trifluoride
- 1747 Butyltrichlorosilane
- 1750 Chloroacetic acid solution
- 1751 Chloroacetic acid, solid
- 1752 Chloroacetyl chloride
- 1753 Chlorophenyltrichlorosilane
- 1754 Chlorosulphonic acid (with or without sulphur trioxide)
- 1755 Chromic acid solution
- 1756 Chromic fluoride, solid
- 1757 Chromic fluoride solution
- 1758 Chromium oxychloride
- 1762 Cyclohexenyltrichlorosilane
- 1763 Cyclohexyltrichlorosilane
- 1764 Dichloroacetic acid
- 1765 Dichloroacetyl chloride
- 1766 Dichlorophenyltrichlorosilane
- 1767 Diethyldichlorosilane
- 1768 Difluorophosphoric acid, anhydrous
- 1769 Diphenyldichlorosilane
- 1770 Diphenylmethyl bromide
- 1771 Dodecyltrichlorosilane
- 1773 Ferric chloride, anhydrous
- 1775 Fluoroboric acid
- 1776 Fluorophosphoric acid, anhydrous
- 1777 Fluorosulphonic acid*
- 1778 Fluorosilicic acid
- 1779 Formic acid with more than 85% acid by mass
- 1780 Fumaryl chloride
- 1781 Hexadecyltrichlorosilane
- 1782 Hexafluorophosphoric acid
- 1784 Hexyltrichlorosilane
- 1786 Hydrofluoric acid and sulphuric acid mixture*
- 1787 Hydriodic acid^{*}
- 1788 Hydrobromic acid^{*}
- 1789 Hydrochloric acid*
- 1790 Hydrofluoric acid*
- 1792 Iodine monochloride, solid
- 1793 Isopropyl acid phosphate
- 1794 Lead sulphate with more than 3% free acid

ī)
5	1
-	1

1796	Nitrating acid mixture [*]
1798	Nitrohydrochloric acid*
1799	Nonyltrichlorosilane
1800	Octadecyltrichlorosilane
1801	Octyltrichlorosilane
1802	Perchloric acid with not more than 50% acid, by mass st
1803	Phenolsulphonic acid, liquid
1804	Phenyltrichlorosilane
1805	Phosphoric acid, solution
1806	Phosphorus pentachloride
1807	Phosphorus pentoxide
1808	Phosphorus tribromide
1809	Phosphorus trichloride
1810	Phosphorus oxychloride
1811	Potassium hydrogendifluoride, solid
1815	Propionyl chloride
1816	Propyltrichlorosilane
1817	Pyrosulphuryl chloride
1818	Silicon tetrachloride
1826	Nitrating acid mixture, spent*
1827	Stannic chloride, anhydrous
1828	Sulphur chlorides
1829	Sulphur trioxide, inhibited or sulphur trioxide, stabilized
1830	Sulphuric acid with more than 51% acid*
1831	Sulphuric acid, fuming*
1832	Sulphuric acid, spent*
1833	Sulphurous acid
1834	Sulphuryl chloride
1836	Thionyl chloride
1837	Thiophosphoryl chloride
1838	Titanium tetrachloride
1839	Trichloroacetic acid
1840	Zinc chloride solution
1848	Propionic acid with not less than 10% and less than 90% acid, by mass
1873	Perchloric acid with more than 50% but not more than 72% acid, by mass*
1898	Acetyl iodide
1902	Diisooctyl acid phosphate
1905	Selenic acid
1906	Sludge acid*
1938	Bromoacetic acid solution
1939	Phosphorus oxybromide
1940	Thioglycolic acid
2031	Nitric acid, other than red fuming *
2032	Nitric acid, red fuming *
2214	Phthalic anhydride with more than 0.05% of maleic anhydride
2215	Maleic anhydride
2218	Acrylic acid, inhibited
2225	Benzenesulphonyl chloride
2226	Benzotrichloride
2240	Chromosulphuric acid [*]

- 2262 Dimethylcarbamoyl chloride
- 2267 Dimethyl thiophosphoryl chloride
- 2305 Nitrobenzenesulphonic acid
- 2308 Nitrosylsulphuric acid, liquid^{*}
- 2331 Zinc chloride, anhydrous
- 2353 Butyryl chloride
- 2395 Isobutyryl chloride2407 Isopropyl chloroformate
- 2434 Dibenzyldichlorosilane
- 2435 Ethylphenyldichlorosilane
- 2437 Methylphenyldichlorosilane
- 2438 Trimethylacetyl chloride
- 2439 Sodium hydrogendifluoride
- 2440 Stannic chloride pentahydrate
- 2442 Trichloroacetyl chloride
- 2443 Vanadium oxytrichloride
- 2444 Vanadium tetrachloride
- 2475 Vanadium trichloride
- 2495 Iodine pentafluoride
- 2496 Propionic anhydride
- 2502 Valeryl chloride
- 2503 Zirconium tetrachloride
- 2506 Ammonium hydrogen sulphate
- 2507 Chloroplatinic acid, solid
- 2508 Molybdenum pentachloride
- 2509 Potassium hydrogen sulphate
- 2511 2-Chloropropionic acid
- 2513 Bromoacetyl bromide
- 2531 Methacrylic acid, stabilized
- 2564 Trichloroacetic acid solution
- 2571 Alkylsulphuric acids
- 2576 Phosphorus oxybromide, molten
- 2577 Phenylacetyl chloride
- 2578 Phosphorus trioxide
- 2580 Aluminium bromide solution
- 2581 Aluminium chloride solution
- 2582 Ferric chloride solution
- 2583 Alkylsulphonic acids, solid or arylsulphonic acids, solid with more than 5% free sulphuric acid
- Alkylsulphonic acids, liquid or arylsulphonic acids, liquid with more than 5% free sulphuric acid
- 2585 Alkylsulphonic acids, solid or arylsulphonic acids, solid with not more than 5% free sulphuric acid
- 2586 Alkylsulphonic acids, liquid or arylsulphonic acids, liquid with not more than 5% free sulphuric acid
- 2604 Boron trifluoride diethyl etherate
- 2626 Chloric acid, aqueous solution with not more than 10% chloric acid
- 2642 Fluoroacetic acid
- 2670 Cyanuric chloride
- 2691 Phosphorus pentabromide
- 2692 Boron tribromide
- 2698 Tetrahydrophthalic anhydrides with more than 0.05% maleic anhydride
- 2699 Trifluoroacetic acid

2739	Butyric anhydride
2740	Propyl chloroformate
2742	Chloroformates, toxic, corrosive, flammable, n.o.s.
2743	n-Butyl chloroformate
2744	Cyclobutyl chloroformate
2745	Chloromethyl chloroformate
2746	Phenyl chloroformate
2748	2-Ethylhexyl chloroformate
2751	Diethylthiophosphoryl chloride
2789	Acetic acid, glacial or acetic acid solution, more than 80% acid, by mass
2790	Acetic acid solution, more than 10% but not more than 80% acid, by mass
2794	Batteries, wet, filled with acid electric storage
2796	Sulphuric acid with not more than 51% acid or battery fluid, acid*
2798	Phenylphosphorus dichloride
2799	Phenylphosphorus thiodichloride
2802	Copper chloride
2817	Ammonium hydrogendifluoride solution
2819	Amyl acid phosphate
2820	Butyric acid
2823	Crotonic acid, solid
2826	Ethyl chlorothioformate
2829	Caproic acid
2834	Phosphorous acid
2851	Boron trifluoride dihydrate
2865	Hydroxylamine sulphate
2869	Titanium trichloride mixture
2879	Selenium oxychloride
2967	Sulphamic acid
2985	Chlorosilanes, flammable, corrosive, n.o.s.
2986	Chlorosilanes, corrosive, flammable, n.o.s.
2987	Chlorosilanes, corrosive, n.o.s.
2988	Chlorosilanes, water-reactive, flammable, corrosive, n.o.s.
3246	Methanesulphonyl chloride
3250	Chloroacetic acid, molten
3260	Corrosive solid, acidic, inorganic, n.o.s.
3261	Corrosive solid, acidic, organic, n.o.s.
3264	Corrosive liquid, acidic, inorganic, n.o.s.
3265	Corrosive liquid, acidic, organic, n.o.s.
3277	Chloroformates, toxic, corrosive, n.o.s.
3361	Chlorosilanes, toxic, corrosive, n.o.s.
3362	Chlorosilanes, toxic, corrosive, flammable, n.o.s.
3412	Formic acid with not less than 10% but not more than 85% acid by mass
3412	Formic acid with not less than 5% but not more than 10% acid by mass
3419	Boron trifluoride acetic acid complex, solid
3420	Boron trifluoride propionic acid complex, solid
3421	Potassium hydrogendifluoride solution
3425	Bromoacetic acid, solid
3453	Phosphoric acia, solia
3456	
3463	Propionic acid with not less than 90% acid by mass

3

- 3472 Crotonic acid, liquid
- 3498 Iodine monochloride, liquid
- * identifies strong acids
- 2 Ammonium compounds (SGG2)
 - 0004 Ammonium picrate dry or wetted with less than 10% water, by mass
 - 0222 Ammonium nitrate, with more than 0.2% combustible substances
 - 0402 Ammonium perchlorate
 - 1310 Ammonium picrate, wetted with not less than 10% water, by mass
 - 1439 Ammonium dichromate
 - 1442 Ammonium perchlorate
 - 1444 Ammonium persulphate
 - 1546 Ammonium arsenate
 - 1630 Mercury ammonium chloride
 - 1727 Ammonium hydrogendifluoride, solid
 - 1835 Tetramethylammonium hydroxide solution
 - 1843 Ammonium dinitro-o-cresolate, solid
 - 1942 Ammonium nitrate with not more than 0.2% combustible substances
 - 2067 Ammonium nitrate based fertilizer
 - 2071 Ammonium nitrate based fertilizer
 - 2073 Ammonia solution, relative density less than 0.880 at 15°C in water, with more than 35% but not more than 50% ammonia
 - 2426 Ammonium nitrate, liquid (hot concentrated solution)
 - 2505 Ammonium fluoride
 - 2506 Ammonium hydrogen sulphate
 - 2683 Ammonium sulphide solution
 - 2687 Dicyclohexylammonium nitrite
 - 2817 Ammonium hydrogendifluoride solution
 - 2818 Ammonium polysulphide solution
 - 2854 Ammonium fluorosilicate
 - 2859 Ammonium metavanadate
 - 2861 Ammonium polyvanadate
 - 2863 Sodium ammonium vanadate
 - 3375 Ammonium nitrate emulsion or suspension or gel intermediate for blasting explosives
 - 3423 Tetramethylammonium hydroxide, solid
 - 3424 Ammonium dinitro-o-cresolate solution

3 Bromates (SGG3)

- 1450 Bromates, inorganic, n.o.s.
- 1473 Magnesium bromate
- 1484 Potassium bromate
- 1494 Sodium bromate
- 2469 Zinc bromate
- 2719 Barium bromate
- 3213 Bromates, inorganic, aqueous solution, n.o.s.

4 Chlorates (SGG4)

- 1445 Barium chlorate, solid
- 1452 Calcium chlorate
- 1458 Chlorate and borate mixture
- 1459 Chlorate and magnesium chloride mixture, solid
- 1461 Chlorates, inorganic, n.o.s.
- 1485 Potassium chlorate

- 1495 Sodium chlorate
- 1506 Strontium chlorate
- 1513 Zinc chlorate
- 2427 Potassium chlorate, aqueous solution
- 2428 Sodium chlorate, aqueous solution
- 2429 Calcium chlorate, aqueous solution
- 2573 Thallium chlorate
- 2721 Copper chlorate
- 2723 Magnesium chlorate
- 3405 Barium chlorate solution
- 3407 Chlorate and magnesium chloride mixture solution

5 Chlorites (SGG5)

- 1453 Calcium chlorite
- 1462 Chlorites, inorganic, n.o.s.
- 1496 Sodium chlorite
- 1908 Chlorite solution

6 Cyanides (SGG6)

- 1541 Acetone cyanhydrin, stabilized
- 1565 Barium cyanide
- 1575 Calcium cyanide
- 1587 Copper cyanide
- 1588 Cyanides, inorganic, solid, n.o.s.
- 1620 Lead cyanide
- 1626 Mercuric potassium cyanide
- 1636 Mercury cyanide
- 1642 Mercury oxycyanide, desensitized
- 1653 Nickel cyanide
- 1679 Potassium cuprocyanide
- 1680 Potassium cyanide, solid
- 1684 Silver cyanide
- 1689 Sodium cyanide, solid
- 1694 Bromobenzyl cyanides, liquid
- 1713 Zinc cyanide
- 1889 Cyanogen bromide
- 1935 Cyanide solution, n.o.s.
- 2205 Adiponitrile
- 2316 Sodium cuprocyanide, solid
- 2317 Sodium cuprocyanide solution
- 3413 Potassium cyanide solution
- 3414 Sodium cyanide solution
- 3449 Bromobenzyl cyanides, solid

7 Heavy metals and their salts (including their organometallic compounds) (SGG7)

- 0129 Lead azide, wetted, with not less than 20% water, or mixture of alcohol and water, by mass
- 0130 Lead styphnate (lead trinitroresorcinate), wetted with not less than 20% water, or mixture of alcohol and water, by mass
- 0135 Mercury fulminate, wetted with not less than 20% water, or mixture of alcohol and water, by mass
- 1347 Silver picrate, wetted with not less than 30% water, by mass
- 1389 Alkali metal amalgam, liquid
- 1392 Alkaline earth metal amalgam, liquid

1435 Zinc ashes

- 1436 Zinc dust or zinc powder
- 1469 Lead nitrate
- 1470 Lead perchlorate, solid
- 1493 Silver nitrate
- 1513 Zinc chlorate
- 1514 Zinc nitrate
- 1515 Zinc permanganate
- 1516 Zinc peroxide
- 1587 Copper cyanide
- 1616 Lead acetate
- 1617 Lead arsenates
- 1618 Lead arsenites
- 1620 Lead cyanide
- 1623 Mercuric arsenate
- 1624 Mercuric chloride
- 1625 Mercuric nitrate
- 1626 Mercuric potassium cyanide
- 1627 Mercurous nitrate
- 1629 Mercury acetate
- 1630 Mercury ammonium chloride
- 1631 Mercury benzoate
- 1634 Mercury bromides
- 1636 Mercury cyanide
- 1637 Mercury gluconate
- 1638 Mercury iodide
- 1639 Mercury nucleate
- 1640 Mercury oleate
- 1641 Mercury oxide
- 1642 Mercury oxycyanide, desensitized
- 1643 Mercury potassium iodide
- 1644 Mercury salicylate
- 1645 Mercury sulphate
- 1646 Mercury thiocyanate
- 1649 Motor fuel anti-knock mixture
- 1653 Nickel cyanide
- 1674 Phenylmercuric acetate
- 1683 Silver arsenite
- 1684 Silver cyanide
- 1712 Zinc arsenate and zinc arsenite mixture
- 1713 Zinc cyanide
- 1714 Zinc phosphide
- 1794 Lead sulphate with more than 3% free acid
- 1838 Titanium tetrachloride
- 1840 Zinc chloride solution
- 1872 Lead dioxide
- 1894 Phenylmercuric hydroxide
- 1895 Phenylmercuric nitrate
- 1931 Zinc dithionite
- 1931 Zinc hydrosulphite

- 2024 Mercury compound, liquid, n.o.s.
- 2025 Mercury compound, solid, n.o.s.
- 2026 Phenylmercuric compound, n.o.s.
- 2291 Lead compound, soluble, n.o.s.
- 2331 Zinc chloride, anhydrous
- 2441 Titanium trichloride, pyrophoric or titanium trichloride mixture, pyrophoric
- 2469 Zinc bromate
- 2546 Titanium powder, dry
- 2714 Zinc resinate
- 2777 Mercury based pesticide, solid, toxic
- 2778 Mercury based pesticide, liquid, flammable, toxic
- 2809 Mercury
- 2855 Zinc fluorosilicate
- 2869 Titanium trichloride mixture
- 2878 Titanium, sponge granules or titanium, sponge powders
- 2881 Metal catalyst, dry
- 2989 Lead phosphite, dibasic
- 3011 Mercury based pesticide, liquid, toxic, flammable
- 3012 Mercury based pesticide, liquid, toxic
- 3089 Metal powder, flammable, n.o.s.
- 3174 Titanium disulphide
- 3181 Metal salts of organic compounds, flammable, n.o.s.
- 3189 Metal powder, self-heating, n.o.s.
- 3401 Alkali metal amalgam, solid
- 3402 Alkaline earth metal amalgam, solid
- 3408 Lead perchlorate solution
- 3483 Motor fuel anti-knock mixture, flammable

8 Hypochlorites (SGG8)

- 1471 Lithium hypochlorite
- 1748 Calcium hypochlorite, dry or calcium hypochlorite mixture, dry with more than 39% available chlorine (8.8% available oxygen)
- 1791 Hypochlorite solution
- 2208 Calcium hypochlorite mixture, dry with more than 10% but not more than 39% available chlorine
- 2741 Barium hypochlorite with more than 22% available chlorine
- 2880 Calcium hypochlorite, hydrated or calcium hypochlorite, hydrated mixture with not less than 5.5% but not more than 16% water
- 3212 Hypochlorites, inorganic, n.o.s.
- 3255 tert-Butyl hypochlorite
- 3485 Calcium hypochlorite, dry, corrosive or calcium hypochlorite mixture, dry, corrosive with more than 39% available chlorine (8.8% available oxygen)
- 3486 Calcium hypochlorite mixture, dry, corrosive with more than 10% but not more than 39% available chlorine
- 3487 Calcium hypochlorite, hydrated, corrosive or calcium hypochlorite, hydrated mixture, corrosive, with not less than 5.5% but not more than 16% water

9 Lead and its compounds (SGG9)

- 0129 Lead azide, wetted with not less than 20% water, or mixture of alcohol and water, by mass
- 0130 Lead styphnate, wetted with not less than 20% water, or mixture of alcohol and water, by mass
- 0130 Lead trinitroresorcinate, wetted with not less than 20% water, or mixture of alcohol and water, by mass
- 1469 Lead nitrate

3

- 1470 Lead perchlorate, solid
- 1616 Lead acetate
- 1617 Lead arsenates
- 1618 Lead arsenites
- 1620 Lead cyanide
- 1649 Motor fuel anti-knock mixture
- 1794 Lead sulphate with more than 3% free acid
- 1872 Lead dioxide
- 2291 Lead compound, soluble, n.o.s.
- 2989 Lead phosphide, dibasic
- 3408 Lead perchlorate solution
- 3483 Motor fuel anti-knock mixture, flammable

10 Liquid halogenated hydrocarbons (SGG10)

- 1099 Allyl bromide
- 1100 Allyl chloride
- 1107 Amyl chloride
- 1126 1-Bromobutane
- 1127 Chlorobutanes
- 1134 Chlorobenzene
- 1150 1,2-Dichloroethylene
- 1152 Dichloropentanes
- 1184 Ethylene dichloride
- 1278 1-Chloropropane
- 1279 1,2-Dichloropropane
- 1303 Vinylidene chloride, stabilized
- 1591 o-Dichlorobenzene
- 1593 Dichloromethane
- 1605 Ethylene dibromide
- 1647 Methyl bromide and ethylene dibromide mixture, liquid
- 1669 Pentachloroethane
- 1701 Xylyl bromide
- 1702 1,1,2,2-Tetrachloroethane
- 1710 Trichloroethylene
- 1723 Allyl iodide
- 1737 Benzyl bromide
- 1738 Benzyl chloride
- 1846 Carbon tetrachloride
- 1887 Bromochloromethane
- 1888 Chloroform
- 1891 Ethyl bromide
- 1897 Tetrachloroethylene
- 1991 Chloroprene, stabilized
- 2234 Chlorobenzotrifluorides
- 2238 Chlorotoluenes
- 2279 Hexachlorobutadiene
- 2321 Trichlorobenzenes, liquid
- 2322 Trichlorobutene
- 2339 2-Bromobutane
- 2341 1-Bromo-3-methylbutane
- 2342 Bromomethylpropanes

- 2343 2-Bromopentane
- 2344 Bromopropanes
- 2356 2-Chloropropane
- 2362 1,1-Dichloroethane
- 2387 Fluorobenzene
- 2388 Fluorotoluenes
- 2390 2-lodobutane 2391 lodomethylprop
- 2391 lodomethylpropanes2392 lodopropanes
- 2456 2-Chloropropene
- 2504 Tetrabromoethane
- 2515 Bromoform
- 2554 Methylallyl chloride
- 2644 Methyl iodide
- 2646 Hexachlorocyclopentadiene
- 2664 Dibromomethane
- 2688 1-Bromo-3-chloropropane
- 2831 1,1,1-Trichloroethane
- 2872 Dibromochloropropanes
- 11 Mercury and mercury compounds (SGG11)
 - 0135 Mercury fulminate, wetted with not less than 20% water, or mixture of alcohol and water, by mass
 - 1389 Alkali metal amalgam, liquid
 - 1392 Alkaline earth metal amalgam, liquid
 - 1623 Mercuric arsenate
 - 1624 Mercuric chloride
 - 1625 Mercuric nitrate
 - 1626 Mercuric potassium cyanide
 - 1627 Mercurous nitrate
 - 1629 Mercury acetate
 - 1630 Mercury ammonium chloride
 - 1631 Mercury benzoate
 - 1634 Mercury bromides
 - 1636 Mercury cyanide
 - 1637 Mercury gluconate
 - 1638 Mercury iodide
 - 1639 Mercury nucleate
 - 1640 Mercury oleate
 - 1641 Mercury oxide
 - 1642 Mercury oxycyanide, desensitized
 - 1643 Mercury potassium iodide
 - 1644 Mercury salicylate
 - 1645 Mercury sulphate
 - 1646 Mercury thiocyanate
 - 1894 Phenylmercuric hydroxide
 - 1895 Phenylmercuric nitrate
 - 2024 Mercury compound, liquid, n.o.s.
 - 2025 Mercury compound, solid, n.o.s.
 - 2026 Phenylmercuric compound, n.o.s.
 - 2777 Mercury based pesticide, solid, toxic

3

- 2778 Mercury based pesticide, liquid, flammable, toxic
- 2809 Mercury
- 3011 Mercury based pesticide, liquid, toxic, flammable
- 3012 Mercury based pesticide, liquid, toxic
- 3401 Alkali metal amalgam, solid
- 3402 Alkaline earth metal amalgam, solid

12 Nitrites and their mixtures (SGG12)

- 1487 Potassium nitrate and sodium nitrite mixture
- 1488 Potassium nitrite
- 1500 Sodium nitrite
- 2627 Nitrites, inorganic, n.o.s.
- 2726 Nickel nitrite
- 3219 Nitrites, inorganic, aqueous solution, n.o.s

13 Perchlorates (SGG13)

- 1442 Ammonium perchlorate
- 1447 Barium perchlorate, solid
- 1455 Calcium perchlorate
- 1470 Lead perchlorate, solid
- 1475 Magnesium perchlorate
- 1481 Perchlorates, inorganic, n.o.s.
- 1489 Potassium perchlorate
- 1502 Sodium perchlorate
- 1508 Strontium perchlorate
- 3211 Perchlorates, inorganic, aqueous solution, n.o.s.
- 3406 Barium perchlorate solution
- 3408 Lead perchlorate solution

14 Permanganates (SGG14)

- 1448 Barium permanganate
- 1456 Calcium permanganate
- 1482 Permanganates, inorganic, n.o.s.
- 1490 Potassium permanganate
- 1503 Sodium permanganate
- 1515 Zinc permanganate
- 3214 Permanganates, inorganic, aqueous solution, n.o.s.

15 Powdered metals (SGG15)

- 1309 Aluminium powder, coated
- 1326 Hafnium powder, wetted with not less than 25% water
- 1352 Titanium powder, wetted with not less than 25% water
- 1358 Zirconium powder, wetted with not less than 25% water
- 1383 Pyrophoric alloy or pyrophoric metal, n.o.s.
- 1396 Aluminium powder, uncoated
- 1398 Aluminium silicon powder, uncoated
- 1418 Magnesium powder or magnesium alloys powder
- 1435 Zinc ashes
- 1436 Zinc dust or zinc powder
- 1854 Barium alloys, pyrophoric
- 2008 Zirconium powder, dry
- 2009 Zirconium, dry, sheets, strip or coiled wire
- 2545 Hafnium powder, dry
- 2546 Titanium powder, dry

- 2878 Titanium sponge powders
- 2881 Metal catalyst, dry
- 2950 Magnesium granules, coated, particle size not less than 149 microns
- 3078 Cerium, turnings or gritty powder
- 3089 Metal powder, flammable, n.o.s.
- 3170 Aluminium smelting by-products or aluminium remelting by-products
- 3189 Metal powder, self-heating, n.o.s.

16 Peroxides (SGG16)

- 1449 Barium peroxide
- 1457 Calcium peroxide
- 1472 Lithium peroxide
- 1476 Magnesium peroxide
- 1483 Peroxides, inorganic, n.o.s.
- 1491 Potassium peroxide
- 1504 Sodium peroxide
- 1509 Strontium peroxide
- 1516 Zinc peroxide
- 2014 Hydrogen peroxide, aqueous solution, 20–60%
- 2015 Hydrogen peroxide, aqueous solution, stabilized
- 2466 Potassium superoxide
- 2547 Sodium superoxide
- 3149 Hydrogen peroxide and peroxyacetic acid mixture
- 3377 Sodium perborate monohydrate
- 3378 Sodium carbonate peroxyhydrate

17 Azides (SGG17)

- 0129 Lead azide, wetted with not less than 20% water, or mixture of alcohol and water, by mass
- 0224 Barium azide, dry or wetted with less than 50% water, by mass
- 1571 Barium azide, wetted with not less than 50% water, by mass
- 1687 Sodium azide

18 Alkalis (SGG18)

- 1005 Ammonia, anhydrous
- 1160 Dimethylamine, aqueous solution
- 1163 Dimethylhydrazine, unsymmetrical
- 1235 Methylamine, aqueous solution
- 1244 Methylhydrazine
- 1289 Sodium methylate
 - 1382 Potassium sulphide, anhydrous or potassium sulphide with less than 30% water of crystallization
 - 1385 Sodium sulphide, anhydrous or sodium sulphide with less than 30% water of crystallization
- 1431 Sodium methylate solution
- 1604 Ethylenediamine
 - 1719 Caustic alkali liquid, n.o.s.
 - 1813 Potassium hydroxide, solid
 - 1814 Potassium hydroxide solution
 - 1819 Sodium aluminate solution
 - 1823 Sodium hydroxide, solid
 - 1824 Sodium hydroxide solution
- 1825 Sodium monoxide
- 1835 Tetramethylammonium hydroxide solution
- 1847 Potassium sulphide, hydrated with not less than 30% water of crystallization
- 1849 Sodium sulphide, hydrated with not less than 30% water

- 1907 Soda lime with more than 4% sodium hydroxide
- 1922 Pyrrolidine
- 2029 Hydrazine, anhydrous
- 2030 Hydrazine, aqueous solution with more than 37% hydrazine, by mass
- 2033 Potassium monoxide
- 2073 Ammonia solution relative density less than 0.880 at 15°C in water, with more than 35% but not more than 50% ammonia
- 2079 Diethylenetriamine
- 2259 Triethylenetetramine
- 2270 Ethylamine, aqueous solution, with not less than 50% but not more than 70% ethylamine
- 2318 Sodium hydrosulphide with less than 25% water of crystallization
- 2320 Tetraethylenepentamine
- 2379 1,3-Dimethylbutylamine
- 2382 Dimethylhydrazine, symmetrical
- 2386 1-Ethylpiperidine
- 2399 1-Methylpiperidine
- 2401 Piperidine
- 2491 Ethanolamine or ethanolamine solution
- 2579 Piperazine
- 2671 Aminopyridines (o-, m-, p-)
- Ammonia solution relative density between 0.880 and 0.957 at 15°C in water, with more than 10% but not more than 35% ammonia, by mass
- 2677 Rubidium hydroxide solution
- 2678 Rubidium hydroxide
- 2679 Lithium hydroxide solution
- 2680 Lithium hydroxide
- 2681 Caesium hydroxide solution
- 2682 Caesium hydroxide
- 2683 Ammonium sulphide solution
- 2733 Amines, flammable, corrosive, n.o.s. or polyamines, flammable, corrosive, n.o.s.
- 2734 Amines, liquid, corrosive, flammable, n.o.s. or polyamines, liquid, corrosive, flammable, n.o.s.
- 2735 Amines, liquid, corrosive, n.o.s. or polyamines, liquid, corrosive, n.o.s.
- 2795 Batteries, wet, filled with alkali electric storage
- 2797 Battery fluid, alkali
- 2818 Ammonium polysulphide solution
- 2949 Sodium hydrosulphide, hydrated with not less than 25% water of crystallization
- 3028 Batteries, dry, containing potassium hydroxide, solid electric storage
- 3073 Vinylpyridines, stabilized
- 3206 Alkali metal alcoholates, self-heating, corrosive, n.o.s.
 - 3253 Disodium trioxosilicate
- 3259 Amines, solid, corrosive, n.o.s. or polyamines, solid, corrosive, n.o.s.
- 3262 Corrosive solid, basic, inorganic, n.o.s.
- 3263 Corrosive solid, basic, organic, n.o.s.
- 3266 Corrosive liquid, basic, inorganic, n.o.s.
- 3267 Corrosive liquid, basic, organic, n.o.s.
- 3274 Alcoholates solution, n.o.s.
 - 3293 Hydrazine, aqueous solution with not more than 37% hydrazine, by mass
 - 3318 Ammonia solution relative density less than 0.880 at 15°C in water, with more than 50% ammonia
 - 3320 Sodium borohydride and sodium hydroxide solution with not more than 12% sodium borohydride and not more than 40% sodium hydroxide, by mass

- 3423 Tetramethylammonium hydroxide, solid
- 3484 Hydrazine aqueous solution, flammable, with more than 37% hydrazine, by mass

Chapter 3.2

Dangerous Goods List

3.2.1 Structure of the Dangerous Goods List

The Dangerous Goods List is divided into 18 columns as follows:

- Column 1 UN No. this column contains the United Nations number assigned to a dangerous good by the United Nations Sub-Committee of Experts on the Transport of Dangerous Goods (UN List).
- Column 2 **Proper shipping name (PSN)** this column contains the proper shipping names in uppercase characters, which may have to be followed by additional descriptive text in lower-case characters (see 3.1.2). Proper shipping names may be shown in plural where isomers of similar classification exist. Hydrates may be included under the proper shipping name for the anhydrous substances. Unless otherwise indicated for an entry in the Dangerous Goods List, the word "SOLUTION" in a proper shipping name means one or more named dangerous goods dissolved in a liquid that is not otherwise subject to this Code. When a flashpoint is mentioned in this column, the data is based on closed-cup (c.c.) methods.
- Column 3 **Class or division** this column contains the class and, in the case of class 1, the division and the compatibility group assigned to the substance or article according to the classification system described in part 2, chapter 2.1.
- Column 4 **Subsidiary hazard(s)** this column contains the class number(s) of any subsidiary hazard(s) which have been identified by applying the classification system described in part 2. This column also identifies a dangerous good as a marine pollutant as follows:
 - P Marine pollutant: a non-exhaustive list of known marine pollutants, based on previous criteria and assignment. The absence of the symbol P or the presence of a "–" in that column does not preclude the application of 2.10.3.
- Column 5 Packing group this column contains the packing group number (i.e. I, II or III) where assigned to the substance or article. If more than one packing group is indicated for the entry, the packing group of the substance or formulation to be transported shall be determined, based on its properties, through application of the hazard grouping criteria as provided in part 2.
- Column 6 **Special provisions** this column contains a number referring to any special provision(s) indicated in chapter 3.3 that is relevant to the substance or article. Special provisions apply to all packing groups permitted for a particular substance or article unless the wording makes it otherwise apparent. The special provision numbers specific to the sea mode start from 900.

Note: When a special provision is no longer needed, this special provision is deleted but the special provision number is not allocated again, in order not to confuse the users of this Code. For this reason, some of the numbers are missing.

- Column 7a Limited quantities this column provides the maximum quantity per inner packaging or article for transporting dangerous goods as limited quantities in accordance with chapter 3.4.
- Column 7b **Excepted quantities** this column provides an alpha-numeric code described in subsection 3.5.1.2 which indicates the maximum quantity per inner and outer packaging for transporting dangerous goods as excepted quantities in accordance with chapter 3.5.
- Column 8 **Packing instructions** this column contains alpha-numeric codes which refer to the relevant packing instruction(s) in 4.1.4. The packing instructions indicate the packagings (including large packagings) which may be used for the transport of substances and articles.

A code including the letter "P" refers to packing instructions for the use of packagings described in chapter 6.1, 6.2 or 6.3.

A code including the letters "LP" refers to packing instructions for the use of large packagings described in chapter 6.6.

When a code including the letter(s) "P" or "LP" is not provided, it means that the substance is not allowed in that type of packaging.

Column 9 **Special packing provisions** – this column contains alpha-numeric codes which refer to the relevant special packing provisions specified in 4.1.4. The special packing provisions indicate the packagings (including large packagings).

A special packing provision including the letters "PP" refers to a special packing provision applicable to the use of a packing instruction bearing the Code "P" in 4.1.4.1.

A special packing provision including the letter "L" refers to a special packing provision applicable to a packing instruction bearing the code "LP" in 4.1.4.3.

- Column 10 **IBC packing instructions** this column contains alpha-numeric codes that refer to the relevant IBC instruction, which indicates the type of IBC that shall be used for the transport of the substance under reference. A code including the letters "IBC" refers to packing instructions for the use of IBCs described in chapter 6.5. When a code is not provided, it means the substance is not authorized in IBC.
- Column 11 **IBC special provisions** this column contains an alpha-numeric code, including the letter "B", which refers to special packing provisions applicable to the use of packing instructions bearing the code "IBC" in 4.1.4.2.
- Column 12 [Reserved]
- Column 13 Tank and bulk container instructions this column contains T codes (see 4.2.5.2.6) applicable to the transport of dangerous goods in portable tanks and road tank vehicles.

When a T code is not provided in this column, it means that the dangerous goods are not authorized for transport in tanks unless specifically approved by the competent authority.

A code including the letters "BK" refers to the type of bulk containers used for the transport of bulk goods described in chapters 4.3 and 6.9.

The gases authorized for transport in MEGCs are indicated in the column "MEGC" in tables 1 and 2 of packing instruction P200 in 4.1.4.1.

- Column 14 Tank special provisions this column contains TP notes (see 4.2.5.3) applicable to the transport of dangerous goods in portable tanks and road tank vehicles. The TP notes specified in this column apply to the portable tanks specified in column 13.
- Column 15 **EmS** this column refers to the relevant emergency schedules for FIRE and SPILLAGE in "The EmS Guide Revised Emergency Response Procedures for Ships Carrying Dangerous Goods".

The first EmS code refers to the relevant Fire Schedule (e.g. Fire Schedule Alfa "F-A" General Fire Schedule).

The second EmS code refers to the relevant Spillage Schedule (e.g. Spillage Schedule Alfa "S-A" Toxic Substances).

Underlined EmS codes (special cases) indicate a substance, material or article for which additional advice is given in the emergency response procedures.

For dangerous goods offered for transport under N.O.S. entries or other generic entries, the most relevant emergency response procedures may vary with the properties of the hazardous constituents. As a consequence, shippers may have to declare different EmS codes from those indicated, if, to their knowledge, such codes are more appropriate.

The provisions in this column are not mandatory.

- Column 16a **Stowage and handling** this column contains the stowage and handling codes as specified in 7.1.5 and 7.1.6.
- Column 16b Segregation this column contains the segregation group codes as specified in 7.2.5.2 and the segregation codes as specified in 7.2.8.
- Column 17 **Properties and observations** this column contains properties of and observations on the dangerous goods listed. The provisions in this column are not mandatory.

Properties of most gases include an indication of its density in relation to air. The figures in brackets give the density relative to air.

.1 "lighter than air" when the vapour density is down to half that of air;

Chapter 3.2 - Dangerous Goods List

- .2 "much lighter than air" when the vapour density is less than half that of air;
- .3 "heavier than air" when the vapour density is up to twice that of air; and
 - "much heavier than air" when the vapour density is more than twice that of air.

When explosive limits are given, these refer to the volume percentage of the vapour of the substance when mixed with air.

The ease and extent to which different liquids mix with water varies greatly and most entries have included an indication of miscibility. In these cases "miscible with water" normally means capable of being mixed with water in all proportions to form a completely homogeneous liquid.

Column 18 UN No. – see column 1.

.4

3.2.2 Abbreviations and symbols

The following abbreviations and symbols are used in the Dangerous Goods List and have the meanings shown:

Abbreviation/symbol	Column	Meaning
N.O.S.	2	Not otherwise specified
Р	4	Marine pollutant

3

Dangerous Goods List

3

UN No. Proper shipping name (PSN) Class or division Subsidiary hazard(s) Packing group Special provisions Limited and excepte quantity provisions (1) (2) 3.1.2 (3) 2.0 (4) 2.0 (5) 2.0.1.3 (6) 3.3 (7a) 3.4 (7b) 3.5 0004 AMMONIUM PICRATE dry or wetted with less than 10% water, by mass 1.1D - - - 0 E0 \begin{tabular}{lllllllllllllllllllllllllllllllllll	d Pac d Pac d Instructions (8) 4.1.4 P112 (a), (b) or (c)	cking s Provisions (9) 4.1.4	(10) 4.1.4	BC Provisions (11)
$(1) \qquad (2) \qquad (3) \qquad (4) \qquad (5) \qquad (6) \qquad (7a) \qquad (7b) \qquad (7b) \qquad (3.5) \qquad (6) \qquad (7a) \qquad (7b) \qquad$	(8) (8) 4.1.4 P112 (a), (b) or (c)	(9) 4.1.4	(10) 4.1.4	Provisions
(1) (2) 3.1.2 (3) 2.0 (4) 2.0 (5) 2.0.1.3 (6) 3.3 (7a) 3.4 (7b) 3.5 0004 AMMONIUM PICRATE dry or wetted with less than 10% water, by mass 1.1D - - - 0 E0 △ 0005 CARTRIDGES FOR WEAPONS with bursting charge 1.1F - - - 0 E0	(8) 4.1.4 P112 (a), (b) or (c)	(9) 4.1.4	(10) 4.1.4	(11)
$ \begin{array}{ c c c c c c } \hline 0004 & AMMONIUM PICRATE dry or \\ wetted with less than 10% water, \\ by mass \\ \hline \end{array} \begin{array}{ c c c c c } \hline 1.1D & - & - & - & 0 \\ \hline 0005 & CARTRIDGES FOR WEAPONS \\ with bursting charge \end{array} \begin{array}{ c c c } \hline 1.1F & - & - & - & 0 \\ \hline 1.1F & - & - & 0 \\ \hline \end{array} \begin{array}{ c c } \hline E0 \\ \hline \end{array} \end{array} $	P112 (a), (b) or (c)	PP26		4.1.4
△ 0005 CARTRIDGES FOR WEAPONS 1.1F 0 E0 with bursting charge		1120	-	-
	P130 LP101	-	-	-
0006 CARTRIDGES FOR WEAPONS 1.1E - - 0 E0	P130 LP101	PP67 L1	-	-
G 0007 CARTRIDGES FOR WEAPONS with bursting charge 1.2F - - 0 E0	P130 LP101	-	-	-
0009 AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge 1.2G - - 0 E0	P130 LP101	PP67 L1	-	-
0010 AMMUNITION, INCENDIARY 1.3G - - 0 E0 with or without burster, expelling charge 1.3G - - 0 E0	P130 LP101	PP67 L1	-	-
△ 0012 CARTRIDGES FOR WEAPONS, INERT PROJECTILE or CARTRIDGES, SMALL ARMS 1.4S - - 364 5 kg E0	P130 LP101	-	-	-
△ 0014 CARTRIDGES FOR WEAPONS, BLANK or CARTRIDGES, SMALL ARMS, BLANK or CARTRIDGES FOR TOOLS, BLANK 1.4S - - 364 5 kg E0	P130 LP101	-	_	-
0015 AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge 1.2G See - 204 0 E0	P130 LP101	PP67 L1	-	-
0016 AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge 1.3G See - 204 0 E0	P130 LP101	PP67 L1	-	-
0018AMMUNITION, TEAR- PRODUCING with burster, expelling charge or propelling charge1.2G6.1/80E0	P130 LP101	PP67 L1	-	-
0019 AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge 1.3G 6.1/8 - - 0 E0	P130 LP101	PP67 L1	-	-
0020AMMUNITION, TOXIC with burster, expelling charge or propelling charge1.2K6.1-2740E0	P101	-	-	-
0021AMMUNITION, TOXIC with burster, expelling charge or propelling charge1.3K6.1-2740E0	P101	-	-	-
0027BLACK POWDER (GUNPOWDER)1.1D0E0granular, or as a meal	P113	PP50	-	-
0028 BLACK POWDER (GUNPOWDER), 1.1D – – – 0 E0 COMPRESSED or BLACK POWDER (GUNPOWDER) IN PELLETS	P113	PP51	-	-
0029 DETONATORS, NON-ELECTRIC 1.1B – – – 0 E0	P131	PP68	-	-
0030 DETONATORS, ELECTRIC for 1.1B 0 E0 blasting	P131	-	-	-
\triangle 0033 BOMBS with bursting charge 1.1F 0 E0	P130 LP101	-	-	-

Portable tanks and bulk containers			rtable tanks and EmS Stowage and Segregation Properties and observation handling		Properties and observations	UN No.		
(12)	Tank instructions (13) 4.2.5 4.3	Provisions (14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7 3-7 7	(16b) 7.2–7.7	(17)	(18)	
-	-	-	F-B, S-Y	Category 04 SW1	SGG2 SG27 SG31	Substance.	0004	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0005	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0006	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0007	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0009	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0010	
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0012	
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0014	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0015	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0016	
-	-	-	<u>F-B</u> , S-Z	Category 03 SW1	SG2	See glossary of terms in appendix B.	0018	
-	-	-	<u>F-B</u> , S-Z	Category 03 SW1	SG3	See glossary of terms in appendix B.	0019	
-	-	-	<u>F-B</u> , S-Z	Category 05 SW1	-	See glossary of terms in appendix B.	0020	
-	-	-	<u>F-B</u> , S-Z	Category 05 SW1	-	See glossary of terms in appendix B.	0021	
-	-	-	F-B, S-Y	Category 04 SW1	-	See glossary of terms in appendix B.	0027	
-	_	_	F-B, S-Y	Category 04 SW1	-	See glossary of terms in appendix B.	0028	
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0029	
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0030	
-	-	-	F-B, S-X	Category 03	-	See glossary of terms in appendix B.	0033	

Circular Letter No. 4135 Annex 2

3

Chapter 3.2 – Dangerous Goods List

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	0034	BOMBS with bursting charge	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0035	BOMBS with bursting charge	1.2D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
\triangle	0037	BOMBS, PHOTO-FLASH	1.1F	-	-	-	0	E0	P130 LP101	-	-	-
	0038	BOMBS, PHOTO-FLASH	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0039	BOMBS, PHOTO-FLASH	1.2G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0042	BOOSTERS without detonator	1.1D	-	-	-	0	E0	P132 (a) or (b)	-	-	-
	0043	BURSTERS explosive	1.1D	-	-	-	0	E0	P133	PP69	-	-
	0044	PRIMERS, CAP TYPE	1.4S	-	-	-	0	E0	P133	-	-	-
	0048	CHARGES, DEMOLITION	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0049	CARTRIDGES, FLASH	1.1G	-	-	-	0	E0	P135	-	-	-
	0050	CARTRIDGES, FLASH	1.3G	-	-	-	0	E0	P135	-	-	-
	0054	CARTRIDGES, SIGNAL	1.3G	-	-	-	0	E0	P135	-	-	-
	0055	CASES, CARTRIDGE, EMPTY, WITH PRIMER	1.4S	-	-	364	5 kg	E0	P136	-	-	-
	0056	CHARGES, DEPTH	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0059	CHARGES, SHAPED without detonator	1.1D	-	-	-	0	E0	P137	PP70	-	-
	0060	CHARGES, SUPPLEMENTARY, EXPLOSIVE	1.1D	-	-	-	0	E0	P132 (a) or (b)	-	-	-
	0065	CORD, DETONATING flexible	1.1D	-	-	-	0	E0	P139	PP71 PP72	-	
	0066	CORD, IGNITER	1.4G	-	-	-	0	E0	P140	-	-	-
	0070	CUTTERS, CABLE, EXPLOSIVE	1.4S	-	-	-	0	E0	P134 LP102	-	-	-
	0072	CYCLOTRIMETHYLENE- TRINITRAMINE (CYCLONITE), (RDX), (HEXOGEN), WETTED with not less than 15% water, by mass	1.1D	-	-	266	0	E0	P112 (a)	PP45	-	-
	0073	DETONATORS FOR AMMUNITION	1.1B	-	-	-	0	E0	P133	-	-	-
	0074	DIAZODINITROPHENOL, WETTED with not less than 40% water or mixture of alcohol and water, by mass	1.1A	-	-	266	0	EO	P110 (a) or (b)	PP42	-	-
	0075	DIETHYLENEGLYCOL DINITRATE, DESENSITIZED with not less than 25% non-volatile water-insoluble phlegmatizer, by mass	1.1D	_	_	266	0	EO	P115	PP53 PP54 PP57 PP58	_	_

	Portable tanks and bulk containers			EmS	Stowage and handling	Segregation	Properties and observations	UN No.]
Tank Provisions									
	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
	-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0034	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0035	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0037	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0038	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0039	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0042	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0043	
	-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0044	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0048	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0049	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0050	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0054	
	-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0055	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0056	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0059	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0060	
	-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0065	
	-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0066	
	-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0070	
	-	-	-	F-B, S-Y	Category 04 SW1	-	Mass detonating explosive which becomes more sensitive if the wetting agent is lost. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0072	
	-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0073	
	-	-	-	F-B, S-Y	Category 05 SW1	-	Sensitive substance used in detonators, which becomes extremely sensitive if the wetting agents are lost. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0074	
	_	_	-	F-B, S-Y	Category 04 SW1	_	This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0075	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
0076	DINITROPHENOL dry or wetted with less than 15% water, by mass	1.1D	6.1 Р	-	-	0	E0	P112 (a), (b) or (c)	PP26	-	-
0077	DINITROPHENOLATES alkali metals, dry or wetted with less than 15% water, by mass	1.3C	6.1 Р	-	-	0	EO	P114 (a) or (b)	PP26	-	-
0078	DINITRORESORCINOL dry or wetted with less than 15% water, by mass	1.1D	-	_	-	0	EO	P112 (a), (b) or (c)	PP26	-	-
0079	HEXANITRODIPHENYLAMINE (DIPICRYLAMINE), (HEXYL)	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0081	EXPLOSIVE, BLASTING, TYPE A	1.1D	-	-	-	0	E0	P116	PP63 PP66	-	-
0082	EXPLOSIVE, BLASTING, TYPE B	1.1D	-	-	-	0	E0	P116	PP61 PP62	IBC100	B9
0083	EXPLOSIVE, BLASTING, TYPE C	1.1D	-	-	267	0	E0	P116	-	-	-
0084	EXPLOSIVE, BLASTING, TYPE D	1.1D	-	-	-	0	E0	P116	-	-	-
0092	FLARES, SURFACE	1.3G	-	-	-	0	E0	P135	-	-	-
0093	FLARES, AERIAL	1.3G	-	-	-	0	E0	P135	-	-	-
0094	FLASH POWDER	1.1G	-	-	-	0	E0	P113	PP49	-	-
0099	FRACTURING DEVICES, EXPLOSIVE for oil wells, without detonator	1.1D	-	-	-	0	E0	P134 LP102	-	-	
0101	FUSE, NON-DETONATING	1.3G	-	-	-	0	E0	P140	PP74 PP75	-	-
0102	CORD (FUSE), DETONATING metal-clad	1.2D	-	-	-	0	E0	P139	PP71	-	-
0103	FUSE, IGNITER tubular, metal-clad	1.4G	-	-	-	0	E0	P140	-	-	-
0104	CORD (FUSE), DETONATING, MILD EFFECT metal-clad	1.4D	-	-	-	0	E0	P139	PP71	-	-
0105	FUSE, SAFETY	1.4S	-	-	-	0	E0	P140	PP73	-	-
0106	FUZES, DETONATING	1.1B	-	-	-	0	E0	P141	-	-	-
0107	FUZES, DETONATING	1.2B	-	-	-	0	E0	P141	-	-	-
0110	GRENADES, PRACTICE hand or rifle	1.4S	-	-	-	0	E0	P141	-	-	-
0113	GUANYL NITROSAMINO- GUANYLIDENEHYDRAZINE, WETTED with not less than 30% water, by mass	1.1A	-	-	266	0	E0	P110 (a) or (b)	PP42	-	-
0114	GUANYL NITROSAMINO- GUANYLTETRAZENE (TETRAZENE), WETTED with not less than 30% water, or mixture of alcohol and water, by mass	1.1A	-	_	266	0	EO	P110 (a) or (b)	PP42	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-Z	Category 04 SW1	SG31	Substance.	0076
-	-	-	F-B, S-Z	Category 04 SW1	SG31	Substance.	0077
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Substance.	0078
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0079
-	-	-	F-B, S-Y	Category 04 SW1	SG34	Substance. See glossary of terms in appendix B.	0081
-	-	-	F-B, S-Y	Category 04 SW1	SG34	Substance. See glossary of terms in appendix B.	0082
-	-	-	F-B, S-Y	Category 04 SW1	SG28	Substance. See glossary of terms in appendix B.	0083
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. See glossary of terms in appendix B.	0084
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0092
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0093
-	-	-	F-B, S-Y	Category 03 SW1	-	See glossary of terms in appendix B.	0094
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0099
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0101
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0102
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0103
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0104
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0105
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0106
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0107
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0110
-	-	-	F-B, S-Y	Category 05 SW1	-	Sensitive substance used in detonators, which becomes extremely sensitive if the wetting agents are lost. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0113
-	-	_	F-B, S-Y	Category 05 SW1	_	Sensitive substance used in detonators, which becomes extremely sensitive if the wetting agents are lost. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0114

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	0118	HEXOLITE (HEXOTOL) dry or wetted with less than 15% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	-
	0121	IGNITERS	1.1G	-	-	-	0	E0	P142	-	-	-
D	0124	JET PERFORATING GUNS, CHARGED oil well, without detonator	1.1D	-	-	-	0	EO	P101	-	-	-
G	0129	LEAD AZIDE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	1.1A	-	-	266	0	EO	P110 (a) or (b)	PP42	-	-
	0130	LEAD STYPHNATE (LEAD TRINITRORESORCINATE), WETTED with not less than 20% water, or mixture of alcohol and water, by mass	1.1A	-	-	266	0	EO	P110 (a) or (b)	PP42	-	-
	0131	LIGHTERS, FUSE	1.4S	-	-	-	0	E0	P142	-	-	-
	0132	DEFLAGRATING METAL SALTS OF AROMATIC NITRO- DERIVATIVES, N.O.S.	1.3C	-	-	-	0	EO	P114 (b)	PP26	-	-
	0133	MANNITOL HEXANITRATE (NITROMANNITE), WETTED with not less than 40% water, or mixture of alcohol and water, by mass	1.1D	_	-	266	0	EO	P112 (a)	-	-	-
	0135	MERCURY FULMINATE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	1.1A	_	-	266	0	EO	P110 (a) or (b)	PP42	_	-
\bigtriangleup	0136	MINES with bursting charge	1.1F	-	-	-	0	E0	P130 LP101	-	-	-
	0137	MINES with bursting charge	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0138	MINES with bursting charge	1.2D	-	-	-	0	EO	P130 LP101	PP67 L1	-	-
	0143	NITROGLYCERIN, DESENSITIZED with not less than 40% non-volatile water-insoluble phlegmatizer, by mass	1.1D	See SP271	-	266 271 272	0	EO	P115	PP53 PP54 PP57 PP58	-	-
	0144	NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 10% nitroglycerin	1.1D	-	-	358	0	EO	P115	PP45 PP55 PP56 PP59 PP60	_	-
	0146	NITROSTARCH dry or wetted, with less than 20% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	-
	0147	NITRO UREA	1.1D	-	_	-	0	E0	P112 (b)	-	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	-	-	F-B, S-Y	Category 04 SW1	-	Sub
-	-	-	F-B, S-X	Category 03 SW1	-	See
-	-	-	F-B, S-X	Category 03 SW1 SW30	-	See
-	-	-	F-B, S-Y	Category 05 SW1	SGG7 SGG9 SGG17	Sens sens cont not b auth
-	-	-	F-B, S-Y	Category 05 SW1	SGG7 SGG9	Sens sens cont not b auth
-	-	-	F-B, S-X	Category 01 SW1	_	See
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Sub
-		_	F-B, S-Y	Category 04 SW1	_	This than auth
-	-	-	F-B, S-Y	Category 05 SW1	SGG7 SGG11	Sens sens whe shall com
-	-	-	F-B, S-X	Category 03 SW1	_	See
-	-	-	F-B, S-X	Category 03 SW1	-	See
-	-	-	F-B, S-X	Category 03 SW1	-	See
-	-	-	F-B, S-Z	Category 04 SW1	-	Sub: or pl spec
-	_	_	F-B, S-Y	Category 04 SW1	-	Sub
-	-	-	F-B, S-Y	Category 04 SW1	-	Sub
-	-	-	F-B, S-Y	Category 04 SW1	-	Sub

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.	
(17)	(18)	
stance. Mixtures of mass detonating explosives.	0118	
glossary of terms in appendix B.	0121	
glossary of terms in appendix B.	0124	
sitive substance used in detonators, which becomes extremely sitive if the wetting agents are lost. This substance, when taining less alcohol, water or phlegmatizer than specified, shall be transported, unless specifically authorized by the competent nority.	0129	
sitive substance used in detonators, which becomes extremely sitive if the wetting agents are lost. This substance, when taining less alcohol, water or phlegmatizer than specified, shall be transported, unless specifically authorized by the competent nority.	0130	
glossary of terms in appendix B.	0131	
istance.	0132	
s substance, when containing less alcohol, water or phlegmatizer a specified, shall not be transported, unless specifically norized by the competent authority.	0133	
sitive substance used in detonators which will become extremely sitive if it loses its wetting or desensitizing agent. This substance, en containing less alcohol, water or phlegmatizer than specified, Il not be transported, unless specifically authorized by the apetent authority.	0135	
glossary of terms in appendix B.	0136	
glossary of terms in appendix B.	0137	
glossary of terms in appendix B.	0138	
estance. This substance, when containing less alcohol, water hlegmatizer than specified, shall not be transported, unless cifically authorized by the competent authority.	0143	
istance.	0144	
istance.	0146	
istance.	0147	

3

	ר	
I		

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	Limited and excepted quantity provisions		Packing		IBC	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision	
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
	0150	PENTAERYTHRITE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN), WETTED with not less than 25% water, by mass or PENTAERYTHRITE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN), DESENSITIZED with not less than 15% phlegmatizer, by mass	1.1D	_	_	266	0	EO	P112 (a) or (b)	_	_	_	
	0151	PENTOLITE dry or wetted with less than 15% water, by mass	1.1D	-	-	-	0	E0	P112 (a), (b) or (c)	-	-	-	
	0153	TRINITROANILINE (PICRAMIDE)	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-	
	0154	TRINITROPHENOL (PICRIC ACID) dry or wetted with less than 30% water, by mass	1.1D	-	_	-	0	EO	P112 (a), (b) or (c)	PP26	-	-	
	0155	TRINITROCHLOROBENZENE (PICRYL CHLORIDE)	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-	
	0159	POWDER CAKE (POWDER PASTE), WETTED with not less than 25% water, by mass	1.3C	_	_	266	0	EO	P111	PP43	_	_	
	0160	POWDER, SMOKELESS	1.1C	-	-	-	0	E0	P114 (b)	PP50 PP52	-	-	
	0161	POWDER, SMOKELESS	1.3C	-	-	-	0	E0	P114 (b)	PP50 PP52	-	-	
\triangle	0167	PROJECTILES with bursting charge	1.1F	-	_	-	0	E0	P130 LP101	-	-	-	
	0168	PROJECTILES with bursting charge	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-	
	0169	PROJECTILES with bursting charge	1.2D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-	
	0171	AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	1.2G	-	-	-	0	EO	P130 LP101	PP67 L1	-	-	
	0173	RELEASE DEVICES, EXPLOSIVE	1.4S	-	_	-	0	E0	P134 LP102	-	-	-	
	0174	RIVETS, EXPLOSIVE	1.4S	-	_	-	0	E0	P134 LP102	-	-	-	
\bigtriangleup	0180	ROCKETS with bursting charge	1.1F	-	_	-	0	E0	P130 LP101	-	-	-	
	0181	ROCKETS with bursting charge	1.1E	-	_	-	0	E0	P130 LP101	PP67 L1	-	-	
	0182	ROCKETS with bursting charge	1.2E	-	-	-	0	E0	P130 LP101	PP67 L1	-	-	
	0183	ROCKETS with inert head	1.3C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-	
	0186	ROCKET MOTORS	1.3C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-	
	0190	SAMPLES, EXPLOSIVE other than initiating explosive	1	-	_	16 274	0	E0	P101	-	-	-	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	_	F-B, S-Y	Category 04 SW1	_	Substance. Mass detonating explosive which will become more sensitive if it loses its wetting or desensitizing agent. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0150
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Mixtures of mass detonating explosive substances.	0151
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0153
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Substance.	0154
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0155
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance consisting of nitrocellulose impregnated with not more than 60% of nitroglycerin or other liquid organic nitrates or a mixture of these. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0159
-	-	-	F-B, S-Y	Category 04 SW1	-	Substances based on nitrocellulose used as propellant. Sensitive to sparks, friction, pressure and electrostatic discharge.	0160
-	-	-	F-B, S-Y	Category 04 SW1	-	Substances based on nitrocellulose used as propellant. Sensitive to sparks, friction, pressure and electrostatic discharge.	0161
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0167
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0168
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0169
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0171
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0173
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0174
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0180
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0181
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0182
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0183
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0186
-	-	-	F-B, S-X	Category 05 SW1	-	Substance or article. Division and compatibility group as classified by the competent authority.	0190

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3
3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
0191	SIGNAL DEVICES, HAND	1.4G	-	-	-	0	E0	P135	-	-	-
0192	SIGNALS, RAILWAY TRACK, EXPLOSIVE	1.1G	-	-	-	0	E0	P135	-	-	-
0193	SIGNALS, RAILWAY TRACK, EXPLOSIVE	1.4S	-	-	-	0	E0	P135	-	-	-
0194	SIGNALS, DISTRESS, ship	1.1G	-	-	-	0	E0	P135	-	-	-
0195	SIGNALS, DISTRESS, ship	1.3G	-	-	-	0	E0	P135	-	-	-
0196	SIGNALS, SMOKE	1.1G	-	-	-	0	E0	P135	-	-	_
0197	SIGNALS, SMOKE	1.4G	-	-	-	0	E0	P135	-	-	-
0204	SOUNDING DEVICES, EXPLOSIVE	1.2F	-	-	-	0	E0	P134 LP102	-	-	_
0207	TETRANITROANILINE	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0208	TRINITROPHENYLMETHYL- NITRAMINE (TETRYL)	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	_
0209	TRINITROTOLUENE (TNT) dry or wetted with less than 30% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	PP46	-	_
0212	TRACERS FOR AMMUNITION	1.3G	-	-	-	0	E0	P133	PP69	-	-
0213	TRINITROANISOLE	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0214	TRINITROBENZENE dry or wetted with less than 30% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	
0215	TRINITROBENZOIC ACID dry or wetted with less than 30% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	_
0216	TRINITRO-m-CRESOL	1.1D	-	-	-	0	E0	P112 (b) or (c)	PP26	-	-
0217	TRINITRONAPHTHALENE	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0218	TRINITROPHENETOLE	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	_
0219	TRINITRORESORCINOL (STYPHNIC ACID) dry or wetted with less than 20% water, or mixture of alcohol and water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	PP26	-	-
0220	UREA NITRATE dry or wetted with less than 20% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	-
0221	WARHEADS, TORPEDO with bursting charge	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
0222	AMMONIUM NITRATE	1.1D	-	-	370	0	EO	P112 (b) or (c)	PP47	IBC100	B2 B3 B17

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0191
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0192
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0193
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0194
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0195
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0196
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0197
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0204
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0207
-	-	-	F-B, S-Y	Category 04 SW1	_	Substance. Mass detonating explosive.	0208
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Tritonal is a substance consisting of trinitrotoluene (TNT) mixed with aluminium.	0209
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0212
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0213
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0214
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0215
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Substance.	0216
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0217
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0218
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Substance.	0219
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0220
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0221
-	-	-	F-B, S-Y	Category 04 SW1	SGG2 SG27	Substance.	0222

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

ວ		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisior
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		0224	BARIUM AZIDE, dry or wetted with less than 50% water, by mass	1.1A	6.1	-	-	0	EO	P110 (a) or (b)	PP42	-	-
n		0225	BOOSTERS WITH DETONATOR	1.1B	-	-	-	0	E0	P133	PP69	-	-
G		0226	CYCLOTETRAMETHYLENE- TETRANITRAMINE (HMX; OCTOGEN), WETTED with not less than 15% water, by mass	1.1D	-	-	266	0	EO	P112 (a)	PP45	-	_
L		0234	SODIUM DINITRO-o-CRESOLATE dry or wetted with less than 15% water, by mass	1.3C	6.1 Р	-	-	0	EO	P114 (a) or (b)	PP26	-	-
		0235	SODIUM PICRAMATE dry or wetted with less than 20% water, by mass	1.3C	-	-	-	0	EO	P114 (a) or (b)	PP26	-	-
		0236	ZIRCONIUM PICRAMATE dry or wetted with less than 20% water, by mass	1.3C	-	-	-	0	EO	P114 (a) or (b)	PP26	-	-
		0237	CHARGES, SHAPED, FLEXIBLE, LINEAR	1.4D	-	-	-	0	E0	P138	-	-	-
	\bigtriangleup	0238	ROCKETS, LINE-THROWING	1.2G	-	-	-	0	E0	P130 LP101	-	-	-
	\bigtriangleup	0240	ROCKETS, LINE-THROWING	1.3G	-	-	-	0	E0	P130 LP101	-	-	-
		0241	EXPLOSIVE, BLASTING, TYPE E	1.1D	-	-	-	0	E0	P116	PP61 PP62	IBC100	B10
	\triangle	0242	CHARGES, PROPELLING, FOR CANNON	1.3C	-	-	-	0	E0	P130 LP101	-	-	-
		0243	AMMUNITION, INCENDIARY, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	1.2H	_	-	_	0	EO	P130 LP101	PP67 L1		-
		0244	AMMUNITION, INCENDIARY, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	1.3H	-	-	-	0	EO	P130 LP101	PP67 L1	-	-
		0245	AMMUNITION, SMOKE, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	1.2H	-	-	_	0	E0	P130 LP101	PP67 L1	-	-
		0246	AMMUNITION, SMOKE, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	1.3H	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0247	AMMUNITION, INCENDIARY liquid or gel, with burster, expelling charge or propelling charge	1.3J	-	_	_	0	EO	P101	_	_	_
		0248	CONTRIVANCES, WATER- ACTIVATED with burster, expelling charge or propelling charge	1.2L	4.3	-	274	0	EO	P144	PP77	_	-

	Portable tanks and bulk containers Tank instructions (13) (14 4.2.5 4.2. 4.3 		EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-Z	Category 05 SW1	SGG17	Sensitive substance used in detonators, which becomes extremely sensitive if the wetting agents are lost. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0224
-	-	-	F-B, S-X	Category 05 SW1	_	See glossary of terms in appendix B.	0225
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Mass detonating explosive which will become more sensitive if the wetting or desensitizing agent is lost. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0226
-	-	-	F-B, S-Z	Category 04 SW1	SG31	Substance.	0234
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Substance.	0235
-		-	F-B, S-Y	Category 04 SW1	SG31	Substance.	0236
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0237
-		-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0238
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0240
-	-	-	F-B, S-X	Category 04 SW1	SG34	See glossary of terms in appendix B.	0241
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0242
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0243
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0244
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0245
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0246
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0247
-	-	-	<u>F-B</u> , S-Y	Category 05 SW1	-	See glossary of terms in appendix B.	0248

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	0249	CONTRIVANCES, WATER- ACTIVATED with burster, expelling charge or propelling charge	1.3L	4.3	_	274	0	EO	P144	PP77	_	-
D	0250	ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge	1.3L	-	-	-	0	EO	P101	-	-	-
G	0254	AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	1.3G	-	-	-	0	EO	P130 LP101	PP67 L1	-	-
	0255	DETONATORS, ELECTRIC for blasting	1.4B	-	-	-	0	E0	P131	-	-	-
	0257	FUZES, DETONATING	1.4B	-	-	-	0	E0	P141	-	-	-
	0266	OCTOLITE (OCTOL) dry or wetted with less than 15% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	-
	0267	DETONATORS, NON-ELECTRIC for blasting	1.4B	-	-	-	0	E0	P131	PP68	-	-
	0268	BOOSTERS WITH DETONATOR	1.2B	-	-	-	0	E0	P133	PP69	-	-
	0271	CHARGES, PROPELLING	1.1C	-	-	-	0	E0	P143	PP76	-	-
	0272	CHARGES, PROPELLING	1.3C	-	-	-	0	E0	P143	PP76	-	-
	0275	CARTRIDGES, POWER DEVICE	1.3C	-	-	-	0	E0	P134 LP102	-	-	
	0276	CARTRIDGES, POWER DEVICE	1.4C	-	-	-	0	EO	P134 LP102	-	-	-
	0277	CARTRIDGES, OIL WELL	1.3C	-	-	-	0	E0	P134 LP102	-	-	-
	0278	CARTRIDGES, OIL WELL	1.4C	-	-	-	0	E0	P134 LP102	-	-	-
\triangle	0279	CHARGES, PROPELLING, FOR CANNON	1.1C	-	-	-	0	E0	P130 LP101	-	-	
	0280	ROCKET MOTORS	1.1C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0281	ROCKET MOTORS	1.2C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0282	NITROGUANIDINE (PICRITE) dry or wetted with less than 20% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	-
	0283	BOOSTERS without detonator	1.2D	-	-	-	0	E0	P132 (a) or (b)	-	-	-
	0284	GRENADES hand or rifle, with bursting charge	1.1D	-	-	-	0	E0	P141	-	-	-
	0285	GRENADES hand or rifle, with bursting charge	1.2D	-	_	-	0	E0	P141	-	-	-
	0286	WARHEADS, ROCKET with bursting charge	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0287	WARHEADS, ROCKET with bursting charge	1.2D	-	_	-	0	E0	P130 LP101	PP67 L1	-	-
	0288	CHARGES, SHAPED, FLEXIBLE, LINEAR	1.1D	-	-	-	0	E0	P138	-	-	-

	Portable tanks and bulk containers Tank Provis instructions (12) (13) (14 4.2.5 4.2. 4.3 		EmS	Stowage and handling	Segregation	Properties and observations	UN No.	
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	-	_	<u>F-B</u> , S-Y	Category 05 SW1	_	See glossary of terms in appendix B.	0249	
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0250	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0254	
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0255	
-	-	-	F-B, S-X	Category 05 SW1	_	See glossary of terms in appendix B.	0257	
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Mixtures of mass detonating explosives.	0266	
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0267	
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0268	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0271	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0272	
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0275	
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0276	
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0277	
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0278	
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0279	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0280	
-	-	-	F-B, S-X	Category 04 SW1	_	See glossary of terms in appendix B.	0281	
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0282	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0283	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0284	
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0285	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0286	
	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0287	
-	-	-	F-B, S-X	Category 04 SW1	-	See glossary of terms in appendix B.	0288	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous C	ioods List
Properties and observations	UN No.

3

3

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		0289	CORD, DETONATING flexible	1.4D	-	_	-	0	E0	P139	PP71 PP72	-	-
		0290	CORD (FUSE), DETONATING metal-clad	1.1D	-	-	-	0	E0	P139	PP71	-	-
D		0291	BOMBS with bursting charge	1.2F	-	-	-	0	E0	P130 LP101	-	-	-
		0292	GRENADES hand or rifle, with bursting charge	1.1F	-	-	-	0	EO	P141	-	-	-
U		0293	GRENADES hand or rifle, with bursting charge	1.2F	-	-	-	0	E0	P141	-	-	-
L	Δ	0294	MINES with bursting charge	1.2F	-	-	-	0	EO	P130 LP101	-	-	-
		0295	ROCKETS with bursting charge	1.2F	-	-	-	0	EO	P130 LP101	-	-	-
		0296	SOUNDING DEVICES, EXPLOSIVE	1.1F	-	-	-	0	EO	P134 LP102	-	-	-
		0297	AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	1.4G	-	_	-	0	EO	P130 LP101	PP67 L1	-	_
		0299	BOMBS, PHOTO-FLASH	1.3G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0300	AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge	1.4G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0301	AMMUNITION, TEAR- PRODUCING with burster, expelling charge or propelling charge	1.4G	6.1/8	-	-	0	EO	P130 LP101	PP67 L1	-	-
		0303	AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	1.4G	See SP204	-	204	0	E0	P130 LP101	PP67 L1	-	-
		0305	FLASH POWDER	1.3G	-	-	-	0	E0	P113	PP49	-	-
		0306	TRACERS FOR AMMUNITION	1.4G	-	_	_	0	E0	P133	PP69	-	
		0312	CARTRIDGES, SIGNAL	1.4G	-	-	-	0	E0	P135	-	-	-
		0313	SIGNALS, SMOKE	1.2G	-	-	-	0	E0	P135	-	-	-
		0314	IGNITERS	1.2G	-	-	-	0	E0	P142	-	-	-
		0315	IGNITERS	1.3G	-	_	_	0	E0	P142	-	_	_
		0316	FUZES, IGNITING	1.3G	-	-	-	0	E0	P141	-	-	-
		0317	FUZES, IGNITING	1.4G	-	_	-	0	E0	P141	-	-	-
		0318	GRENADES, PRACTICE hand or rifle	1.3G	-	-	-	0	E0	P141	-	-	-
		0319	PRIMERS, TUBULAR	1.3G	-	-	-	0	E0	P133	-	-	-
		0320	PRIMERS, TUBULAR	1.4G	-	-	-	0	E0	P133	-	-	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.]
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0289	'
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0290)
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0291	4
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0292	!
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0293	;
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0294	•
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0295	; .
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0296	;
-	-	-	F-B, S-X	Category 02 SW1	_	See glossary of terms in appendix B.	0297	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0299	
-		-	F-B, S-X	Category 02 SW1	_	See glossary of terms in appendix B.	0300	,
-	-	-	<u>F-B</u> , S-Z	Category 02 SW1	SG74	See glossary of terms in appendix B.	0301	
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0303	ŝ
-	-	-	F-B, S-Y	Category 03 SW1	-	See glossary of terms in appendix B.	0305	;
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0306	;
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0312	
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0313	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0314	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0315	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0316	
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0317	
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0318	
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0319	
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0320	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	0321	CARTRIDGES FOR WEAPONS with bursting charge	1.2E	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0322	ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge	1.2L	-	-	-	0	EO	P101	-	-	-
D	0323	CARTRIDGES, POWER DEVICE	1.4S	-	-	347	0	E0	P134 LP102	-	-	-
G	0324	PROJECTILES with bursting charge	1.2F	-	-	-	0	E0	P130 LP101	-	-	-
	0325	IGNITERS	1.4G	-	-	-	0	E0	P142	-	-	-
L	0326	CARTRIDGES FOR WEAPONS, BLANK	1.1C	-	-	-	0	E0	P130 LP101	-	-	-
	0327	CARTRIDGES FOR WEAPONS, BLANK or CARTRIDGES, SMALL ARMS, BLANK	1.3C	-	-	_	0	E0	P130 LP101	-	-	-
	0328	CARTRIDGES FOR WEAPONS, INERT PROJECTILE	1.2C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0329	TORPEDOES with bursting charge	1.1E	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0330	TORPEDOES with bursting charge	1.1F	-	-	-	0	E0	P130 LP101	-	-	-
	0331	EXPLOSIVE, BLASTING, TYPE B (AGENT, BLASTING, TYPE B)	1.5D	-	-	_	0	EO	P116	PP61 PP62 PP64	IBC100	-
	0332	EXPLOSIVE, BLASTING, TYPE E (AGENT, BLASTING, TYPE E)	1.5D	-	-	-	0	EO	P116	PP61 PP62	IBC100	-
	0333	FIREWORKS	1.1G	-	-	-	0	E0	P135	-	-	-
	0334	FIREWORKS	1.2G	-	-	-	0	E0	P135	-	-	-
	0335	FIREWORKS	1.3G	-	-	-	0	E0	P135	-	-	-
	0336	FIREWORKS	1.4G	-	-	-	0	E0	P135	-	-	-
	0337	FIREWORKS	1.4S	-	-	-	0	E0	P135	-	-	-
	0338	CARTRIDGES FOR WEAPONS, BLANK or CARTRIDGES, SMALL ARMS, BLANK	1.4C	-	-	-	0	EO	P130 LP101	-	-	-
	0339	CARTRIDGES FOR WEAPONS, INERT PROJECTILE or CARTRIDGES, SMALL ARMS	1.4C	-	_	_	0	E0	P130 LP101	-	-	-
	0340	NITROCELLULOSE dry or wetted with less than 25% water (or alcohol), by mass	1.1D	-	-	393	0	EO	P112 (a) or (b)	-	-	-
	0341	NITROCELLULOSE unmodified or plasticized with less than 18% plasticizing substance, by mass	1.1D	-	-	393	0	EO	P112 (b)	-	-	-
	0342	NITROCELLULOSE, WETTED with not less than 25% alcohol, by mass	1.3C	-	-	105 393	0	EO	P114 (a)	PP43	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions	Provisions	(15)	(16a)	(16b)	(17)	(19)
(12)	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		(18)
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	032
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	032
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	032
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0324
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	032
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0320
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	032
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	032
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0329
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	033
-	T1	TP1 TP17 TP32	F-B, S-Y	Category 03 SW1	SG34	See glossary of terms in appendix B.	033
-	T1	TP1 TP17 TP32	F-B, S-Y	Category 03 SW1	SG34	See glossary of terms in appendix B.	033
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	033
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	033
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	033
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	033
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	033
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	033
-	-	-	F-B, S-X	Category 02 SW1	_	See glossary of terms in appendix B.	033
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	034
-	-	_	F-B, S-Y	Category 04 SW1	_	Substance.	034
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	034

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	\triangle	0343	NITROCELLULOSE, PLASTICIZED with not less than 18% plasticizing substance, by mass	1.3C	-	_	105 393	0	EO	P111	-	-	_
Π		0344	PROJECTILES with bursting charge	1.4D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0345	PROJECTILES inert, with tracer	1.4S	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
G		0346	PROJECTILES with burster or expelling charge	1.2D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0347	PROJECTILES with burster or expelling charge	1.4D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	Δ	0348	CARTRIDGES FOR WEAPONS with bursting charge	1.4F	-	-	-	0	E0	P130 LP101	-	-	-
		0349	ARTICLES, EXPLOSIVE, N.O.S.	1.4S	-	-	178 274 347	0	E0	P101	-	-	-
		0350	ARTICLES, EXPLOSIVE, N.O.S.	1.4B	-	-	178 274	0	E0	P101	-	-	-
		0351	ARTICLES, EXPLOSIVE, N.O.S.	1.4C	-	-	178 274	0	E0	P101	-	-	-
		0352	ARTICLES, EXPLOSIVE, N.O.S.	1.4D	-	-	178 274	0	E0	P101	-	-	-
		0353	ARTICLES, EXPLOSIVE, N.O.S.	1.4G	-	-	178 274	0	E0	P101	-	-	-
		0354	ARTICLES, EXPLOSIVE, N.O.S.	1.1L	See SP943	-	178 274	0	E0	P101	-	-	-
		0355	ARTICLES, EXPLOSIVE, N.O.S.	1.2L	See SP943	-	178 274	0	E0	P101	-	-	-
		0356	ARTICLES, EXPLOSIVE, N.O.S.	1.3L	See SP943	-	178 274	0	E0	P101	-	-	-
		0357	SUBSTANCES, EXPLOSIVE, N.O.S.	1.1L	-	-	178 274	0	E0	P101	-	-	-
		0358	SUBSTANCES, EXPLOSIVE, N.O.S.	1.2L	-	-	178 274	0	E0	P101	-	-	-
		0359	SUBSTANCES, EXPLOSIVE, N.O.S.	1.3L	-	-	178 274	0	E0	P101	-	-	-
		0360	DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting	1.1B	-	-	-	0	E0	P131	-	-	-
		0361	DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting	1.4B	-	-	-	0	E0	P131		-	-
		0362	AMMUNITION, PRACTICE	1.4G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0363	AMMUNITION, PROOF	1.4G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0364	DETONATORS FOR AMMUNITION	1.2B	-	-	-	0	E0	P133	-	-	-
		0365	DETONATORS FOR AMMUNITION	1.4B	-	-	-	0	E0	P133	-	-	-
		0366	DETONATORS FOR AMMUNITION	1.4S	-	-	347	0	E0	P133	-	-	-
		0367	FUZES, DETONATING	1.4S	-	-	347	0	E0	P141	-	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-Y	Category 04 SW1	_	Substance.	034
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	034
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	034
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	034
-	-	-	F-B, S-X	Category 02 SW1	_	See glossary of terms in appendix B.	034
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	034
-	-	-	F-B, S-X	Category 01 SW1	-	-	034
-	-	-	F-B, S-X	Category 05 SW1	-	-	03
-	-	-	F-B, S-X	Category 02 SW1	-	-	03
-	-	-	F-B, S-X	Category 02 SW1	-	-	03
-	-	-	F-B, S-X	Category 02 SW1	_	-	03
-	-	-	F-B, S-X	Category 05 SW1	-	-	03
-	-	-	F-B, S-X	Category 05 SW1	-	-	03
-	-	-	F-B, S-X	Category 05 SW1	-	-	03
-	-	-	F-B, S-Y	Category 05 SW1	-	-	03
-	-	-	F-B, S-Y	Category 05 SW1	-	-	03
-	-	-	F-B, S-Y	Category 05 SW1	-	-	03
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	03
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	03
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	03
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	03
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	036
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	036
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	036
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	036

Circular Letter No. 4135 Annex 2

3 D G L

Chapter 3.2 – Dangerous Goods List

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisior
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	0368	FUZES, IGNITING	1.4S	-	-	-	0	EO	P141	-	-	-
Δ	0369	WARHEADS, ROCKET with bursting charge	1.1F	-	-	-	0	EO	P130 LP101	-	-	-
	0370	WARHEADS, ROCKET with burster or expelling charge	1.4D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
Δ	0371	WARHEADS, ROCKET with burster or expelling charge	1.4F	-	-	-	0	E0	P130 LP101	-	-	-
	0372	GRENADES, PRACTICE hand or rifle	1.2G	-	-	-	0	EO	P141	-	-	-
	0373	SIGNAL DEVICES, HAND	1.4S	-	-	-	0	E0	P135	-	-	-
	0374	SOUNDING DEVICES, EXPLOSIVE	1.1D	-	-	-	0	E0	P134 LP102	-	-	-
	0375	SOUNDING DEVICES, EXPLOSIVE	1.2D	-	_	-	0	E0	P134 LP102	-	-	-
	0376	PRIMERS, TUBULAR	1.4S	-	-	-	0	E0	P133	-	-	-
	0377	PRIMERS, CAP TYPE	1.1B	-	_	-	0	E0	P133	-	-	-
	0378	PRIMERS, CAP TYPE	1.4B	-	-	-	0	EO	P133	-	-	-
	0379	CASES, CARTRIDGE, EMPTY, WITH PRIMER	1.4C	-	_	-	0	E0	P136	-	-	-
	0380	ARTICLES, PYROPHORIC	1.2L	-	_	-	0	E0	P101	-	-	-
	0381	CARTRIDGES, POWER DEVICE	1.2C	-	_	-	0	E0	P134 LP102	-	-	-
	0382	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	1.2B	-	-	178 274	0	E0	P101	-	-	-
	0383	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	1.4B	-	_	178 274	0	E0	P101		-	-
	0384	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	1.4S	-	-	178 274 347	0	EO	P101	-	-	-
	0385	5-NITROBENZOTRIAZOL	1.1D	-	_	-	0	E0	P112 (b) or (c)	-	-	-
	0386	TRINITROBENZENE-SULPHONIC ACID	1.1D	-	-	-	0	E0	P112 (b) or (c)	PP26	-	-
	0387	TRINITROFLUORENONE	1.1D	-	_	-	0	E0	P112 (b) or (c)	-	-	-
	0388	TRINITROTOLUENE (TNT) AND TRINITROBENZENE MIXTURE or TRINITROTOLUENE (TNT) AND HEXANITROSTILBENE MIXTURE	1.1D	-	-	-	0	EO	P112 (b) or (c)	-	-	-
	0389	TRINITROTOLUENE (TNT) MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE	1.1D	_	_	-	0	EO	P112 (b) or (c)	-	_	-
	0390	TRITONAL	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0368
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0369
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0370
-	-		F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0371
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0372
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0373
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0374
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0375
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0376
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0377
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0378
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0379
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0380
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0381
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0382
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0383
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0384
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0385
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Substance.	0386
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0387
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0388
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0389
-	-	-	F-B, S-Y	Category 04 SW1	-	Tritonal is a substance consisting of trinitrotoluene (TNT) mixed with aluminium.	0390

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

UN No.	Proper shipping name (PSN)	class or division	Subsidiary hazard(s)	Packing group	provisions	quantity	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
0391	CYCLOTRIMETHYLENE- TRINITRAMINE (CYCLONITE; HEXOGEN; RDX) AND CYCLOTETRAMETHYLENE- TETRANITRAMINE (HMX; OCTOGEN) MIXTURE, WETTED with not less than 15% water, by mass or CYCLOTRIMETHYLENE- TRINITRAMINE (CYCLONITE; HEXOGEN; RDX) AND CYCLOTETRAMETHYLENE- TETRANITRAMINE (HMX; OCTOGEN) MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	1.1D	-	_	266	0	EO	P112 (a) or (b)	_	_	-
0392	HEXANITROSTILBENE	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0393	HEXOTONAL	1.1D	-	-	-	0	E0	P112 (b)	-	-	-
0394	TRINITRORESORCINOL (STYPHNIC ACID), WETTED with not less than 20% water, or mixture of alcohol and water, by mass	1.1D	-	-	-	0	EO	P112 (a)	PP26	-	-
0395	ROCKET MOTORS, LIQUID FUELLED	1.2J	-	-	-	0	E0	P101	-	-	-
0396	ROCKET MOTORS, LIQUID FUELLED	1.3J	-	-	-	0	E0	P101	-	-	-
0397	ROCKETS, LIQUID FUELLED with bursting charge	1.1J	-	-	-	0	E0	P101	-	-	-
0398	ROCKETS, LIQUID FUELLED with bursting charge	1.2J	-	-	-	0	E0	P101	-	-	-
0399	BOMBS WITH FLAMMABLE LIQUID with bursting charge	1.1J	-	-	-	0	E0	P101		-	-
0400	BOMBS WITH FLAMMABLE LIQUID with bursting charge	1.2J	-	-	-	0	EO	P101	-	-	-
0401	DIPICRYL SULPHIDE dry or wetted with less than 10% water, by mass	1.1D	-	-	-	0	EO	P112 (a), (b) or (c)	-	-	-
0402	AMMONIUM PERCHLORATE	1.1D	-	-	152	0	E0	P112 (b) or (c)	-	-	-
0403	FLARES, AERIAL	1.4G	-	_	-	0	E0	P135	-	-	_
0404	FLARES, AERIAL	1.4S	-	-	-	0	E0	P135	-	-	-
0405	CARTRIDGES, SIGNAL	1.4S	-	-	_	0	E0	P135	-	-	-
0406	DINITROSOBENZENE	1.3C	-	-	-	0	E0	P114 (b)	-	-	-
0407	TETRAZOL-1-ACETIC ACID	1.4C	-	-	-	0	E0	P114 (b)	-	-	-
0408	FUZES, DETONATING with protective features	1.1D	-	-	-	0	E0	P141	-	-	-
0409	FUZES, DETONATING with protective features	1.2D	-	-	-	0	E0	P141	-	-	-

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-Y	Category 04 SW1	_	Substance. Mass detonating explosive which will become more sensitive if the wetting or desensitizing agents are lost. This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.	0391
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Mass detonating explosive.	0392
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Mass detonating explosive.	0393
-	-	-	F-B, S-Y	Category 04 SW1	SG31	Substance. Mass detonating explosive.	0394
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	0395
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	0396
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	0397
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	0398
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	0399
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	0400
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0401
-	-	-	F-B, S-Y	Category 04 SW1	SGG2 SG27	Substance.	0402
-	-	-	F-B, S-X	Category 02 SW1	_	See glossary of terms in appendix B.	0403
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0404
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0405
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0406
-	-	-	F-B, S-Y	Category 02 SW1	-	Substance.	0407
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0408
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0409

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		0410	FUZES, DETONATING with protective features	1.4D	-	-	-	0	E0	P141	-	-	-
D		0411	PENTAERYTHRITE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN) with not less than 7% wax, by mass	1.1D	_	-	131	0	EO	P112 (b) or (c)	-	_	_
C		0412	CARTRIDGES FOR WEAPONS with bursting charge	1.4E	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
U	\triangle	0413	CARTRIDGES FOR WEAPONS, BLANK	1.2C	-	-	-	0	E0	P130 LP101	-	-	-
L	\triangle	0414	CHARGES, PROPELLING, FOR CANNON	1.2C	-	-	-	0	E0	P130 LP101	-	-	-
		0415	CHARGES, PROPELLING	1.2C	-	-	-	0	E0	P143	PP76	-	-
	\triangle	0417	CARTRIDGES FOR WEAPONS, INERT PROJECTILE or CARTRIDGES, SMALL ARMS	1.3C	-	-	-	0	EO	P130 LP101	-	-	-
		0418	FLARES, SURFACE	1.1G	-	-	-	0	E0	P135	-	-	-
		0419	FLARES, SURFACE	1.2G	-	-	-	0	E0	P135	-	-	-
		0420	FLARES, AERIAL	1.1G	-	-	-	0	E0	P135	-	-	-
		0421	FLARES, AERIAL	1.2G	-	-	-	0	E0	P135	-	-	-
		0424	PROJECTILES inert, with tracer	1.3G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0425	PROJECTILES inert, with tracer	1.4G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	\triangle	0426	PROJECTILES with burster or expelling charge	1.2F	-	-	-	0	E0	P130 LP101	-	-	-
	\triangle	0427	PROJECTILES with burster or expelling charge	1.4F	-	-	-	0	E0	P130 LP101	-	-	-
		0428	ARTICLES, PYROTECHNIC for technical purposes	1.1G	-	-	-	0	EO	P135	-	-	-
		0429	ARTICLES, PYROTECHNIC for technical purposes	1.2G	-	-	-	0	E0	P135	-	-	-
		0430	ARTICLES, PYROTECHNIC for technical purposes	1.3G	-	-	-	0	E0	P135	-	-	-
		0431	ARTICLES, PYROTECHNIC for technical purposes	1.4G	-	-	-	0	E0	P135	-	-	-
		0432	ARTICLES, PYROTECHNIC for technical purposes	1.4S	-	-	-	0	E0	P135	-	-	-
		0433	POWDER CAKE (POWDER PASTE), WETTED with not less than 17% alcohol, by mass	1.1C	-	-	266	0	EO	P111	-	-	-
		0434	PROJECTILES with burster or expelling charge	1.2G	-	_	-	0	E0	P130 LP101	PP67 L1	-	-
		0435	PROJECTILES with burster or expelling charge	1.4G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
		0436	ROCKETS with expelling charge	1.2C	_	_	_	0	E0	P130 LP101	PP67 L1	-	_

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0410
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0411
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0412
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0413
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0414
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0415
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0417
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0418
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0419
-		-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0420
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0421
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0424
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0425
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0426
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0427
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0428
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0429
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0430
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0431
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0432
-	-	-	F-B, S-Y	Category 04 SW1	-	See glossary of terms in appendix B.	0433
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0434
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0435
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0436

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	0437	ROCKETS with expelling charge	1.3C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0438	ROCKETS with expelling charge	1.4C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0439	CHARGES, SHAPED without detonator	1.2D	-	-	-	0	E0	P137	PP70	-	-
	0440	CHARGES, SHAPED without detonator	1.4D	-	-	-	0	E0	P137	PP70	-	-
	0441	CHARGES, SHAPED without detonator	1.4S	-	-	347	0	E0	P137	PP70	-	-
	0442	CHARGES, EXPLOSIVE, COMMERCIAL without detonator	1.1D	-	-	-	0	E0	P137	-	-	-
	0443	CHARGES, EXPLOSIVE, COMMERCIAL without detonator	1.2D	-	-	-	0	E0	P137	-	-	-
	0444	CHARGES, EXPLOSIVE, COMMERCIAL without detonator	1.4D	-	-	-	0	E0	P137	-	-	-
	0445	CHARGES, EXPLOSIVE, COMMERCIAL without detonator	1.4S	-	-	347	0	E0	P137	-	-	-
	0446	CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER	1.4C	-	-	-	0	E0	P136	-	-	-
	0447	CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER	1.3C	-	-	-	0	E0	P136	-	-	-
	0448	5-MERCAPTOTETRAZOL-1- ACETIC ACID	1.4C	-	-	-	0	E0	P114 (b)	-	-	-
	0449	TORPEDOES, LIQUID FUELLED with or without bursting charge	1.1J	-	-	-	0	E0	P101	-	-	-
	0450	TORPEDOES, LIQUID FUELLED with inert head	1.3J	-	-	-	0	E0	P101	-	-	-
	0451	TORPEDOES with bursting charge	1.1D	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
	0452	GRENADES, PRACTICE hand or rifle	1.4G	-	-	-	0	E0	P141		-	-
\triangle	0453	ROCKETS, LINE-THROWING	1.4G	-	-	-	0	E0	P130 LP101	-	-	-
	0454	IGNITERS	1.4S	-	-	-	0	EO	P142	-	-	-
	0455	DETONATORS, NON-ELECTRIC for blasting	1.4S	-	-	347	0	EO	P131	PP68	-	-
	0456	DETONATORS, ELECTRIC for blasting	1.4S	-	-	347	0	E0	P131	-	-	-
\triangle	0457	CHARGES, BURSTING, PLASTICS BONDED	1.1D	-	-	-	0	EO	P130 LP101	-	-	-
\triangle	0458	CHARGES, BURSTING, PLASTICS BONDED	1.2D	-	_	-	0	E0	P130 LP101	_	-	-
\triangle	0459	CHARGES, BURSTING, PLASTICS BONDED	1.4D	-	-	-	0	E0	P130 LP101	-	-	-
\triangle	0460	CHARGES, BURSTING, PLASTICS BONDED	1.4S	-	-	347	0	E0	P130 LP101	_	-	_
	0461	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	1.1B	-	-	178 274	0	E0	P101	-	-	-
	0462	ARTICLES, EXPLOSIVE, N.O.S.	1.1C	-	_	178 274	0	E0	P101	-	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	043
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	043
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0439
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	044
-	-	-	F-B, S-Y	Category 02 SW1	_	Substance.	044
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	044
-	-	-	F-B, S-X	Category 05 SW1	SG67	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 02 SW1	_	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 01 SW1	_	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	045
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	046
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	046
-	-	-	F-B, S-X	Category 03 SW1	-	-	046

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

UN	Proper shipping name	Class or	Subsidiary	Packing	Special	Limited an	d excepted	Pack	king	IB	С
NO.	(PSN)	aivision	nazard(s)	group	provisions	Limited	Excepted	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	quantities (7a) 3.4	quantities (7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
0463	ARTICLES, EXPLOSIVE, N.O.S.	1.1D	-	-	178 274	0	E0	P101	-	-	-
0464	ARTICLES, EXPLOSIVE, N.O.S.	1.1E	-	-	178 274	0	E0	P101	-	-	-
0465	ARTICLES, EXPLOSIVE, N.O.S.	1.1F	-	-	178 274	0	E0	P101	-	-	-
0466	ARTICLES, EXPLOSIVE, N.O.S.	1.2C	-	-	178 274	0	E0	P101	-	-	-
0467	ARTICLES, EXPLOSIVE, N.O.S.	1.2D	-	-	178 274	0	E0	P101	-	-	-
0468	ARTICLES, EXPLOSIVE, N.O.S.	1.2E	-	-	178 274	0	E0	P101	-	-	-
0469	ARTICLES, EXPLOSIVE, N.O.S.	1.2F	-	-	178 274	0	E0	P101	-	-	-
0470	ARTICLES, EXPLOSIVE, N.O.S.	1.3C	-	-	178 274	0	E0	P101	-	-	-
0471	ARTICLES, EXPLOSIVE, N.O.S.	1.4E	-	-	178 274	0	E0	P101	-	-	-
0472	ARTICLES, EXPLOSIVE, N.O.S.	1.4F	-	-	178 274	0	E0	P101	-	-	-
0473	SUBSTANCES, EXPLOSIVE, N.O.S.	1.1A	-	-	178 274	0	E0	P101	-	-	-
0474	SUBSTANCES, EXPLOSIVE, N.O.S.	1.1C	-	-	178 274	0	E0	P101	-	-	-
0475	SUBSTANCES, EXPLOSIVE, N.O.S.	1.1D	-	-	178 274	0	E0	P101	-	-	-
0476	SUBSTANCES, EXPLOSIVE, N.O.S.	1.1G	-	-	178 274	0	E0	P101	-	-	-
0477	SUBSTANCES, EXPLOSIVE, N.O.S.	1.3C	-	-	178 274	0	E0	P101	-	-	-
0478	SUBSTANCES, EXPLOSIVE, N.O.S.	1.3G	-	-	178 274	0	E0	P101	-	-	-
0479	SUBSTANCES, EXPLOSIVE, N.O.S.	1.4C	-	-	178 274	0	E0	P101	-	-	-
0480	SUBSTANCES, EXPLOSIVE, N.O.S.	1.4D	-	-	178 274	0	EO	P101	-	-	-
0481	SUBSTANCES, EXPLOSIVE, N.O.S.	1.4S	-	-	178 274 347	0	E0	P101	-	-	-
0482	SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE (SUBSTANCES, EVI), N.O.S.	1.5D	-	-	178 274	0	EO	P101	-	-	_
0483	CYCLOTRIMETHYLENE- TRINITRAMINE (CYCLONITE; HEXOGEN; RDX), DESENSITIZED	1.1D	-	-	-	0	EO	P112 (b) or (c)	-	-	-
0484	CYCLOTETRAMETHYLENE- TETRANITRAMINE (OCTOGEN; HMX), DESENSITIZED	1.1D	-	_	-	0	EO	P112 (b) or (c)	-	-	_

1.4G

1.6N

_

_

_

_

178

274

_

0

0

E0

E0

P101

P101

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-X	Category 03 SW1	-	-	0463
-	-	-	F-B, S-X	Category 03 SW1	-	-	0464
-	-	-	F-B, S-X	Category 03 SW1	-	-	0465
-	-	-	F-B, S-X	Category 03 SW1	-	-	0466
-	-	-	F-B, S-X	Category 03 SW1	-	-	0467
-	-	-	F-B, S-X	Category 03 SW1	-	-	0468
-	-	-	F-B, S-X	Category 03 SW1	-	-	0469
-	-	-	F-B, S-X	Category 03 SW1	-	-	0470
-	-	-	F-B, S-X	Category 03 SW1	-	-	0471
-	-	-	F-B, S-X	Category 03 SW1	-	-	0472
-	-	-	F-B, S-Y	Category 05 SW1	-	-	0473
-	-	-	F-B, S-Y	Category 04 SW1	-	-	0474
-	-	-	F-B, S-Y	Category 04 SW1	-	-	0475
-	-	-	F-B, S-Y	Category 03 SW1	-	-	0476
-	-	-	F-B, S-Y	Category 04 SW1	-	-	0477
-	-	-	F-B, S-Y	Category 03 SW1	-	-	0478
-	-	-	F-B, S-Y	Category 02 SW1	-	-	0479
-	-	-	F-B, S-Y	Category 02 SW1	-	-	0480
-	-	-	F-B, S-Y	Category 01 SW1	-	-	0481
-	-	-	F-B, S-Y	Category 03 SW1	_	-	0482
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Mass detonating explosive which will become more sensitive if the wetting or desensitizing agents are lost.	0483
-	-	-	F-B, S-Y	Category 04 SW1	_	Substance. Mass detonating explosive which will become more sensitive if the wetting or desensitizing agents are lost.	0484
-	-	-	F-B, S-Y	Category 02 SW1	-	-	0485
-	-	-	F-B, S-X	Category 03 SW1	_	See glossary of terms in appendix B.	0486

_

-

_

_

_

_

0485 SUBSTANCES, EXPLOSIVE,

EXTREMELY INSENSITIVE (ARTICLES, EEI)

0486 ARTICLES, EXPLOSIVE,

N.O.S.

Circular Letter No. 4135 Annex 2

3

Chapter 3.2 – Dangerous Goods List

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	Limited and excepted quantity provisions		king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
0487	SIGNALS, SMOKE	1.3G	-	-	-	0	E0	P135	-	-	-
0488	AMMUNITION, PRACTICE	1.3G	-	-	-	0	E0	P130 LP101	PP67 L1	-	-
0489	DINITROGLYCOLURIL (DINGU)	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0490	NITROTRIAZOLONE (NTO)	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0491	CHARGES, PROPELLING	1.4C	-	-	-	0	E0	P143	PP76	-	-
0492	SIGNALS, RAILWAY TRACK, EXPLOSIVE	1.3G	-	-	-	0	E0	P135	-	-	-
0493	SIGNALS, RAILWAY TRACK, EXPLOSIVE	1.4G	-	-	-	0	E0	P135	-	-	-
0494	JET PERFORATING GUNS, CHARGED oil well, without detonator	1.4D	-	-	-	0	EO	P101	-	-	-
0495	PROPELLANT, LIQUID	1.3C	_	-	224	0	EO	P115	PP53 PP54 PP57 PP58	-	-
0496	OCTONAL	1.1D	-	-	-	0	E0	P112 (b) or (c)	-	-	-
0497	PROPELLANT, LIQUID	1.1C	-	-	224	0	EO	P115	PP53 PP54 PP57 PP58	-	-
0498	PROPELLANT, SOLID	1.1C	-	-	-	0	E0	P114 (b)	-	-	-
0499	PROPELLANT, SOLID	1.3C	-	-	-	0	E0	P114 (b)	-	-	-
0500	DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting	1.4S	-	-	347	0	E0	P131	-	-	-
0501	PROPELLANT, SOLID	1.4C	-	-	-	0	E0	P114 (b)	-	-	-
0502	ROCKETS with inert head	1.2C	-	-	-	0	EO	P130 LP101	PP67 L1	-	-
0503	SAFETY DEVICES, PYROTECHNIC	1.4G	-	-	235 289	0	E0	P135	-	-	-
0504	1H-TETRAZOLE	1.1D	-	-	-	0	E0	P112 (c)	PP48	-	-
0505	SIGNALS, DISTRESS, ship	1.4G	-	-	-	0	E0	P135	-	-	-
0506	SIGNALS, DISTRESS, ship	1.4S	-	-	-	0	E0	P135	-	-	-
0507	SIGNALS, SMOKE	1.4S	-	-	-	0	E0	P135	-	-	-
0508	1-HYDROXYBENZOTRIAZOLE, ANHYDROUS, dry or wetted with less than 20% water, by mass	1.3C	-	-	-	0	EO	P114 (b)	PP48 PP50	-	-
0509	POWDER, SMOKELESS	1.4C	-	-	-	0	E0	P114(b)	PP48	-	-
0510	ROCKET MOTORS	1.4C	-	-	-	0	E0	P130 LP101	PP67 L1	-	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3-7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0487
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0488
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0489
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0490
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0491
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0492
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0493
-			F-B, S-X	Category 02 SW1 SW30	-	See glossary of terms in appendix B.	0494
-	-	-	F-B, S-Y	Category 04 SW1	-	See glossary of terms in appendix B.	0495
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance. Mixtures of mass detonating explosives.	0496
-			F-B, S-Y	Category 04 SW1	-	See glossary of terms in appendix B.	0497
-	-	-	F-B, S-Y	Category 04 SW1	_	See glossary of terms in appendix B.	0498
-	-	-	F-B, S-Y	Category 04 SW1	-	See glossary of terms in appendix B.	0499
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0500
-	-	-	F-B, S-Y	Category 02 SW1	-	See glossary of terms in appendix B.	0501
-	-	-	F-B, S-X	Category 03 SW1	-	See glossary of terms in appendix B.	0502
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0503
-	-	-	F-B, S-Y	Category 04 SW1	-	Substance.	0504
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0505
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0506
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0507
-	_	_	F-B, S-Y	Category 04 SW1	_	Substance.	0508
-	-	-	F-B, S-Y	Category 02 SW1	-	See glossary of terms in appendix B.	0509
-	-	-	F-B, S-X	Category 02 SW1	-	See glossary of terms in appendix B.	0510

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
L	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
Ŀ	0511	DETONATORS, ELECTRONIC programmable for blasting	1.1B	-	-	-	0	E0	P131	-	-	-
Ľ	0512	DETONATORS, ELECTRONIC programmable for blasting	1.4B	-	-	-	0	E0	P131	-	-	-
•	0513	DETONATORS, ELECTRONIC programmable for blasting	1.4S	-	-	347	0	E0	P131	-	-	-
	1001	ACETYLENE, DISSOLVED	2.1	_	-	-	0	EO	P200	_	-	_
\triangle	1002	AIR, COMPRESSED	2.2	-	-	392	120 mL	E1	P200	-	-	-
L	1003	AIR, REFRIGERATED LIQUID	2.2	5.1	-	-	0	EO	P203	-	-	-
	1005	AMMONIA, ANHYDROUS	2.3	8 P	-	23 379	0	EO	P200	-	-	-
\triangle	1006	ARGON, COMPRESSED	2.2	-	-	378 392	120 mL	E1	P200	-	-	-
	1008	BORON TRIFLUORIDE	2.3	8	-	373	0	EO	P200	-	-	-
	1009	BROMOTRIFLUOROMETHANE (REFRIGERANT GAS R 13B1)	2.2	-	-	-	120 mL	E1	P200		-	-
	1010	BUTADIENES, STABILIZED or BUTADIENES AND HYDROCARBON MIXTURE, STABILIZED, containing more than 40% butadienes	2.1	-	-	386	0	EO	P200	-	-	-
	1011	BUTANE	2.1	-	-	392	0	EO	P200	-	-	-
	1012	BUTYLENE	2.1	-	-	-	0	EO	P200	-	-	-
\triangle	1013	CARBON DIOXIDE	2.2	-	-	378 392	120 mL	E1	P200	-	-	-
	1016	CARBON MONOXIDE, COMPRESSED	2.3	2.1	-	974	0	E0	P200	-	-	-
	1017	CHLORINE	2.3	5.1/8 P	-	-	0	EO	P200	_	_	_
	1018	CHLORODIFLUOROMETHANE (REFRIGERANT GAS R 22)	2.2	-	-	-	120 mL	E1	P200	-	-	-
	1020	CHLOROPENTAFLUORO- ETHANE (REFRIGERANT GAS R 115)	2.2	-	-	-	120 mL	E1	P200	-	-	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.		
	Tank instructions	Provisions							
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)		
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0511		
-	-	-	F-B, S-X	Category 05 SW1	-	See glossary of terms in appendix B.	0512		
-	-	-	F-B, S-X	Category 01 SW1	-	See glossary of terms in appendix B.	0513		
-	-	-	<u>F-D</u> , <u>S-U</u>	Category D SW1 SW2	SG46	Flammable gas with slight odour. Explosive limits: 2.1% to 80%. Lighter than air (0.907). Rough handling and exposure to local heating should be avoided, since these conditions may result in delayed explosion. Empty cylinders should be carried with the same precautions as filled cylinders.	1001		
-	-	-	F-C, S-V	Category A	-	Non-flammable gas.	1002		
-	 - T75 TP5 TP22 - T50 -		<u>F-C</u> , S-W	Category D	-	Liquefied, non-flammable gas. Strong oxidizing agent. Mixtures of liquid air with combustible materials or oils may explode. May ignite organic materials.			
-	T50	-	F-C, S-U	Category D SW2	SGG18 SG35 SG46	Liquefied, non-flammable, toxic and corrosive gas with a pungent odour. Lighter than air (0.6). Suffocating in low concentrations. Even though this substance has a flammability hazard, it only exhibits such hazard under extreme fire conditions in confined areas. Reacts violently with acids. Highly irritating to skin, eyes and mucous membranes.	1005		
-	-	-	F-C, S-V	Category A	-	Inert gas. Heavier than air (1.4).	1006		
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive gas. Forms dense white corrosive fumes in moist air. Reacts violently with water, evolving hydrogen fluoride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to glass and most metals. Much heavier than air (2.35). Highly irritating to skin, eyes and mucous membranes.	1008		
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas with a slight odour. Much heavier than air (5.2).	1009		
-	T50	-	F-D, S-U	Category B SW1 SW2	-	Liquefied, flammable gas with an unpleasant odour. Explosive limits: 2% to 12%. Heavier than air (1.84).	1010		
-	T50	-	F-D, S-U	Category E SW2	-	Flammable hydrocarbon gas. Explosive limits: 1.8% to 8.4%. Heavier than air (2.11).	1011		
-	T50	-	F-D, S-U	Category E SW2	-	Flammable hydrocarbon gas. Explosive limits: 1.6% to 10%. Heavier than air (2.0).	1012		
-	-	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Heavier than air (1.5). Cannot remain in the liquid state above 31°C.	1013		
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, odourless gas. Explosive limits: 12% to 75%. Slightly lighter than air (0.97).	1016		
-	T50	TP19	F-C, S-U	Category D SW2	SG6 SG19	Non-flammable, toxic and corrosive yellow gas with a pungent odour. Corrosive to glass and to most metals. Much heavier than air (2.4). Highly irritating to skin, eyes and mucous membranes. Powerful oxidant which may cause fire.	1017		
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas with a chloroform-like odour. Much heavier than air (3.0).	1018		
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air (5.4).	1020		

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1021	1-CHLORO-1,2,2,2-TETRA- FLUOROETHANE (REFRIGERANT GAS R 124)	2.2	-	-	-	120 mL	E1	P200	-	-	-
	1022	CHLOROTRIFLUOROMETHANE (REFRIGERANT GAS R 13)	2.2	-	-	-	120 mL	E1	P200	-	-	-
	1023	COAL GAS, COMPRESSED	2.3	2.1	-	-	0	E0	P200	-	-	-
·	1026	CYANOGEN	2.3	2.1	-	-	0	E0	P200	-	-	-
	1027	CYCLOPROPANE	2.1	-	-	-	0	E0	P200	-	-	-
	1028	DICHLORODIFLUOROMETHANE (REFRIGERANT GAS R 12)	2.2	-	-	-	120 mL	E1	P200	-	-	-
	1029	DICHLOROFLUOROMETHANE (REFRIGERANT GAS R 21)	2.2	-	-	-	120 mL	E1	P200	-	-	-
•	1030	1,1-DIFLUOROETHANE (REFRIGERANT GAS R 152a)	2.1	-	-	-	0	E0	P200	-	-	-
	1032	DIMETHYLAMINE, ANHYDROUS	2.1	-	-	-	0	EO	P200	-	-	-
	1033	DIMETHYL ETHER	2.1	-	-	-	0	E0	P200	-	-	-
	1035	ETHANE	2.1	-	-	-	0	E0	P200	-	-	-
	1036	ETHYLAMINE	2.1	-	-	912	0	EO	P200	-	-	-
	1037	ETHYL CHLORIDE	2.1	-	-	-	0	E0	P200	-	-	-
·	1038	ETHYLENE, REFRIGERATED LIQUID	2.1	-	-	-	0	E0	P203	-	-	-
	1039	ETHYL METHYL ETHER	2.1	-	-	-	0	E0	P200	-	-	-
•	1040	ETHYLENE OXIDE or ETHYLENE OXIDE WITH NITROGEN up to a total pressure of 1 MPa (10 bar) at 50°C	2.3	2.1	-	342	0	EO	P200	-	-	-
	1041	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 9% but not more than 87% ethylene oxide	2.1	-	-	-	0	EO	P200	-	-	-
	1043	FERTILIZER AMMONIATING SOLUTION with free ammonia	2.2	-	-	-	120 mL	EO	P200	-	-	-
	1044	FIRE EXTINGUISHERS with compressed or liquefied gas	2.2	-	-	225	120 mL	E0	P003	PP91	-	-
-	1045	FLUORINE, COMPRESSED	2.3	5.1/8	-	-	0	EO	P200	_	-	_
\triangle	1046	HELIUM, COMPRESSED	2.2	-	-	378 392 974	120 mL	E1	P200	-	-	-

Portable tanks and bulk containers Tank Provision instructions (12) (13) (14)		ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air (4.7).	1021
-	-	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air (3.6). Cannot remain in the liquid state above 29°C.	1022
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic gas. Explosive limits: 4.5% to 40%. Much lighter than air (0.4 to 0.6).	1023
-	-		F-D, S-U	Category D SW2	-	Liquefied, flammable, toxic gas with a pungent odour. Explosive limits: 6.6% to 43%. Heavier than air (1.9).	1026
-	T50	-	F-D, S-U	Category E SW2	-	Flammable hydrocarbon gas. Heavier than air.	1027
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air (4.2).	1028
-	- T50 - - T50 -		F-C, S-V	Category A	-	Liquefied, non-flammable gas with a chloroform-like odour. Much heavier than air (3.6). Boiling point: 9°C.	1029
-	T50 –		F-D, S-U	Category B SW2	-	Flammable gas. Explosive limits: 5% to 17%. Much heavier than air (2.3).	1030
-	T50 -		F-D, S-U	Category D SW2	SG35	Liquefied, flammable gas with an ammonia-like odour. Heavier than air (1.6). Boiling point: 7°C. Suffocating in low concentrations.	1032
-	T50	-	F-D, S-U	Category B SW2	-	Flammable gas with a chloroform-like odour. Heavier than air (1.6).	1033
-	-	-	F-D, S-U	Category E SW2	-	Flammable gas. Explosive limits: 3% to 16%. Slightly heavier than air (1.05).	1035
-	T50	-	F-D, S-U	Category D SW2	SG35	Liquefied, flammable gas with an ammonia-like odour. Explosive limits: 3.5% to 14%. Heavier than air (1.6). Boiling point: 17°C.	1036
-	T50	-	F-D, S-U	Category B SW2	-	Liquefied, flammable gas. Explosive limits: 3.5% to 15%. Much heavier than air (2.2). Boiling point: 13°C.	1037
-	T75	TP5	<u>F-D</u> , S-U	Category D SW2	-	Liquefied, flammable gas. Explosive limits: 3% to 34%. Lighter than air (0.98).	1038
-	-	-	F-D, S-U	Category B SW2	-	Liquefied, flammable gas. Explosive limits: 2% to 10%. Much heavier than air (2.1). Boiling point: 11°C.	1039
-	T50	TP20 TP90	F-D, S-U	Category D SW2	_	Liquefied, flammable, toxic gases with an ether-like odour. Heavier than air (1.5). Boiling point: 11°C.	1040
-	T50	-	F-D, S-U	Category B SW2	-	Liquefied, flammable gas with an ether-like odour. Heavier than air (1.5).	1041
-	-	-	F-C, S-V	Category E SW2	-	Non-flammable aqueous solution of ammonium nitrate, calcium nitrate, urea and their mixtures containing ammonia gas. Emits toxic vapours of ammonia.	1043
-	-	-	F-C, S-V	Category A	-	Fire extinguishers, containing compressed or liquefied gases under pressure above 175 kPa for expelling fire-extinguishing contents.	1044
-	_	-	F-C, S-W	Category D SW2	SG6 SG19	Non-flammable, toxic and corrosive pale yellowish gas with a pungent odour. Powerful oxidant which may cause fire. Reacts with water or moist air to produce toxic and corrosive fumes. Corrosive to glass and to most metals. Will explode when mixed with hydrogen. Heavier than air (1.3). Highly irritating to skin, eyes and mucous membranes.	1045
-	-	-	F-C, S-V	Category A	-	Inert gas. Much lighter than air (0.14).	1046
							1

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity r	d excepted provisions	Pack	king	IB	C
					0		Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1048	HYDROGEN BROMIDE, ANHYDROUS	2.3	8	-	-	0	E0	P200	-	-	-
	1049	HYDROGEN, COMPRESSED	2.1	-	-	392 974	0	EO	P200	-	-	-
D	1050	HYDROGEN CHLORIDE, ANHYDROUS	2.3	8	-	-	0	EO	P200	-	-	-
G	1051	HYDROGEN CYANIDE, STABILIZED containing less than 3% water	6.1	3 P	I	386	0	EO	P200	-	-	-
	1052	HYDROGEN FLUORIDE, ANHYDROUS	8	6.1	I	_	0	EO	P200	_	_	_
	1053	HYDROGEN SULPHIDE	2.3	2.1	-	-	0	E0	P200	-	-	-
	1055	ISOBUTYLENE	2.1	-	-	-	0	EO	P200	-	-	-
\triangle	1056	KRYPTON, COMPRESSED	2.2	-	-	378 392	120 mL	E1	P200	-	-	-
	1057	LIGHTERS or LIGHTER REFILLS containing flammable gas	2.1	-	-	201	0	E0	P002	PP84	-	-
\bigtriangleup	1058	LIQUEFIED GASES non-flammable, charged with nitrogen, carbon dioxide or air	2.2	-	-	392	120 mL	E1	P200	-	-	-
	1060	METHYLACETYLENE AND PROPADIENE MIXTURE, STABILIZED	2.1	-	-	386	0	E0	P200	-	-	-
	1061	METHYLAMINE, ANHYDROUS	2.1	-	-	-	0	E0	P200	-	-	-
	1062	METHYL BROMIDE with not more than 2.0% chloropicrin	2.3	-	-	23	0	EO	P200	-	-	-
	1063	METHYL CHLORIDE (REFRIGERANT GAS R 40)	2.1	-	-	-	0	E0	P200	-	-	-
	1064	METHYL MERCAPTAN	2.3	2.1 P	-	-	0	EO	P200	-	-	-
\triangle	1065	NEON, COMPRESSED	2.2	-	-	378 392	120 mL	E1	P200	-	-	-
\bigtriangleup	1066	NITROGEN, COMPRESSED	2.2	-	-	378 392	120 mL	E1	P200	-	-	-
	1067	DINITROGEN TETROXIDE (NITROGEN DIOXIDE)	2.3	5.1/8	-	-	0	EO	P200	-	-	-
	1069	NITROSYL CHLORIDE	2.3	8	-	-	0	EO	P200	-	-	-
	1070	NITROUS OXIDE	2.2	5.1	-	-	0	E0	P200	-	-	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2	(16a) 7.1	(16b) 7.2–7.7	(17)	(18
-	-		F-C, S-U	Category D SW2	_	Non-flammable, toxic and corrosive gas with a pungent odour. Highly corrosive in the presence of water. Much heavier than air (3.6). Highly irritating to the skin, eves and mucous membranes.	104
-	-	-	F-D, S-U	Category E SW2	SG46	Flammable, odourless gas. Explosive limits: 4% to 75%. Much lighter than air (0.07).	104
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive colourless gas with a pungent odour. Highly corrosive in the presence of water. Heavier than air (1.3). Highly irritating to skin, eyes and mucous membranes.	105
-	-	-	F-E, <u>S-D</u>	Category D SW1 SW2	-	Very volatile, colourless flammable liquid, evolving extremely toxic flammable vapours. Boiling point: 26°C. Flashpoint: -18°C c.c. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	105
-	T10	TP2	F-C, S-U	Category D SW2	SGG1a SG36 SG49	Colourless, fuming and highly volatile liquid with an irritating and pungent odour. Highly corrosive to metals and glass in the presence of moisture. Boiling point: 20°C. Toxic if swallowed, by skin contact or by inhalation. Causes severe burns to skin, eyes and mucous membranes.	105
-	-	-	F-D, S-U	Category D SW2	-	Liquefied, flammable, toxic gas with a foul odour. Heavier than air (1.2).	105
-	Т50	-	F-D, S-U	Category E SW2	-	Flammable hydrocarbon gas. Explosive limits: 1.8% to 8.8%. May contain propane, cyclopropane, propylene, butane, butylene, etc., in varying proportions. Heavier than air (1.94).	105
-	-	-	F-C, S-V	Category A SW1	-	Inert gas. Much heavier than air (2.9).	10
-	-	-	F-D, S-U	Category B SW2	-	Lighters or lighter refills containing butane or other flammable gas.	10
-	-	-	F-C, S-V	Category A	-	Non-flammable gases or mixtures of such gases which are used for filling receptacles from which the contents are to be dispersed under pressure. Vapour may be heavier than air.	10
-	T50	-	F-D, S-U	Category B SW1 SW2	-	Flammable gas. Explosive limits: 3% to 11%. Heavier than air (1.4).	10
-	T50	-	F-D, S-U	Category B SW2	SG35	Liquefied, flammable gas with an ammonia-like odour. Heavier than air (1.09).	10
-	T50	_	F-C, S-U	Category D SW2	-	Liquefied, toxic gas with a chloroform-like odour. Much heavier than air (3.3). Boiling point: 4.5°C. Even though this substance has a flammability hazard, it only exhibits such hazard under extreme fire conditions in confined areas.	10
-	T50	-	F-D, S-U	Category D SW2	-	Liquefied, flammable gas. Explosive limits: 8% to 20%. Heavier than air (1.8).	10
-	T50	-	F-D, S-U	Category D SW2	-	Liquefied, flammable, toxic gas with a foul odour. Heavier than air (1.7). Boiling point: 6°C.	10
-	-	-	F-C, S-V	Category A	-	Inert gas. Lighter than air (0.7).	10
-	-	-	F-C, S-V	Category A	_	Non-flammable, odourless gas. Lighter than air (0.97).	10
-	T50	TP21	F-C, S-W	Category D SW2	SG6 SG19	Liquefied, non-flammable, toxic and corrosive gas which gives off brown vapour with a pungent odour. Strong oxidizing agent. Boiling point: 21°C. Highly irritating to skin, eyes and mucous membranes. Toxic by inhalation, with delayed effect, similar to phosgene.	10
-	-	-	F-C, S-U	Category D SW2	_	Non-flammable, toxic yellow gas with an irritating odour. Corrosive to steel. Much heavier than air (2.3). Highly irritating to skin, eyes and mucous membranes.	10
-	-	-	<u>F-C</u> , S-W	Category A	-	Non-flammable gas. Strong oxidizing agent. Heavier than air (1.5).	10

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1071	OIL GAS, COMPRESSED	2.3	2.1	-	-	0	E0	P200	-	-	-
	1072	OXYGEN, COMPRESSED	2.2	5.1	-	355	0	E0	P200	-	-	-
	1073	OXYGEN, REFRIGERATED LIQUID	2.2	5.1	-	-	0	E0	P203	-	-	-
	1075	PETROLEUM GASES, LIQUEFIED	2.1	-	-	392	0	E0	P200	-	-	-
	1076	PHOSGENE	2.3	8	_	_	0	EO	P200	_	_	_
	1077	PROPYLENE	2.1	-	-	-	0	E0	P200	-	-	-
	1078	REFRIGERANT GAS, N.O.S.	2.2	-	-	274	120 mL	E1	P200	-	-	-
	1079	SULPHUR DIOXIDE	2.3	8	-	-	0	EO	P200	-	-	-
\bigtriangleup	1080	SULPHUR HEXAFLUORIDE	2.2	-	-	392	120 mL	E1	P200	-	-	-
	1081	TETRAFLUOROETHYLENE, STABILIZED	2.1	-	-	386	0	EO	P200	-	-	-
	1082	TRIFLUOROCHLORO- ETHYLENE, STABILIZED (REFRIGERANT GAS R 1113)	2.3	2.1	-	386	0	EO	P200	-	-	-
	1083	TRIMETHYLAMINE, ANHYDROUS	2.1	-	_	_	0	EO	P200	-	-	_
	1085	VINYL BROMIDE, STABILIZED	2.1	-	-	386	0	EO	P200	-	-	-
	1086	VINYL CHLORIDE, STABILIZED	2.1	-	-	386	0	EO	P200	-	-	-
	1087	VINYL METHYL ETHER, STABILIZED	2.1	-	-	386	0	E0	P200	-	-	-
	1088	ACETAL	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1089	ACETALDEHYDE	3	-	I	-	0	E0	P001	-	-	-
	1090	ACETONE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1091	ACETONE OILS	3	-	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12) (13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic gas. A mixture of hydrocarbons and carbon monoxide.	1071
-	-	-	<u>F-C</u> , <u>S-W</u>	Category A	-	Non-flammable, odourless gas. Strong oxidizing agent. Heavier than air (1.1).	1072
-	T75	TP5 TP22	<u>F-C</u> , <u>S-W</u>	Category D	-	Liquefied, non-flammable gas. Strong oxidizing agent. Mixtures of liquid oxygen with acetylene or oils may explode.	1073
-	T50	-	<u>F-D</u> , S-U	Category E SW2	-	Flammable hydrocarbon gases or mixtures obtained from natural gas or by distillation of mineral oils or coal, etc. May contain propane, cyclopropane, propylene, butane, butylene, etc., in varying proportions. Heavier than air.	1075
-			F-C, S-U	Category D SW2	-	Liquefied, non-flammable, toxic and corrosive gas with a foul odour. Corrosive in the presence of water. Much heavier than air (3.5). Boiling point: 8°C. Highly irritating to skin, eyes and mucous membranes. This gas is particularly dangerous in that it may be inhaled without immediate effect but can cause severe damage and death after a few hours' delay.	1076
-	T50 –		F-D, S-U	Category E SW2	-	Flammable hydrocarbon gas. Explosive limits: 2% to 11.1%. Heavier than air (1.5).	1077
-	T50	-	F-C, S-V	Category A	-	Different chlorofluorohydrocarbons or other non-flammable, non-toxic gases considered as refrigerant agents.	1078
-	T50	TP19	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive gas with a pungent odour. Much heavier than air (2.3). Highly irritating to skin, eyes and mucous membranes.	1079
-	-	-	F-C, S-V	Category A	-	Liquefied, non-flammable, odourless gas. Much heavier than air (5.1).	1080
-	-	-	F-D, S-U	Category E SW1 SW2	-	Liquefied, flammable gas. Explosive limits: 11% to 60%. Much heavier than air (3.5). Irritating to skin, eyes and mucous membranes.	1081
-	T50	-	F-D, S-U	Category D SW1 SW2	-	Flammable, toxic, odourless gas. Explosive limits: 8.4% to 38.7%. Much heavier than air (4.0).	1082
-	T50	-	F-D, S-U	Category B SW2	SG35	Liquefied, flammable gas with a fishy odour. Explosive limits: 2% to 12%. Much heavier than air (2.1). Boiling point: 3°C.	1083
-	T50	-	F-D, S-U	Category B SW1 SW2	-	Liquefied, flammable gas. Much heavier than air (3.7). Boiling point: 16°C.	1085
-	T50	-	F-D, S-U	Category B SW1 SW2	-	Liquefied, flammable gas. Explosive limits: 4% to 31%. Much heavier than air (2.2).	1086
-	T50	-	F-D, S-U	Category B SW1 SW2	-	Liquefied, flammable gas. Explosive limits: 2.6% to 39%. Heavier than air (2.0). Boiling point: 6°C.	1087
-	T4	TP1	F-E, S-D	Category E	-	Colourless, volatile liquid with an agreeable odour. Flashpoint: below -18°C c.c. Explosive limits: 1.6% to 10.4%. Miscible with water.	1088
-	T11	TP2 TP7	F-E, S-D	Category E	-	Colourless liquid with a pungent, fruity odour. Flashpoint: -27° C c.c. Explosive limits: 4% to 57%. Boiling point: 21°C. Miscible with water. Harmful if swallowed or by inhalation.	1089
-	T4	TP1	F-E, S-D	Category E	-	Colourless, clear liquid, with a characteristic mint-like odour. Flashpoint: -20° C to -18° C c.c. Explosive limits: 2.5% to 13%. Miscible with water.	1090
-	T4	TP1 TP8	F-E, S-D	Category B	-	Light yellow to brownish, oily liquids. Flashpoint: -4°C to 8°C c.c. Immiscible with water.	1091

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	\bigtriangleup	1092	ACROLEIN, STABILIZED	6.1	3 P	I	354 386	0	E0	P601	-	-	-
D		1093	ACRYLONITRILE, STABILIZED	3	6.1	I	386	0	EO	P001	-	_	_
u L	\bigtriangleup	1098	ALLYL ALCOHOL	6.1	3 P	I	354	0	E0	P602	-	-	-
		1099	ALLYL BROMIDE	3	6.1 Р	I	-	0	EO	P001	-	-	-
		1100	ALLYL CHLORIDE	3	6.1	I	-	0	EO	P001	-	-	-
		1104	AMYL ACETATES	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
		1105	PENTANOLS	3	-	II	-	1 L	E2	P001	-	IBC02	-
		1105	PENTANOLS	3	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
		1106	AMYLAMINE	3	8	II	_	1 L	E2	P001	_	IBC02	-
		1106	AMYLAMINE	3	8	III	223	5 L	E1	P001	-	IBC03	-
		1107	AMYL CHLORIDE	3	-	II	-	1 L	E2	P001	-	IBC02	-
		1108	1-PENTENE (n-AMYLENE)	3	-	I	_	0	E3	P001	-	-	-
		1109	AMYL FORMATES	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
		1110	n-AMYL METHYL KETONE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
		1111	AMYL MERCAPTAN	3	-	II	-	1L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	Nc Nc
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T22	TP2 TP7 TP13	F-E, <u>S-D</u>	Category D SW1 SW2	-	Colourless or yellow liquid with a most irritating odour. Flashpoint: -26°C c.c. Explosive limits: 2.8% to 31%. Boiling point: 52°C. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	109
-	T14	TP2 TP13	F-E, S-D	Category D SW1 SW2	-	Colourless, mobile liquid with a mild pungent odour. Flashpoint: -5°C c.c. Explosive limits: 3% to 17%. Partially miscible with water. Toxic if swallowed, by skin contact or by inhalation. Practice has shown that this substance may leak from packagings that ordinarily are leakproof to other chemicals.	109
-	T20	TP2 TP13	F-E, <u>S-D</u>	Category D SW2	-	Colourless liquid with a pungent mustard-like odour. Flashpoint: 21°C c.c. Explosive limits: 2.5% to 18%. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	10
-	T14	TP2 TP13	F-E, <u>S-D</u>	Category B SW2	SGG10	Colourless to light yellow liquid with an irritating odour. Flashpoint: -1°C c.c. Explosive limits: 4.4% to 7.3%. Immiscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	10
-	T14	TP2 TP13	F-E, S-D	Category E SW2	SGG10	Colourless liquid with an unpleasant pungent odour. Flashpoint: -29°C c.c. Explosive limits: 3.3% to 11.1%. Boiling point: 44°C. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	110
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids with a pear- or banana-like odour. normal-AMYL ACETATE: flashpoint 25°C c.c. secondary-AMYL ACETATE: flashpoint 32°C c.c. Immiscible with water.	11
-	T4	TP1 TP29	F-E, S-D	Category B	-	Colourless liquids with a strong odour. Immiscible with water. tertiary-AMYL ALCOHOL: flashpoint 19°C to 21°C c.c.	11
-	T2	TP1	F-E, S-D	Category A	-	See entry above. Explosive limits: 1.2% to 10.5%.	11
-	T7	TP1	F-E, S-C	Category B	SG35	Colourless, clear liquids. Explosive limits: 2.2% to 22%. <i>normal</i> -AMYLAMINE (1-PENTYLAMINE): flashpoint 4°C c.c. <i>tertiary</i> -AMYLAMINE (3-PENTYLAMINE): flashpoint 2°C c.c. Miscible with water. Harmful by inhalation. Cause burns to skin, eyes and mucous membranes.	11
-	T4	TP1	F-E, S-C	Category A	SG35	See entry above. However, irritating to skin, eyes and mucous membranes.	11
-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless or light brown liquids with an aromatic odour. <i>n</i> -AMYL CHLORIDE: flashpoint 11°C. Explosive limits: <i>normal</i> -AMYL CHLORIDE 1.4% to 8.6%. Immiscible with water.	11
-	T11	TP2	F-E, S-D	Category E	-	Colourless, volatile liquid with a disagreeable odour. Flashpoint: -20°C c.c. Explosive limits: 1.4% to 8.7%. Boiling point: 30°C. Immiscible with water. Irritating to skin, eyes and mucous membranes. Narcotic in high concentrations.	11
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids with a pleasant odour. normal-AMYL FORMATE: flashpoint 27°C c.c. ISOAMYL FORMATE: flashpoint 26°C c.c. Explosive limits: 1.7% to 10%. Immiscible with water.	11
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 49°C c.c. Immiscible with water.	11
-	T4	TP1	F-E, S-D	Category B	SG50 SG57	Colourless to yellow liquids with an extremely disagreeable garlic- like odour. <i>tertiary</i> -AMYL MERCAPTAN: flashpoint -7°C c.c. <i>normal</i> -AMYL MERCAPTAN: flashpoint 19°C c.c. ISOAMYL MERCAPTAN: flashpoint 18°C c.c. Immiscible with water. These substances may leak from packagings that ordinarily are leakproof to other chemicals	11

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
1112	AMYL NITRATE	3	_	III	_	5 L	E1	P001 LP01	_	IBC03	-	
1113	AMYL NITRITE	3	-	II	-	1 L	E2	P001	-	IBC02	-	
1114	BENZENE	3	_	II	-	1 L	E2	P001	-	IBC02	-	
1120	BUTANOLS	3	-	II	-	1 L	E2	P001	-	IBC02	-	
1120	BUTANOLS	3	-	111	223	5 L	E1	P001 LP01	-	IBC03	-	
1123	BUTYL ACETATES	3	-	II	-	1 L	E2	P001	-	IBC02	-	
1123	BUTYL ACETATES	3	-	111	223	5 L	E1	P001 LP01	-	IBC03	-	
1125	<i>n</i> -BUTYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-	
1126	1-BROMOBUTANE	3	-	II	-	1 L	E2	P001	-	IBC02	-	
1127	CHLOROBUTANES	3	-	II	-	1 L	E2	P001	-	IBC02	-	
1128	n-BUTYL FORMATE	3	-	II	-	1 L	E2	P001	-	IBC02	-	
1129	BUTYRALDEHYDE	3	-	II	-	1 L	E2	P001	-	IBC02	-	
1130	CAMPHOR OIL	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-	
1131	CARBON DISULPHIDE	3	6.1	I	-	0	EO	P001	PP31	-	-	
1133	ADHESIVES containing flammable liquid	3	-	I	-	500 mL	E3	P001	-	-	-	
1133	ADHESIVES containing flammable liquid	3	-	II	-	5 L	E2	P001	PP1	IBC02	-	
1133	ADHESIVES containing flammable liquid	3	-	111	223 955	5 L	E1	P001 LP01	PP1	IBC03	-	

Portable tank bulk contair Tank		ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	T2	TP1	F-E, S-D	Category A SW2	-	Colc norn ISO/ Imm
-	T4	TP1	F-E, S-D	Category E SW2	_	Yello Flas Flas Deco fume Harr
-	T4	TP1	F-E, S-D	Category B SW2	-	Colo Expl freez subs
-	T4	TP1 TP29	F-E, S-D	Category B	-	Colo Expl seco tertia imm wate Irrita
-	T2	TP1	F-E, S-D	Category A	-	See
-	T4	TP1	F-E, S-D	Category B	-	Colo <i>norn</i> Expl
-	T2	TP1	F-E, S-D	Category A	-	See
-	Τ7	TP1	F-E, S-C	Category B SW2	SG35	Flas Colo wate
-	T4	TP1	F-E, S-D	Category B SW2	SGG10	Colo Expl
-	T4	TP1	F-E, S-D	Category B	SGG10	Colo tertia Imm
-	T4	TP1	F-E, S-D	Category B	-	Colo Expl
-	T4	TP1	F-E, S-D	Category B	-	Colc Flas Imm
-	T2	TP1	F-E, S-E	Category A	-	Colc Imm
-	T14	TP2 TP7 TP13	F-E, S-D	Category D SW2	SG63	Colo pure Flas Boili wate dista ignit Toxid
-	T11	TP1 TP8 TP27	F-E, S-D	Category E	-	Adhe the s
-	T4	TP1 TP8	F-E, S-D	Category B	-	See
-	T2	TP1	F-E, S-D	Category A	-	See

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
ourless liquids with an ether-like odour. nal-AMYL NITRATE: flashpoint 48°C c.c. AMYL NITRATE: flashpoint 52°C c.c. hiscible with water. Harmful by inhalation.	1112
owish, transparent, volatile liquid with a fragrant fruity odour. shpoint of the pure ISOAMYL NITRITE: -20° C c.c. shpoint of pure <i>normal</i> -AMYL NITRITE: 10° C c.c. composes on exposure to air, light or water, evolving toxic nitrous es which are orange in colour. Immiscible with water. mful by inhalation.	1113
ourless liquid with a characteristic odour. Flashpoint: -11°C c.c. losive limits: 1.4% to 8%. Freezing point 5°C; flashes below its zing point. Immiscible with water. Narcotic. Exposure to this stance may produce serious chronic effects of a toxic nature.	1114
burless liquids with a disagreeable odour. losive limits: <i>normal</i> -BUTANOL 1.4% to 11.2%. <i>ondary</i> -BUTANOL 1.7% to 9.8%. <i>tertiary</i> -BUTANOL 2.4% to 8%. <i>ary</i> -BUTANOL solidifies at about 25°C. <i>normal</i> -BUTANOL is niscible with water. <i>secondary</i> -BUTANOL is immiscible with er. <i>tertiary</i> -BUTANOL is miscible with water. ating to skin, eyes and mucous membranes.	1120
entry above.	1120
purless liquids with a pineapple-like odour. Immiscible with water. nal-BUTYL ACETATE: flashpoint 27°C c.c. losive limits: 1.5% to 15%.	1123
entry above.	1123
shpoint: -9°C c.c. Explosive limits: 1.7% to 10%. purless, volatile liquid with an ammonia-like odour. Miscible with er. Causes burns to skin, eyes and mucous membranes.	1125
ourless to pale straw-coloured, clear liquid. Flashpoint: 13°C c.c. losive limits: 2.6% to 6.6%. Immiscible with water. Narcotic.	1126
ourless liquids. <i>ary</i> -BUTYL CHLORIDE: flashpoint –30°C c.c., boiling point 51°C. niscible with water.	1127
ourless liquid. Flashpoint: 18°C c.c. losive limits: 1.6% to 8.3%. Immiscible with water.	1128
purless liquid with a characteristic pungent odour. shpoint: $-7^{\circ}C$ c.c. Explosive limits: 1.4% to 12.5%. hiscible with water.	1129
purless oil with a characteristic odour. Flashpoint: 47°C c.c. hiscible with water.	1130
purless or faintly yellow, clear liquid, almost odourless when e; the commercial substance has a strong disagreeable odour. hpoint: -30° C c.c. Explosive limits: 1% to 60%. ing point: 46°C. Ignition temperature: 100°C. Immiscible with er. Vapours are heavier than air, will travel a considerable ance to a source of ignition and will flash back. Vapours may be ted by contact with an ordinary light bulb or a warm steam pipe. ic if swallowed, by skin contact or by inhalation.	1131
esives are solutions of gums, resins, etc., usually volatile due to solvents. Miscibility with water depends upon their composition.	1133
entry above.	1133
entry above.	1133

D G L

3

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		1134	CHLOROBENZENE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
D	\bigtriangleup	1135	ETHYLENE CHLOROHYDRIN	6.1	3	I	354	0	EO	P602	-	_	-
G		1136	COAL TAR DISTILLATES, FLAMMABLE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
		1136	COAL TAR DISTILLATES, FLAMMABLE	3	-	III	223 955	5 L	E1	P001 LP01	-	IBC03	-
L		1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under- coating, drum or barrel lining)	3	-	I	-	500 mL	E3	P001	-	-	-
		1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under- coating, drum or barrel lining)	3	_	II	_	5 L	E2	P001	_	IBC02	_
		1139	COATING SOLUTION (includes surface treatments or coatings used for industrial or other purposes such as vehicle under- coating, drum or barrel lining)	3	-	III	955	5 L	E1	P001 LP01	-	IBC03	-
	\bigtriangleup	1143	CROTONALDEHYDE or CROTONALDEHYDE, STABILIZED	6.1	3 P	I	324 354 386	0	EO	P602	-	-	
		1144	CROTONYLENE	3	-	I	-	0	E3	P001	-	-	-
		1145	CYCLOHEXANE	3	-	II	_	1 L	E2	P001	-	IBC02	-
		1146	CYCLOPENTANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
		1147	DECAHYDRONAPHTHALENE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
		1148	DIACETONE ALCOHOL	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
		1148	DIACETONE ALCOHOL	3	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
		1149	DIBUTYL ETHERS	3	-	III	-	5 L	E1	P001	-	IBC03	-
			1,2-DICHLOROETHYLENE	3	_	II	-	1 L	E2	P001	-	IBC02	-
		1152	DICHLOROPENTANES	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-

	Portable tank bulk contai	is and ners	EmS	Stowage and Segregation handling		Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T2	TP1	F-E, S-D	Category A	SGG10	Colourless liquid with an almond-like odour. Flashpoint: 29°C c.c. Explosive limits: 1.3% to 11%. Immiscible with water.	1134
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Colourless flammable liquid with a faint, ethereal odour. Flashpoint: 60°C o.c. Explosive limits: 4.9% to 15.9%. Miscible with water. When involved in a fire, evolves extremely toxic (phosgene) and corrosive (hydrogen chloride) fumes. Highly toxic if swallowed, by skin contact or by inhalation.	1135
-	T4	TP1	F-E, <u>S-E</u>	Category B	-	Immiscible with water. May form extremely sensitive compounds with heavy metals or their salts.	1136
-	T4	TP1 TP29	F-E, <u>S-E</u>	Category A	-	See entry above.	1136
-	T11	TP1 TP8 TP27	F-E, <u>S-E</u>	Category E	-	Miscibility with water depends upon the composition.	1139
-	T4	TP1 TP8	F-E, <u>S-E</u>	Category B	-	See entry above.	1139
-	T2	TP1	F-E, <u>S-E</u>	Category A	-	See entry above.	1139
-	T20	TP2 TP13	F-E, <u>S-D</u>	Category D SW1 SW2	-	Colourless, mobile liquid with a pungent odour. Turns to pale yellow in contact with light and air. Miscible with water. Flashpoint: 13°C c.c. Highly toxic if swallowed, by skin contact or by inhalation. May cause lung damage.	1143
-	T11	TP2	F-E, S-D	Category E	-	Colourless liquid. Flashpoint: -53°C c.c. Lower explosive limit: 1.4%. Boiling point: 27°C. Immiscible with water.	1144
-	T4	TP1	F-E, S-D	Category E	-	Colourless, mobile liquid with a sweet aromatic odour. Flashpoint: -18°C c.c. Explosive limits: 1.2% to 8.4%. Immiscible with water. Slightly irritating to skin, eyes and mucous membranes. Narcotic in high concentrations.	1145
-	Τ7	TP1	F-E, S-D	Category E	-	Colourless liquid with a pungent odour. Flashpoint: below -18°C c.c. Explosive limits: 1.4% to 8%. Boiling point: 49°C. Immiscible with water. Irritating to skin, eyes and mucous membranes. Narcotic in high concentrations.	1146
-	Т2	TP1	F-E, S-D	Category A	-	Colourless liquids with an aromatic odour. Flashpoint: 52°C to 57°C c.c. Explosive limits: 0.7% to 4.9%. Immiscible with water. Harmful by inhalation.	1147
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Explosive limits: 1.4% to 8%. Miscible with water.	1148
-	T2	TP1	F-E, S-D	Category A	_	See entry above.	1148
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids with a mild ether-like odour. Explosive limits: 0.9% to 8.5%. Immiscible with water. normal-DIBUTYL ETHER: flashpoint 25°C c.c.	1149
-	Τ7	TP2	F-E, S-D	Category B	SGG10	Colourless liquid with a chloroform-like odour. Flashpoint: 6°C c.c. Explosive limits: 5.6% to 16%. Immiscible with water. Boiling range: 48°C to 61°C.	1150
-	T2	TP1	F-E, S-D	Category A	SGG10	Light yellow liquids. 1,5-DICHLOROPENTANE: flashpoint 26°C c.c. Immiscible with water.	1152

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1153	ETHYLENE GLYCOL DIETHYL ETHER	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1153	ETHYLENE GLYCOL DIETHYL ETHER	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
D	1154	DIETHYLAMINE	3	8	II	-	1 L	E2	P001	_	IBC02	_
G L	1155	DIETHYL ETHER (ETHYL ETHER)	3	-	I	-	0	E3	P001	-	-	-
	1156	DIETHYL KETONE	3	-	П	-	1 L	E2	P001	-	IBC02	-
	1157	DIISOBUTYL KETONE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	1158	DIISOPROPYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
	1159	DIISOPROPYL ETHER	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1160	DIMETHYLAMINE, AQUEOUS SOLUTION	3	8	II	_	1 L	E2	P001	-	IBC02	
	1161	DIMETHYL CARBONATE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
	1162	DIMETHYLDICHLOROSILANE	3	8	II	_	0	EO	P010	-	-	-
\bigtriangleup	1163	DIMETHYLHYDRAZINE, UNSYMMETRICAL	6.1	3/8 P	I	354	0	EO	P602	-	-	-
	1164	DIMETHYL SULPHIDE	3	_	II	-	1 L	E2	P001	-	IBC02	B8
	1165	DIOXANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1166	DIOXOLANE	3	-	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12) (13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-E, S-D	Category A	-	Colourless liquid with an ether-like odour. Flashpoint: 35°C c.c. Immiscible with water.	1153
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	1153
-	Т7	TP1	F-E, S-C	Category E SW2	SG35	Colourless liquid with an ammonia-like odour. Flashpoint: -39°C c.c. Explosive limits: 1.7% to 10.1%. Boiling point: 55°C. Miscible with water. Harmful if swallowed. Causes burns to skin, eyes and mucous membranes. Higher concentrations cause dangerous lung irritation.	1154
-	T11	TP2	F-E, S-D	Category E SW2	-	Colourless, volatile and mobile liquid with a pleasant aromatic odour. Flashpoint: -40°C c.c. Explosive limits: 1.7% to 48%. Boiling point: 34°C. Immiscible with water. In the presence of oxygen or on long standing or exposure to sunlight, unstable peroxides sometimes form; these may explode spontaneously or when heated. Strongly narcotic. Readily ignited by static electricity.	1155
-	T4	TP1	F-E, S-D	Category B	-	Colourless, mobile liquid. Flashpoint: 13°C c.c. Lower explosive limit: 1.6%. Immiscible with water.	1156
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 49°C c.c. Explosive limits: 0.8% to 7.1%. Immiscible with water.	1157
-	T7	TP1	F-E, S-C	Category B	SG35	Colourless, volatile liquid with a fishy odour. Flashpoint: $-7^{\circ}C$ c.c. Explosive limits: 1.1% to 7.1%. Partially miscible with water. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.	1158
-	T4	TP1	F-E, S-D	Category E SW2	-	Colourless liquid with an ether-like odour. Flashpoint: -29°C c.c. Explosive limits: 1.1% to 21%. Immiscible with water. In the presence of oxygen or on long standing or exposure to sunlight, unstable peroxides sometimes form; these may explode spontaneously or when heated. Strongly narcotic. Readily ignited by static electricity.	1159
-	T7	TP1	F-E, S-C	Category B	SGG18 SG35	Aqueous solution of a flammable gas with an ammonia-like odour. Flashpoint for 60% solution in water: -32°C c.c. Explosive limits: 2.8% to 14.4%. Boiling point for 60% solution in water: 36°C. Flashpoint for 25% solution in water: 0°C c.c. Miscible with water. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	1160
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Immiscible with water. Flashpoint: 18°C c.c.	1161
-	T10	TP2 TP7 TP13	<u>F-E</u> , S-C	Category B SW2	_	Colourless liquid with a pungent odour. Flashpoint: -9° C c.c. Explosive limits: 1.4% to 9.5%. Immiscible with water. Reacts with water to form a complex mixture of dimethylsiloxanes and evolves hydrogen chloride, a toxic and corrosive gas. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.	1162
-	T20	TP2 TP13	F-E, <u>S-C</u>	Category D SW2	SGG18 SG5 SG8 SG13 SG35	Colourless liquid with an ammonia-like odour. Flashpoint: -18°C c.c. Explosive limits: 2% to 95%. Miscible with water, generating heat. Reacts violently with acids. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes. May react dangerously with oxidizing substances.	1163
-	T7	TP2	F-E, S-D	Category E SW2	-	Colourless liquid with a disagreeable odour. Flashpoint: -37° C c.c. Explosive limits: 2.2% to 19.7%. Boiling point: 37°C. Immiscible with water. When involved in a fire, evolves toxic gases. Narcotic in high concentrations.	1164
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with an ether-like odour. Flashpoint: 12°C c.c. Explosive limits: 2% to 22%. Miscible with water. Harmful by inhalation.	1165
-	T4	TP1	F-E, S-D	Category B SW2	-	Colourless liquid. Flashpoint: 2°C c.c. Miscible with water. Harmful by inhalation.	1166

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1167	DIVINYL ETHER, STABILIZED	3	-	I	386	0	E3	P001	-	-	_
	1169	EXTRACTS, AROMATIC, LIQUID	3	-	II	-	5 L	E2	P001	-	IBC02	-
	1169	EXTRACTS, AROMATIC, LIQUID	3	-	III	223 955	5 L	E1	P001 LP01	-	IBC03	-
	1170	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	3	-	II	144	1 L	E2	P001	-	IBC02	_
	1170	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	3	-	Ш	144 223	5 L	E1	P001 LP01	-	IBC03	-
	1171	ETHYLENE GLYCOL MONOETHYL ETHER	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	1172	ETHYLENE GLYCOL MONOETHYL ETHER ACETATE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	1173	ETHYL ACETATE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1175	ETHYLBENZENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1176	ETHYL BORATE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
	1177	2-ETHYLBUTYL ACETATE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	1178	2-ETHYLBUTYRALDEHYDE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1179	ETHYL BUTYL ETHER	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1180	ETHYL BUTYRATE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	1181	ETHYL CHLOROACETATE	6.1	3	II	-	100 mL	E4	P001	-	IBC02	-
\bigtriangleup	1182	ETHYL CHLOROFORMATE	6.1	3/8	Ι	354	0	EO	P602	-		_
	1183	ETHYLDICHLOROSILANE	4.3	3/8	Ι	_	0	EO	P401	PP31	_	-
	1184	ETHYLENE DICHLORIDE	3	6.1	II	-	1 L	E2	P001	-	IBC02	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T11	TP2	F-E, S-D	Category E SW1 SW2	-	Colourless, clear liquid with a characteristic odour. Flashpoint: -30°C c.c. Explosive limits: 1.7% to 27%. Boiling point: 30°C. Immiscible with water. In the presence of oxygen or on long standing or exposure to sunlight, unstable peroxides sometimes form; these may explode spontaneously or when heated. Strongly narcotic. Readily ignited by static electricity.	1167
- T4 TP1 TP8		TP1 TP8	F-E, S-D	Category B	-	Usually consist of alcoholic solutions. Miscibility with water depends upon the composition.	1169
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	1169
-	T4	TP1	F-E, S-D	Category A	-	Colourless, volatile liquids. Pure ETHANOL: flashpoint 13°C c.c. Explosive limits: 3.3% to 19%. Miscible with water.	1170
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	1170
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 40°C c.c. Explosive limits: 1.7% to 15.6%. Miscible with water.	1171
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 51°C c.c. Explosive limits: 1.7% to 10.1%. Partially miscible with water.	1172
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with a fragrant odour. Flashpoint: $-4^{\circ}C$ c.c. Explosive limits: 2.18% to 11.5%. Immiscible with water.	1173
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with an aromatic odour. Flashpoint: 22°C c.c. Explosive limits: 1% to 6.7%. Immiscible with water.	1175
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 11°C c.c. Immiscible with water.	1176
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 54°C o.c. Immiscible with water.	1177
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 11°C c.c. Explosive limits: 1.2% to 7.7%. Immiscible with water.	1178
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: -1°C c.c. Immiscible with water.	1179
-	T2	TP1	F-E, S-D	Category A	-	Colourless, volatile liquid with a pineapple-like odour. Flashpoint: 26°C c.c. Immiscible with water.	1180
-	T7	TP2	F-E, S-D	Category A	-	Colourless, flammable liquid with a pungent and fruity odour. Flashpoint: 54°C c.c. Immiscible with water. When heated, evolves toxic and corrosive fumes. Toxic if swallowed, by skin contact or by inhalation.	1181
_	T20	TP2 TP13	F-E, S-C	Category D SW2	SGG1 SG5 SG8 SG36 SG49	Colourless liquid. Flashpoint: 16°C c.c. Reacts and decomposes with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1182
_	T14	TP2 TP7 TP13	<u>F-G</u> , S-O	Category D SW2 H1	SGG1 SG5 SG8 SG13 SG25 SG26 SG36 SG49	Colourless, very volatile liquid with a pungent odour. Flashpoint: -1° C c.c. Immiscible with water. Reacts violently with water or steam to produce heat which may lead to self-ignition; toxic and corrosive fumes will be evolved. May react vigorously in contact with oxidizing substances. Causes burns to skin, eyes and mucous membranes.	1183
-	T7	TP1	F-E, S-D	Category B SW2	SGG10	Colourless liquid with a chloroform-like odour. Flashpoint: 13°C c.c. Explosive limits: 6.2% to 15.9%. Immiscible with water. Toxic by inhalation. Irritating to skin, eyes and mucous membranes.	1184

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

)
	ר
ĺ	

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Packing		IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1185	ETHYLENEIMINE, STABILIZED	6.1	3	I	354 386	0	EO	P601	-	-	-
1188	ETHYLENE GLYCOL MONOMETHYL ETHER	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
1189	ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
1190	ETHYL FORMATE	3	-	II	-	1 L	E2	P001	-	IBC02	-
1191	OCTYL ALDEHYDES	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
1192	ETHYL LACTATE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
1193	ETHYL METHYL KETONE (METHYL ETHYL KETONE)	3	-	II	-	1 L	E2	P001	-	IBC02	-
1194	ETHYL NITRITE SOLUTION	3	6.1	Ι	900	0	EO	P001	_	-	-
1195	ETHYL PROPIONATE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
1196	ETHYLTRICHLOROSILANE	3	8	II	-	0	EO	P010	-	-	
1197	EXTRACTS, FLAVOURING, LIQUID	3	-	II	-	5 L	E2	P001	-	IBC02	-
1197	EXTRACTS, FLAVOURING, LIQUID	3	-	III	223 955	5 L	E1	P001 LP01	-	IBC03	-
1198	FORMALDEHYDE SOLUTION, FLAMMABLE	3	8	III	-	5 L	EO	P001	-	IBC03	-
1199	FURALDEHYDES	6.1	3	II	_	100 mL	E4	P001	-	IBC02	-
1201	FUSEL OIL	3	-	II	-	1 L	E2	P001	-	IBC02	-
1201	FUSEL OIL	3	-	III	223 955	5 L	E1	P001 LP01	-	IBC03	-
1202	GAS OIL or DIESEL FUEL or HEATING OIL, LIGHT	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
1203	MOTOR SPIRIT or GASOLINE or PETROL	3	-	II	243	1 L	E2	P001	-	IBC02	-
1204	NITROGLYCERIN SOLUTION IN ALCOHOL with not more than 1% nitroglycerin	3	-	II	-	1 L	EO	P001	PP5	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	T22	TP2 TP13	F-E, S-D	Category D SW1 SW2	-	Colo Flas Expl High
-	T2	TP1	F-E, S-D	Category A	-	Colo Expl
-	T2	TP1	F-E, S-D	Category A	-	Colo Flas Miso
-	T4	TP1	F-E, S-D	Category E	-	Colc Flas Boili
-	T2	TP1	F-E, S-D	Category A	-	Colc Flas Imm
-	Т2	TP1	F-E, S-D	Category A	-	Colo Expl
-	T4	TP1	F-E, S-D	Category B	-	Colo Expl
-		-	F-E, S-D	Category D SW2	_	Alco ethe Boili with evol inha rapic
-	T4	TP1	F-E, S-D	Category B	-	Colo Expl
-	T10	TP2 TP7 TP13	F-E, S-C	Category B SW2	_	Colo Read irrita Caus
-	T4	TP1 TP8	F-E, S-D	Category B	-	Usu: upor
-	T2	TP1	F-E, S-D	Category A	-	See
-	T4	TP1	F-E, S-C	Category A SW2	-	Colo Miso
-	Τ7	TP2	F-E, S-D	Category A	_	Colo Miso Expl Flas Toxio
-	T4	TP1	F-E, S-D	Category B	-	Colo cons
-	T2	TP1	F-E, S-D	Category A	_	See
-	T2	TP1	F-E, S-E	Category A	-	Imm
-	T4	TP1	F-E, S-E	Category E	-	Imm
-	-	-	F-E, S-D	Category B	-	Imm toxic leak leave

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
ourless oily flammable liquid with a pungent ammonia-like odour. shpoint: -13°C c.c. Boiling point: 55°C. losive limits: 3.6% to 6.0%. Miscible with water. nly toxic if swallowed, by skin contact or by inhalation.	1185
ourless liquid. Flashpoint: 38°C c.c. losive limits: 1.8% to 20%. Miscible with water.	1188
ourless liquid with a characteristic odour. hpoint: 44°C c.c. Explosive limits: 1.7% to 8.2%. cible with water.	1189
burless liquid with a pleasant aromatic odour. hpoint: -20°C c.c. Explosive limits: 3.5% to 16.5%. ing point: 54°C. Immiscible with water.	1190
purless liquids with a characteristic odour. hpoint: 44°C to 52°C c.c. Explosive limits: 0.9% to 7.2%. hiscible with water.	1191
ourless liquid. Flashpoint: 46°C c.c. losive limits: 1.5% to 11.4%. Miscible with water.	1192
purless liquid. Flashpoint: -1°C c.c. losive limits: 1.8% to 11.5%. Miscible with water.	1193
bholic solution of ethyl nitrite. Extremely volatile, with an aromatic, ereal odour. Explosive limits of the pure product: 3% to 50%. ing point of pure product: 17°C. Miscible or partially miscible water. Decomposes under exposure to air, light, water or heat to live toxic nitrous fumes. Toxic if swallowed, by skin contact or by lation. Inhalation of ethyl nitrite vapours, even in small quantities, dly affects the heart and can be dangerous. Transport of ETHYL RITE pure is prohibited .	1194
ourless liquid with a pineapple-like odour. Flashpoint: 12°C c.c. losive limits: 1.8% to 11%. Immiscible with water.	1195
ourless liquid with a pungent odour. Flashpoint: 14°C c.c. dily hydrolysed by moisture, evolving hydrogen chloride, an ating and corrosive gas apparent as white fumes. Ises burns to skin and eyes. Irritating to mucous membranes.	1196
ally consist of alcoholic solutions. Miscibility with water depends n the composition.	1197
entry above.	1197
ourless liquids with a pungent odour. Flashpoint: 32–60°C c.c. cible with water. Irritating to skin, eyes and mucous membranes.	1198
ourless or reddish-brown, mobile liquids with a pungent odour. cible with water. losive limits for 2-FURALDEHYDE: 2.1% to 19.3%. hpoints: 2-FURALDEHYDE 60°C c.c., 3-FURALDEHYDE 48°C c.c. ic if swallowed, by skin contact or by inhalation.	1199
ourless, oily liquid with a disagreeable odour. A mixture sisting of amyl alcohols. Immiscible with water.	1201
entry above.	1201
iscible with water.	1202
iscible with water.	1203
iscible with water. Ignites readily. When involved in a fire, evolves c nitrous fumes. Not explosive in this state but damage to, or tage from, a package may allow solvent to evaporate and thus re the nitroglycerin in an explosive state.	1204

D G L

3

3

UN No.	Proper shipping name (PSN)	class or division	hazard(s)) group	provisions	quantity p	d excepted provisions	Pack	ang	I IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1206	HEPTANES	3	– P	II	_	1L	E2	P001	-	IBC02	-
1207	HEXALDEHYDE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
1208	HEXANES	3	– P	II	-	1 L	E2	P001	-	IBC02	-
1210	PRINTING INK flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	3	-	I	163 367	500 mL	E3	P001	-	-	-
1210	PRINTING INK flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	3	_	II	163 367	5 L	E2	P001	PP1	IBC02	_
1210	PRINTING INK flammable or PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	3	-	III	163 223 367 955	5 L	E1	P001 LP01	PP1	IBC03	-
1212	ISOBUTANOL (ISOBUTYL ALCOHOL)	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
1213	ISOBUTYL ACETATE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
1214	ISOBUTYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
1216	ISOOCTENES	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
1218	ISOPRENE, STABILIZED	3	– P	I	386	0	E3	P001	-	-	
1219	ISOPROPANOL (ISOPROPYL ALCOHOL)	3	-	II	-	1 L	E2	P001	-	IBC02	-
1220	ISOPROPYL ACETATE	3	-	II	-	1 L	E2	P001	-	IBC02	-
1221	ISOPROPYLAMINE	3	8	I	-	0	EO	P001	-	-	-
1222	ISOPROPYL NITRATE	3	-	II	26	1 L	E2	P001	-	-	-
1223	KEROSENE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
1224	KETONES, LIQUID, N.O.S.	3	-	II	274	1 L	E2	P001	-	IBC02	-
1224	KETONES, LIQUID, N.O.S.	3	-	111	223 274	5 L	E1	P001 LP01	-	IBC03	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T4	TP2	F-E, <u>S-D</u>	Category B	-	Colourless, volatile liquids. Explosive limits: 1.1% to 6.7%. n -HEPTANE: flashpoint -4° C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	120
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with a pungent odour. Flashpoint: 32°C c.c. Immiscible with water.	120
-	T4	TP2	F-E, <u>S-D</u>	Category E	-	Colourless, volatile liquids with a faint odour. Explosive limits: 1.1% to 7.5%. <i>n</i> -HEXANE: flashpoint -22°C c.c., boiling point 69°C. NEOHEXANE: flashpoint -48°C c.c., boiling point 50°C. Immiscible with water. Slightly irritating to skin, eyes and mucous membranes.	120
-	T11	TP1 TP8	F-E, S-D	Category E	-	Fluid or viscous liquid containing colouring matter in solution or suspension. Miscibility with water depends upon the solvent.	121
-	T4	TP1 TP8	F-E, S-D	Category B	-	See entry above.	121
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	121
-	Т2	TP1	F-E, S-D	Category A	-	Colourless liquid with a sweet odour. Flashpoint: 28°C c.c. Explosive limits: 1.2% to 10.9%. Partially miscible with water.	121
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with a pineapple-like odour. Flashpoint: 18°C c.c. Explosive limits: 1.3% to 10.5%. Immiscible with water.	121
-	T7	TP1	F-E, S-C	Category B SW2	SG35	Colourless liquid. Flashpoint: -9° C c.c. Explosive limits: 3.4% to 9%. Miscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	121
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquids. Immiscible with water.	121
-	T11	TP2	F-E, <u>S-D</u>	Category D SW1	-	Colourless, volatile liquid. Flashpoint: -48°C c.c. Explosive limits: 1.5% to 9.7%. Boiling point: 34°C. Immiscible with water.	121
-	T4	TP1	F-E, S-D	Category B	-	Colourless, mobile liquid. Flashpoint: 12°C c.c. Explosive limits: 2% to 12%. Miscible with water.	121
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with an aromatic odour. Flashpoint: 11°C c.c. Explosive limits: 1.8% to 7.8%. Immiscible with water.	122
-	T11	TP2	F-E, S-C	Category E SW2	SG35	Colourless, volatile liquid with an ammonia-like odour. Flashpoint: -37°C c.c. Explosive limits: 2.3% to 10.4%. Boiling point: 32°C. Miscible with water. Harmful if swallowed. Causes burns to skin, eyes and mucous membranes.	122
-	-	-	F-E, S-D	Category D	-	Colourless liquid. Flashpoint: 12°C c.c. Explosive limits: up to 100%. Immiscible with water. May explode on heating. Harmful by inhalation.	122
-	T2	TP2	F-E, S-E	Category A	-	Immiscible with water.	122
-	Τ7	TP1 TP8 TP28	F-E, S-D	Category B	-	-	122
-	T4	TP1 TP29	F-E, S-D	Category A	-	-	122

IBC

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

	1	
		כ
I		

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	Limited and excepted quantity provisions		Packing		C	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
	1228	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3	6.1	II	274	1 L	EO	P001	_	IBC02	-	
	1228	MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3	6.1	III	223 274	5 L	E1	P001	-	IBC03	-	
	1229	MESITYL OXIDE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-	
	1230	METHANOL	3	6.1	II	279	1 L	E2	P001	-	IBC02	-	
	1231	METHYL ACETATE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-	
	1233	METHYLAMYL ACETATE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-	
	1234	METHYLAL	3	-	II	-	1 L	E2	P001	-	IBC02	B8	
	1235	METHYLAMINE, AQUEOUS SOLUTION	3	8	II	-	1 L	E2	P001	-	IBC02	-	
	1237	METHYL BUTYRATE	3	-	Ш	-	1 L	E2	P001	-	IBC02	- /	
\bigtriangleup	1238	METHYL CHLOROFORMATE	6.1	3/8	I	354	0	EO	P602	-	-	-	
\bigtriangleup	1239	METHYL CHLOROMETHYL ETHER	6.1	3	I	354	0	E0	P602	-	-	-	
	1242	METHYLDICHLOROSILANE	4.3	3/8	I	_	0	EO	P401	PP31	_	_	
	1243	METHYL FORMATE	3	-	I	-	0	E3	P001	-	-	-	
\bigtriangleup	1244	METHYLHYDRAZINE	6.1	3/8	I	354	0	EO	P602	-	-	-	
	1245	METHYL ISOBUTYL KETONE	3	-	II	-	1 L	E2	P001	-	IBC02	-	
	1246	METHYL ISOPROPENYL KETONE, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-	

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T11	TP2 TP27	F-E, S-D	Category B SW2	SG50 SG57	Colourless to yellow liquids with a garlic odour. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	122
-	Τ7	TP1 TP28	F-E, S-D	Category B SW2	SG50 SG57	See entry above.	122
-	T2	TP1	F-E, S-D	Category A	-	Colourless, oily liquid with a sweet odour. Flashpoint: 32°C c.c. Miscible with water.	122
-	T7	TP2	F-E, S-D	Category B SW2	-	Colourless, volatile liquid. Flashpoint: 12°C c.c. Explosive limits: 6% to 36.5%. Miscible with water. Toxic if swallowed; may cause blindness. Avoid skin contact.	123
-	T4	TP1	F-E, S-D	Category B	-	Colourless, volatile liquid with a fragrant odour. Flashpoint: $-10^{\circ}C$ c.c. Explosive limits: 3% to 16%. Miscible with water.	123
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 43°C o.c. Immiscible with water.	123
-	T7	TP2	F-E, S-D	Category E	_	Colourless, volatile liquid with a chloroform-like odour. Flashpoint: -28°C c.c. Explosive limits: 3.6% to 12.6%. Boiling point: 42°C. Miscible with water. Irritating to skin, eyes and mucous membranes.	123
-	T7	TP1	F-E, S-C	Category E	SGG18 SG35 SG54	Aqueous solution of a flammable gas having an ammonia-like odour. Explosive limits: 5% to 20.7% (pure product). Boiling point: -7°C (pure product). Commercial product is a 40% solution with: boiling point 48°C, flashpoint -13°C c.c. Miscible with water. May react explosively with mercury. Causes burns to skin, eyes and mucous membranes.	123
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 14°C c.c. Immiscible with water.	123
-	T22	TP2 TP13	F-E, S-C	Category D SW2	SGG1 SG5 SG8 SG36 SG49	Colourless liquid. Flashpoint: 5°C c.c. Immiscible with water. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	123
-	T22	TP2 TP13	F-E, S-D	Category D SW2	-	Colourless liquid. Flashpoint: below -18°C c.c. Immiscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	123
-	T14	TP2 TP7 TP13	<u>F-G</u> , S-O	Category D SW2 H1	SGG1 SG5 SG8 SG13 SG25 SG26 SG36 SG49	Colourless, very volatile liquid with a pungent odour. Flashpoint: -26°C c.c. Explosive limits: 4.5% to 70%. Boiling point: 41°C. Immiscible with water. Reacts violently with water or steam to produce heat which may lead to self-ignition; toxic and corrosive fumes will be evolved. May react vigorously in contact with oxidizing substances. Causes burns to skin, eyes and mucous membranes.	124
-	T11	TP2	F-E, S-D	Category E	-	Colourless liquid with an agreeable odour. Flashpoint: -32° C c.c. Explosive limits: 5% to 22.7%. Boiling point: 32° C. Miscible with water.	124
-	T22	TP2 TP13	F-E, S-C	Category D SW2	SGG18 SG5 SG8 SG13 SG35	Colourless liquid with an ammonia-like odour. Flashpoint: 20°C c.c. Explosive limits: 2.5% to 98%. Miscible with water. Reacts violently with acids. May react dangerously with oxidizing substances. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	124
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with a pleasant odour. Flashpoint: 14°C c.c. Explosive limits: 1.4% to 7.5%. Immiscible with water.	124
-	T4	TP1	F-E, S-D	Category C SW1	-	Colourless liquid with a pleasant odour. Explosive limits: 1.8% to 9%. Immiscible with water.	124

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	ing	IBC		
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
	1247	METHYL METHACRYLATE MONOMER, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-	
	1248	METHYL PROPIONATE	3	-	II	-	1 L	E2	P001	-	IBC02	-	
	1249	METHYL PROPYL KETONE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-	
	1250	METHYLTRICHLOROSILANE	3	8	II	-	0	EO	P010	-	-	-	
\bigtriangleup	1251	METHYL VINYL KETONE, STABILIZED	6.1	3/8	I	354 386	0	EO	P601	-	-	-	
	1259	NICKEL CARBONYL	6.1	3 P	I	-	0	EO	P601	-	-	-	
	1261	NITROMETHANE	3	-	II	26	1 L	EO	P001	-	-	-	
	1262	OCTANES	3	– P	II	-	1 L	E2	P001	-	IBC02	-	
	1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	3	_	I	163 367	500 mL	E3	P001	-	-		
	1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	3	-	II	163 367	5 L	E2	P001	PP1	IBC02	-	
	1263	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	3	_	III	163 223 367 955	5 L	E1	P001 LP01	PP1	IBC03	_	
	1264	PARALDEHYDE 3 III –		5 L	E1	P001 LP01	-	IBC03	-				
	1265	PENTANES, liquid	3	_	I	_	0	E3	P001	_	_	-	
	1265	35 PENTANES, liquid 3		-	II	-	1 L	E2	P001	-	IBC02	-	

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13)	Provisions (14)	(15)	(16a)	(16b)	(17)	(18)
. ,	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		
-	T4	TP1	F-E, S-D	Category C SW1 SW2	_	Colourless, volatile liquid. Flashpoint: 8°C c.c. Explosive limits: 1.5% to 11.6%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	1247
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: -2°C c.c. Explosive limits: 2.4% to 13%. Immiscible with water.	1248
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 7°C c.c. Explosive limits: 1.5% to 8.2%. Immiscible with water.	1249
-	T10	TP2 TP7 TP13	<u>F-E</u> , S-C	Category B SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Flashpoint: 8°C o.c. Explosive limits: 5.1% to 20%. Immiscible with water. Readily hydrolysed by moisture, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, corrosive to most metals. Causes burns to skin and eyes. Irritating to mucous membranes.	1250
-	T22	TP2 TP13	F-E, S-C	Category D SW1 SW2	SG5 SG8	Colourless liquid with a pungent odour. Miscible with water. Explosive limits: 2.1% to 15.6%. Flashpoint: -7°C c.c. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1251
-	-	-	F-E, <u>S-D</u>	Category D SW2	SG63	Colourless or yellow, volatile, flammable liquid. Flashpoint: below -20°C c.c. Oxidizes in air and explodes at a temperature of 60°C. Lower explosive limit: 2.0%. Immiscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	1259
	-	-	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 35°C c.c. Explosive limits: 7.1% to 63%. Miscible with water. Fire and explosion hazard if package is ruptured.	1261
-	T4	TP2	F-E, S-E	Category B	-	Colourless liquids. Explosive limits: 1% to 6.5%. ISOOCTANE: flashpoint -12° C c.c. <i>n</i> -OCTANE: flashpoint 13°C c.c. Immiscible with water.	1262
-	T11	TP1 TP8 TP27	F-E, <u>S-E</u>	Category E	_	Miscibility with water depends upon the composition.	1263
-	T4	TP1 TP8 TP28	F-E, <u>S-E</u>	Category B	-	See entry above.	1263
-	Τ2	TP1 TP29	F-E, <u>S-E</u>	Category A	-	See entry above.	1263
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 27°C c.c. Lower explosive limit: 1.3%. Miscible with water.	1264
-	T11	TP2	F-E, S-D	Category E	-	Colourless liquids with a paraffin-like odour. Explosive limits: 1.4% to 8%. ISOPENTANE (2-METHYLBUTANE): boiling point 28°C. Immiscible with water. Slightly irritating to skin, eyes and mucous membranes. Narcotic in high concentrations.	1265
-	T4	TP1	F-E, S-D	Category E	-	See entry above. <i>normal</i> -PENTANE: boiling point 36°C.	1265

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pacl	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1266	PERFUMERY PRODUCTS with flammable solvents	3	-	11	163	5 L	E2	P001	-	IBC02	-
1266	PERFUMERY PRODUCTS with flammable solvents	3	-	111	163 223 904 955	5 L	E1	P001 LP01	-	IBC03	-
1267	PETROLEUM CRUDE OIL	3	-	I	357	500 mL	E3	P001	-	-	-
1267	PETROLEUM CRUDE OIL	3	-	Ш	357	1 L	E2	P001	-	IBC02	-
1267	PETROLEUM CRUDE OIL	3	-	ш	223 357	5 L	E1	P001 LP01	-	IBC03	-
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.	3	-	I	-	500 mL	E3	P001	-	-	-
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.	3	-	II	-	1 L	E2	P001	-	IBC02	-
1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.	3	-	111	223 955	5 L	E1	P001 LP01	-	IBC03	-
1272	PINE OIL	3	- P	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
1274	<i>n</i> -PROPANOL (PROPYL ALCOHOL, NORMAL)	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
1274	n-PROPANOL (PROPYL ALCOHOL, NORMAL)	3	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
1275	PROPIONALDEHYDE	3	-	II	-	1 L	E2	P001	-	IBC02	-
1276	n-PROPYL ACETATE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
1277	PROPYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
1278	1-CHLOROPROPANE	3	-	II	-	1 L	EO	P001	-	IBC02	B8
1279	1,2-DICHLOROPROPANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
1280	PROPYLENE OXIDE	3	-	I	-	0	E3	P001	-	-	-
1281	PROPYL FORMATES	3	-	II	-	1 L	E2	P001	-	IBC02	-
1282	PYRIDINE	3	-	П	-	1 L	E2	P001	-	IBC02	-
1286	ROSIN OIL	3	-	II	-	1 L	E2	P001	-	IBC02	-
1286	ROSIN OIL	3	-	111	223	5 L	E1	P001 LP01	_	IBC03	-
1287	RUBBER SOLUTION	3	-	II	-	5 L	E2	P001	-	IBC02	-

ſ		Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	T4	TP1 TP8	F-E, S-D	Category B	_	Miscibility with water depends upon the composition.	1266
	-	T2	TP1	F-E, S-D	Category A	-	See entry above.	1266
	-	T11	TP1 TP8	F-E, S-E	Category E	_	Immiscible with water.	1267
	-	T4	TP1 TP8	F-E, S-E	Category B	-	See entry above.	1267
	-	T2	TP1	F-E, S-E	Category A	_	See entry above.	1267
	-	T11	TP1 TP8	F-E, S-E	Category E	-	Immiscible with water.	1268
	-	Т7	TP1 TP8 TP28	F-E, S-E	Category B	-	See entry above.	1268
	-	T4	TP1 TP29	F-E, S-E	Category A	-	See entry above.	1268
	-	T2	TP2	F-E, S-E	Category A	_	Volatile oils with characteristic odours. Flashpoint: 57°C to 60°C c.c. Immiscible with water.	1272
	-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Explosive limits: 2% to 12%. Flashpoint: 15°C to 23°C c.c. Miscible with water.	1274
	-	T2	TP1	F-E, S-D	Category A	_	See entry above. Flashpoint: 23°C to 26°C c.c.	1274
	-	Τ7	TP1	F-E, S-D	Category E	-	Colourless liquid with a pungent odour. Flashpoint: below -18°C c.c. Explosive limits: 2.3% to 21%. Boiling point: 49°C. Miscible with water. Irritating to skin, eyes and mucous membranes.	1275
	-	T4	TP1	F-E, S-D	Category B	_	Colourless, clear liquid with a pleasant odour. Flashpoint: 10°C c.c. Explosive limits: 1.8% to 8%. Immiscible with water.	1276
	-	T7	TP1	F-E, S-C	Category E SW2	SG35	Colourless liquid. Flashpoint: below -18°C c.c. Explosive limits: 2% to 10.4%. Boiling point: 48°C. Miscible with water. Harmful if swallowed. Causes burns to skin, eyes and mucous membranes.	1277
	-	Τ7	TP2	F-E, S-D	Category E	SGG10	Colourless liquid with a chloroform-like odour. Flashpoint: -18°C c.c. Explosive limits: 2.6% to 10.5%. Boiling point: 47°C. Immiscible with water.	1278
	-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless liquid. Flashpoint: 15°C c.c. Immiscible with water. Harmful by inhalation. Irritating to skin and eyes.	1279
	-	T11	TP2 TP7	F-E, S-D	Category E SW2	-	Colourless, volatile liquid with an ether-like odour. Flashpoint: below –18°C c.c. Explosive limits: 2% to 22%. Boiling point: 34°C. Partially miscible with water.	1280
	-	T4	TP1	F-E, S-D	Category B	-	Colourless liquids with a pleasant odour. Explosive limits: 2.4% to 7.8%. Miscibility with water depends upon the composition. Irritating to skin, eyes and mucous membranes.	1281
	-	T4	TP2	F-E, S-D	Category B SW2	_	Colourless or slightly yellow liquid with a pungent odour. Flashpoint: 17°C c.c. Explosive limits: 1.8% to 12.4%. Miscible with water. Harmful by inhalation.	1282
	-	T4	TP1	F-E, S-E	Category B	-	Colourless to brown viscous liquid. Immiscible with water.	1286
	-	T2	TP1	F-E, S-E	Category A	-	See entry above.	1286
	-	T4	TP1 TP8	F-E, S-D	Category B	-	Miscibility with water depends upon the composition.	1287

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1287	RUBBER SOLUTION	3	-	III	223 955	5 L	E1	P001 LP01	-	IBC03	-
	1288	SHALE OIL	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1288	SHALE OIL	3	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
\triangle	1289	SODIUM METHYLATE SOLUTION in alcohol	3	8	II	-	1 L	E2	P001	-	IBC02	-
\bigtriangleup	1289	SODIUM METHYLATE SOLUTION in alcohol	3	8	111	223	5 L	E1	P001	-	IBC03	-
	1292	TETRAETHYL SILICATE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	1293	TINCTURES, MEDICINAL	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1293	TINCTURES, MEDICINAL	3	-	III	904 955	5 L	E1	P001 LP01	-	IBC03	-
	1294	TOLUENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	1295	TRICHLOROSILANE	4.3	8/3	I	_	0	EO	P401	PP31	_	-
	1296	TRIETHYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
	1297	TRIMETHYLAMINE, AQUEOUS SOLUTION not more than 50% trimethylamine, by mass	3	8	I	-	0	EO	P001	-	-	-
	1297	TRIMETHYLAMINE, AQUEOUS SOLUTION not more than 50% trimethylamine, by mass	3	8	II	-	1 L	E2	P001	-	IBC02	-
	1297	TRIMETHYLAMINE, AQUEOUS SOLUTION not more than 50% trimethylamine, by mass	3	8	III	223	5 L	E1	P001	-	IBC03	-
	1298	TRIMETHYLCHLOROSILANE	3	8	II	_	0	EO	P010	-	_	_
	1299	TURPENTINE	3	– P	III	-	5 L	E1	P001 LP01	-	IBC03	-
	1300	TURPENTINE SUBSTITUTE	3	-	П	-	1 L	E2	P001	-	IBC02	-
	1300	TURPENTINE SUBSTITUTE	3	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
	1301	VINYL ACETATE, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T2	TP1	F-E, S-D	Category A	-	Miscibility with water depends upon the composition.	1287
-	T4	TP1 TP8	F-E, S-E	Category B	-	Immiscible with water.	1288
-	T2	TP1	F-E, S-E	Category A	-	See entry above.	1288
-	T7	TP1 TP8	F-E, S-C	Category B	SGG18 SG35	Reacts violently with water. Causes burns to skin, eyes and mucous membranes.	1289
-	T4	TP1	F-E, S-C	Category A	SGG18 SG35	See entry above. Irritating to skin, eyes and mucous membranes.	1289
-	T2	TP1	F-E, S-D	Category A.	-	Colourless liquid. Flashpoint: 37°C c.c. Explosive limits: 1.3% to 23%. Immiscible with water.	1292
-	T4	TP1 TP8	F-E, S-D	Category B	-	Miscibility with water depends upon the composition.	1293
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	1293
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with a benzene-like odour. Flashpoint: 7°C c.c. Explosive limits: 1.27% to 7%. Immiscible with water.	1294
-	T14	TP2 TP7 TP13	<u>F-G</u> , <u>S-O</u>	Category D SW2 H1	SGG1 SG5 SG8 SG13 SG25 SG26 SG36 SG49 SG72	Colourless, very volatile, flammable and corrosive liquid. Flashpoint: below -50°C. Explosive limits: 1.2% to 90.5%. Boiling point: 32°C. Reacts with water or steam to produce heat, which may lead to self-ignition; toxic and corrosive fumes will be evolved. May react vigorously in contact with oxidizing substances. Causes burns to skin, eyes and mucous membranes.	1295
-	Τ7	TP1	F-E, S-C	Category B SW2	SG35	Colourless liquid with a strong ammonia-like odour. Flashpoint: -11°C c.c. Explosive limits: 1.2% to 8%. Miscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	1296
-	T11	TP1	F-E, S-C	Category D SW2	SG35 SG54	Aqueous solution of a flammable gas with an ammonia-like odour. Flashpoint depending on percentage of dissolved gas. May react explosively with mercury. Miscible with water. An aqueous solution of 45% TRIMETHYLAMINE, by mass, has a flashpoint of -45° C c.c. and a boiling point of 30°C (applicable to PG I only). Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.	1297
-	Τ7	TP1	F-E, S-C	Category B SW2	SG35 SG54	See entry above.	1297
-	Τ7	TP1	F-E, S-C	Category A SW2	SG35 SG54	See entry above. Irritating to skin, eyes and mucous membranes.	1297
-	T10	TP2 TP7 TP13	<u>F-E</u> , S-C	Category E SW2	SGG1 SG36 SG49	Colourless liquid. Flashpoint: below -18°C c.c. Explosive limits: 1.8% to 6%. Boiling point: 57°C. Immiscible with water. Readily hydrolysed by moisture, evolving hydrogen chloride, a toxic and corrosive gas. Causes burns to skin, eyes and mucous membranes.	1298
-	T2	TP2	F-E, S-E	Category A	-	Colourless liquid. Flashpoint: 35°C c.c. Mixture of resin and volatile oils. Immiscible with water.	1299
-	T4	TP1	F-E, S-E	Category B	-	Immiscible with water.	1300
-	T2	TP1	F-E, S-E	Category A	-	See entry above.	1300
-	T4	TP1	F-E, S-D	Category C SW1	_	Colourless to light yellow liquid. Flashpoint: -8°C c.c. Explosive limits: 2.6% to 14%. Immiscible with water.	1301

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

△ D △ G L

3

3

D	
G	
L	

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1302	VINYL ETHYL ETHER, STABILIZED	3	-	I	386	0	E3	P001	-	-	-
1303	VINYLIDENE CHLORIDE, STABILIZED	3	– P	I	386	0	E3	P001	-	-	-
1304	VINYL ISOBUTYL ETHER, STABILIZED	3	-	Ш	386	1 L	E2	P001	-	IBC02	-
1305	VINYLTRICHLOROSILANE	3	8	II	_	0	EO	P010	-	-	-
1306	WOOD PRESERVATIVES, LIQUID	3	-	П	-	5 L	E2	P001	-	IBC02	-
1306	WOOD PRESERVATIVES, LIQUID	3	-	III	223 955	5 L	E1	P001 LP01	-	IBC03	-
1307	XYLENES	3	-	П	-	1 L	E2	P001	-	IBC02	-
1307	XYLENES	3	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
1308	ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	3	-	I	-	0	E0	P001	PP33	-	-
1308	ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	3	-	II	-	1 L	E2	P001	PP33	-	-
1308	ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	3	-	III	223	5 L	E1	P001	-	-	-
1309	ALUMINIUM POWDER, COATED	4.1	_	II	_	1 kg	E2	P002	PP38 PP100	IBC08	B4 B21
1309	ALUMINIUM POWDER, COATED	4.1	_	Ш	223	5 ka	F1	P002	PP11	IBC08	B4
								LP02	PP38 PP100 L3		
1310	AMMONIUM PICRATE, WETTED with not less than 10% water, by mass	4.1	_	I	28	0	EO	P406	PP26 PP31	_	-
1312	BORNEOL	4.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
1313	CALCIUM RESINATE	4.1	-	III	-	5 kg	E1	P002	-	IBC06	-
1314	CALCIUM RESINATE, FUSED	4.1	-	III	-	5 kg	E1	P002	-	IBC04	-

Portable tanks and bulk containers		ks and ners	EmS	Stowage and Segregation handling		Properties and observations	UN No.
(12)	Tank instructions (13)	Provisions (14)	(15)	(16a)	(16b)	(17)	(18)
	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		
-	T11	TP2	F-E, S-D	Category D SW1	-	Colourless liquid. Flashpoint: below -18°C c.c. Explosive limits: 1.7% to 28%. Boiling point: 33°C. Immiscible with water. Extremely reactive; may polymerize.	1302
-	T12	TP2 TP7	F-E, <u>S-D</u>	Category D SW1 SW2	SGG10	Colourless to straw-coloured, volatile liquid with a sweet odour. Flashpoint: -28°C c.c. Explosive limits: 6.5% to 15.5%. Boiling point: 32°C. Immiscible with water.	1303
-	T4	TP1	F-E, S-D	Category C SW1	-	Colourless liquid. Flashpoint: -9°C o.c. Immiscible with water.	1304
-	T10	TP2 TP7 TP13	F-E, S-C	Category B SW2	SGG1 SG36 SG49	Colourless, pale yellow or pink liquid with a pungent odour. Flashpoint: 11°C c.c. Lower explosive limit: 3%. Readily hydrolysed by moisture, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Immiscible with water. In the presence of moisture, corrosive to most metals.	1305
-	T4	TP1 TP8	F-E, S-D	Category B	-	Miscibility with water depends upon the composition. Harmful by inhalation.	1306
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	1306
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquids. Flashpoint: 17°C to 23°C c.c. Explosive limits: 1.1% to 7%. Immiscible with water.	1307
-	T2	TP1	F-E, S-D	Category A	-	See entry above. Flashpoint: 23°C to 30°C c.c.	1307
-	-	-	F-E, S-D	Category D	-	Finely divided zirconium metal in a flammable liquid. Immiscible with water. Spillage is liable to self-ignition.	1308
-	-	-	F-E, S-D	Category B	-	See entry above.	1308
-	-	-	F-E, S-D	Category B	-	See entry above.	1308
-	T3	TP33	F-G, S-G	Category A H1	SGG15 SG17 SG25 SG26 SG32 SG35 SG36 SG52	If uncoated, it possesses the property of evolving hydrogen gas when in contact with water, especially seawater; if treated with oil or wax, it does not at ordinary temperatures. Reacts readily with acids and caustic alkalis, evolving hydrogen, a flammable gas. Reacts readily with iron oxide, producing a thermite effect. May form explosive mixtures with oxidizing substances. In the event of breakage of receptacles, the scattered powder is readily ignited by sparks or open flame and may give rise to an explosive atmosphere.	1309
-	T1	TP33	F-G, S-G	Category A H1	SGG15 SG17 SG25 SG26 SG32 SG35 SG36 SG52	See entry above.	1309
-	-	-	F-B, S-J	Category D	SGG2 SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. Harmful if swallowed or by skin contact.	1310
-	T1	TP33	F-A, S-I	Category A	-	White, translucent lumps. Camphor-like odour. Insoluble in water. Harmful by ingestion.	1312
-	T1	TP33	F-A, S-I	Category A	_	Yellowish-white, amorphous powder or lumps. Insoluble in water. Liable to spontaneous heating. Irritating to skin and mucous membranes.	1313
-	T1	TP33	F-A, S-I	Category A	-	Yellowish-white, amorphous powder or lumps. Insoluble in water. Liable to spontaneous heating. Irritating to skin and mucous membranes.	1314

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1318	COBALT RESINATE, PRECIPITATED	4.1	-	Ш	_	5 kg	E1	P002	_	IBC06	-
1320	DINITROPHENOL, WETTED with not less than 15% water, by mass	4.1	6.1 Р	I	28	0	EO	P406	PP26 PP31	-	-
1321	DINITROPHENOLATES, WETTED with not less than 15% water, by mass	4.1	6.1 Р	I	28	0	E0	P406	PP26 PP31	-	-
1322	DINITRORESORCINOL, WETTED with not less than 15% water, by mass	4.1	-	I	28	0	EO	P406	PP26 PP31	-	-
1323	FERROCERIUM	4.1	-	Ш	249	1 kg	E2	P002	PP100	IBC08	B4 B21
1324	FILMS, NITROCELLULOSE BASE gelatin coated, except scrap	4.1	-	III	-	5 kg	E1	P002	PP15	-	-
1325	FLAMMABLE SOLID, ORGANIC, N.O.S.	4.1	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
1325	FLAMMABLE SOLID, ORGANIC, N.O.S.	4.1	-	Ш	223 274	5 kg	E1	P002	-	IBC08	B3
1326	HAFNIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	4.1	_	II	916	1 kg	E2	P410	PP31 PP40	IBC06	B21
1327	HAY, STRAW or BHUSA	4.1	-	-	29 281 954 973	3 kg	EO	P003	PP19	IBC08	B6
1328	HEXAMETHYLENETETRAMINE	4.1	-		-	5 kg	E1	P002	-	IBC08	B3
1330	MANGANESE RESINATE	4.1	-	III	-	5 kg	E1	P002	-	IBC06	-
1331	MATCHES, "STRIKE ANYWHERE"	4.1	-	Ш	293	5 kg	EO	P407	PP27	-	-
1332	METALDEHYDE	4.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
1333	CERIUM, slabs, ingots or rods	4.1	-	II	-	1 kg	E2	P002	PP100	IBC08	B4 B21
1334	NAPHTHALENE, CRUDE or NAPHTHALENE, REFINED	4.1	– P	III	948 967	5 kg	E1	P002 LP02	-	IBC08	B3
1336	NITROGUANIDINE (PICRITE), WETTED with not less than 20% water, by mass	4.1	_	Ι	28	0	EO	P406	PP31	_	_
1337	NITROSTARCH, WETTED with not less than 20% water, by mass	4.1	-	I	28	0	EO	P406	PP31	-	-

	Portable tanks and bulk containers		ks and ners	EmS	Stowage and Segregation handling		Properties and observations	UN No.
		Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	T1	TP33	F-A, S-I	Category A	_	Dark brownish-black solid. Insoluble in water. Readily combustible; may ignite spontaneously if contaminated with vegetable fibres (such as cotton). Irritating to skin and mucous membranes.	1318
	-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance when pure consists of yellow crystals. Slightly soluble in water. May form extremely sensitive compounds with heavy metals or their salts. Toxic if swallowed, by skin contact or by inhalation.	1320
	-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosives. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. Toxic if swallowed, by skin contact or by inhalation.	1321
	-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Explosive when dry. May form extremely sensitive compounds with heavy metals or their salts. Harmful if swallowed or by skin contact.	1322
	-	Т3	TP33	F-G, S-G	Category A H1	SG25 SG26	Alloy derived from cerium or mischmetal, with the addition of 10% to 65% iron. Emits sparks when struck.	1323
	-	-	-	F-A, S-I	Category D	SG7	Ignites readily. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air.	1324
	-	ТЗ	TP33	F-A, S-G	Category B	SG72	-	1325
	-	T1	TP33	F-A, S-G	Category B	SG72	-	1325
		T3	TP33	F-A, S-J	Category E	SGG15 SG17	Insoluble in water. Liable to spontaneous combustion when dry. Forms explosive mixtures with oxidizing substances.	1326
	-	-	-	F-A, S-I	Category A SW10	SG23	Ignites readily. Liable to spontaneous combustion when wet, damp or contaminated with oil. Refuse for shipment when loose, damp, wet or contaminated with oil.	1327
	-	T1	TP33	F-A, S-G	Category A	-	White, crystalline powder. Soluble in water.	1328
	-	T1	TP33	F-A, S-I	Category A	-	Very dark brown solid. Insoluble in water. Liable to spontaneous heating. Irritating to skin, eyes and mucous membranes.	1330
	-	-	-	F-A, S-I	Category B	-	Ignite by friction; prepared surface is not required.	1331
	-	T1	TP33	F-A, S-G	Category A	-	White crystals, powder or tablets. Insoluble in water. Harmful if swallowed or by dust inhalation.	1332
	-	-	-	F-G, S-P	Category A H1	SG17 SG25 SG26	Contains 94–99% rare earth metals. In contact with water or moist air, evolves hydrogen, a flammable gas. Emits sparks when scratched or struck.	1333
	-	T1 BK2 BK3	TP33	F-A, S-G	Category A SW23	-	Crystalline flakes or powder with a persistent odour. Evolves flammable vapours at, or below, its melting point.	1334
	-	_	_	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. White solid. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. May form extremely sensitive compounds with heavy metals or their salts.	1336
	-	_	-	F-B, S-J	Category D	SG7 SG30	Desensitized explosive. Orange powder. Explosive and sensitive to friction in the dry state. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. May form extremely sensitive compounds with heavy metals or their salts.	1337

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

	r J	

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1338	PHOSPHORUS, AMORPHOUS	4.1	-	III	-	5 kg	E1	P410	_	IBC08	B3
1339	PHOSPHORUS HEPTASULPHIDE free from yellow or white phosphorus	4.1	-	II	-	1 kg	E2	P410	PP31	IBC04	-
1340	PHOSPHORUS PENTASULPHIDE free from yellow or white phosphorus	4.3	4.1	II	_	500 g	E2	P410	PP31 PP40	IBC04	_
1341	PHOSPHORUS SESQUISULPHIDE free from yellow or white phosphorus	4.1	-	II	-	1 kg	E2	P410	PP31	IBC04	-
1343	PHOSPHORUS TRISULPHIDE free from yellow or white phosphorus	4.1	-	II	-	1 kg	E2	P410	PP31	IBC04	-
1344	TRINITROPHENOL (PICRIC ACID), WETTED with not less than 30% water, by mass	4.1	-	I	28	0	EO	P406	PP26 PP31	-	-
1345	RUBBER SCRAP powdered or granulated, not exceeding 840 microns and rubber content exceeding 45% or RUBBER SHODDY powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	4.1	-	II	223 917	1 kg	E2	P002	-	IBC08	B4 B21
1346	SILICON POWDER, AMORPHOUS	4.1	-	111	32	5 kg	E1	P002 LP02	-	IBC08	В3
1347	SILVER PICRATE, WETTED with not less than 30% water, by mass	4.1	_	I	28 900	0	EO	P406	PP25 PP26 PP31	-	-
1348	SODIUM DINITRO- <i>o</i> - CRESOLATE, WETTED with not less than 15% water, by mass	4.1	6.1 Р	I	28	0	EO	P406	PP26 PP31	-	_
1349	SODIUM PICRAMATE, WETTED with not less than 20% water, by mass	4.1	_	I	28	0	EO	P406	PP26 PP31	-	-
1350	SULPHUR	4.1	_	111	242 967	5 kg	E1	P002 LP02	-	IBC08	B3

	Portable tanks and bulk containers		EmS	Stowage and handling	Segregation	Properties and observations	UI No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(1
-	T1	TP33	F-A, S-G	Category A	SG17	Reddish-brown powder. Insoluble in water. Ignites readily by friction. When involved in a fire, evolves irritating fumes. Forms explosive mixtures with oxidizing substances. Harmful if swallowed or by dust inhalation.	13
-	Т3	TP33	F-G, S-G	Category B H1	SG17 SG25 SG26	Yellow solid. Ignites readily by friction. Develops heat in contact with moist air, evolving toxic and flammable gases. Forms explosive mixtures with oxidizing substances. Harmful if swallowed or by dust inhalation.	13
-	Т3	TP33	F-G, S-N	Category D H1	SG26	Yellow solid. Ignites readily by friction. Develops heat in contact with moist air, evolving toxic and flammable gases. Forms explosive mixtures with oxidizing substances. Harmful if swallowed or by dust inhalation.	13
-	Т3	TP33	F-A, S-G	Category B	SG17	Yellow solid. Ignites readily by friction. Develops heat in contact with moist air, evolving toxic and flammable gases. Forms explosive mixtures with oxidizing substances. Harmful if swallowed or by dust inhalation.	13
-	Т3	TP33	F-G, S-G	Category B H1	SG17 SG25 SG26	Yellow solid. Ignites readily by friction. Develops heat in contact with moist air, evolving toxic and flammable gases. Forms explosive mixtures with oxidizing substances. Harmful if swallowed or by dust inhalation.	13
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. Soluble in water. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. Harmful if swallowed or by skin contact.	13
-	ТЗ	TP33	F-A, S-I	Category A	_	Liable to spontaneous heating.	1:
-	T1	TP33	F-A, S-G	Category A	SG17	Dark brown, non-metallic powder. Burns in air, when ignited; readily flammable when mixed with oxidizing substances.	13
-	-	-	F-B, S-J	Category D	SGG7 SG7 SG30	Desensitized explosive. Yellow crystals. Soluble in water. Explosive and sensitive to friction in the dry state. Harmful if swallowed or by skin contact. May form extremely sensitive compounds with heavy metals or their salts. Transport of SILVER PICRATE, dry or wetted with less than 30% water, by mass is prohibited.	13
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow powder. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Toxic if swallowed, by skin contact or by inhalation.	1:
_	-	_	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow powder. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Harmful if swallowed or by skin contact.	1:
-	T1 BK2 BK3	TP33	F-A, S-G	Category A SW1 SW23	SG17	When involved in a fire, evolves toxic, very irritating and suffocating gas. The dust forms an explosive mixture with air which may be ignited by static electricity. Forms explosive mixtures with oxidizing substances. Corrosive to steel, in particular in the presence of moisture. The provisions of this Code should not apply to sulphur when it is formed to a specific shape (such as prills, granules, pellets, pastilles or flakes).	1:

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC		
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
D	1352	TITANIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	4.1	-	II	28 916	1 kg	E2	P410	PP31 PP40	IBC06	B21	
G	1353	FIBRES or FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S.	4.1	-	111	-	5 kg	E1	P410	-	IBC08	B3	
	1354	TRINITROBENZENE, WETTED with not less than 30% water, by mass	4.1	_	I	28	0	EO	P406	PP31	_	-	
	1355	TRINITROBENZOIC ACID, WETTED with not less than 30% water, by mass	4.1	-	I	28	0	EO	P406	PP31	-	-	
	1356	TRINITROTOLUENE (TNT), WETTED with not less than 30% water, by mass	4.1	-	I	28	0	EO	P406	PP31	-	-	
	1357	UREA NITRATE, WETTED with not less than 20% water, by mass	4.1	-	Ι	28 227	0	EO	P406	PP31	-	-	
	1358	ZIRCONIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns	4.1	_	II	916	1 kg	E2	P410	PP31 PP40	IBC06	B21	
	1360	CALCIUM PHOSPHIDE	4.3	6.1	I	-	0	EO	P403	PP31	-	-	
	1361	CARBON animal or vegetable origin	4.2	_	II	925	0	EO	P002	PP12	IBC06	-	
	1361	CARBON animal or vegetable origin	4.2	-	III	223 925	0	EO	P002 LP02	PP12	IBC08	B3	

	Portable tanl bulk contai	ks and ners	and EmS Stowage and Segregation 's handling		Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	Т3	TP33	F-A, S-J	Category E	SGG15 SG17	Grey powder. Forms explosive mixtures with oxidizing substances.	1352
-	-	-	F-A, S-I	Category D	-	Toe board used in the manufacture of boots and shoes. When involved in a fire, evolves toxic fumes; in closed	1353
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. Harmful if swallowed or by skin contact.	1354
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. Soluble in water. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. Explosive and sensitive to friction in the dry state. Harmful if swallowed or by skin contact. May form extremely sensitive compounds with heavy metals or their salts.	1355
-		_	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. Harmful if swallowed or by skin contact.	1356
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of white crystals. Soluble in water. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts.	1357
_	T3	TP33	F-G, S-J	Category E H1	SGG15 SG17 SG25 SG26	Grey powder. Insoluble in water. Liable to spontaneous combustion when dry. Forms explosive mixtures with oxidizing substances.	1358
-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Red to brown crystals. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	1360
-	T3	TP33	F-A, S-J	Category A SW1 H2	-	Black material originating from organic sources. Particularly includes carbon blacks, other non-activated carbon materials and charcoal produced from materials such as bone, bamboo, coconut shell, jute and wood. Liable to heat slowly and ignite spontaneously in air. The material as offered for shipment should be cooled down to ambient temperature before packing.	1361
-	T1	TP33	F-A, S-J	Category A SW1 H2	-	See entry above.	1361

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC	
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	\bigtriangleup	1362	CARBON, ACTIVATED	4.2	-	111	223 925	0	E1	P002	PP11 PP31	IBC08	B3
D		1363	COPRA	4.2	-	111	29 926 973	0	EO	P003 LP02	PP20	IBC08	B3 B6
G		1364	COTTON WASTE, OILY	4.2	-	III	29 973	0	E0	P003 LP02	PP19	IBC08	B3 B6
		1365	COTTON, WET	4.2	-	111	29 973	0	E0	P003	PP19	IBC08	B3 B6
		1369	<i>p</i> -NITROSODIMETHYLANILINE	4.2	-	II	927	0	E2	P410	-	IBC06	B21
	\triangle	1372	FIBRES ANIMAL or FIBRES VEGETABLE burnt, wet or damp	4.2	-	111	123	0	E1	P410	-	-	-
		1373	FIBRES or FABRICS, ANIMAL or VEGETABLE or SYNTHETIC, N.O.S. with oil	4.2	-	111	-	0	EO	P410	PP31	IBC08	В3
		1374	FISH MEAL, UNSTABILIZED or FISH SCRAP, UNSTABILIZED High hazard. Unrestricted moisture content. Unrestricted fat content in excess of 12%, by mass; unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fish meal or fish scrap	4.2	_	II	300 928	0	E2	P410	PP31 PP40	IBC08	B4 B21
		1374	FISH MEAL, UNSTABILIZED or FISH SCRAP, UNSTABILIZED Not anti-oxidant treated. Moisture content: more than 5% but not more than 12%, by mass. Fat content: not more than 12%, by mass	4.2	_	III	29 300 907 928	0	E1	P410	PP31	IBC08	B3 B21
		1376	IRON OXIDE, SPENT or IRON SPONGE, SPENT obtained from coal gas purification	4.2	-	III	223	0	EO	P002 LP02	PP100 L3	IBC08	B4
		1378	METAL CATALYST, WETTED with a visible excess of liquid	4.2	-	II	274	0	EO	P410	PP31 PP39 PP40	IBC01	-
		1379	PAPER, UNSATURATED OIL TREATED incompletely dried (including carbon paper)	4.2	-	111	-	0	EO	P410	PP31	IBC08	В3
		1380	PENTABORANE	4.2	6.1	I	-	0	EO	P601	_	-	_
		1381	PHOSPHORUS, WHITE or YELLOW, DRY or UNDER WATER or IN SOLUTION	4.2	6.1 Р	I	_	0	EO	P405	PP31	_	-

Portable tanks and bulk containers		ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.	
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	T1	TP33	F-A, S-J	Category A SW1 H2	-	Activated porous black carbon materials not including charcoal (see UN 1361). May be in the form of powder, granules, pellets, fibres or felts. If chemically activated, may self-heat, and may ignite spontaneously in air.	1362].
-	BK2	-	F-A, S-J	Category A SW1 SW9 H1	-	Dried kernels of coconuts, with a penetrating rancid odour which may taint other cargoes.	1363	
-	-	_	F-A, S-J	Category A	SG41	Fibres of vegetable origin.	1364	
-	-	-	F-A, S-J	Category A	-	Readily combustible, liable to ignite spontaneously according to moisture content.	1365	
-	Т3	TP33	F-A, S-J	Category D	SG29	Dark green, crystalline solid, insoluble in water. Ignites spontaneously in air when dry. Harmful if swallowed.	1369	
-	-	-	F-A, S-J	Category A	-	Liable to ignite spontaneously according to moisture content.	1372	4
-	T1	TP33	F-A, S-J	Category A	-	Liable to ignite spontaneously according to the oil content.	1373	
-	T3	TP33	F-A, S-J	Category B SW1 SW24	SG65	Brown to greenish-brown product derived from oily fish. Strong odour which may affect other cargo. Liable to heat and ignite spontaneously.	1374	
-	T1	TP33	F-A, S-J	Category A SW1 SW24	-	See entry above.	1374	
-	T1 BK2	TP33	F-G, S-P	Category E H1	SG26	Obtained from coal gas purification. Strong odour which may taint other cargo. Liable to heat and ignite spontaneously. May evolve hydrogen sulphide, sulphur dioxide and hydrogen cyanide, which are toxic gases. This substance should have been cooled and weathered for not less than eight weeks before shipment, unless packed in a metal drum.	1376	
-	T3	TP33	F-H, S-M	Category C	-	Liable to ignite spontaneously if dry.	1378	
-	-	-	F-A, S-J	Category A	-	Liable to ignite spontaneously. The provisions of this Code should not apply to manufactured articles properly aged.	1379	
-	-	-	F-G, S-L	Category D H1	SG26	Colourless liquid. Boiling point range: 48°C to 63°C. Ignites spontaneously in air. Decomposes in contact with water, evolving hydrogen, a flammable gas. Toxic if swallowed, by skin contact or by inhalation.	1380	
-	Т9	TP3 TP31	<u>F-A</u> , S-J	Category E	-	Ignites spontaneously in air. Melting point: 44°C. Toxic if swallowed, by skin contact or by inhalation. Receptacles are usually filled with substance in the liquid state which subsequently solidifies. A sufficient ullage should be allowed.	1381	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

I		
	ſ	2

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1382	POTASSIUM SULPHIDE, ANHYDROUS or POTASSIUM SULPHIDE with less than 30% water of crystallization	4.2	-	II	_	0	E2	P410	PP31 PP40	IBC06	B21
	1383	PYROPHORIC METAL, N.O.S. or PYROPHORIC ALLOY, N.O.S.	4.2	-	I	274	0	E0	P404	PP31	-	-
	1384	SODIUM DITHIONITE (SODIUM HYDROSULPHITE)	4.2	-	Ш	-	0	E2	P410	PP31	IBC06	B21
	1385	SODIUM SULPHIDE, ANHYDROUS or SODIUM SULPHIDE with less than 30% water of crystallization	4.2	-	II	-	0	E2	P410	PP31	IBC06	B21
	1386	SEED CAKE, containing vegetable oil (a) mechanically expelled seeds, containing more than 10% oil or more than 20% oil and moisture combined	4.2	-	III	29 929 973	0	EO	P003 LP02	PP20	IBC08	B3 B6
	1386	SEED CAKE, containing vegetable oil (b) solvent extractions and expelled seeds, containing not more than 10% of oil and when the amount of moisture is higher than 10%, not more than 20% of oil and moisture combined	4.2	_	III	29 929 973	0	EO	P003 LP02	PP20	IBC08	B3 B6
\triangle	1387	WOOL WASTE, WET	4.2	-	Ш	123	0	E1	P410	-	-	-
	1389	ALKALI METAL AMALGAM, LIQUID	4.3	-	I	182	0	EO	P402	PP31	-	-
	1390	ALKALI METAL AMIDE	4.3	-	II	182	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
	1391	ALKALI METAL DISPERSION or ALKALINE EARTH METAL DISPERSION	4.3	-	I	182 183	0	EO	P402	PP31	-	-
	1392	ALKALINE EARTH METAL AMALGAM, LIQUID	4.3	_	I	183	0	EO	P402	PP31	_	_
	1393	ALKALINE EARTH METAL ALLOY, N.O.S.	4.3	-	II	183	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
	1394	ALUMINIUM CARBIDE	4.3	-	II	-	500 g	E2	P410	PP31 PP40	IBC07	B4 B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
(12)	Tank instructions (13)	Provisions (14)	(15)	(16a)	(16b)	(17)	(18
	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		
-	Т3	TP33	F-A, S-J	Category A	SGG18 SG35	Black solid, absorbs moisture to become crystalline. Liable to ignite spontaneously. In contact with acids, evolves hydrogen sulphide, a toxic and flammable gas. Reacts violently with acids.	13
-	T21	TP7 TP33	F-G, S-M	Category D H1	SGG15 SG26	Liable to ignite spontaneously in air. If shaken, may produce sparks. In contact with water, evolves hydrogen, a flammable gas.	13
-	Т3	TP33	F-A, S-J	Category E H1	-	White or grey crystalline powder. Liable to heat and ignite spontaneously in air and to evolve sulphur dioxide, an irritating gas.	13
-	Т3	TP33	F-A, S-J	Category A	SGG18 SG35	Black solid, absorbs moisture to become crystalline. Liable to ignite spontaneously. In contact with acids, evolves hydrogen sulphide, a toxic and flammable gas. Reacts violently with acids.	13
	BK2	-	F-A, S-J	Category E SW1 SW25 H1	-	Residue remaining after oil has been expelled mechanically from oil-bearing seeds. Used mainly as animal feed or fertilizer. The most common seed cakes include those derived from coconut (copra), cottonseed, groundnut (peanut), linseed, maize (hominy chop), niger seed, palm kernel, rape seed, rice bran, soya bean and sunflower seed and they may be shipped in the form of cake, flakes, pellets, meal, etc. May self-heat slowly and, if wet or containing an excessive proportion of unoxidized oil, ignite spontaneously. Before shipment, this cargo should be properly aged. The duration of ageing varies with the oil content. Smoking and the use of naked lights should be prohibited during loading and unloading and on entry to the cargo space(s) at any time.	13
-	BK2	_	F-A, S-J	Category A SW1 SW25 H1	-	Residue remaining after oil has been extracted by a solvent process or expelled mechanically from oil-bearing seeds. Used mainly as animal feed or fertilizer. The most common seed cakes include those derived from coconut (copra), cottonseed, groundnut (peanut), linseed, maize (hominy chop), niger seed, palm kernel, rape seed, rice bran, soya bean and sunflower seed and they may be shipped in the form of cake, flakes, pellets, meal, etc. May self-heat slowly and, if wet or containing an excessive proportion of unoxidized oil, ignite spontaneously. The seed cake should be substantially free from flammable solvent. Before shipment, this cargo should be properly aged. The duration of ageing varies with the oil content. Smoking and the use of naked lights should be prohibited during loading and unloading and on entry to the cargo space(s) at any other time.	13
-	-	-	F-A, S-J	Category A	-	Liable to ignite spontaneously in air according to moisture content.	13
-	-	-	<u>F-G</u> , S-N	Category D H1	SGG7 SGG11 SG26 SG35	Silvery liquid, consisting of metal alloyed with mercury. Reacts with moisture, water or acids, evolving hydrogen, a flammable gas. When heated, evolves toxic vapours.	13
-	T3	TP33	F-G, S-O	Category E SW2 H1	SG26 SG35	Small crystals. Decomposes in contact with water or acids, evolving ammonia vapour and producing highly caustic alkaline solutions.	13
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26 SG35	Finely divided alkali metal or alkaline earth metal, suspended in a liquid. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction.	13
-	_	_	<u>F-G</u> , S-N	Category D H1	SGG7 SGG11 SG26 SG35	Consists of metal alloyed with mercury. Contains 2% to 10% alkaline earth metals and may contain up to 98% mercury. Reacts with moisture, water or acids, evolving hydrogen, a flammable gas. When heated, evolves toxic vapours.	13
-	T3	TP33	F-G, S-N	Category E H1	SG26 SG35	When containing a substantial proportion of alkaline earth metals, readily decomposed by water and reacts violently with acids, evolving hydrogen, which may be ignited by the heat of the reaction.	13
-	Т3	TP33	F-G, S-N	Category A H1	SG26 SG35	Yellow crystals or powder. In contact with water, rapidly evolves methane, a flammable gas. Reacts violently with acids.	13

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

	UN No.	I Proper shipping name . (PSN)		Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1395	ALUMINIUM FERROSILICON POWDER	4.3	6.1	II	932	500 g	E2	P410	PP31 PP40	IBC05	B21
	1396	ALUMINIUM POWDER, UNCOATED	4.3	-	II	_	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
	1396	ALUMINIUM POWDER, UNCOATED	4.3	-	III	223	1 kg	E1	P410	PP31	IBC08	B4
	1397	ALUMINIUM PHOSPHIDE	4.3	6.1	I	_	0	EO	P403	PP31	_	-
	1398	ALUMINIUM SILICON POWDER, UNCOATED	4.3	-	III	37 223 932	1 kg	E1	P410	PP31	IBC08	B4
	1400	BARIUM	4.3	-	II	-	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
	1401	CALCIUM	4.3	-	Ш	-	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
$ \land $	1402	CALCIUM CARBIDE	4.3	-	I	-	0	EO	P403	PP31	IBC04	B1
	1402	CALCIUM CARBIDE	4.3	-	Ш	-	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
	1403	CALCIUM CYANAMIDE with more than 0.1% calcium carbide	4.3	-	III	38 934	1 kg	E1	P410	PP31	IBC08	B4
	1404	CALCIUM HYDRIDE	4.3	-	I	-	0	E0	P403	PP31	-	-
	1405	CALCIUM SILICIDE	4.3	-	II	932	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
	1405	CALCIUM SILICIDE	4.3	-	III	223 932	1 kg	E1	P410	PP31	IBC08	B4
	1407	CAESIUM	4.3	-	Ι	-	0	EO	P403	PP31	IBC04	B1
	1408	FERROSILICON with 30% or more but less than 90% silicon	4.3	6.1	III	39 223 932	1 kg	E1	P003	PP20 PP100	IBC08	B4 B6

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T3 BK2	TP33	F-G, S-N	Category A SW2 SW5 H1	SG26 SG32 SG35 SG36	In contact with water, caustic alkalis or acids, evolves hydrogen, a flammable gas. Impurities may, under similar circumstances, produce phosphine and arsine, which are highly toxic gases.	139
-	Т3	TP33	F-G, S-O	Category A H1	SGG15 SG26 SG32 SG35 SG36	In contact with water, caustic alkalis or acids, evolves hydrogen, a flammable gas. When finely divided aluminium dust is scattered, it is easily ignited by naked lights, causing explosion. May explode when in contact with oxidizing substances. Reacts with liquid halogenated hydrocarbons.	139
-	T1	TP33	F-G, S-O	Category A H1	SGG15 SG26 SG32 SG35 SG36	See entry above.	139
-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Crystals or powder. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	139
-	T1 BK2	TP33	F-G, S-N	Category A SW2 SW5 H1	SGG15 SG26 SG32 SG35 SG36	In contact with water, caustic alkalis or acids, generates heat and evolves hydrogen, a flammable gas. May also evolve silanes, which are toxic and may ignite spontaneously.	139
-	T3	TP33	F-G, S-O	Category E H1	SG26 SG35	Readily decomposes in water and reacts violently with acids, evolving hydrogen, which may be ignited by the heat of the reaction. Harmful if swallowed or by dust inhalation.	140
-	Т3	TP33	F-G, S-O	Category E H1	SG26 SG35	Readily decomposes in water and reacts violently with acids, evolving hydrogen, which may be ignited by the heat of the reaction.	140
-	-	-	<u>F-G</u> , S-N	Category B H1	SG26 SG35	Solid. In contact with water, rapidly evolves acetylene, a highly flammable gas, which may be ignited by the heat of the reaction. Acetylene forms highly explosive compounds with salts of some heavy metals. Reacts violently with acids.	140
-	Т3	TP33	F-G, S-N	Category B H1	SG26 SG35	See entry above.	14(
-	T1	TP33	F-G, S-N	Category A H1	SG26 SG35	Powder or granules. Contains calcium carbide as an impurity. In contact with water, evolves ammonia and acetylene, which is a highly flammable gas. Reacts vigorously with acids.	14(
-	-	-	<u>F-G</u> , S-O	Category E H1	SG26 SG35	Solid. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	14
-	Т3	TP33	F-G, S-N	Category B SW5 H1	SG26 SG35	In contact with water, evolves hydrogen, a flammable gas. If calcium carbide is present as an impurity, acetylene will also be evolved. In contact with acids, evolves silane, a spontaneously flammable gas.	14(
-	T1	TP33	F-G, S-N	Category B SW5 H1	SG26 SG35	See entry above.	14
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26 SG35	White, ductile, soft metal. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	14
-	T1 BK2	TP33	F-G, S-N	Category A SW2 SW5 H1	SG26 SG35 SG36	In contact with moisture, water, alkalis or acids, may evolve hydrogen, a flammable gas, which may form explosive mixtures with air, and also arsine and phosphine, which are highly toxic gases. These gases are evolved in proportions which, under mechanically ventilated conditions, make the poison hazard by far predominant over the explosion hazard. The rate of gas evolution is greatest from freshly broken surfaces, so is liable to increase whenever the cargo is disturbed, such as during loading. Toxic if swallowed, by skin contact or by vapour inhalation.	140

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

1	h
	2

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	Limited and excepted quantity provisions		Packing		C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1409	METAL HYDRIDES, WATER-REACTIVE, N.O.S.	4.3	-	I	274	0	E0	P403	PP31	-	-
1409	METAL HYDRIDES, WATER-REACTIVE, N.O.S.	4.3	-	II	274	500 g	E2	P410	PP31 PP40	IBC04	-
1410	LITHIUM ALUMINIUM HYDRIDE	4.3	-	I	-	0	E0	P403	PP31	-	-
1411	LITHIUM ALUMINIUM HYDRIDE, ETHEREAL	4.3	3	I	-	0	EO	P402	-	-	-
1413	LITHIUM BOROHYDRIDE	4.3	-	I	_	0	EO	P403	PP31	-	-
1414	LITHIUM HYDRIDE	4.3	-	I	-	0	E0	P403	PP31	-	-
1415	LITHIUM	4.3	_	I	_	0	EO	P403	PP31	IBC04	B1
1417	LITHIUM SILICON	4.3	-	II	-	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	4.3	4.2	Ι	_	0	EO	P403	PP31	-	-
1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	4.3	4.2	II	-	0	E2	P410	PP31 PP40	IBC05	B21
1418	MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER	4.3	4.2	III	223	0	E1	P410	PP31	IBC08	B4
1419	MAGNESIUM ALUMINIUM PHOSPHIDE	4.3	6.1	I	-	0	EO	P403	PP31	-	-
1420	POTASSIUM METAL ALLOYS, LIQUID	4.3	-	I	-	0	EO	P402	PP31	-	-
1421	ALKALI METAL ALLOY, LIQUID, N.O.S.	4.3	-	I	182	0	EO	P402	PP31	-	-
1422	POTASSIUM SODIUM ALLOYS, LIQUID	4.3	_	I	_	0	EO	P402	PP31	_	_
1423	RUBIDIUM	4.3	-	I	-	0	EO	P403	PP31	IBC04	B1

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	<u>F-G</u> , S-L	Category D H1	SG26 SG35	Solids. React with water, moisture or acids, evolving hydrogen, which may be ignited by the heat of the reaction.	1409
-	Т3	TP33	F-G, S-L	Category D H1	SG26 SG35	See entry above.	1409
-	-	-	<u>F-G</u> , S-M	Category E H1	SG26 SG35	White powder. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	1410
-	-	-	<u>F-G</u> , S-M	Category D SW2 H1	SG26	Clear, colourless solution of lithium aluminium hydride in ether. Reacts readily with water, evolving hydrogen, a flammable gas. Evaporates readily to leave a residue which is easily ignited by a spark or friction.	1411
-	-	-	<u>F-G</u> , S-O	Category E H1	SG26 SG35	Crystalline, hygroscopic solid. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	1413
-	-	-	<u>F-G</u> , S-N	Category E H1	SG26 SG35	Solid. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	1414
-	Т9	TP7 TP33	<u>F-G</u> , S-N	Category E H1	SG26 SG35	White, ductile, soft metal. Floats on water. Readily decomposes in water and reacts violently with acids, evolving hydrogen, which may be ignited by the heat of the reaction. For fire-fighting purposes, dry lithium chloride powder, dry sodium chloride or graphite powder should be carried on board when this substance is transported.	1415
-	T3	TP33	F-G, S-N	Category A SW5 H1	SG26	Shiny lumps, crystals or powder, with sharp irritating odour. Reacts readily with water, evolving hydrogen and silane, flammable gases. Enough heat may be generated to ignite the gas mixture in air.	1417
-		_	<u>F-G</u> , S-O	Category A H1	SGG15 SG26 SG32 SG35	In contact with moisture, water or acids, evolves hydrogen, a flammable gas. Magnesium dust is easily ignited, causing explosion. May explode when in contact with oxidizing substances. For fire-fighting purposes, dry lithium chloride powder, dry sodium chloride or graphite powder should be carried on board when this substance is transported. Reacts with liquid halogenated hydrocarbons.	1418
-	Т3	TP33	F-G, S-O	Category A H1	SGG15 SG26 SG32 SG35	See entry above.	1418
-	T1	TP33	F-G, S-O	Category A H1	SGG15 SG26 SG32 SG35	See entry above.	1418
-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Solid. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	1419
-	-	-	<u>F-G</u> , S-L	Category D H1	SG26 SG35	Soft, silvery metal liquid. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	1420
-	-	-	<u>F-G</u> , S-L	Category D H1	SG26 SG35	Flows like mercury at ordinary temperatures. Not volatile. Reacts violently with moisture, water or acids, evolving hydrogen, a flammable gas, and developing considerable heat, which may ignite the gas.	1421
-	Т9	TP3 TP7 TP31	<u>F-G</u> , S-L	Category D H1	SG26 SG35	Soft, silvery metal liquid. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	1422
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26 SG35	Silvery-white, ductile, soft metal. Melting point: 39°C. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	1423

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1426	SODIUM BOROHYDRIDE	4.3	-	I	-	0	E0	P403	PP31	-	-
1427	SODIUM HYDRIDE	4.3	-	I	-	0	E0	P403	PP31	-	-
1428	SODIUM	4.3	-	I	-	0	EO	P403	PP31	IBC04	B1
1431	SODIUM METHYLATE	4.2	8	II	-	0	E2	P410	PP31	IBC05	B21
1432	SODIUM PHOSPHIDE	4.3	6.1	I	_	0	EO	P403	PP31	_	_
1433	STANNIC PHOSPHIDE	4.3	6.1	I	-	0	EO	P403	PP31	-	-
1435	ZINC ASHES	4.3	_	ш	223 935	1 kg	E1	P002	PP100	IBC08	B4
1436	ZINC POWDER or ZINC DUST	4.3	4.2	I	-	0	EO	P403	PP31	-	-
1436	ZINC POWDER or ZINC DUST	4.3	4.2	II	_	0	E2	P410	PP31 PP40	IBC07	B21
1436	ZINC POWDER or ZINC DUST	4.3	4.2	III	223	0	E1	P410	PP31	IBC08	B4
1437	ZIRCONIUM HYDRIDE	4.1	-	II	-	1 kg	E2	P410	PP31 PP40	IBC04	-
1438	ALUMINIUM NITRATE	5.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
1439	AMMONIUM DICHROMATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1442	AMMONIUM PERCHLORATE	5.1	_	II	152	1 kg	E2	P002	-	IBC06	B21
1444	AMMONIUM PERSULPHATE	5.1	-	Ш	-	5 kg	E1	P002 LP02	_	IBC08	B3

		Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	-	-	<u>F-G</u> , S-O	Category E H1	SG26 SG35	Crystalline powder. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	1426
	-	-	-	<u>F-G</u> , S-O	Category E H1	SG26 SG35	White powder. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	1427
	-	Т9	TP7 TP33	<u>F-G</u> , S-N	Category D H1	SG26 SG35	White, ductile, soft metal. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	1428
	-	Т3	TP33	F-A, S-L	Category B	SGG18 SG35	White, amorphous, free-flowing, hygroscopic powder. Decomposed by water to form methanol, a flammable liquid, which may be ignited by the heat of the reaction. Causes burns to skin, eyes and mucous membranes.	1431
	-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Solid. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	1432
	-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Silver-white solid. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	1433
	-	T1 BK2	TP33	F-G, S-O	Category A H1	SGG7 SGG15 SG26	In contact with moisture or water, liable to evolve dangerous gases, including hydrogen, a flammable gas.	1435
	-	-	-	<u>F-G</u> , S-O	Category A H1	SGG7 SGG15 SG26 SG35 SG36	In contact with water, alkalis or acids, evolves hydrogen, a flammable gas. Zinc dust is easily ignited, causing explosion. May explode when in contact with oxidizing substances.	1436
	-	T3	TP33	F-G, S-O	Category A H1	SGG7 SGG15 SG26 SG35 SG36	See entry above.	1436
	-	T1	TP33	F-G, S-O	Category A H1	SGG7 SGG15 SG26 SG35 SG36	See entry above.	1436
	-	Т3	TP33	F-A, S-G	Category E	-	Black coloured powder.	1437
	-	T1 BK2	TP33	F-A, S-Q	Category A	-	Colourless or white crystals. Deliquescent. Soluble in water. Slightly corrosive. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	1438
	-	Т3	TP33	F-H, S-Q	Category A	SGG2 SG75	Orange needles. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. May ignite spontaneously in contact with strong acids. Harmful if swallowed.	1439
	-	Т3	TP33	F-H, S-Q	Category E	SGG2 SGG13 SG49 SG60	White crystals or powder. Soluble in water. When heated, decomposes readily, even with explosion, evolving toxic fumes. Forms highly explosive mixtures with combustible material or powdered metals. These mixtures are sensitive to friction and are liable to ignite.	1442
	-	T1	TP33	F-A, S-Q	Category A	SGG2	White crystals or powder. Soluble in water. Mixtures with combustible material are sensitive to friction and are liable to ignite.	1444

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3
3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1445	BARIUM CHLORATE, SOLID	5.1	6.1	II	_	1 kg	E2	P002	_	IBC06	B21
1446	BARIUM NITRATE	5.1	6.1	Ш	-	1 kg	E2	P002	-	IBC08	B4 B21
1447	BARIUM PERCHLORATE, SOLID	5.1	6.1	II	-	1 kg	E2	P002	-	IBC06	B21
1448	BARIUM PERMANGANATE	5.1	6.1	II	_	1 kg	E2	P002	_	IBC06	B21
1449	BARIUM PEROXIDE	5.1	6.1	II	-	1 kg	E2	P002	PP100	IBC06	B21
1450	BROMATES, INORGANIC, N.O.S.	5.1	_	II	274 350	1 kg	E2	P002	-	IBC08	B4 B21
1451	CAESIUM NITRATE	5.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	В3
1452	CALCIUM CHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1453	CALCIUM CHLORITE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1454	CALCIUM NITRATE	5.1	-	Ш	208 967	5 kg	E1	P002 LP02	-	IBC08	B3
1455	CALCIUM PERCHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC06	B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13)	Provisions (14)	(15)	(16a)	(16b)	(17)	(18)
	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		(10)
-	Т3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Colourless crystals or powder. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by dust inhalation.	144
-	Т3	TP33	F-A, S-Q	Category A	-	White crystals. Mixtures with combustible material are readily ignited and may burn fiercely. Toxic if swallowed, by skin contact or by dust inhalation.	1446
-	T3	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	White crystals or powder, soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by dust inhalation.	1447
-	T3	TP33	F-H, S-Q	Category D	SGG14 SG38 SG49 SG60	Brownish-violet crystals. Soluble in water. Reacts vigorously with sulphuric acid and hydrogen peroxide. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by dust inhalation.	1448
-	Т3	TP33	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	White powder. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen. Toxic if swallowed, by skin contact or by dust inhalation.	1449
-	Τ3	TP33	F-H, S-Q	Category A	SGG3 SG38 SG49	Solids. React vigorously with sulphuric acid. React fiercely with cyanides when heated or by friction, and may form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Transport of ammonium bromate and mixtures of a bromate with an ammonium salt is prohibited .	1450
-	T1	TP33	F-A, S-Q	Category A	_	White powder. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	1451
_	Т3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	White to yellowish deliquescent crystals. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1452
-	Τ3	TP33	F-H, S-Q	Category A	SGG5 SG38 SG49	White deliquescent crystals. Soluble in water. Sensitive to heat. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1453
-	T1 BK2 BK3	TP33	F-A, S-Q	Category A SW23	_	White deliquescent solid, soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	1454
-	Т3	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	White crystals or powder. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1455

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1456	CALCIUM PERMANGANATE	5.1	_	II	_	1 kg	E2	P002	_	IBC06	B21
1457	CALCIUM PEROXIDE	5.1	_	II	-	1 kg	E2	P002	PP100	IBC06	B21
1458	CHLORATE AND BORATE MIXTURE	5.1	_	II	_	1 kg	E2	P002	_	IBC08	B4 B21
1458	CHLORATE AND BORATE MIXTURE	5.1	-	Ш	223	5 kg	E1	P002 LP02	-	IBC08	B3
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID	5.1	_	II	-	1 kg	E2	P002	_	IBC08	B4 B21
1459	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID	5.1	-	Ш	223	5 kg	E1	P002 LP02	-	IBC08	B3
1461	CHLORATES, INORGANIC, N.O.S.	5.1	_	II	274 351	1 kg	E2	P002	-	IBC06	B21
1462	CHLORITES, INORGANIC, N.O.S.	5.1	-	II	274 352	1 kg	E2	P002	-	IBC06	B21
1463	CHROMIUM TRIOXIDE, ANHYDROUS	5.1	6.1 8	II	-	1 kg	E2	P002	PP31	IBC08	B4 B21
1465	DIDYMIUM NITRATE	5.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
1466	FERRIC NITRATE	5.1	_	Ш	-	5 kg	E1	P002 LP02	-	IBC08	В3
1467	GUANIDINE NITRATE	5.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
1469	LEAD NITRATE	5.1	6.1 Р	II	-	1 kg	E2	P002	-	IBC08	B4 B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T3	TP33	F-H, S-Q	Category D	SGG14 SG38 SG49 SG60	Violet deliquescent crystals. Soluble in water. Occurs in hydrated form. Reacts vigorously with sulphuric acid and hydrogen peroxide. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1456
-	Т3	TP33	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	White or yellowish powder. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite following impact or friction. When involved in a fire, or on contact with water or acids, decomposes, evolving oxygen.	1457
-	ТЗ	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Solid. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1458
-	T1	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	See entry above.	1458
-	Т3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Deliquescent solid. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1459
-	T1	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	See entry above.	1459
-	T3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Solids. React vigorously with sulphuric acid. React fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Transport of ammonium chlorate and mixtures of a chlorate with an ammonium salt is prohibited .	1461
-	T3	TP33	F-H, S-Q	Category A	SGG5 SG38 SG49	Solids. React vigorously with sulphuric acid. React fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Transport of ammonium chlorite and mixtures of a chlorite with an ammonium salt is prohibited .	1462
-	T3	TP33	F-A, S-Q	Category A	SG6 SG16 SG19	Dark purplish-red deliquescent crystals. Soluble in water. Mixtures with combustible material may ignite spontaneously and may even explode. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1463
-	T1	TP33	F-A, S-Q	Category A	-	Hygroscopic solid. Mixture of neodymium nitrate and praseodymium nitrate. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	1465
-	T1	TP33	F-A, S-Q	Category A	-	Violet deliquescent crystals. Soluble in water. Melting point: 47°C. Mixtures with combustible material are readily ignited and may burn fiercely. Solutions in water are slightly corrosive to most metals. Harmful if swallowed.	1466
-	T1	TP33	F-A, S-Q	Category A	SG45	White granules. Soluble in water. Mixtures with combustible material are sensitive to friction and are liable to ignite. NITROGUANIDINE is a different substance.	1467
-	Т3	TP33	F-A, S-Q	Category A	SGG7 SGG9	White crystals. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Toxic if swallowed, by skin contact or by dust inhalation.	1469

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
1470	LEAD PERCHLORATE, SOLID	5.1	6.1 Р	II	_	1 kg	E2	P002	_	IBC06	B21	
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE	5.1	_	II	_	1 kg	E2	P002	_	IBC08	B4 B21	
1471	LITHIUM HYPOCHLORITE, DRY or LITHIUM HYPOCHLORITE MIXTURE	5.1	-	III	223	5 kg	E1	P002 LP02	-	IBC08	B3	
1472	LITHIUM PEROXIDE	5.1	-	II	-	1 kg	E2	P002	PP100	IBC06	B21	
1473	MAGNESIUM BROMATE	5.1	_	II	_	1 kg	E2	P002	-	IBC08	B4 B21	
1474	MAGNESIUM NITRATE	5.1	-	Ш	332 967	5 kg	E1	P002 LP02	-	IBC08	В3	
1475	MAGNESIUM PERCHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC06	B21	
1476	MAGNESIUM PEROXIDE	5.1	_	II	-	1 kg	E2	P002	PP100	IBC06	B21	
1477	NITRATES, INORGANIC, N.O.S.	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21	
1477	NITRATES, INORGANIC, N.O.S.	5.1	-	111	223	5 kg	E1	P002 LP02	-	IBC08	B3	
1479	OXIDIZING SOLID, N.O.S.	5.1	-	I	274 900	0	EO	P503	-	IBC05	B1	
1479	OXIDIZING SOLID, N.O.S.	5.1	_	II	274 900	1 kg	E2	P002	-	IBC08	B4 B21	
1479	OXIDIZING SOLID, N.O.S.	5.1	-	111	223 274 900	5 kg	E1	P002 LP02	-	IBC08	B3	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4.2.5 4.3	Provisions (14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T3	TP33	F-H, S-Q	Category A	SGG7 SGG9 SGG13 SG38 SG49	White crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by dust inhalation.	1470
-	Т3	ТР33	F-H, S-Q	Category A SW1 SW8	SGG8 SG35 SG38 SG49 SG53 SG60	White powder with pungent odour. Soluble in water. Critical ambient temperature of decomposition may be as low as 60°C. May cause fire in contact with organic material or ammonium compounds. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Dust irritates mucous membranes.	1471
-	T1	TP33	F-H, S-Q	Category A SW1 SW8	SGG8 SG35 SG38 SG49 SG53 SG60	See entry above.	1471
-	Т3	TP33	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	White powder. Soluble in water. Solution in water is an alkaline corrosive liquid. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen.	1472
-	T3	TP33	F-H, S-Q	Category A	SGG3 SG38 SG49	White deliquescent crystals or crystalline powder. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1473
-	T1 BK2 BK3	TP33	F-A, S-Q	Category A SW23	_	White deliquescent crystals, soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	1474
-	Т3	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	White crystals or powder. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1475
-	Т3	TP33	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	White powder. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen. Harmful if swallowed.	1476
-	Т3	TP33	F-A, S-Q	Category A	SG38 SG49	Solids. Solid mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	1477
-	T1	TP33	F-A, S-Q	Category A	SG38 SG49	See entry above.	1477
-	-	-	F-A, S-Q	Category D	SG38 SG49 SG60 SG61	-	1479
-	Т3	TP33	F-A, S-Q	Category B	SG38 SG49 SG60 SG61	-	1479
-	T1	TP33	F-A, S-Q	Category B	SG38 SG49 SG60 SG61	-	1479

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1481	PERCHLORATES, INORGANIC, N.O.S.	5.1	-	II	_	1 kg	E2	P002	-	IBC06	B21
1481	PERCHLORATES, INORGANIC, N.O.S.	5.1	-	III	223	5 kg	E1	P002 LP02	-	IBC08	B3
1482	PERMANGANATES, INORGANIC, N.O.S.	5.1	_	II	274 353	1 kg	E2	P002	-	IBC06	B21
1482	PERMANGANATES, INORGANIC, N.O.S.	5.1	-	III	223 274 353	5 kg	E1	P002	-	IBC08	B3
1483	PEROXIDES, INORGANIC, N.O.S.	5.1	-	II	-	1 kg	E2	P002	PP100	IBC06	B21
1483	PEROXIDES, INORGANIC, N.O.S.	5.1	-	III	223	5 kg	E1	P002 LP02	PP100 L3	IBC08	B4
1484	POTASSIUM BROMATE	5.1	-	II	_	1 kg	E2	P002	-	IBC08	B4 B21
1485	POTASSIUM CHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1486	POTASSIUM NITRATE	5.1	-	III	964 967	5 kg	E1	P002 LP02	-	IBC08	В3
1487	POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1488	POTASSIUM NITRITE	5.1	_	II	_	1 kg	E2	P002	_	IBC08	B4 B21
1489	POTASSIUM PERCHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC06	B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4 2 5	Provisions (14) 4 2 5	(15)	(16a) 71	(16b) 7 2_7 7	(17)	(18
	4.3	4.2.5	7.8	7.3–7.7	1.2-1.1		
-	Т3	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	Solids. React vigorously with sulphuric acid. React fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	148
-	T1	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	See entry above.	148
-	T3	TP33	F-H, S-Q	Category D	SGG14 SG38 SG49 SG60	Solids. React vigorously with sulphuric acid. React fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Transport of ammonium permanganate and mixtures of a permanganate with an ammonium salt is prohibited .	148
-	T1	TP33	F-H, S-Q	Category D	SGG14 SG38 SG49 SG60	See entry above.	148
-	Т3	TP33	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	Particularly if wetted with small quantities of water, a mixture with combustible material may ignite following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen.	148
-	T1	TP33	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	See entry above.	148
-	Т3	TP33	F-H, S-Q	Category A	SGG3 SG38 SG49	White crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible materials, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	148
-	Т3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	White crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	148
-	T1 BK2 BK3	TP33	F-A, S-Q	Category A SW23	-	White crystals or powder. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	148
-	Т3	TP33	F-A, S-Q	Category A	SGG12 SG38 SG49	Deliquescent solid. Soluble in water. May cause fire in contact with organic material such as wood, cotton or straw. Mixtures with ammonium compounds or cyanides may explode. Harmful if swallowed. May be shipped in the form of fused solid block or lumps.	148
-	Т3	TP33	F-A, S-Q	Category A	SGG12 SG38 SG49	White or slightly yellowish deliquescent crystals or sticks. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Mixtures with ammonium compounds or cyanides may explode. Harmful if swallowed.	148
-	Т3	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	White crystals or powder, soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	148

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1490	POTASSIUM PERMANGANATE	5.1	_	II	_	1 kg	E2	P002	-	IBC08	B4 B21
1491	POTASSIUM PEROXIDE	5.1	-	I	-	0	EO	P503	-	IBC06	B1
1492	POTASSIUM PERSULPHATE	5.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
1493	SILVER NITRATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1494	SODIUM BROMATE	5.1	_	II	_	1 kg	E2	P002	-	IBC08	B4 B21
1495	SODIUM CHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1496	SODIUM CHLORITE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1498	SODIUM NITRATE	5.1	-	111	964 967	5 kg	E1	P002 LP02	-	IBC08	В3
1499	SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE	5.1	-	111	964 967	5 kg	E1	P002 LP02	-	IBC08	В3
1500	SODIUM NITRITE	5.1	6.1	III	-	5 kg	E1	P002	-	IBC08	B3
1502	SODIUM PERCHLORATE	5.1	-	II	-	1 kg	E2	P002	_	IBC06	B21

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
_	T3	TP33	F-H, S-Q	Category D	SGG14 SG38 SG49 SG60	Dark purple crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid and hydrogen peroxide. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1490
-	-	_	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	Yellow powder. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite, following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen. Highly irritating to skin, eyes and mucous membranes.	1491
-	T1	TP33	F-A, S-Q	Category A	SG39 SG49	White crystals or powder. Soluble in water. Mixtures with combustible material are sensitive to friction and are liable to ignite. Reacts fiercely with cyanides when heated or by friction. May form explosive mixture with powdered metals or ammonium compounds.	1492
-	T3	TP33	F-A, S-Q	Category A	SGG7	Colourless crystals. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed. Irritating to skin and mucous membranes.	1493
-	T3	TP33	F-H, S-Q	Category A	SGG3 SG38 SG49	White deliquescent crystals. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1494
-	T3 BK2	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Colourless deliquescent crystals. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1495
_	Τ3	TP33	F-H, S-Q	Category A	SGG5 SG38 SG49	Colourless deliquescent solid. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1496
-	T1 BK2 BK3	TP33	F-A, S-Q	Category A SW23	-	Colourless deliquescent solid. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed. This substance in the impure form is known as Chile Saltpetre.	1498
-	T1 BK2 BK3	TP33	F-A, S-Q	Category A SW23	-	Colourless, hygroscopic solid. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed. Mixture prepared as a fertilizer.	1499
-	T1	TP33	F-A, S-Q	Category A	SGG12 SG38 SG49	Colourless deliquescent solid. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Mixtures with ammonium compounds or cyanides may explode. Decomposes if heated, giving off toxic nitrous fumes and gases supporting combustion. Harmful if swallowed or by dust inhalation.	1500
-	T3	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	Colourless crystals or powder, soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	1502

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1503	SODIUM PERMANGANATE	5.1	_	II	_	1 kg	E2	P002	-	IBC06	B21
1504	SODIUM PEROXIDE	5.1	-	I	-	0	EO	P503	-	IBC05	B1
1505	SODIUM PERSULPHATE	5.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
1506	STRONTIUM CHLORATE	5.1	_	II	_	1 kg	E2	P002	_	IBC08	B4 B21
1507	STRONTIUM NITRATE	5.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
1508	STRONTIUM PERCHLORATE	5.1	_	II	_	1 kg	E2	P002	_	IBC06	B21
1509	STRONTIUM PEROXIDE	5.1	-	II	-	1 kg	E2	P002	PP100	IBC06	B21
1510	TETRANITROMETHANE	6.1	5.1	I	354	0	EO	P602		-	-
1511	UREA HYDROGEN PEROXIDE	5.1	8	Ш	-	5 kg	E1	P002	-	IBC08	B3
1512	ZINC AMMONIUM NITRITE	5.1	-	-	900	-	-	-	-	-	-
1513	ZINC CHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1514	ZINC NITRATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T3	TP33	F-H, S-Q	Category D	SGG14 SG38 SG49 SG60	Red crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid and hydrogen peroxide. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	150
-	-	-	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	Pale yellow coarse powder or granules. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite, following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen. Highly irritating to skin, eyes and mucous membranes.	150
-	T1	TP33	F-A, S-Q	Category A	SG39 SG49	Colourless crystals or powder. Soluble in water. Mixtures with combustible material are sensitive to friction and are liable to ignite. Reacts fiercely with cyanides when heated or by friction. May form explosive mixture with powdered metals or ammonium compounds.	150
-	Τ3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Colourless deliquescent solid, soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	150
-	T1	TP33	F-A, S-Q	Category A	-	Colourless solid. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	150
-	Т3	TP33	F-H, S-Q	Category A	SGG13 SG38 SG49	Colourless crystals or powder, soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	150
-	Т3	TP33	F-G, S-Q	Category C H1	SGG16 SG16 SG26 SG35 SG59	Colourless powder. Particularly if wetted with small quantities of water, a mixture with combustible materials may ignite following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen.	150
-	-	-	F-H, S-Q	Category D SW2	SG16	Colourless liquid with a pungent odour. Freezing point: 12.5°C. Insoluble in water. Mixtures with combustible material are readily ignited, burn fiercely and may also explode by friction or shock. Highly toxic if swallowed, by skin contact or by inhalation.	151
-	T1	TP33	F-A, S-Q	Category A H1	-	White crystals or powder. Soluble in water. Mixtures with combustible material are sensitive to friction and are liable to ignite. Irritating to skin, eyes and mucous membranes.	151
-	-	-	-	-	SGG2 SGG7 SGG12	Transport is prohibited .	151
-	Τ3	TP33	F-H, S-Q	Category A	SGG4 SGG7 SG38 SG49	Colourless or yellowish crystals. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	151
-	Т3	TP33	F-H, S-Q	Category A	SGG7	Colourless solid. Soluble in water. Melting point: 36°C. Mixtures with combustible material are readily ignited and may burn fiercely. Solutions in water are slightly corrosive. Harmful if swallowed.	151

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisior
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1515	ZINC PERMANGANATE	5.1	-	II	-	1 kg	E2	P002	-	IBC06	B21
D G	1516	ZINC PEROXIDE	5.1	-	II	-	1 kg	E2	P002	PP100	IBC06	B21
L	1517	ZIRCONIUM PICRAMATE, WETTED with not less than 20% water, by mass	4.1	-	I	28	0	EO	P406	PP26 PP31	-	-
	1541	ACETONE CYANOHYDRIN, STABILIZED	6.1	– P	I	354	0	EO	P602	-	-	-
	1544	ALKALOIDS, SOLID, N.O.S. or ALKALOIDS SALTS, SOLID, N.O.S.	6.1	-	I	43 274	0	E5	P002	-	IBC07	B1
	1544	ALKALOIDS, SOLID, N.O.S. or ALKALOIDS SALTS, SOLID, N.O.S.	6.1	_	II	43 274	500 g	E4	P002	_	IBC08	B4 B21
	1544	ALKALOIDS, SOLID, N.O.S. or ALKALOIDS SALTS, SOLID, N.O.S.	6.1	-	Ш	43 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	1545	ALLYL ISOTHIOCYANATE, STABILIZED	6.1	3	П	386	100 mL	EO	P001	-	IBC02	-
	1546	AMMONIUM ARSENATE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
	1547	ANILINE	6.1	– P	Ш	279	100 mL	E4	P001	-	IBC02	-
	1548	ANILINE HYDROCHLORIDE	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
	1549	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.	6.1	-	111	45 274	5 kg	E1	P002 LP02	-	IBC08	B3
	1550	ANTIMONY LACTATE	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
	1551	ANTIMONY POTASSIUM TARTRATE	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
	1553	ARSENIC ACID, LIQUID	6.1	-	I	-	0	E5	P001	PP31	-	-
	1554	ARSENIC ACID, SOLID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
	1555	ARSENIC BROMIDE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T3	TP33	F-H, S-Q	Category D	SGG7 SGG14 SG38 SG49 SG60	Violet-brown or black crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid and hydrogen peroxide. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	15
-	ТЗ	TP33	F-G, S-Q	Category C H1	SGG7 SGG16 SG16 SG26 SG35 SG59	White powder. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen.	15
-	-	-	F-B, S-J	Category D	SG7 SG30	Desensitized explosive. Highly explosive in the dry state or if insufficiently wetted. May react violently in contact with heavy metals or their salts.	15
-	T20	TP2 TP13	F-A, <u>S-A</u>	Category D SW1 SW2	SGG6 SG35 SG36	Colourless to amber liquid evolving toxic vapour. Miscible with water. Unstable in contact with acids and alkalis, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by inhalation.	15
-	T6	TP33	F-A, S-A	Category A	-	A wide range of toxic solids, generally of vegetable origin. Toxic if swallowed, by skin contact or by inhalation.	15
-	T3	TP33	F-A, S-A	Category A	-	See entry above.	15
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	15
-	T7	TP2	F-E, S-D	Category D SW1 SW2	-	Colourless liquid evolving toxic vapour which is irritating and causes tears. Flashpoint: 46°C c.c. Toxic if swallowed, by skin contact or by inhalation.	15
-	T3	TP33	F-A, S-A	Category A	SGG2 SG36	White powder or crystals. Soluble in water. Reacts with alkalis, evolving ammonia gas. Toxic if swallowed, by skin contact or by dust inhalation.	15
-	Τ7	TP2	F-A, <u>S-A</u>	Category A SW2	SG35	Colourless, oily, volatile liquid. Reacts with acids. Toxic if swallowed, by skin contact or by inhalation.	15
-	T1	TP33	F-A, S-A	Category A	-	White, crystalline solid. Soluble in water. Decomposes to aniline in contact with alkalis. Toxic if swallowed, by skin contact or by inhalation.	15
-	T1	TP33	F-A, S-A	Category A	-	A wide range of toxic solids. Toxic if swallowed, by skin contact or by inhalation.	15
-	T1	TP33	F-A, S-A	Category A	-	White powder or crystals. Toxic if swallowed, by skin contact or by dust inhalation.	15
-	T1	TP33	F-A, S-A	Category A	-	Colourless crystals or white powder. Toxic if swallowed, by skin contact or by dust inhalation.	15
-	T20	TP2 TP7 TP13	F-A, S-A	Category B	SG33	White, deliquescent crystals which readily become liquid. Melting point: approximately 35°C. Miscible with water. In contact with metals, may evolve arsine, an extremely toxic gas. Highly toxic if swallowed, by skin contact or by inhalation.	15
-	Т3	TP33	F-A, S-A	Category A	-	White crystals with a relatively high melting point. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1
-	ТЗ	TP33	F-A, S-A	Category A SW1 SW2	-	White, deliquescent crystals. Melting point: approximately 33°C. Decomposed by water, evolving hydrogen bromide, an irritating and corrosive gas, apparent as white fumes. Toxic if swallowed, by skin contact or by dust inhalation	15

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D
G

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Al Limited and excepted ons quantity provisions		Pack	king	IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1556	ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	6.1	_	I	43 274	0	E5	P001	_	_	_
1556	ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	6.1	-	II	43 274	100 mL	E4	P001	-	IBC02	-
1556	ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	6.1	_	III	43 223 274	5 L	E1	P001 LP01	_	IBC03	_
1557	ARSENIC COMPOUND, SOLID, N.O.S. inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	6.1	_	Ι	43 274	0	E5	P002	_	IBC07	B1
1557	ARSENIC COMPOUND, SOLID, N.O.S. inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	6.1	_	II	43 274	500 g	E4	P002	_	IBC08	B4 B21
1557	ARSENIC COMPOUND, SOLID, N.O.S. inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	6.1	-	Ш	43 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
1558	ARSENIC	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
1559	ARSENIC PENTOXIDE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
1560	ARSENIC TRICHLORIDE	6.1	_	I	-	0	EO	P602	-	-	-
1561	ARSENIC TRIOXIDE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
1562	ARSENICAL DUST	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
1564	BARIUM COMPOUND, N.O.S.	6.1	-	II	177 274	500 g	E4	P002	-	IBC08	B4 B21
1564	BARIUM COMPOUND, N.O.S.	6.1	-	Ш	177 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
1565	BARIUM CYANIDE	6.1	– P	I	-	0	E5	P002	PP31	IBC07	B1
1566	BERYLLIUM COMPOUND, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21
1566	BERYLLIUM COMPOUND, N.O.S.	6.1	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
1567	BERYLLIUM POWDER	6.1	4.1	II	-	500 g	E4	P002	PP100	IBC08	B4 B21

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	SG70	A wide variety of toxic liquids. In contact with acids, arsenic sulphide evolves hydrogen sulphide, a toxic and flammable gas. Toxic if swallowed, by skin contact or by inhalation.	155
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	SG70	See entry above.	155
-	Τ7	TP2 TP28	F-A, S-A	Category B SW2	SG70	See entry above.	155
-	T6	TP33	F-A, S-A	Category A	SG70	A wide variety of toxic solids. In contact with acids, arsenic sulphide evolves hydrogen sulphide, a toxic and flammable gas. Toxic if swallowed, by skin contact or by dust inhalation.	155
-	Т3	TP33	F-A, S-A	Category A	SG70	See entry above.	155
-	T1	TP33	F-A, S-A	Category A	SG70	See entry above.	155
-	Т3	TP33	F-A, S-A	Category A	-	Silvery, brittle, crystalline solid with the appearance of a metal. Toxic if swallowed, by skin contact or by dust inhalation.	155
-	Т3	TP33	F-A, S-A	Category A	-	White, deliquescent powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	155
-	T14	TP2 TP13	F-A, S-A	Category B SW2	-	Colourless, oily liquid. Fumes in moist air, evolving hydrogen chloride, an irritating and corrosive gas, apparent as white fumes. Reacts with water. Highly toxic if swallowed, by skin contact or by inhalation.	156
-	Т3	TP33	F-A, S-A	Category A	-	White powder. Slightly soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	156
-	Т3	TP33	F-A, S-A	Category A	-	Fine powder. Toxic if swallowed, by skin contact or by dust inhalation.	156
-	Т3	TP33	F-A, S-A	Category A	-	White powder, lumps or crystals. Toxic if swallowed, by skin contact or by inhalation.	156
_	T1	TP33	F-A, S-A	Category A	-	See entry above.	156
-	T6	TP33	F-A, <u>S-A</u>	Category A SW2	SGG6 SG35	White crystals or powder. Soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by dust inhalation.	156
-	Т3	TP33	F-A, S-A	Category A	-	A wide range of toxic solids. Toxic if swallowed, by skin contact or by dust inhalation.	156
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	156
-	Т3	TP33	F-G, S-G	Category A H1	SG25 SG26	White, metallic powder. Toxic if swallowed, by skin contact or by dust inhalation.	156

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1569	BROMOACETONE	6.1	3 P	II	-	0	EO	P602	-	-	-
	1570	BRUCINE	6.1	-	I	43	0	E5	P002	-	IBC07	B1
	1571	BARIUM AZIDE, WETTED with not less than 50% water, by mass	4.1	6.1	I	28	0	EO	P406	PP31	-	-
	1572	CACODYLIC ACID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
	1573	CALCIUM ARSENATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
	1574	CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURE, SOLID	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
	1575	CALCIUM CYANIDE	6.1	– P	I	-	0	E5	P002	PP31	IBC07	B1
	1577	CHLORODINITROBENZENES, LIQUID	6.1	– P	II	279	100 mL	E4	P001	-	IBC02	-
	1578	CHLORONITROBENZENES, SOLID	6.1	-	II	279	500 g	E4	P002	-	IBC08	B4 B21
	1579	4-CHLORO-0-TOLUIDINE HYDROCHLORIDE, SOLID	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
\bigtriangleup	1580	CHLOROPICRIN	6.1	– P	I	354	0	E0	P601	-	-	-
	1581	CHLOROPICRIN AND METHYL BROMIDE MIXTURE with more than 2% chloropicrin	2.3	-	-	-	0	E0	P200	-	-	-
	1582	CHLOROPICRIN AND METHYL CHLORIDE MIXTURE	2.3	-	-	-	0	EO	P200	-	-	-
	1583	CHLOROPICRIN MIXTURE, N.O.S.	6.1	-	I	43 274 315	0	EO	P602	-	-	-
	1583	CHLOROPICRIN MIXTURE, N.O.S.	6.1	-	II	43 274	100 mL	E0	P001	-	IBC02	-
	1583	CHLOROPICRIN MIXTURE, N.O.S.	6.1	-	Ш	43 223 274	5 L	EO	P001 LP01	-	IBC03	-
	1585	COPPER ACETOARSENITE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
	1586	COPPER ARSENITE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
	1587	COPPER CYANIDE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T20	TP2 TP13	F-E, <u>S-D</u>	Category D SW2	-	When pure, colourless liquid evolving irritating vapour ("Tear Gas"). Flashpoint: approximately 45°C c.c. Toxic if swallowed, by skin contact or by inhalation.	1569
-	T6	TP33	F-A, S-A	Category A	-	White crystals or powder. Highly toxic if swallowed, by skin contact or by dust inhalation.	1570
-	-	-	F-B, S-J	Category D	SGG17 SG7 SG30	Desensitized explosive. White crystals or powder. Explosive and sensitive to friction in the dry state. Toxic if swallowed, by skin contact or by dust inhalation. May form extremely sensitive compounds with heavy metals or their salts.	1571
-	T3	TP33	F-A, S-A	Category E	SGG1 SG35 SG36 SG49	Colourless crystals or white powder with an offensive odour. Soluble in water. May react with acids, evolving dimethylarsine, an extremely toxic gas. Toxic if swallowed, by skin contact or by dust inhalation.	1572
-	ТЗ	TP33	F-A, <u>S-A</u>	Category A	-	White powder. Slightly soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1573
-	ТЗ	TP33	F-A, <u>S-A</u>	Category A	-	White powder. Toxic if swallowed, by skin contact or by dust inhalation.	1574
-	T6	TP33	F-A, <u>S-A</u>	Category A SW2	SGG6 SG35	White crystals or powder. Decomposes slowly in water to form a weak hydrogen cyanide solution. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by dust inhalation.	1575
-	T7	TP2	F-A, <u>S-A</u>	Category A	SG15	Colourless liquids. May explode if involved in a fire. Toxic if swallowed, by skin contact or by inhalation.	1577
-	T3	TP33	F-A, S-A	Category A	-	Yellow crystals. Melting point: approximately 30°C to 80°C. Toxic if swallowed, by skin contact or by dust inhalation.	1578
-	T1	TP33	F-A, S-A	Category A	-	Dry solid or paste. Toxic if swallowed, by skin contact or by dust inhalation.	1579
-	T22	TP2 TP13	F-A, <u>S-A</u>	Category D SW2	-	Colourless, oily liquid. Highly toxic if swallowed, by skin contact or by inhalation.	1580
-	T50	-	F-C, S-U	Category D SW1 SW2	_	Extremely volatile liquid evolving highly toxic vapours. Highly toxic by skin contact or by inhalation. Causes burns to skin and eyes; vapour irritating to mucous membranes.	1581
-	T50	-	F-C, S-U	Category D SW1 SW2	-	Extremely volatile liquid evolving highly toxic vapours. Highly toxic by skin contact or by inhalation. Causes burns to skin and eyes; vapour irritating to mucous membranes.	1582
-	-	-	F-A, S-A	Category C SW2	-	A wide range of liquid mixtures. May evolve highly toxic vapour. Toxic if swallowed, by skin contact or by inhalation.	1583
-	-	-	F-A, S-A	Category C SW2	-	See entry above.	1583
-	-	-	F-A, S-A	Category C SW2	_	See entry above.	1583
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	Green powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1585
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	Yellowish-green powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1586
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG6 SGG7 SG35	Green powder. Slightly soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by dust inhalation.	1587

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1588	CYANIDES, INORGANIC, SOLID, N.O.S.	6.1	– P	I	47 274	0	E5	P002	_	IBC07	B1
D	1588	CYANIDES, INORGANIC, SOLID, N.O.S.	6.1	– P	II	47 274	500 g	E4	P002	-	IBC08	B4 B21
G	1588	CYANIDES, INORGANIC, SOLID, N.O.S.	6.1	– P	111	47 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
L	1589	CYANOGEN CHLORIDE, STABILIZED	2.3	8 P	-	386	0	EO	P200	-	-	-
	1590	DICHLOROANILINES, LIQUID	6.1	– P	II	279	100 mL	E4	P001	-	IBC02	-
	1591	o-DICHLOROBENZENE	6.1	-	111	279	5 L	E1	P001 LP01	-	IBC03	-
	1593	DICHLOROMETHANE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	B8
	1594	DIETHYL SULPHATE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
Δ	1595	DIMETHYL SULPHATE	6.1	8	I	354	0	EO	P602	-	-	-
	1596	DINITROANILINES	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
	1597	DINITROBENZENES, LIQUID	6.1	-	II	-	100 mL	E4	P001	-	IBC03	-
	1597	DINITROBENZENES, LIQUID	6.1	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
	1598	DINITRO-0-CRESOL	6.1	– P	II	43	500 g	E4	P002	-	IBC08	B4 B21
	1599	DINITROPHENOL SOLUTION	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	_
	1599	DINITROPHENOL SOLUTION	6.1	– P	111	223	5 L	E1	P001 LP01	-	IBC03	-
	1600	DINITROTOLUENES, MOLTEN	6.1	– P	II	-	0	E0	-	-	-	-
	1601	DISINFECTANT, SOLID, TOXIC, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1
	1601	DISINFECTANT, SOLID, TOXIC, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21
	1601	DISINFECTANT, SOLID, TOXIC, N.O.S.	6.1	-	111	223 274	5 kg	E1	P002 LP02	-	IBC08	B3

Portable tanks and bulk containers Tank Provision			EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
_	Τ6	TP33	F-A, <u>S-A</u>	Category A	SGG6 SG35	Solid weal evol ^y Toxid The and
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG6 SG35	See
-	T1	TP33	F-A, <u>S-A</u>	Category A	SGG6 SG35	See
-	-	-	F-C, S-U	Category D SW1 SW2	-	Liqu odou reac Muc Toxic eyes
-	Τ7	TP2	F-A, <u>S-A</u>	Category A SW2	-	Colo ison solic Toxic
-	T4	TP1	F-A, S-A	Category A	SGG10	Vola Toxi
-	T7	TP2	F-A, S-A	Category A	SGG10	Colo Whe Toxio
-	Τ7	TP2	F-A, S-A	Category C	-	Colc acid or by
-	T20	TP2 TP13	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Colo mois cont men
-	Т3	TP33	F-A, S-A	Category A	SG15	Yello
-	Τ7	TP2	F-A, S-A	Category A	SG15	Yello by s
-	Τ7	TP2	F-A, S-A	Category A	SG15	See
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	Yello Toxi
-	Τ7	TP2	F-A, <u>S-A</u>	Category A	SG30	Sub: wate or th
-	T4	TP1	F-A, <u>S-A</u>	Category A	SG30	See
-	Τ7	TP3	F-A, <u>S-A</u>	Category C	-	Molt 3,5-i Toxi
-	Т6	TP33	F-A, S-A	Category A SW2	-	A wi inha
-	Т3	TP33	F-A, S-A	Category A SW2	-	See
-	T1	TP33	F-A, S-A	Category A SW2	-	See

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.	
(17)	(18)	
ds. May be soluble in water. On contact with water, may form a ak hydrogen cyanide solution. React with acids or acid fumes, lving hydrogen cyanide, a highly toxic and flammable gas. ic if swallowed, by skin contact or by dust inhalation. provisions of this Code shall not apply to complex ferricyanides ferrocyanides.	1588	
e entry above.	1588	
entry above.	1588	
uefied, non-flammable, toxic and corrosive gas with an irritating our. Produces severe tearing of the eyes. On contact with water, cts violently to give off highly toxic and corrosive fumes. ch heavier than air (2.1). Boiling point: 13°C. ic by skin contact or by inhalation. Highly irritating to skin, s and mucous membranes.	1589	
ourless liquid with a penetrating odour. Liquid mixtures of various ners of dichloroanilines, some of which in the pure state may be d, with a melting point varying from 24°C to 72°C. ic if swallowed, by skin contact or by inhalation.	1590	
atile liquid. Melting point: approximately -17°C. ic if swallowed, by skin contact or by inhalation.	1591	
ourless, volatile liquid with heavy vapours. Boiling point: 40°C. en involved in a fire, evolves extremely toxic fumes (phosgene). ic if swallowed, by skin contact or by inhalation.	1593	
ourless, oily liquid. Readily hydrolysed by moisture to sulphuric d, which is a corrosive liquid. Toxic if swallowed, by skin contact y inhalation.	1594	
ourless, volatile liquid evolving toxic vapours. In the presence of sture, corrosive to most metals. Highly toxic if swallowed, by skin tact or by inhalation. Causes burns to skin, eyes and mucous nbranes.	1595	2
ow crystals in pure form. Insoluble in water. May explode if lved in a fire. Toxic if swallowed, by skin contact or by inhalation.	1596	
ow solutions. May explode if involved in a fire. Toxic if swallowed, skin contact or by inhalation.	1597	
entry above.	1597	
ow crystals or crystallized mass. Slightly soluble in water. ic if swallowed, by skin contact or by dust inhalation.	1598	
estance when pure consists of yellow crystals. Slightly soluble in er. May form extremely sensitive compounds with heavy metals heir salts. Toxic if swallowed, by skin contact or by inhalation.	1599	
entry above.	1599	
ten liquid. This entry covers the 2,3-, 2,4-, 2,5-, 2,6-, 3,4- and isomers having melting points between 52°C and 93°C. ic if swallowed, by skin contact or by inhalation.	1600	
ide range of toxic solids. Toxic if swallowed, by skin contact or by alation.	1601	
e entry above.	1601	
entry above.	1601	

3

3

	ļ	
(5

	IN Proper shipping name lo. (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1) (2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
16	02 DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	6.1	-	I	274	0	E5	P001	-	-	-
16	02 DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	6.1	-	II	274	100 mL	E4	P001	_	IBC02	_
16	DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	6.1	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
16	03 ETHYL BROMOACETATE	6.1	3	II	-	100 mL	EO	P001	-	IBC02	-
16	04 ETHYLENEDIAMINE	8	3	II	-	1L	E2	P001	-	IBC02	-
16	05 ETHYLENE DIBROMIDE	6.1	-	I	354	0	E0	P602	-	-	-
16	06 FERRIC ARSENATE	6.1	- P	II	-	500 g	E4	P002	-	IBC08	B4 B21
16	07 FERRIC ARSENITE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
16	108 FERROUS ARSENATE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
16	11 HEXAETHYL TETRAPHOSPHATE	6.1	– P	Ш	-	100 mL	E4	P001	-	IBC02	
16	12 HEXAETHYL TETRAPHOSPHATE AND COMPRESSED GAS MIXTURE	2.3	-	-	-	0	EO	P200	-	-	-
16	13 HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with not more than 20% hydrogen cyanide	6.1	– P	I	900	0	EO	P601	-	-	-
16	HYDROGEN CYANIDE, STABILIZED containing less than 3% water and absorbed in a porous inert material	6.1	– P	I	386	0	EO	P099	-	-	-
16	16 LEAD ACETATE	6.1	- P	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
16	17 LEAD ARSENATES	6.1	- P	II	-	500 g	E4	P002	-	IBC08	B4 B21
16	18 LEAD ARSENITES	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
16	20 LEAD CYANIDE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
16	21 LONDON PURPLE	6.1	– P	II	43	500 g	E4	P002	-	IBC08	B4 B21
16	22 MAGNESIUM ARSENATE	6.1	- P	II	-	500 g	E4	P002	-	IBC08	B4 B21
16	23 MERCURIC ARSENATE	6.1	- P	II	-	500 g	E4	P002	-	IBC08	B4 B21

	Portable tanks and bulk containers EmS Stowage and handling Segregati Tank Provisions					Properties and observations	UN No.
(12)	Tank instructions (13)	Provisions (14)	(15)	(16a)	(16b)	(17)	(18)
. ,	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		
-	-	-	F-A, S-A	Category A	-	A wide range of toxic liquids. Toxic if swallowed, by skin contact or by inhalation.	1602
-	-	-	F-A, S-A	Category A	_	See entry above.	1602
-	-	-	F-A, S-A	Category A	-	See entry above.	1602
-	T7	TP2	F-E, S-D	Category D SW2	-	Colourless, flammable liquid evolving irritating vapour ("Tear Gas"). Flashpoint: 58°C c.c. Toxic if swallowed, by skin contact or by inhalation.	1603
-	T7	TP2	F-E, S-C	Category A SW2	SGG18 SG35	Volatile, colourless, hygroscopic flammable liquid with an ammonia-like odour. Flashpoint: 34°C c.c. Miscible with water. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	1604
-	T20	TP2 TP13	F-A, S-A	Category D SW2	SGG10	Colourless, volatile liquid. Highly toxic if swallowed, by skin contact or by inhalation.	160
-	ТЗ	TP33	F-A, <u>S-A</u>	Category A	-	Green crystals or powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	160
-	ТЗ	TP33	F-A, <u>S-A</u>	Category A	-	Brown or yellow powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	160
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	Green powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	160
-	Τ7	TP2	F-A, <u>S-A</u>	Category E SW2	-	Yellow liquid. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	161
-	-	-	F-C, S-U	Category D SW2	-	Toxic if swallowed, by skin contact or by inhalation.	161
-	T14	TP2 TP13	F-A, <u>S-A</u>	Category D SW2	-	Colourless liquid evolving extremely toxic vapour with a bitter almond odour. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation. Transport of HYDROCYANIC ACID, AQUEOUS SOLUTION with more than 20% hydrogen cyanide and of HYDROGEN CYANIDE, AQUEOUS SOLUTION with more than 20% hydrogen cyanide is prohibited .	161
-	-	-	F-A, <u>S-U</u>	Category D SW1 SW2	-	Very volatile, colourless liquid, evolving extremely toxic flammable vapours, absorbed in a porous inert material. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	161
-	T1	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG9	White crystals, or brown or grey lumps. Soluble in water. Toxic if swallowed, by skin contact or by inhalation.	161
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG9	White crystals or powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	161
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG9	White powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	161
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG6 SGG7 SGG9 SG35	White powder. Slightly soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by dust inhalation.	162
-	T3	TP33	F-A, <u>S-A</u>	Category A	-	Mixture of arsenic trioxide, lime and ferric oxide, used as an insecticide. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	162
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	White crystals or powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	162
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Yellow crystals or powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	162

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G I

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity (d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1624	MERCURIC CHLORIDE	6.1	- P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1625	MERCURIC NITRATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1626	MERCURIC POTASSIUM CYANIDE	6.1	– P	I	-	0	E5	P002	PP31	IBC07	B1
1627	MERCUROUS NITRATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1629	MERCURY ACETATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1630	MERCURY AMMONIUM CHLORIDE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1631	MERCURY BENZOATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1634	MERCURY BROMIDES	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1636	MERCURY CYANIDE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1637	MERCURY GLUCONATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1638	MERCURY IODIDE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1639	MERCURY NUCLEATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1640	MERCURY OLEATE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1641	MERCURY OXIDE	6.1	– P	П	-	500 g	E4	P002	-	IBC08	B4 B21
1642	MERCURY OXYCYANIDE, DESENSITIZED	6.1	– P	II	900	500 g	E4	P002	_	IBC08	B4 B21
1643	MERCURY POTASSIUM IODIDE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1644	MERCURY SALICYLATE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1645	MERCURY SULPHATE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1646	MERCURY THIOCYANATE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1647	METHYL BROMIDE AND ETHYLENE DIBROMIDE MIXTURE, LIQUID	6.1	– P	I	354	0	EO	P602	-	-	-
1648	ACETONITRILE	3	-	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk conta	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White crystals or powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1624
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White, deliquescent crystals or powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1625
-	T6	TP33	F-A, <u>S-A</u>	Category A	SGG6 SGG7 SGG11 SG35	Colourless crystals. Soluble in water. Reacts with acids, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by dust inhalation.	1626
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	1627
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	1629
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG2 SGG7 SGG11	White crystals or powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1630
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White crystals. Toxic if swallowed, by skin contact or by dust inhalation.	1631
-	ТЗ	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	1634
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG6 SGG7 SGG11 SG35	White crystals or powder. Soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by dust inhalation.	1636
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Solid. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1637
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Red crystals or powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1638
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Brown powder containing about 20% mercury. Toxic if swallowed, by skin contact or by dust inhalation.	1639
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Yellow oily paste. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	1640
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Orange powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1641
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG6 SGG7 SGG11 SG15 SG35	White crystals or powder. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. May explode if involved in a fire. Toxic if swallowed, by skin contact or by dust inhalation. Should be sufficiently phlegmatized (mercury oxycyanide-mercury cyanide mixtures containing not less than 65% by mass of mercury cyanide can be regarded as adequately phlegmatized). Transport of MERCURY OXYCYANIDE pure is prohibited.	1642
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Yellow, deliquescent crystals or powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1643
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1644
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White crystals or powder. Decomposes in water, forming sulphuric acid. Toxic if swallowed, by skin contact or by dust inhalation.	1645
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1646
-	T20	TP2 TP13	F-A, <u>S-A</u>	Category D SW2	SGG10	Solutions of methyl bromide gas, evolving toxic vapour. Methyl bromide has a boiling point of approximately 4°C. Highly toxic if swallowed, by skin contact or by inhalation.	1647
-	T7	TP2	F-E, S-D	Category B SW2	-	Colourless, volatile liquid. Flashpoint: 2°C c.c. Explosive limits: 3% to 16%. Miscible with water. When involved in a fire, evolves toxic cyanide fumes. Harmful if swallowed, by skin contact or by inhalation.	1648

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IBC		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
1649	MOTOR FUEL ANTI-KNOCK MIXTURE	6.1	– P	I	_	0	EO	P602	_	_	_	
1650	beta-NAPHTHYLAMINE, SOLID	6.1	-	Ш	-	500 g	E4	P002	-	IBC08	B4 B21	
1651	NAPHTHYLTHIOUREA	6.1	-	II	43	500 g	E4	P002	-	IBC08	B4 B21	
1652	NAPHTHYLUREA	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21	
1653	NICKEL CYANIDE	6.1	– P	II	-	500 g	E4	P002	_	IBC08	B4 B21	
1654	NICOTINE	6.1	-	11	-	100 mL	E4	P001	-	IBC02	-	
1655	NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	6.1	-	I	43 274	0	E5	P002	-	IBC07	B1	
1655	NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	6.1	-	II	43 274	500 g	E4	P002	-	IBC08	B4 B21	
1655	NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.	6.1	-	ш	43 223 274	5 kg	E1	P002 LP02	_	IBC08	B3	
1656	NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION	6.1	-	II	43	100 mL	E4	P001	-	IBC02	-	
1656	NICOTINE HYDROCHLORIDE, LIQUID or SOLUTION	6.1	-	111	43 223	5 L	E1	P001 LP01	-	IBC03		
1657	NICOTINE SALICYLATE	6.1	-	11	-	500 g	E4	P002	-	IBC08	B4 B21	
1658	NICOTINE SULPHATE SOLUTION	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-	
1658	NICOTINE SULPHATE SOLUTION	6.1	-	111	223	5 L	E1	P001 LP01	-	IBC03	-	
1659	NICOTINE TARTRATE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21	
1660	NITRIC OXIDE, COMPRESSED	2.3	5.1/8	-	_	0	EO	P200	_	_	_	
1661	NITROANILINES (o-, m-, p-)	6.1	-	Ш	279	500 g	E4	P002	-	IBC08	B4 B21	
1662	NITROBENZENE	6.1	-	Ш	279	100 mL	E4	P001	-	IBC02	-	
1663	NITROPHENOLS (o-, m-, p-)	6.1	-	111	279	5 kg	E1	P002 LP02	-	IBC08	B3	
1664	NITROTOLUENES, LIQUID	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-	
1665	NITROXYLENES, LIQUID	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-	

	Portable tanks and bulk containers Tank Provision instructions		EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4 2 5	Provisions (14)	(15) 5 4 3 2	(16a) 71	(16b) 7 2–7 7	(17)	(18)
	4.3	4.2.5	7.8	7.3–7.7	1.2-1.1		
-	T14	TP2 TP13	F-A, <u>S-A</u>	Category D SW1 SW2	SGG7 SGG9	Volatile liquids evolving toxic vapour. Mixture of tetraethyllead or tetramethyllead with ethylene dibromide and ethylene dichloride. Insoluble in water. Highly toxic if swallowed, by skin contact or by inhalation.	1649
-	Т3	TP33	F-A, S-A	Category A	-	White crystals. Toxic if swallowed, by skin contact or by inhalation.	1650
-	Т3	TP33	F-A, S-A	Category A	_	White crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	1651
-	Т3	TP33	F-A, S-A	Category A	-	Crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	1652
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG6 SGG7 SG35	Green crystals or powder. Insoluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by dust inhalation.	1653
-	-	-	F-A, S-A	Category A	-	Thick colourless oil, turning brown on exposure to air. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	1654
-	T6	TP33	F-A, S-A	Category B	-	A wide variety of toxic solids. Toxic if swallowed, by skin contact or by dust inhalation.	1655
-	T3	TP33	F-A, S-A	Category A	-	See entry above.	1655
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	1655
-	-	-	F-A, S-A	Category A	-	Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	1656
-	-	-	F-A, S-A	Category A	_	See entry above.	1656
-	Т3	TP33	F-A, S-A	Category A	-	White crystals. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1657
-	T7	TP2	F-A, S-A	Category A	_	Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	1658
-	T7	TP2	F-A, S-A	Category A	-	See entry above.	1658
-	Т3	TP33	F-A, S-A	Category A	_	White crystals. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1659
-	-	-	F-C, S-W	Category D SW2	SG6 SG19	Non-flammable, toxic and corrosive gas. Strong oxidizing agent. On contact with air, gives off brown fumes which are toxic by inhalation, with delayed effect similar to phosgene. Heavier than air (1.04). Highly irritating to skin, eyes and mucous membranes.	1660
-	Т3	TP33	F-A, S-A	Category A	_	Yellow crystals. Toxic if swallowed, by skin contact or by dust inhalation. <i>ortho</i> -NITROANILINES may be carried in the molten state.	1661
-	Τ7	TP2	F-A, S-A	Category A SW2	-	Oily liquid, evolving toxic vapour. Melting point: approximately 6°C. Toxic if swallowed, by skin contact or by inhalation.	1662
-	T1	TP33	F-A, S-A	Category A	_	Yellow crystals. Some isomers may have a melting point as low as 44°C. Toxic if swallowed, by skin contact or by dust inhalation. May be carried in the molten state.	1663
-	T7	TP2	F-A, S-A	Category A	-	Yellow liquids. Melting points: <i>ortho</i> -NITROTOLUENE: -4°C, <i>meta</i> -NITROTOLUENE: 15°C. Toxic if swallowed, by skin contact or by inhalation.	1664
-	T7	TP2	F-A, S-A	Category A	-	Yellow liquids. Melting points: 2-NITRO-3-XYLENE: 14°C to 16°C, 3-NITRO-2-XYLENE: 7°C to 9°C, 4-NITRO-3-XYLENE: 2°C. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	1665

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1669	PENTACHLOROETHANE	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	-
1670	PERCHLOROMETHYL MERCAPTAN	6.1	– P	I	354	0	EO	P602	-	_	-
1671	PHENOL, SOLID	6.1	-	II	279	500 g	E4	P002	-	IBC08	B4 B21
1672	PHENYLCARBYLAMINE CHLORIDE	6.1	-	I	-	0	E0	P602	-	-	-
1673	PHENYLENEDIAMINES (o-, <i>m-</i> , <i>p-</i>)	6.1	-	III	279	5 kg	E1	P002 LP02	-	IBC08	B3
1674	PHENYLMERCURIC ACETATE	6.1	– P	II	43	500 g	E4	P002	-	IBC08	B4 B21
1677	POTASSIUM ARSENATE	6.1	-	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1678	POTASSIUM ARSENITE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
1679	POTASSIUM CUPROCYANIDE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1680	POTASSIUM CYANIDE, SOLID	6.1	– P	I	_	0	E5	P002	PP31	IBC07	B1
1683	SILVER ARSENITE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1684	SILVER CYANIDE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
1685	SODIUM ARSENATE	6.1	-	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
1686	SODIUM ARSENITE, AQUEOUS SOLUTION	6.1	-	II	43	100 mL	E4	P001	-	IBC02	-
1686	SODIUM ARSENITE, AQUEOUS SOLUTION	6.1	-	111	43 223	5 L	E1	P001 LP01	-	IBC03	-
1687	SODIUM AZIDE	6.1	-	II	_	500 g	E4	P002	-	IBC08	B4 B21
1688	SODIUM CACODYLATE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
1689	SODIUM CYANIDE, SOLID	6.1	– P	I	_	0	E5	P002	PP31	IBC07	B1
1690	SODIUM FLUORIDE, SOLID	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
1691	STRONTIUM ARSENITE	6.1	-	II	-	500 g	E4	P002	_	IBC08	B4 B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	Τ7	TP2	F-A, <u>S-A</u>	Category A SW2	SGG10	Colourless liquid. Toxic if swallowed, by skin contact or by inhalation.	1669
-	T20	TP2 TP13	F-A, <u>S-A</u>	Category D SW2	-	Yellow, oily, volatile liquid evolving irritating vapour ("Tear Gas"). Slowly decomposes in contact with water, producing hydrochloric acid. Reacts with iron or steel, evolving carbon tetrachloride. Corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation.	1670
-	Т3	TP33	F-A, S-A	Category A	-	Colourless or white crystals or crystallized mass. Melting point: 43°C (pure product). Soluble in water. Toxic if swallowed, by skin contact or by vapour inhalation. Rapidly absorbed through the skin.	1671
-	T14	TP2 TP13	F-A, S-A	Category D SW2	-	Pale yellow, oily liquid with an irritating unpleasant odour. Highly toxic if swallowed, by skin contact or by inhalation.	1672
-	T1	TP33	F-A, S-A	Category A	-	White crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation. May be carried in the molten state.	1673
-	тз	TP33	F-A, <u>S-A</u>	Category A	SGG7	Toxic if swallowed, by skin contact or by dust inhalation.	1674
-	Т3	TP33	F-A, S-A	Category A	-	Colourless crystals or white powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	167
-	Т3	TP33	F-A, S-A	Category A	-	White powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	167
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG6 SG35	White crystals or powder. Soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by dust inhalation.	167
-	Т6	TP33	F-A, <u>S-A</u>	Category B	SGG6 SG35	White, deliquescent crystals or lumps. Soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by dust inhalation.	168
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7	Yellow powder. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	168
-	T3	TP33	F-A, <u>S-A</u>	Category A SW2	SGG6 SGG7 SG35	White powder. Insoluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by dust inhalation.	168
-	Т3	TP33	F-A, S-A	Category A	-	Colourless crystals. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	168
-	Τ7	TP2	F-A, S-A	Category A	-	Colourless. Toxic if swallowed, by skin contact or by inhalation.	168
-	T4	TP2	F-A, S-A	Category A	-	See entry above.	168
-	_	_	F-A, S-A	Category A	SGG17 SG15 SG30 SG35	Colourless crystals. May react vigorously with acids to form hydrazoic acid, which is an explosive. May form extremely sensitive compounds with heavy metals or their salts. May explode if involved in a fire. Toxic if swallowed, by skin contact or by dust inhalation.	168
-	T3	TP33	F-A, S-A	Category A	SG35	White, deliquescent solid with a foul odour. Reacts with acids, evolving dimethylarsine, an extremely toxic gas. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	168
-	T6	TP33	F-A, <u>S-A</u>	Category B	SGG6 SG35	White, deliquescent crystals or lumps. Soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by dust inhalation.	168
-	T1	TP33	F-A, S-A	Category A	SG35	White crystals or powder. React with acids, evolving hydrogen fluoride, a toxic, irritating and corrosive gas, apparent as white fumes. Toxic if swallowed, by skin contact or by inhalation.	169
-	Т3	TP33	F-A, S-A	Category A	_	White powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	169 ⁻

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

0		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		1692	STRYCHNINE or STRYCHNINE SALTS	6.1	– P	I	43	0	E5	P002	-	IBC07	B1
Π		1693	TEAR GAS SUBSTANCE, LIQUID, N.O.S.	6.1	-	I	274	0	E0	P001	PP31	-	-
		1693	TEAR GAS SUBSTANCE, LIQUID, N.O.S.	6.1	-	II	274	0	E0	P001	PP31	IBC02	-
G		1694	BROMOBENZYL CYANIDES, LIQUID	6.1	_	I	138	0	EO	P001	PP31	_	_
	\triangle	1695	CHLOROACETONE, STABILIZED	6.1	3/8 P	I	354	0	E0	P602	-	-	-
		1697	CHLOROACETOPHENONE, SOLID	6.1	_	II	-	0	EO	P002	-	IBC08	B4 B21
		1698	DIPHENYLAMINE CHLOROARSINE	6.1	– P	I	-	0	E0	P002	PP31	-	-
		1699	DIPHENYLCHLOROARSINE, LIQUID	6.1	– P	I	-	0	EO	P001	PP31	_	-
		1700	TEAR GAS CANDLES	6.1	4.1	-	-	0	EO	P600	-	-	-
		1701	XYLYL BROMIDE, LIQUID	6.1	-	Ш	-	0	E0	P001	PP31	IBC02	-
		1702	1,1,2,2-TETRACHLOROETHANE	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	-
		1704	TETRAETHYL DITHIOPYROPHOSPHATE	6.1	– P	II	43	100 mL	E4	P001	-	IBC02	-
		1707	THALLIUM COMPOUND, N.O.S.	6.1	– P	II	43 274	500 g	E4	P002	-	IBC08	B4 B21
		1708	TOLUIDINES, LIQUID	6.1	– P	Ш	279	100 mL	E4	P001	-	IBC02	-
		1709	2,4-TOLUYLENEDIAMINE, SOLID	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
		1710	TRICHLOROETHYLENE	6.1	_	Ш	-	5 L	E1	P001 LP01	-	IBC03	_
		1711	XYLIDINES, LIQUID	6.1	-	Ш	-	100 mL	E4	P001	-	IBC02	-
		1712	ZINC ARSENATE or ZINC ARSENITE or ZINC ARSENATE AND ZINC ARSENITE MIXTURE	6.1	_	II	-	500 g	E4	P002	_	IBC08	B4 B21
		1713	ZINC CYANIDE	6.1	– P	I	-	0	E5	P002	-	IBC07	B1
		1714	ZINC PHOSPHIDE	4.3	6.1	I	_	0	EO	P403	PP31	_	_

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T6	TP33	F-A, <u>S-A</u>	Category A	-	White crystals or powder. Strychnine is slightly soluble; the salts are soluble in water. Highly toxic if swallowed, by skin contact or by dust inhalation.	169
-	-	-	F-A, S-A	Category D SW2	-	"Tear gas substance" is a generic term for substances which, in minute quantities dispersed in air, cause extreme eye irritation and profuse tears. Toxic if swallowed, by skin contact or by inhalation.	169
-	-	-	F-A, S-A	Category D SW2	-	See entry above.	169
-	T14	TP2 TP13	F-A, S-A	Category D SW1 SW2 H2	SGG6 SG35	Volatile liquids evolving irritating vapour ("Tear Gas"). Melting points: <i>ortho</i> -BROMOBENZYL CYANIDE 1°C. Highly toxic if swallowed, by skin contact or by inhalation.	169
-	T20	TP2 TP13	F-E, <u>S-C</u>	Category D SW2	SG5 SG8	Flammable, corrosive, colourless liquid, evolving irritating vapour ("Tear Gas"). Miscible with water. Flashpoint: 25°C c.c. Highly toxic if swallowed, by skin contact or by inhalation.	169
-	ТЗ	TP33	F-A, S-A	Category D SW1 SW2 H2	-	White crystals evolving irritating vapour ("Tear Gas"). Melting point may be as low as 20°C. Toxic if swallowed, by skin contact or by inhalation.	169
-	T6	TP33	F-A, <u>S-A</u>	Category D SW2	-	Volatile, yellow crystals evolving irritating vapour ("Tear Gas"). Highly toxic if swallowed, by skin contact or by inhalation.	169
-		-	F-A, <u>S-A</u>	Category D SW2	_	When pure, colourless liquid. The commercial product may be a dark brown liquid. Volatile liquid evolving an irritating vapour ("Tear Gas"). Highly toxic if swallowed, by skin contact or by inhalation.	169
-	-	-	F-A, S-G	Category D SW2	-	Devices containing tear-producing substances which, in minute quantities dispersed in air, cause extreme eye irritation and profuse tears.	170
-	Τ7	TP2 TP13	F-A, S-A	Category D SW2	SGG10	Colourless liquid, evolving irritating vapour ("Tear Gas"). Toxic if swallowed, by skin contact or by inhalation.	170
-	T7	TP2	F-A, <u>S-A</u>	Category A SW2	SGG10	Colourless liquid with a chloroform-like odour. Toxic if swallowed, by skin contact or by inhalation.	170
-	Τ7	TP2	F-A, <u>S-A</u>	Category D SW2	-	Colourless liquid. In the presence of moisture, corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation.	170
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	White crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	170
-	Τ7	TP2	F-A, <u>S-A</u>	Category A	_	Colourless liquids. Toxic if swallowed, by skin contact or by inhalation.	170
-	T1	TP33	F-A, S-A	Category A	-	White crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	170
-	T4	TP1	F-A, S-A	Category A SW2	SGG10	Colourless liquid with a chloroform-like odour. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.	171
-	T7	TP2	F-A, S-A	Category A	-	Toxic if swallowed, by skin contact or by inhalation.	171
-	Т3	TP33	F-A, S-A	Category A	SGG7	Crystalline solid. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	171
-	T6	TP33	F-A, <u>S-A</u>	Category A	SGG6 SGG7 SG35	White crystals or powder. Insoluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by dust inhalation.	171
-	_	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SGG7 SG26 SG35	Grey crystals or powder. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances.	171

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or divisionSubsidiary hazard(s)Packing group		Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IB	C	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
1715	ACETIC ANHYDRIDE	8	3	II	-	1 L	E2	P001	-	IBC02	-	
1716	ACETYL BROMIDE	8	_	II	_	1 L	E2	P001	_	IBC02	B20	
1717	ACETYL CHLORIDE	3	8	II	-	1 L	E2	P001	-	IBC02	B20	
1718	BUTYL ACID PHOSPHATE	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-	
1719	CAUSTIC ALKALI LIQUID, N.O.S.	8	-	Ш	274	1 L	E2	P001	-	IBC02	-	
1719	CAUSTIC ALKALI LIQUID, N.O.S.	8	-	Ш	223 274	5 L	E1	P001	-	IBC03	-	
1722	ALLYL CHLOROFORMATE	6.1	3/8	I	-	0	EO	P001	-	-	-	
1723	ALLYL IODIDE	3	8	II	-	1 L	E2	P001	-	IBC02		
1724	ALLYLTRICHLOROSILANE, STABILIZED	8	3	II	386	0	EO	P010	-	-	-	
1725	ALUMINIUM BROMIDE, ANHYDROUS	8	_	II	937	1 kg	E2	P002	-	IBC08	B4 B21	
1726	ALUMINIUM CHLORIDE, ANHYDROUS	8	-	II	937	1 kg	E2	P002	-	IBC08	B4 B21	
1727	AMMONIUM HYDROGENDIFLUORIDE, SOLID	8	-	II	_	1 kg	E2	P002	_	IBC08	B4 B21	

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T7	TP2	F-E, S-C	Category A SW2	SGG1 SG36 SG49	Colourless, flammable liquid with an irritating odour. Flashpoint: 54°C c.c. Immiscible with water. In the presence of moisture, corrosive to most metals. Vapour irritates mucous membranes.	171
_	T8	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid. Reacts violently with water, evolving hydrogen bromide, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	171
-	Τ8	TP2	<u>F-E</u> , S-C	Category B SW2	SGG1 SG36 SG49	Colourless liquid. Flashpoint: 5°C c.c. Boiling point: 51°C. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	171
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Yellow liquid. Insoluble in water. Mildly corrosive to most metals.	171
-	T11	TP2 TP27	F-A, S-B	Category A	SGG18 SG22 SG35	Corrosive to aluminium, zinc and tin. Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes.	171
-	T7	TP1 TP28	F-A, S-B	Category A	SGG18 SG22 SG35	See entry above.	171
-	T14	TP2 TP13	F-E, S-C	Category D SW2	SGG1 SG5 SG8 SG36 SG49	Colourless, flammable liquid, extremely irritating odour, causes tears. Flashpoint: 31°C c.c. When involved in a fire, evolves toxic gases. In the presence of moisture, corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	172
-	T7	TP2 TP13	F-E, S-C	Category B SW2	SGG1 SGG10 SG36 SG49	Yellow liquid with an irritating odour. Flashpoint: 5°C c.c. Immiscible with water. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	172
-	T10	TP2 TP7 TP13	F-E, S-C	Category C SW1 SW2	SGG1 SG36 SG49	Colourless, flammable liquid with a pungent odour. Flashpoint: 35°C c.c. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas, apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	172
_	T3	TP33	F-A, S-B	Category A SW2	SGG1 SG36 SG49	White to yellowish hygroscopic crystals. Forms corrosive vapours in moist air. Reacts violently with water, evolving heat and hydrogen bromide, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly irritating to skin, eyes and mucous membranes. The solid hydrated form of this substance is not subject to the provisions of this Code.	172
-	Τ3	TP33	F-A, S-B	Category A SW2	SGG1 SG36 SG49	White to yellowish hygroscopic crystals. Forms corrosive vapours in moist air. Reacts violently with water, evolving heat and hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly irritating to skin, eyes and mucous membranes. The solid hydrated form of this substance is not subject to the provisions of this Code.	172
-	Т3	TP33	F-A, S-B	Category A SW1 SW2	SGG1 SGG2 SG35 SG36 SG49	White deliquescent crystals. Decomposed by heat or acids, evolving hydrogen fluoride, a toxic, extremely irritating and corrosive gas, apparent as white fumes. In the presence of moisture, highly corrosive to glass, other siliceous materials and most metals. Causes burns to skin and mucous membranes.	172

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

9

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1728	AMYLTRICHLOROSILANE	8	_	II	-	0	EO	P010	-	-	_
1729	ANISOYL CHLORIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1730	ANTIMONY PENTACHLORIDE, LIQUID	8	-	II	-	1 L	E2	P001	-	IBC02	-
1731	ANTIMONY PENTACHLORIDE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-
1731	ANTIMONY PENTACHLORIDE SOLUTION	8	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
1732	ANTIMONY PENTAFLUORIDE	8	6.1	II	_	1 L	EO	P001	_	IBC02	-
1733	ANTIMONY TRICHLORIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1736	BENZOYL CHLORIDE	8	_	II	-	1 L	E2	P001	-	IBC02	B20
1737	BENZYL BROMIDE	6.1	8	II	-	0	E4	P001	-	IBC02	B20
1738	BENZYL CHLORIDE	6.1	8	II	_	0	E4	P001	-	IBC02	B20
1739	BENZYL CHLOROFORMATE	8	– P	I	-	0	EO	P001	-	-	-
1740	HYDROGENDIFLUORIDES, SOLID, N.O.S.	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1740	HYDROGENDIFLUORIDES, SOLID, N.O.S.	8	-	III	223	5 kg	E1	P002 LP02	-	IBC08	B3

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1728
-	Т3	TP33	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Crystalline powder. Melting point: 22°C. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1729
-	T7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Yellow, oily liquid with an offensive odour. May solidify by absorption of moisture. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1730
_	Τ7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Yellow liquid with an offensive odour. Corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1731
-	T4	TP1	F-A, S-B	Category C SW2	SGG1 SG36 SG49	See entry above.	1731
-	T7	TP2	F-A, S-B	Category D SW2	SGG1 SG6 SG8 SG10 SG12 SG36 SG49	Colourless liquid with a pungent odour. When anhydrous, mildly corrosive to glass, other siliceous materials and most metals. Reacts violently with water, evolving hydrogen fluoride, an irritating gas, highly corrosive to glass and other siliceous materials and most metals. Powerful oxidant, may cause fire in contact with readily flammable organic substances. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin and mucous membranes.	1732
-	T3	TP33	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Reacts slowly with water, evolving hydrogen chloride, an irritating and corrosive gas. In the presence of moisture, corrosive to most metals.	1733
-	Т8	TP2 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid, very irritating odour, causes tears. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1736
-	Т8	TP2 TP13	F-A, S-B	Category D SW2 H1	SGG1 SGG10 SG36 SG49	Colourless liquid with a pungent odour, causes tears. In the presence of moisture, corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1737
-	Τ8	TP2 TP13	F-A, S-B	Category D SW2 H1	SGG1 SGG10 SG36 SG49	Colourless liquid with a pungent odour. Causes tears. Immiscible with water, but hydrolyses slowly in contact with it. In the presence of moisture, corrosive to most metals. Toxic if swallowed, by skin contact or by vapour inhalation. Causes burns to skin, eyes and mucous membranes.	1738
-	T10	TP2 TP13	F-A, <u>S-B</u>	Category D SW2	SGG1 SG36 SG49	Colourless liquid with an irritating odour. Reacts with water. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	1739
-	Т3	TP33	F-A, S-B	Category A SW1 SW2	SGG1 SG35 SG36 SG49	Crystalline solids. Decomposed by heat or acid, evolving hydrogen fluoride, an extremely irritating and corrosive gas. In the presence of moisture, corrosive to glass, other siliceous materials and most metals. Cause burns to skin, eyes and mucous membranes.	1740
-	T1	TP33	F-A, S-B	Category A SW1 SW2	SGG1 SG35 SG36 SG49	See entry above.	1740

Chapter 3.2 – Dangerous Goods List

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IE	BC		Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions		Tank instructions	Provisions			
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7
1741	BORON TRICHLORIDE	2.3	8	-	-	0	EO	P200	-	-	-	-	_	-	F-C, S-U	Category D SW1 SW2	-
1742	BORON TRIFLUORIDE ACETIC ACID COMPLEX, LIQUID	8	-	II	-	1 L	E2	P001	-	IBC02	B20	-	Т8	TP2	F-A, S-B	Category A	SGG1 SG36 SG49
1743	BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, LIQUID	8	-	II	-	500 mL	E2	P001	-	IBC02	B20	-	Т8	TP2	F-A, S-B	Category A	SGG1 SG36 SG49
1744	BROMINE or BROMINE SOLUTION	8	6.1	I	-	0	EO	P804	-	-	-	-	T22	TP2 TP10 TP13	F-A, S-B	Category D SW1 SW2 H2	SGG1 SG6 SG16 SG17 SG19 SG36 SG49
1745	BROMINE PENTAFLUORIDE	5.1	6.1/8	I	_	0	EO	P200	_	-	-	-	T22	TP2 TP13	F-A, S-B	Category D SW1 SW2	SGG1 SG6 SG16 SG19 SG36 SG49
1746	BROMINE TRIFLUORIDE	5.1	6.1/8	I	-	0	EO	P200	-	-	-	-	T22	TP2 TP13	F-A, S-B	Category D SW1 SW2	SGG1 SG6 SG16 SG19 SG36 SG49
1747	BUTYLTRICHLOROSILANE	8	3	II	_	0	EO	P010	-	-		-	T10	TP2 TP7 TP13	F-E, S-C	Category C SW2	SGG1 SG36 SG49
1748	CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	5.1	– P	II	314	1 kg	E2	P002	PP85	-	-	-	-	-	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60
1748	CALCIUM HYPOCHLORITE, DRY or CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	5.1	– P	III	316	5 kg	E1	P002	PP85	-	-	-	_	-	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
Non-flammable, toxic and corrosive gas. Forms dense white corrosive fumes in moist air. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Much heavier than air (2.35). Highly irritating to skin, eyes and mucous membranes.	1741
Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1742
Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1743
Very dark brown, heavy liquid with an extremely irritating odour. Density: 3.1 (pure product). Boiling point: 59°C. Powerful oxidant; may cause fire in contact with organic materials such as wood, cotton or straw. Highly corrosive to most metals. Solutions have the same properties to a lesser degree, depending on concentration. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1744
Colourless, heavy liquid with an extremely irritating odour. Boiling point: 40°C. Powerful oxidant; may cause fire in contact with organic material such as wood, cotton or straw. Reacts violently with water, evolving hydrogen fluoride, a toxic, extremely corrosive gas apparent as white fumes. In contact with acids or acid fumes, evolves highly toxic fumes of bromine, fluorine and their compounds. Highly corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1745
Colourless, heavy liquid with an extremely irritating odour. Powerful oxidant; may cause fire in contact with organic material such as wood, cotton or straw. Reacts violently with water, evolving hydrogen fluoride, a toxic, extremely corrosive gas apparent as white fumes. In contact with acids or acid fumes, evolves highly toxic fumes of bromine, fluorine and their compounds. Highly corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1746
Colourless, flammable liquid with a pungent odour. Flashpoint: 52°C c.c. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1747
White or yellowish solid (powder, granules or tablets) with chlorine-like odour. Soluble in water. May cause fire in contact with organic material or ammonium compounds. Substances are liable to exothermic decomposition at elevated temperatures. This condition may lead to fire or explosion. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds). Liable to heat slowly. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Dust irritates mucous membranes.	1748
See entry above.	1748

3

D G L

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	ing	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1749	CHLORINE TRIFLUORIDE	2.3	5.1/8	-	-	0	EO	P200	-	-	-
1750	CHLOROACETIC ACID SOLUTION	6.1	8	II	-	100 mL	E4	P001	-	IBC02	-
1751	CHLOROACETIC ACID, SOLID	6.1	8	II	-	500 g	E4	P002	-	IBC08	B4 B21
1752	CHLOROACETYL CHLORIDE	6.1	8	I	354	0	EO	P602	_	_	_
1753	CHLOROPHENYL- TRICHLOROSILANE	8	– P	II	_	0	E2	P010	-	_	_
1754	CHLOROSULPHONIC ACID (with or without sulphur trioxide)	8	-	I	-	0	EO	P001	-	-	-
1755	CHROMIC ACID SOLUTION	8	-	II	_	1L	E2	P001	-	IBC02	B20
1755	CHROMIC ACID SOLUTION	8	_	III	223	5 L	E1	P001 LP01	-	IBC03	
1756	CHROMIC FLUORIDE, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1757	CHROMIC FLUORIDE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-
1757	CHROMIC FLUORIDE SOLUTION	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
1758	CHROMIUM OXYCHLORIDE	8	_	I	_	0	EO	P001	_	_	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2 7 °	(16a) 7.1 73.77	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-C, S-W	Category D SW2	SG6 SG19	Non-flammable, toxic and corrosive gas. Forms dense, white, corrosive fumes in moist air. Reacts violently with water, evolving hydrogen fluoride, an irritating and corrosive gas apparent as white fumes. Corrosive to glass and to most metals. Powerful oxidizing agent which may cause fires with combustible materials. Much heavier than air. Highly irritating to skin, eyes and mucous membranes.	174
-	T7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid. Corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	175
-	Т3	TP33	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless, very deliquescent crystals. Melting point may be as low as 50°C. In the presence of moisture, corrosive to most metals. Toxic if swallowed, by skin contact or by dust inhalation. Causes burns to skin, eyes and mucous membranes.	175
-	T20	TP2 TP13	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Colourless liquid, with extremely irritating odour, causing tears. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	175
-	T10	TP2 TP7	F-A, <u>S-B</u>	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Irritating to skin, eyes and mucous membranes.	175
-	T20	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	175
_	T8	TP2	F-A, S-B	Category C SW2	SGG1 SG6 SG8 SG10 SG12 SG36 SG49	Orange liquid. Powerful oxidant. May cause fire in contact with organic materials such as wood, cotton or straw. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	175
-	T4	TP1	F-A, S-B	Category C SW2	SGG1 SG6 SG8 SG10 SG12 SG36 SG49	See entry above.	175
-	Т3	TP33	F-A, S-B	Category A	SGG1 SG35 SG36 SG49	Green or violet crystals. Slightly soluble in water. Reacts with strong acids, evolving hydrogen fluoride, an extremely irritating and corrosive gas. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	175
-	Τ7	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Green liquid. Reacts with strong acids, evolving hydrogen fluoride, an extremely irritating and corrosive gas. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	175
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	See entry above.	175
-	T10	TP2	F-A, S-B	Category C SW2	SGG1 SG6 SG16 SG17 SG19 SG36 SG49	Dark red liquid. Reacts violently with water, evolving hydrogen chloride and chlorine, both highly irritating and corrosive gases apparent as white fumes. Oxidant; may cause fire in contact with organic materials such as wood, cotton or straw. Highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	175

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1759	CORROSIVE SOLID, N.O.S.	8	-	I	274	0	E0	P002	-	IBC07	B1
1759	CORROSIVE SOLID, N.O.S.	8	-	Ш	274	1 kg	E2	P002	-	IBC08	B4 B21
1759	CORROSIVE SOLID, N.O.S.	8	-	Ш	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
1760	CORROSIVE LIQUID, N.O.S.	8	-	I	274	0	E0	P001	-	-	-
1760	CORROSIVE LIQUID, N.O.S.	8	-	Ш	274	1 L	E2	P001	-	IBC02	-
1760	CORROSIVE LIQUID, N.O.S.	8	-	Ш	223 274	5 L	E1	P001 LP01	-	IBC03	-
1761	CUPRIETHYLENEDIAMINE SOLUTION	8	6.1 Р	II	-	1 L	E2	P001	-	IBC02	-
1761	CUPRIETHYLENEDIAMINE SOLUTION	8	6.1 Р	111	223	5 L	E1	P001	-	IBC03	-
1762	CYCLOHEXENYLTRICHLORO- SILANE	8	-	II	-	0	EO	P010	-	-	-
1763	CYCLOHEXYLTRICHLORO- SILANE	8	-	II	-	0	EO	P010	-	-	-
1764	DICHLOROACETIC ACID	8	-	Ш	-	1 L	E2	P001	-	IBC02	B20
1765	DICHLOROACETYL CHLORIDE	8	_	II	-	1 L	E2	P001	-	IBC02	-
1766	DICHLOROPHENYL- TRICHLOROSILANE	8	– P	II	-	0	EO	P010	-	-	-
1767	DIETHYLDICHLOROSILANE	8	3	II	-	0	EO	P010	-	-	_
1768	DIFLUOROPHOSPHORIC ACID, ANHYDROUS	8	-	II	-	1 L	E2	P001	-	IBC02	B20
1769	DIPHENYLDICHLOROSILANE	8	_	II	_	0	EO	P010	_	_	_
1770	DIPHENYLMETHYL BROMIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21

		Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
ſ	-	T6	TP33	F-A, S-B	Category B	-	Causes burns to skin, eyes and mucous membranes.	1759
	-	Т3	TP33	F-A, S-B	Category A	-	See entry above.	1759
	-	T1	TP33	F-A, S-B	Category A	-	See entry above.	1759
	-	T14	TP2 TP27	F-A, S-B	Category B SW2	-	Causes burns to skin, eyes and mucous membranes.	1760
	-	T11	TP2 TP27	F-A, S-B	Category B SW2	-	See entry above.	1760
	-	T7	TP1 TP28	F-A, S-B	Category A SW2	-	See entry above.	1760
	-	T7	TP2	F-A, <u>S-B</u>	Category A	SG35	Dark purple liquid with an ammonia-like odour. Corrosive to copper, aluminium, zinc and tin. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1761
	-	T7	TP1 TP28	F-A, <u>S-B</u>	Category A	SG35	See entry above.	1761
	-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1762
		T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1763
	-	Т8	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless liquid. Melting point: -4° C. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1764
	_	Τ7	TP2	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Colourless liquid with an extremely irritating odour, causing tears. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1765
	-	T10	TP2 TP7 TP13	F-A, <u>S-B</u>	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Irritating to skin, eyes and mucous membranes.	1766
	_	T10	TP2 TP7 TP13	F-E, S-C	Category C SW2	SGG1 SG36 SG49	Colourless, flammable liquid with a pungent odour. Flashpoint: 25°C c.c. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1767
	-	Т8	TP2	F-A, S-B	Category A SW2	SGG1 SG36 SG49	Colourless liquid. In the presence of moisture, highly corrosive to glass and other siliceous materials. Harmful if swallowed.	1768
	-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1769
	-	Т3	TP33	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Solid with an irritating odour. Causes tears. Melting point: 45°C. In the presence of moisture, corrosive to most metals. Vapour irritates mucous membranes.	1770

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN	Proper shipping name	Class or	Subsidiary	Packing	Special	Limited an	d excepted	Pack	king	IB	C
	110.	(104)	unision	nuzuru(o)	group	provisions	Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1771	DODECYLTRICHLOROSILANE	8	_	II	-	0	EO	P010	_	_	-
D	1773	FERRIC CHLORIDE, ANHYDROUS	8	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
G	1774	FIRE EXTINGUISHER CHARGES corrosive liquid	8	-	Ш	-	1 L	E0	P001	PP4	-	-
	1775	FLUOROBORIC ACID	8	-	II	-	1 L	E2	P001	-	IBC02	-
	1776	FLUOROPHOSPHORIC ACID, ANHYDROUS	8	-	II	-	1 L	E2	P001	-	IBC02	B20
	1777	FLUOROSULPHONIC ACID	8	-	I	-	0	EO	P001	-	-	-
	1778	FLUOROSILICIC ACID	8	-	II	-	1 L	E2	P001	-	IBC02	B20
	1779	FORMIC ACID with more than 85% acid, by mass	8	3	II	-	1 L	E2	P001	-	IBC02	-
	1780	FUMARYL CHLORIDE	8	_	II	-	1 L	E2	P001	-	IBC02	
	1781	HEXADECYLTRICHLORO-SILANE	8	-	II	-	0	EO	P010	-	-	-
	1782	HEXAFLUOROPHOSPHORIC ACID	8	-	II	-	1 L	E2	P001	-	IBC02	B20
	1783	HEXAMETHYLENEDIAMINE SOLUTION	8	-	Ш	-	1 L	E2	P001	-	IBC02	-
	1783	HEXAMETHYLENEDIAMINE SOLUTION	8	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
	1784	HEXYLTRICHLOROSILANE	8	-	II	-	0	EO	P010	-	-	-
	1786	HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURE	8	6.1	I	_	0	EO	P001	-	_	_
	1787	HYDRIODIC ACID	8	-	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
_	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Cold evol as v pres to s
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Bro met hyd
-	-	-	F-A, S-B	Category A	_	Usu
-	Τ7	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colo burn hyd
-	Т8	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colo glas skin
-	T10	TP2	F-A, S-B	Category D SW2	SGG1a SG36 SG49	Colo evol gas corr Cau
-	Т8	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colo seve hyd
-	Τ7	TP2	F-E, S-C	Category A SW2	SGG1 SG36 SG49	Colo Pure Cau
-	Τ7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Yello an ii In th Cau
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Cold evol as v In th Vap
-	Т8	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colo glas Cau Har
-	Τ7	TP2	F-A, S-B	Category A	SG35	Colo
-	T4	TP1	F-A, S-B	Category A	SG35	See
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Cold evol as v In th Cau
-	T10	TP2 TP13	F-A, S-B	Category D SW2	SGG1a SG36 SG49	Cold of b than deve and Cau
-	Τ7	TP2	F-A, S-B	Category C	SGG1a SG36 SG49	Colo Higi muc

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
ourless liquid with a pungent odour. Reacts violently with water, lving hydrogen chloride, an irritating and corrosive gas apparent vhite fumes. When involved in a fire, evolves toxic gases. In the sence of moisture, highly corrosive to most metals. Causes burns kin, eyes and mucous membranes.	1771
wn solid. In the presence of moisture, highly corrosive to most als. The provisions of this Code should not apply to the solid rated form.	1773
ally, diluted sulphuric acid in small glass receptacles.	1774
ourless, clear liquid. Corrosive to most metals. May cause severe ns to skin, eyes and mucous membranes if containing free rofluoric acid.	1775
ourless liquid. In the presence of moisture, highly corrosive to as, other siliceous materials and most metals. Causes burns to a, eyes and mucous membranes.	1776
ourless liquid with a pungent odour. Reacts violently with water, lving hydrogen fluoride, an extremely irritating and corrosive apparent as white fumes. In the presence of moisture, highly rosive to glass, other siliceous materials and most metals. uses severe burns to skin, eyes and mucous membranes.	1777
ourless liquid. Highly corrosive to most metals. May cause ere burns to skin, eyes and mucous membranes if containing free rofluoric acid.	1778
ourless flammable liquid with a pungent odour. e FORMIC ACID: flashpoint 42°C c.c. Corrosive to most metals. uses burns to skin, eyes and mucous membranes.	1779
ow liquid. Reacts violently with water, evolving hydrogen chloride, rritating and corrosive gas apparent as white fumes. he presence of moisture, highly corrosive to most metals. lses burns to skin, eyes and mucous membranes.	1780
ourless liquid with a pungent odour. Reacts violently with water, lving hydrogen chloride, an irritating and corrosive gas apparent vhite fumes. When involved in a fire, evolves toxic gases. he presence of moisture, highly corrosive to most metals. our irritates mucous membranes.	1781
ourless liquid. In the presence of moisture, highly corrosive to as, other siliceous materials and most metals. uses burns to skin, eyes and mucous membranes. mful if swallowed.	1782
ourless liquid. Causes burns to skin, eyes and mucous nbranes.	1783
entry above.	1783
ourless liquid with a pungent odour. Reacts violently with water, lving hydrogen chloride, an irritating and corrosive gas apparent white fumes. When involved in a fire, evolves toxic gases. he presence of moisture, highly corrosive to most metals. lses burns to skin, eyes and mucous membranes.	1784
ourless syrupy liquid with a pungent odour. Mixture consists etween 70% and 80% by mass of acids and contains not less n 25% by mass of hydrofluoric acid. Reacts violently with water, eloping heat. Highly corrosive to glass, other siliceous materials most metals. Toxic if swallowed, by skin contact or by inhalation. Ises severe burns to skin and mucous membranes.	1786
ourless liquid. An aqueous solution of the gas hydrogen iodide. hly corrosive to most metals. Causes burns to skin, eyes and cous membranes.	1787

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1787	HYDRIODIC ACID	8	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
П	1788	HYDROBROMIC ACID	8	-	II	-	1 L	E2	P001	-	IBC02	-
C	1788	HYDROBROMIC ACID	8	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
	1789	HYDROCHLORIC ACID	8	-	II	-	1 L	E2	P001	-	IBC02	B20
	1789	HYDROCHLORIC ACID	8	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
	1790	HYDROFLUORIC ACID solution, with more than 60% hydrogen fluoride	8	6.1	I	-	0	EO	P802	PP79 PP81	-	-
	1790	HYDROFLUORIC ACID solution, with not more than 60% hydrogen fluoride	8	6.1	II	-	1 L	E2	P001	PP81	IBC02	B20
	1791	HYPOCHLORITE SOLUTION	8	– P	II	274 900	1 L	E2	P001	PP10	IBC02	B5
	1791	HYPOCHLORITE SOLUTION	8	– P	Ш	223 274 900	5 L	E1	P001 LP01	-	IBC03	
	1792	IODINE MONOCHLORIDE, SOLID	8	-	II	-	1 kg	EO	P002	-	IBC08	B4 B21
	1793	ISOPROPYL ACID PHOSPHATE	8	-	Ш	-	5 L	E1	P001 LP01	-	IBC02	-
	1794	LEAD SULPHATE with more than 3% free acid	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
	1796	NITRATING ACID MIXTURE with more than 50% nitric acid	8	5.1	I	_	0	EO	P001	-	_	_
	1796	NITRATING ACID MIXTURE with not more than 50% nitric acid	8	-	Ш	-	1 L	E0	P001	-	IBC02	B20

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2	(16a) 7.1	(16b) 7.2–7.7	
	4.3		7.8	7.3–7.7		
-	T4	TP1	F-A, S-B	Category C	SGG1a SG36 SG49	Colo High muco
-	Τ7	TP2	F-A, S-B	Category C	SGG1a SG36 SG49	Colo High muco
-	T4	TP1	F-A, S-B	Category C	SGG1a SG36 SG49	See
-	Т8	TP2	F-A, S-B	Category C	SGG1a SG36 SG49	Colo High muco
-	T4	TP1	F-A, S-B	Category C	SGG1a SG36 SG49	See
-	T10	TP2 TP13	F-A, S-B	Category D SW1 SW2 H2	SGG1a SG36 SG49	Colo other conta burn
-	Т8	TP2	F-A, S-B	Category D SW1 SW2 H2	SGG1a SG36 SG49	See
-	Τ7	TP2 TP24	F-A, <u>S-B</u>	Category B	SGG8 SG20	Liqui irritat Caus
-	T4	TP2 TP24	F-A, <u>S-B</u>	Category B	SGG8 SG20	See
-	T7	TP2	F-A, S-B	Category D SW2	SGG1 SG6 SG16 SG17 SG19 SG36 SG49	Red, irritat Powe such corro
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Oily I
-	Т3	TP33	F-A, S-B	Category A	SGG1 SGG7 SGG9 SG36 SG49	May Harn
-	T10	TP2 TP13	F-A, S-Q	Category D SW2	SGG1a SG16 SG36 SG49	Mixtu Oxid wood High and r
-	Т8	TP2 TP13	F-A, S-B	Category D SW2	SGG1a SG36 SG49	See

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
ourless liquid. An aqueous solution of the gas hydrogen iodide. nly corrosive to most metals. Causes burns to skin, eyes and cous membranes.	1787
burless liquid. An aqueous solution of the gas hydrogen bromide. Inly corrosive to most metals. Causes burns to skin, eyes and cous membranes.	1788
entry above.	1788
purless liquid. An aqueous solution of the gas hydrogen chloride. Inly corrosive to most metals. Causes burns to skin, eyes and cous membranes.	1789
entry above.	1789
ourless liquid with an irritating odour. Highly corrosive to glass, er siliceous materials and most metals. Toxic if swallowed, by skin tact or by inhalation. Both the liquid and its fumes cause severe ns to skin, eyes and mucous membranes.	1790
entry above.	1790
uid with chlorine odour. In contact with acids, evolves very ating and corrosive gases. Mildly corrosive to most metals. Ises burns to skin, eyes and mucous membranes.	1791
entry above.	1791
I, brown or black crystals. Reacts violently with water, evolving ating and corrosive gases apparent as white fumes. verful oxidant; may cause fire in contact with organic materials h as wood, cotton or straw. In the presence of moisture, highly rosive to most metals. Vapour irritates mucous membranes.	1792
liquid. Mildly corrosive to most metals.	1793
/ be dry solid or slurry. Corrosive to most metals. mful if swallowed.	1794
ture of concentrated nitric and sulphuric acids. dant; may cause fire in contact with organic materials such as od, cotton or straw, developing highly toxic gas (brown fumes). nly corrosive to most metals. Causes severe burns to skin, eyes mucous membranes.	1796
entry above.	1796

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1798	NITROHYDROCHLORIC ACID	8	-	I	-	0	EO	P802	_	_	_
1799	NONYLTRICHLOROSILANE	8	-	II	-	0	EO	P010	-	-	-
1800	OCTADECYLTRICHLORO- SILANE	8	-	II	-	0	EO	P010	-	-	-
1801	OCTYLTRICHLOROSILANE	8	-	II	-	0	EO	P010	-	-	-
1802	PERCHLORIC ACID with not more than 50% acid, by mass	8	5.1	Ш	-	1 L	EO	P001	-	IBC02	-
1803	PHENOLSULPHONIC ACID, LIQUID	8	-	II	-	1 L	E2	P001	-	IBC02	-
1804	PHENYLTRICHLOROSILANE	8	-	II	-	0	EO	P010	-		-
1805	PHOSPHORIC ACID SOLUTION	8	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
1806	PHOSPHORUS PENTACHLORIDE	8	-	II	-	1 kg	EO	P002	-	IBC08	B4 B21
1807	PHOSPHORUS PENTOXIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
1808	PHOSPHORUS TRIBROMIDE	8	-	II	-	1 L	EO	P001	-	IBC02	-
1809	PHOSPHORUS TRICHLORIDE	6.1	8	I	354	0	EO	P602	-	-	-

_	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(10)	Tank instructions	Provisions	(15)	(10a)	(10)		(10)
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(160) 7.2–7.7	(17)	(18)
-	T10	TP2 TP13	F-A, S-B	Category D SW2	SGG1a SG6 SG16 SG17 SG19 SG36 SG49	Yellow liquid; a mixture of nitric acid and hydrochloric acid, usually in the proportion of 1:3. Powerful oxidant; may cause fire in contact with organic materials such as wood, cotton or straw, evolving suffocating and highly toxic gases. Highly corrosive to all metals. Causes severe burns to skin, eyes and mucous membranes.	179
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	179
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	180
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	180
-	T7	TP2	F-H, S-Q	Category C	SGG1a SG16 SG36 SG49	Colourless liquid. Oxidant. Highly corrosive to most metals.	180
-	T7	TP2	F-A, S-B	Category C SW15	SGG1 SG36 SG49	Yellow, oily liquid. Corrosive to most metals.	180
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	180
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Miscible in water. Mildly corrosive to most metals.	180
-	ТЗ	TP33	F-A, S-B	Category C SW2	SGG1 SG6 SG8 SG10 SG12 SG36 SG49	Colourless, crystalline powder. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Powerful oxidant; may cause fire in contact with organic materials such as wood, cotton or straw. In the presence of moisture, highly corrosive to most metals.	180
-	T3	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Crystalline powder, very deliquescent. Reacts violently with water and organic materials such as wood, cotton or straw, generating heat. In the presence of moisture, mildly corrosive to most metals.	180
-	Τ7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen bromide, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	180
-	T20	TP2 TP13	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	180

Chapter 3.2 – Dangerous Goods List

3

D G L

3

	UN No.	Proper shipping name (PSN) Class or Subsidiary hazard(s) Packing group provisions qu		Limited an quantity	Limited and excepted quantity provisions		Packing		IBC				
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
\triangle	1810	PHOSPHORUS OXYCHLORIDE	6.1	8	I	354	0	EO	P602	_	_	_	
	1811	POTASSIUM HYDROGEN DIFLUORIDE, SOLID	8	6.1	II	-	1 kg	E2	P002	-	IBC08	B4 B21	
	1812	POTASSIUM FLUORIDE, SOLID	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3	
	1813	POTASSIUM HYDROXIDE, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21	
	1814	POTASSIUM HYDROXIDE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-	
	1814	POTASSIUM HYDROXIDE SOLUTION	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-	
	1815	PROPIONYL CHLORIDE	3	8	II	_	1 L	E2	P001	-	IBC02	-	
	1816	PROPYLTRICHLOROSILANE	8	3	II	-	0	EO	P010	-	_	_	
	1817	PYROSULPHURYL CHLORIDE	8	-	II	-	1 L	E2	P001		IBC02	-	
	1818	SILICON TETRACHLORIDE	8	-	II	-	0	EO	P010	-	-	-	
	1819	SODIUM ALUMINATE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-	
	1819	SODIUM ALUMINATE SOLUTION	8	-	111	223	5 L	E1	P001 LP01	-	IBC03	-	
	1823	SODIUM HYDROXIDE, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21	
	1824	SODIUM HYDROXIDE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-	
	1824	SODIUM HYDROXIDE SOLUTION	8	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-	

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
12)	Tank instructions (13)	Provisions (14)	(15)	(16a)	(16b)	(17)	(18)
	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		
-	T20	TP2 TP13	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes. Highly toxic if swallowed, by skin contact or by inhalation.	181
-	Т3	TP33	F-A, S-B	Category A SW1 SW2	SGG1 SG35 SG36 SG49	White crystalline solid. Decomposed by heat or acids, evolving hydrogen fluoride, a toxic, extremely irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to glass, other siliceous materials and most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	181
-	T1	TP33	F-A, S-A	Category A	SG35	White, deliquescent crystals or powder. Decomposed by acids, evolving hydrogen fluoride, an irritating and corrosive gas. Toxic if swallowed, by skin contact or by inhalation.	181
-	Т3	TP33	F-A, S-B	Category A	SGG18 SG35	White pellets, flakes, lumps or solid blocks, deliquescent. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	181
-	Т7	TP2	F-A, S-B	Category A	SGG18 SG35	Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	181
-	T4	TP1	F-A, S-B	Category A	SGG18 SG35	See entry above.	181
-	Τ7	TP1	F-E, S-C	Category B SW2	SGG1 SG36 SG49	Colourless liquid. Flashpoint: 12°C c.c. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas, apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	181
-	T10	TP2 TP7 TP13	F-E, S-C	Category C SW2	SGG1 SG36 SG49	Colourless, flammable liquid, with a pungent odour. Flashpoint: 38°C c.c. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	181
-	Т8	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	181
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49 SG72	Colourless, extremely mobile liquid with a suffocating odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	181
-	Τ7	TP2	F-A, S-B	Category A	SGG18 SG35	Colourless liquid. Reacts with ammonium salts, evolving ammonia gas. Corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	181
-	T4	TP1	F-A, S-B	Category A	SGG18 SG35	See entry above.	181
_	Т3	TP33	F-A, S-B	Category A	SGG18 SG35	White pellets, flakes, lumps or solid blocks, deliquescent. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	182
-	Τ7	TP2	F-A, S-B	Category A	SGG18 SG35	Colourless liquid. Corrosive to aluminium, zinc and tin. Reacts with ammonium salts, evolving ammonia gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	182
-	T4	TP1	F-A, S-B	Category A	SGG18 SG35	See entry above.	182

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1825	SODIUM MONOXIDE	8	-	II	_	1 kg	E2	P002	-	IBC08	B4 B21
	1826	NITRATING ACID MIXTURE, SPENT with more than 50% nitric acid	8	5.1	I	113	0	EO	P001	-	-	-
	1826	NITRATING ACID MIXTURE, SPENT with not more than 50% nitric acid	8	-	II	113	1 L	E0	P001	-	IBC02	B20
	1827	STANNIC CHLORIDE, ANHYDROUS	8	-	II	-	1 L	E2	P001	-	IBC02	-
	1828	SULPHUR CHLORIDES	8	-	I	_	0	EO	P602	_	-	-
	1829	SULPHUR TRIOXIDE, STABILIZED	8	_	I	386	0	EO	P001	-	-	-
	1830	SULPHURIC ACID with more than 51% acid	8	-	II	-	1 L	E2	P001	-	IBC02	B20
	1831	SULPHURIC ACID, FUMING	8	6.1	I	_	0	EO	P602	_		-
	1832	SULPHURIC ACID, SPENT	8	-	II	113	1 L	EO	P001	-	IBC02	B20
	1833	SULPHUROUS ACID	8	-	II	-	1 L	E2	P001	-	IBC02	-
\bigtriangleup	1834	SULPHURYL CHLORIDE	6.1	8	I	354	0	EO	P602	_	-	-
	1835	TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-
	1835	TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
	1836	THIONYL CHLORIDE	8	_	I	_	0	EO	P802	_	_	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and Segregation handling		Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	Т3	TP33	F-A, S-B	Category A	SGG18 SG35	Deliquescent crystalline solid. Reacts violently with water and acids, generating heat. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	182
-	T10	TP2 TP13	F-A, S-Q	Category D SW2	SGG1a SG16 SG36 SG49	Usually a mixture of acids which has been used for nitration processes. Highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes. Prohibited for shipment unless the mixture is (1) chemically stable; and (2) certified as containing no explosive impurities.	182
-	Т8	TP2	F-A, S-B	Category D SW2	SGG1a SG36 SG49	See entry above.	182
-	Τ7	TP2	F-A, S-B	Category C	SGG1 SG36 SG49	Colourless liquid. In the presence of water, corrosive to most metals. Vapour irritates mucous membranes.	182
-	T20	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Red liquids with a suffocating odour. React violently with water, evolving hydrogen chloride and sulphur dioxide, irritating and corrosive gases. In the presence of moisture, highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	182
-	T20	TP4 TP13 TP25 TP26	F-A, S-B	Category C SW1 SW2	SGG1 SG36 SG49	Very deliquescent solid. Melting point may be as low as 17°C. Reacts violently with water, generating heat. May cause fire in contact with organic materials such as wood, cotton or straw. In the presence of moisture, highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	182
-	Т8	TP2	F-A, S-B	Category C SW15	SGG1a SG36 SG49	Colourless, oily liquid, mixture over 1.41 up to 1.84 relative density. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	183
-	T20	TP2 TP13	F-A, S-B	Category C SW2 SW15	SGG1a SG36 SG49	Colourless, oily liquid, may be partly crystallized. Solution of varying quantities of sulphur trioxide in sulphuric acid. Reacts violently with water and organic material, generating heat. In the presence of moisture, highly corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Causes severe burns to skin, eyes and mucous membranes.	183
-	T8	TP2	F-A, S-B	Category C SW15	SGG1a SG36 SG49	Sulphuric acid, usually of high concentration, which has been used for chemical processes. Highly corrosive to most metals.	183
-	Τ7	TP2	F-A, S-B	Category B SW2	SGG1 SG36 SG49	Solution of sulphur dioxide in water, with a suffocating odour. Corrosive to most metals. Vapour irritates mucous membranes.	183
-	T20	TP2 TP13	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Boiling point: 69°C. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes. Highly toxic if swallowed, by skin contact or by inhalation.	183
-	Τ7	TP2	F-A, S-B	Category A	SGG2 SGG18 SG35	Miscible with water. Reacts violently with acids.	183
-	Τ7	TP2	F-A, S-B	Category A	SGG2 SGG18 SG35	See entry above.	183
_	T10	TP2 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Yellow or red liquid. Boiling point: 79°C. Reacts violently with water, evolving hydrogen chloride and sulphur dioxide, irritating and corrosive gases. In the presence of moisture, highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	183

Chapter 3.2 – Dangerous Goods List

D G L

3

 $\mathbf{\Omega}$

3		UN No.	Proper shipping name (PSN)	Class or division	or Subsidiary Packing s n hazard(s) group pr		Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		1837	THIOPHOSPHORYL CHLORIDE	8	-	II	-	1 L	EO	P001	-	IBC02	-
D	\bigtriangleup	1838	TITANIUM TETRACHLORIDE	6.1	8	I	354	0	EO	P602	-	-	-
u I		1839	TRICHLOROACETIC ACID, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
L		1840	ZINC CHLORIDE SOLUTION	8	– P	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
		1841	ACETALDEHYDE AMMONIA	9	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3 B6
		1843	AMMONIUM DINITRO-0- CRESOLATE, SOLID	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
		1845	CARBON DIOXIDE, SOLID (DRY ICE)	9	-	-	-	0	EO	P003	PP18	-	-
		1846	CARBON TETRACHLORIDE	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	
		1847	POTASSIUM SULPHIDE, HYDRATED with not less than 30% water of crystallization	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
		1848	PROPIONIC ACID with not less than 10% and less than 90% acid, by mass	8	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	
		1849	SODIUM SULPHIDE, HYDRATED with not less than 30% water	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
		1851	MEDICINE, LIQUID, TOXIC, N.O.S.	6.1	-	II	221	100 mL	E4	P001	-	-	-
		1851	MEDICINE, LIQUID, TOXIC, N.O.S.	6.1	-	III	221 223	5 L	E1	P001 LP01	-	-	-
		1854	BARIUM ALLOYS, PYROPHORIC	4.2	-	I	-	0	E0	P404	PP31	-	_
		1855	CALCIUM, PYROPHORIC or CALCIUM ALLOYS, PYROPHORIC	4.2	-	I	-	0	E0	P404	PP31	-	-
	\bigtriangleup	1856	RAGS, OILY	4.2	-	_	29 123 973	0	E0	P003	PP19	IBC08	B3 B6

4.2

2.2

-

_

123

-

Ш

-

E1

E1

0

120 mL

P410

P200

	Portable tan bulk contai	ks and ners	EmS Stowage and handling		Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1837
-	T20	TP2 TP13	F-A, S-B	Category D SW2	SGG1 SGG7 SG36 SG49	Colourless liquid. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1838
-	Т3	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless, deliquescent crystals. Melting point of the pure substance: 58°C. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1839
-	- T4 TP2		F-A, <u>S-B</u>	Category A	SGG1 SGG7 SG36 SG49	Colourless liquid. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1840
-	T1	TP33	F-A, S-B	Category A	SG29	White crystalline solid. Soluble in water. When heated, decomposes into ammonia and acetaldehyde.	1841
-	Т3	TP33	F-A, <u>S-A</u>	Category B	SGG2 SG15 SG16 SG30 SG63	May support combustion and burn without oxygen. When involved in a fire, evolves toxic fumes. Forms extremely sensitive explosive compounds with lead, silver or other heavy metals and their compounds. Toxic if swallowed, by skin contact or by inhalation.	1843
-	-	-	F-C, S-V	Category C SW2	-	Non-flammable gas in a white solid form. Slowly evolves vapours which are heavier than air (1.5). Inhalation of vapours may lead to unconsciousness. Can cause severe burns when in contact with the skin.	1845
-	T7	TP2	F-A, <u>S-A</u>	Category A SW2	SGG10	Colourless, volatile liquid with a heavy anaesthetic vapour. Non-flammable; when involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.	1846
-	Т3	TP33	F-A, S-B	Category A	SGG18 SG35	Crystalline solid. Melting point: 60°C. Reacts violently with acids, evolving hydrogen sulphide, a toxic and flammable gas. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1847
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Miscible with water. Corrosive to lead and most other metals. Burns skin. Vapours irritate mucous membranes.	1848
-	Т3	TP33	F-A, S-B	Category A	SGG18 SG35	Yellow-pink or white deliquescent crystals, flakes or lumps. Melting point: 50°C. Soluble in water. Reacts violently with acids, evolving hydrogen sulphide, a toxic and flammable gas. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1849
-	-	-	F-A, S-A	Category C SW2	-	Toxic if swallowed, by skin contact or by inhalation.	1851
-	-	-	F-A, S-A	Category C SW2	-	See entry above.	1851
-	T21	TP7 TP33	F-G, S-M	Category D H1	SGG15 SG26	Liable to ignite spontaneously in air. If shaken, may produce sparks. In contact with water, evolve hydrogen, a flammable gas.	1854
-	-	-	F-G, S-M	Category D H1	SG26	Liable to ignite spontaneously in air. If shaken, may produce sparks. In contact with water, evolve hydrogen, a flammable gas.	1855
-	_	-	F-A, S-J	Category A	_	Liable to ignite spontaneously in air according to oil content.	1856
-	-	-	F-A, S-J	Category A	-	Liable to ignite spontaneously in air according to moisture content.	1857
-	T50	-	F-C, S-V	Category A	-	Non-flammable gas. Much heavier than air (5.2).	1858

-

_

_

-

-

-

△ 1857 TEXTILE WASTE, WET

1858 HEXAFLUOROPROPYLENE

(REFRIGERANT GAS R 1216)

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepte quantity provisions		epted Packing		IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1859	SILICON TETRAFLUORIDE	2.3	8	-	-	0	EO	P200	-	-	-
1860	VINYL FLUORIDE, STABILIZED	2.1	-	-	386	0	EO	P200	-	-	-
1862	ETHYL CROTONATE	3	-	II	-	1 L	E2	P001	-	IBC02	-
1863	FUEL, AVIATION, TURBINE ENGINE	3	-	I	-	500 mL	E3	P001	-	-	-
1863	FUEL, AVIATION, TURBINE ENGINE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
1863	FUEL, AVIATION, TURBINE ENGINE	3	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
1865	n-PROPYL NITRATE	3	-	II	26	1 L	E2	P001	-	-	-
1866	RESIN SOLUTION flammable	3	-	I	-	500 mL	E3	P001	-	-	-
1866	RESIN SOLUTION flammable	3	-	II	-	5 L	E2	P001	PP1	IBC02	-
1866	RESIN SOLUTION flammable	3	-	Ш	223 955	5 L	E1	P001 LP01	PP1	IBC03	-
1868	DECABORANE	4.1	6.1	II	-	1 kg	EO	P002	PP31	IBC06	B21
1869	MAGNESIUM or MAGNESIUM ALLOYS with more than 50% magnesium in pellets, turnings or ribbons	4.1	-	111	59 920	5 kg	E1	P002 LP02	PP100 L3	IBC08	B4
1870	POTASSIUM BOROHYDRIDE	4.3	-	I	-	0	EO	P403	PP31	-	-
1871	TITANIUM HYDRIDE	4.1	-	Ш	-	1 kg	E2	P410	PP31 PP40	IBC04	-
1872	LEAD DIOXIDE	5.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
1873	PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass	5.1	8	I	900	0	EO	P502	PP28	_	-
1884	BARIUM OXIDE	6.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
1885	BENZIDINE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
1886	BENZYLIDENE CHLORIDE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive gas with a pungent odour. Corrosive to metals. In moist air, produces hydrogen fluoride. Much heavier than air (3.6). Highly irritating to skin, eyes and mucous membranes.	1859
-	-	-	F-D, S-U	Category E SW1 SW2	_	Flammable gas. Explosive limits: 2.9% to 29%. Heavier than air (1.6).	1860
-	T4	TP2	F-E, S-D	Category B	-	Colourless liquid with a pungent odour. Flashpoint: 2°C c.c. Immiscible with water.	1862
-	Ţ11	TP1 TP8 TP28	F-E, S-E	Category E	_	Boiling range:14°C upwards. Immiscible with water.	1863
-	T4	TP1 TP8	F-E, S-E	Category B	-	Immiscible with water.	1863
-	T2	TP1	F-E, S-E	Category A	-	See entry above.	1863
-			F-E, S-D	Category D	SG6 SG8 SG10 SG12	White to straw-coloured liquid with an ether-like odour. Flashpoint: 20°C c.c. Explosive limits: 2% to 100%. Immiscible with water. Oxidizing material. May explode on heating. Harmful if swallowed or by inhalation.	1865
-	- T11 TP1 TP8 TP28		F-E, <u>S-E</u>	Category E	-	Miscibility with water depends upon the composition.	1866
-	- T4 TP1 TP8		F-E, <u>S-E</u>	Category B	-	See entry above.	1866
-	T2	TP1	F-E, <u>S-E</u>	Category A	_	See entry above.	1866
-	Т3	TP33	F-A, S-G	Category A	SG17	Colourless crystals. Slightly soluble in water. Vapours may form explosive mixture in air. Forms explosive and extremely sensitive mixtures with oxidizing substances. Toxic if swallowed, by skin contact or by dust inhalation.	1868
-	T1	TP33	F-G, S-G	Category A H1	SG17 SG25 SG26 SG32 SG35 SG36 SG52	Silvery white metal. Burns with an intense white light and heat. In contact with water, especially seawater, may evolve hydrogen, a flammable gas. Reacts readily with acids and caustic alkali, evolving hydrogen. Reacts readily with iron oxide, producing a thermite effect. Forms explosive mixtures with oxidizing substances.	1869
-	-	-	<u>F-G</u> , S-O	Category E H1	SG26 SG35	White, crystalline powder. In contact with water, acids or moisture evolves hydrogen, which may be ignited by the heat of the reaction.	1870
-	Т3	TP33	F-A, S-G	Category E	-	Dark grey powder or crystals.	1871
-	T1	TP33	F-A, S-Q	Category A	SGG7 SGG9	Brown powder or crystals. Insoluble in water. Harmful if swallowed.	1872
-	T10	TP1	F-A, S-Q	Category D	SGG1a SG16 SG36 SG49	Colourless liquid. Mixtures with combustible material may ignite spontaneously and, when involved in a fire, by shock or by friction, may cause an explosion. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes. Transport of PERCHLORIC ACID with more than 72% acid, by mass, is prohibited.	1873
-	T1	TP33	F-A, S-A	Category A	-	White solid. Evolves heat in contact with water. Toxic if swallowed, by skin contact or by dust inhalation.	1884
-	Т3	TP33	F-A, S-A	Category A	_	White, crystalline solid. Toxic if swallowed, by skin contact or by inhalation.	1885
- T7 TP2		F-A, S-A	Category D SW2	-	Colourless liquid evolving vapour which is irritating to eyes and skin ("Tear Gas"). Toxic if swallowed, by skin contact or by inhalation.	1886	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1887	BROMOCHLOROMETHANE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	1888	CHLOROFORM	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	1889	CYANOGEN BROMIDE	6.1	8 P	I	_	0	EO	P002	PP31	-	-
	1891	ETHYL BROMIDE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	B8
\triangle	1892	ETHYLDICHLOROARSINE	6.1	– P	I	354	0	E0	P602	-	-	-
	1894	PHENYLMERCURIC HYDROXIDE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
	1895	PHENYLMERCURIC NITRATE	6.1	– P	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
	1897	TETRACHLOROETHYLENE	6.1	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-
	1898	ACETYL IODIDE	8	_	II	_	1 L	E2	P001	-	IBC02	-
	1902	DIISOOCTYL ACID PHOSPHATE	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	8	-	I	274	0	E0	P001	-	-	-
	1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	8	-	Ш	274	1 L	E2	P001	-	IBC02	-
	1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	8	-	Ш	223 274	5 L	E1	P001 LP01	-	IBC03	-
	1905	SELENIC ACID	8	-	I	-	0	E0	P002	-	IBC07	B1
	1906	SLUDGE ACID	8	-	II	-	1 L	EO	P001	-	IBC02	-
	1907	SODA LIME with more than 4% sodium hydroxide	8	-	III	62	5 kg	E1	P002 LP02	-	IBC08	В3

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-A, S-A	Category A	SGG10	Clear, colourless, volatile liquid with a chloroform-like odour. Immiscible with water. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.	1887
-	T7	TP2	F-A, S-A	Category A SW2	SGG10	Colourless, volatile liquid. Boiling point: 61°C. Non-flammable. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation. Anaesthetic.	1888
-	T6	ТР33	F-A, <u>S-B</u>	Category D SW2	SGG6 SG35	Colourless crystals evolving toxic vapour which is irritating and causes tears. Melting point: approximately 52°C. Boiling point: approximately 62°C. In contact with water evolves hydrogen bromide and hydrogen cyanide, which are highly toxic, flammable and corrosive gases. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	1889
-	T7	TP2 TP13	F-A, S-A	Category B SW2 SW5	SGG10	Colourless volatile liquid evolving irritating vapour with a narcotic effect. Boiling point: 38°C. Vapour can be ignited by an electric spark or similar sources of ignition. Toxic if swallowed, by skin contact or by inhalation.	1891
-	T20	TP2 TP13	F-A, <u>S-A</u>	Category D SW2	-	Colourless liquid evolving irritating vapour ("Tear Gas"). Highly toxic if swallowed, by skin contact or by inhalation.	1892
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White crystals or powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	1894
-	T3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	White crystals or powder. Toxic if swallowed, by skin contact or by inhalation.	1895
-	T4	TP1	F-A, <u>S-A</u>	Category A SW2	SGG10	Colourless liquid with an ethereal odour. When involved in a fire, evolves extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.	1897
-	T7	TP2 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid. Reacts violently with water, evolving hydrogen iodide, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	1898
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Oily liquid. Mildly corrosive to most metals.	1902
-	-	-	F-A, S-B	Category B	-	A wide variety of corrosive liquids. Cause burns to skin, eyes and mucous membranes.	1903
-	-	-	F-A, S-B	Category B	-	See entry above.	1903
-	-	-	F-A, S-B	Category A	-	See entry above.	1903
-	T6	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	White, very deliquescent crystalline solid. Melting point: 50°C. Soluble in water. Reacts violently with organic materials such as wood, cotton or straw. In the presence of moisture, corrosive to mo metals. Causes severe burns to skin, eyes and mucous membranes	
-	Т8	TP2 TP28	F-A, S-B	Category C SW15	SGG1a SG36 SG49	Waste or spent sulphuric acid, usually a by-product of refining petroleum oils or crude benzenes. Highly corrosive to most metals.	1906
-	T1	TP33	F-A, S-B	Category A	SGG18 SG35	Deliquescent, granulated mixture of sodium hydroxide and calcium hydroxide. Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	1907

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

LIN	Proper shipping name	Class or	Subsidiary	Packing	Special	Limited on	d avcanted	Pack	vina	IR	c
No.	(PSN)	division	hazard(s)	group	provisions	quantity p	provisions	Faur	ling		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1908	CHLORITE SOLUTION	8	_	II	274 352	1 L	E2	P001	-	IBC02	-
1908	CHLORITE SOLUTION	8	-	III	223 274 352	5 L	E1	P001 LP01	-	IBC03	-
1910	CALCIUM OXIDE	8	-	-	960	-	-	-	-	-	-
1911	DIBORANE	2.3	2.1	-	-	0	EO	P200	-	-	-
1912	METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE	2.1	-	-	228	0	EO	P200	-	-	-
1913	NEON, REFRIGERATED LIQUID	2.2	-	-	-	120 mL	E1	P203	-	-	-
1914	BUTYL PROPIONATES	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
1915	CYCLOHEXANONE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
1916	2,2'-DICHLORODIETHYL ETHER	6.1	3	II	-	100 mL	E4	P001	-	IBC02	-
1917	ETHYL ACRYLATE, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-
1918	ISOPROPYLBENZENE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
1919	METHYL ACRYLATE, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-
1920	NONANES	3	– P	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
1921	PROPYLENEIMINE, STABILIZED	3	6.1	I	386	0	EO	P001	-	-	-
1922	PYRROLIDINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
1923	CALCIUM DITHIONITE (CALCIUM HYDROSULPHITE)	4.2	-	II	-	0	E2	P410	PP31	IBC06	B21
1928	METHYLMAGNESIUM BROMIDE IN ETHYL ETHER	4.3	3	I	-	0	E0	P402	-	-	-
1929	POTASSIUM DITHIONITE (POTASSIUM HYDROSULPHITE)	4.2	-	II	-	0	E2	P410	PP31	IBC06	B21

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	Τ7	TP2 TP24	F-A, S-B	Category B	SGG5 SG6 SG8 SG10 SG12 SG20	Colourless liquid. In contact with acids, evolves very irritating and corrosive gases. Oxidizing solution. May cause fire in contact with organic materials such as wood, cotton or straw. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	190
-	T4	TP2 TP24	F-A, S-B	Category B	SGG5 SG6 SG8 SG10 SG12 SG20	See entry above.	190
-	-	-	-	-	-	Not subject to the provisions of this Code but may be subject to provisions governing the transport of dangerous goods by other modes.	191
-	-	-	F-D, S-U	Category D SW2	SG46	Liquefied, flammable, toxic, colourless gas with an unpleasant odour. Explosive limits: 0.9% to 98%. Lighter than air (0.95). May decompose above -18°C with the formation of hydrogen and boron hydrides. Autoignition temperature: 90°C. Toxic by inhalation; forms boric acid and water by hydrolysis within the lungs.	191
-	Т50	-	F-D, S-U	Category D SW2	-	Solution of the flammable gas methyl chloride, UN No. 1063, in the liquid methylene chloride.	191
-	T75	TP5	F-C, S-V	Category D	-	Liquefied, inert gas. Lighter than air (0.7).	191
-	T2	TP1	F-E, S-D	Category A	_	Colourless liquids. Flashpoint: 32°C c.c. Immiscible with water.	191
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 38°C to 44°C c.c. Explosive limits: 1.1% to 9.4%. Immiscible with water.	191
-	Τ7	TP2	F-E, S-D	Category A	-	Colourless flammable liquid. Flashpoint: 55°C c.c. Immiscible with water, but reacts with it, forming corrosive and toxic fumes. Toxic if swallowed, by skin contact or by inhalation.	191
-	T4	TP1 TP13	F-E, S-D	Category C SW1 SW2	-	Colourless liquid with a pungent odour. Flashpoint: 16°C c.c. Explosive limits: 1.8% to 14%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	191
-	T2	TP1	F-E, S-E	Category A	_	Colourless liquid with a chloroform-like odour. Flashpoint: 31°C c.c. Explosive limits: 0.9% to 6.5%. Immiscible with water.	191
-	T4	TP1 TP13	F-E, S-D	Category C SW1	-	Colourless, volatile liquid with a pungent odour. Flashpoint: $-3^{\circ}C$ c.c. Explosive limits: 1.2% to 25%. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	191
-	T2	TP2	F-E, S-E	Category A	-	Colourless liquids. Explosive limits: 0.8% to 2.9%. normal-NONANE: flashpoint 31°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	192
-	T14	TP2 TP13	F-E, S-D	Category D SW1 SW2	-	Colourless liquid with an ammoniacal odour. Flashpoint: -4° C o.c. Miscible with water. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin and eyes.	192
-	Τ7	TP1	F-E, S-C	Category B SW2	SGG18 SG35	Colourless to pale yellow liquid with an ammoniacal odour. Reacts violently with acids. Flashpoint: 3°C c.c. Miscible with water. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.	192
-	Т3	TP33	F-A, S-J	Category E H1	-	Liable to heat and ignite spontaneously in air and to evolve sulphur dioxide, an irritating gas.	192
-	-	-	<u>F-G</u> , S-L	Category D H1	SG26	Colourless, yellowish liquid. Decomposes violently in contact with water. Spillage will ignite spontaneously.	192
-	Т3	TP33	F-A, S-J	Category E H1	-	Liable to heat and ignite spontaneously in air and to evolve sulphur dioxide, an irritating gas.	192

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

D G L

UN No.	Proper shipping name (PSN)	hipping name PSN) Class or Subsidiary Packing Special Li division hazard(s) group provisions		Limited an quantity p	Limited and excepted quantity provisions		Packing		IBC		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1931	ZINC DITHIONITE (ZINC HYDROSULPHITE)	9	_	111	_	5 kg	E1	P002 LP02	-	IBC08	B3
1932	ZIRCONIUM, SCRAP	4.2	-	111	223	0	EO	P002 LP02	PP31 L4	IBC08	B4
1935	CYANIDE SOLUTION, N.O.S.	6.1	– P	I	274	0	E5	P001	-	-	-
1935	CYANIDE SOLUTION, N.O.S.	6.1	– P	II	274	100 mL	E4	P001	-	IBC02	-
1935	CYANIDE SOLUTION, N.O.S.	6.1	– P	111	223 274	5 L	E1	P001 LP01	-	IBC03	_
1938	BROMOACETIC ACID SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-
1938	BROMOACETIC ACID SOLUTION	8	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	_
1939	PHOSPHORUS OXYBROMIDE	8	_	II	_	1 kg	EO	P002	_	IBC08	B4 B21
1940	THIOGLYCOLIC ACID	8	-	II	-	1 L	E2	P001	-	IBC02	-
1941	DIBROMODIFLUOROMETHANE	9	-	III	-	5 L	E1	P001 LP01	-	-	-
1942	AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	5.1	_	III	900 952 967	5 kg	E1	P002 LP02	-	IBC08	Β3
1944	MATCHES, SAFETY (book, card or strike on box)	4.1	-	III	293 294	5 kg	E1	P407	-	-	-
1945	MATCHES, WAX 'VESTA'	4.1	-	111	293 294	5 kg	E1	P407	-	-	-
1950	AEROSOLS	2	– See SP63	-	63 190 277 327 344 381 959	See SP277	EO	P207 LP200	PP87 L2	_	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2	(16a) 7.1	(16b) 7.2–7.7	(17)	(18)
-	4.3 T1	TP33	7.8 F-A, S-J	Category A H1	SGG7 SG11 SG20	White, amorphous solid material. Soluble in water. Liable to heat on contact with moisture and heating results in evolution of sulphur dioxide, an intensely irritating gas. Also evolves sulphur dioxide on contact with acids.	1931
-	T1	TP33	F-G, S-L	Category D H1	SG26	Particle size larger than 840 microns. Readily flammable; may ignite spontaneously in air. In contact with water, may evolve hydrogen, a flammable gas.	1932
-	T14	TP2 TP13 TP27	F-A, <u>S-A</u>	Category B SW2	SGG6 SG35	Liquid evolving toxic vapour. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by inhalation.	1935
-	T11	TP2 TP13 TP27	F-A, <u>S-A</u>	Category A SW2	SGG6 SG35	See entry above.	1935
-	T7	TP2 TP13 TP28	F-A, <u>S-A</u>	Category A SW2	SGG6 SG35	See entry above.	1935
-	Τ7	TP2	F-A, S-B	Category A SW2	SGG1 SG36 SG49	Corrosive to most metals. Harmful if swallowed. Causes burns to eyes and skin.	1938
-	Τ7	TP2	F-A, S-B	Category A SW2	SGG1 SG36 SG49	See entry above.	1938
-	Т3	TP33	F-A, S-B	Category C SW1 SW2 H2	SGG1 SG36 SG49	Colourless crystals. Melting point: 56°C. Reacts violently with water, evolving hydrogen bromide, a toxic and corrosive gas apparent as white fumes. Reacts violently with organic materials (such as wood, cotton, straw), causing fire. Decomposes when heated, evolving toxic and corrosive gases. When involved in a fire, evolves toxic and corrosive gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	1939
-	T7	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless liquid with a strong, very unpleasant odour. Corrosive to most metals. Harmful if swallowed.	1940
-	T11	TP2	F-A, S-A	Category A SW1	-	Colourless, heavy liquid. Boiling point: 24°C. Immiscible with water. When involved in a fire, may evolve toxic fumes. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	1941
-	T1 BK2 BK3	TP33	F-H, S-Q	Category C SW1 SW14 SW23	SGG2 SG16 SG42 SG45 SG47 SG48 SG51 SG56 SG58 SG59 SG61	Crystals, granules or prills. Soluble in water. Supporter of combustion. A major fire aboard a ship carrying this substance may involve a risk of explosion in the event of contamination (e.g. by fuel oil) or strong confinement. An adjacent detonation may also involve the risk of explosion. If heated strongly, decomposes, giving off toxic gases and gases which support combustion. Transport of AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition is prohibited .	1942
-	-	-	F-A, S-I	Category A	-	Intended to be ignited on a specially prepared surface.	1944
-	-	-	F-A, S-I	Category B	-	Ignite by friction; a prepared surface may be required.	1945
-	-	-	F-D, S-U	- SW1 SW22	SG69	_	1950

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Packing		IBC	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	1951	ARGON, REFRIGERATED LIQUID	2.2	-	-	-	120 mL	E1	P203	-	-	-
\triangle	1952	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with not more than 9% ethylene oxide	2.2	-	-	392	120 mL	E1	P200	-	-	-
	1953	COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S.	2.3	2.1	-	274	0	E0	P200	-	-	-
	1954	COMPRESSED GAS, FLAMMABLE, N.O.S.	2.1	-	-	274 392	0	E0	P200	-	-	-
	1955	COMPRESSED GAS, TOXIC, N.O.S.	2.3	-	_	274	0	E0	P200	-	-	-
\triangle	1956	COMPRESSED GAS, N.O.S.	2.2	-	_	274 378 392	120 mL	E1	P200	-	-	-
	1957	DEUTERIUM, COMPRESSED	2.1	-	-	-	0	E0	P200	-	-	-
	1958	1,2-DICHLORO-1,1,2,2- TETRAFLUOROETHANE (REFRIGERANT GAS R 114)	2.2	-	-	-	120 mL	E1	P200	-	-	-
	1959	1,1-DIFLUOROETHYLENE (REFRIGERANT GAS R 1132a)	2.1	-	-	-	0	E0	P200	-	-	-
	1961	ETHANE, REFRIGERATED LIQUID	2.1	-	-	-	0	E0	P203	-	-	-
	1962	ETHYLENE	2.1	-	-	-	0	E0	P200	-	-	-
	1963	HELIUM, REFRIGERATED LIQUID	2.2	-	-	-	120 mL	E1	P203	-	-	-
	1964	HYDROCARBON GAS MIXTURE, COMPRESSED, N.O.S.	2.1	-	-	274	0	EO	P200	-		-
	1965	HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S.	2.1	-	-	274 392	0	EO	P200	-	-	-
	1966	HYDROGEN, REFRIGERATED LIQUID	2.1	-	-	-	0	EO	P203	-	-	-
	1967	INSECTICIDE GAS, TOXIC, N.O.S.	2.3	-	-	274	0	EO	P200	-	-	-
	1968	INSECTICIDE GAS, N.O.S.	2.2	-	-	274	120 mL	E1	P200	-	-	-
	1969	ISOBUTANE	2.1	-	-	392	0	E0	P200	-	-	-
	1970	KRYPTON, REFRIGERATED LIQUID	2.2	-	-	-	120 mL	E1	P203	-	-	-
	1971	METHANE, COMPRESSED or NATURAL GAS, COMPRESSED with high methane content	2.1	-	-	392 974	0	EO	P200	-	-	-
	1972	METHANE, REFRIGERATED LIQUID or NATURAL GAS, REFRIGERATED LIQUID with high methane content	2.1	_	_	_	0	EO	P203	_	_	_

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.]
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	T75	TP5	F-C, S-V	Category D	-	Liquefied, inert gas. Heavier than air (1.4).	1951	
-	-	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas with an ether-like odour. Explosive limits: 31% to 52%. Heavier than air (1.5).	1952	2
-	-	-	F-D, S-U	Category D SW2	_	-	1953	;
-	-	-	F-D, S-U	Category D SW2	-	-	1954	
-	-	-	F-C, S-U	Category D SW2	-	-	1955	'
-	-	-	F-C, S-V	Category A	-	-	1956	
-	-	-	F-D, S-U	Category E SW2	_	Flammable, odourless gas. Much lighter than air (0.14).	1957	•
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas with a chloroform-like odour. Much heavier than air (5.9). Boiling point: 4°C.	1958	1
-	-	-	F-D, S-U	Category E SW2	_	Flammable gas. Explosive limits: 2.3% to 25%. Much heavier than air (2.2).	1959	1
-	T75	TP5	F-D, S-U	Category D SW2	-	Liquefied, flammable gas with a faint odour. Explosive limits: 3% to 16%. Slightly heavier than air (1.05).	1961	
-	-	-	F-D, S-U	Category E SW2	-	Flammable gas. Explosive limits: 3% to 34%. Slightly lighter than air (0.98).	1962	:
-	T75	TP5 TP34	F-C, S-V	Category D	-	Liquefied, inert gas. Much lighter than air (0.14).	1963	
-	_	_	F-D, S-U	Category E SW2	_	Flammable hydrocarbon gas mixture obtained from natural gas or by distillation of mineral oils or coal, etc. May contain propane, cyclopropane, propylene, butane, butylene, etc., in varying proportions. Heavier than air.	1964	
-	T50	-	<u>F-D</u> , S-U	Category E SW2	-	Liquefied flammable hydrocarbon gas obtained from natural gas or by distillation of mineral oils or coal, etc. May contain propane, cyclopropane, propylene, butane, butylene, etc., in varying proportions. Heavier than air.	1965	,
-	T75	TP5 TP34	<u>F-D</u> , S-U	Category D SW2	SG46	Liquefied, flammable, odourless gas. Explosive limits: 4% to 75%. Much lighter than air (0.07).	1966	;
-	-	-	F-C, S-U	Category D SW2	-	Toxic mixtures of insecticides with liquefied gases. These mixtures may be flammable.	1967	
-	-	-	F-C, S-V	Category A	-	Non-flammable and non-toxic mixtures of insecticides with liquefied gases.	1968	;
-	T50	-	F-D, S-U	Category E SW2	-	Flammable hydrocarbon. Heavier than air.	1969	'
-	T75	TP5	F-C, S-V	Category D	-	Liquefied, inert gas. Much heavier than air (2.9).	1970	
-	-	-	F-D, S-U	Category E SW2	-	Flammable gas. Explosive limits: 5% to 16%. Lighter than air (methane 0.55).		
-	T75	TP5	<u>F-D</u> , S-U	Category D SW2	-	Liquefied, flammable gas. Explosive limits: 5% to 16%. Lighter than air (methane 0.55).	1972	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1973	CHLORODIFLUOROMETHANE AND CHLOROPENTAFLUORO- ETHANE MIXTURE with a fixed boiling point, with approximately 49% chlorodifluoromethane (REFRIGERANT GAS R 502)	2.2	-	-	-	120 mL	E1	P200	-	-	-
1974	CHLORODIFLUOROBROMO- METHANE (REFRIGERANT GAS R 12B1)	2.2	-	-	-	120 mL	E1	P200	-	-	-
1975	NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURE (NITRIC OXIDE AND NITROGEN DIOXIDE MIXTURE)	2.3	5.1/8	-	-	0	EO	P200	-	-	-
1976	OCTAFLUOROCYCLOBUTANE (REFRIGERANT GAS RC 318)	2.2	-	-	-	120 mL	E1	P200	-	-	-
1977	NITROGEN, REFRIGERATED LIQUID	2.2	_	-	345 346	120 mL	E1	P203	_	_	-
1978	PROPANE	2.1	-	-	392	0	E0	P200	-	-	-
1982	TETRAFLUOROMETHANE (REFRIGERANT GAS R 14)	2.2	-	-	-	120 mL	E1	P200	-	-	-
1983	1-CHLORO-2,2,2-TRIFLUORO- ETHANE (REFRIGERANT GAS R 133a)	2.2	-	-	-	120 mL	E1	P200	-	-	-
1984	TRIFLUOROMETHANE (REFRIGERANT GAS R 23)	2.2	-	-	-	120 mL	E1	P200	-	-	-
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	3	6.1	I	274	0	EO	P001	-	-	- /
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	3	6.1	П	274	1 L	E2	P001	-	IBC02	-
1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	3	6.1	111	223 274	5 L	E1	P001	-	IBC03	
1987	ALCOHOLS, N.O.S.	3	-	II	274	1 L	E2	P001	-	IBC02	-
1987	ALCOHOLS, N.O.S.	3	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	3	6.1	I	274	0	EO	P001	-	-	-
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	3	6.1	II	274	1 L	E2	P001	-	IBC02	-
1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	3	6.1	III	223 274	5 L	E1	P001	-	IBC03	-
1989	ALDEHYDES, N.O.S.	3	-	Ι	274	0	E3	P001	-	-	-
1989	ALDEHYDES, N.O.S.	3	-	II	274	1 L	E2	P001	-	IBC02	-
1989	ALDEHYDES, N.O.S.	3	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T50	-	F-C, S-V	Category A	_	Liquefied, non-flammable gas. Much heavier than air (4.2.)	1973
-	- T50 - F-C, S-V Category A -		-	Liquefied, non-flammable gas. Much heavier than air (5.7).	1974		
		-	F-C, S-W	Category D SW2	SG6 SG19	Non-flammable, toxic and corrosive, brown gas mixtures of varying composition with a pungent odour. Strong oxidizing agent. Heavier than air. Highly irritating to skin, eyes and mucous membranes. Toxic by inhalation, with delayed effect similar to phosgene.	1975
- T50 -		-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air (7.0).	1976
-	T75	TP5	F-C, S-V	Category D	-	Liquefied, non-flammable, odourless gas. Lighter than air (0.97). Arrangements for the containment of the liquid nitrogen and fittings in use should be appropriate to the potential danger to the structure of the freight container or ship from the effect of misuse or accidental spillage.	1977
-	Т50	-	F-D, S-U	Category E SW2	_	Flammable hydrocarbon gas. Explosive limits: 2.3% to 9.5%. Heavier than air (1.56).	1978
-	-	-	F-C, S-V	Category A	-	Non-flammable gas. Much heavier than air (3.1).	1982
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air (4.1). Boiling point: 7°C.	1983
-	-	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air (2.4).	1984
-	T14	TP2 TP13 TP27	F-E, S-D	Category E SW2	_	Toxic if swallowed, by skin contact or by inhalation.	1986
-	T11	TP2 TP27	F-E, S-D	Category B SW2	-	See entry above.	1986
-	Τ7	TP1 TP28	F-E, S-D	Category A	-	See entry above.	1986
-	Τ7	TP1 TP8 TP28	F-E, S-D	Category B	-	-	1987
-	T4	TP1 TP29	F-E, S-D	Category A	_	-	1987
-	T14	TP2 TP13 TP27	F-E, S-D	Category E SW2	-	Toxic if swallowed, by skin contact or by inhalation.	1988
-	T11	TP2 TP27	F-E, S-D	Category B SW2	-	See entry above.	1988
-	T7	TP1 TP28	F-E, S-D	Category A	-	See entry above.	1988
-	T11	TP1 TP27	F-E, S-D	Category E	-	-	1989
-	Τ7	TP1 TP8 TP28	F-E, S-D	Category B	-	-	1989
- T4 TP1 TP29		TP1 TP29	F-E, S-D	Category A	-	-	1989

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
1990	BENZALDEHYDE	9	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
1991	CHLOROPRENE, STABILIZED	3	6.1	I	386	0	EO	P001	-	-	-
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	3	6.1	I	274	0	EO	P001	-	-	-
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	3	6.1	II	274	1 L	E2	P001	-	IBC02	-
1992	FLAMMABLE LIQUID, TOXIC, N.O.S.	3	6.1	III	223 274	5 L	E1	P001	-	IBC03	-
1993	FLAMMABLE LIQUID, N.O.S.	3	-	I	274	0	E3	P001	-	-	-
1993	FLAMMABLE LIQUID, N.O.S.	3	-	II	274	1 L	E2	P001	-	IBC02	-
1993	FLAMMABLE LIQUID, N.O.S.	3	-	111	223 274 955	5 L	E1	P001 LP01	-	IBC03	-
1994	IRON PENTACARBONYL	6.1	3	I	354	0	EO	P601	-	-	-
1999	TARS, LIQUID, including road oils, and cutback bitumens	3	-	II	-	5 L	E2	P001	-	IBC02	
1999	TARS, LIQUID, including road oils, and cutback bitumens	3	-	111	955	5 L	E1	P001 LP01	-	IBC03	-
2000	CELLULOID in block, rods, rolls, sheets, tubes, etc., except scrap	4.1	-	ш	223 383	5 kg	E1	P002 LP02	PP7	-	-
2001	COBALT NAPHTHENATES, POWDER	4.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
2002	CELLULOID, SCRAP	4.2	-	Ш	223	0	EO	P002 LP02	PP8	IBC08	B3
2004	MAGNESIUM DIAMIDE	4.2	-	Ш	-	0	E2	P410	PP31	IBC06	-
2006	PLASTICS, NITROCELLULOSE- BASED, SELF-HEATING, N.O.S.	4.2	-	Ш	274	0	E0	P002	-	-	-
2008	ZIRCONIUM POWDER, DRY	4.2	-	I	-	0	E0	P404	PP31	-	-
2008	ZIRCONIUM POWDER, DRY	4.2	-	Ш	-	0	E2	P410	PP31	IBC06	B21
2008	ZIRCONIUM POWDER, DRY	4.2	-	III	223	0	E1	P002 LP02	PP31 L4	IBC08	B4
2009	ZIRCONIUM, DRY finished sheets, strip or coiled wire	4.2	-	III	223	0	E1	P002 LP02	PP31 L4	_	-
2010	MAGNESIUM HYDRIDE	4.3	-	I	-	0	E0	P403	PP31	-	-
2011	MAGNESIUM PHOSPHIDE	4.3	6.1	I	_	0	EO	P403	PP31	_	-

ſ		Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	T2	TP1	F-A, S-A	Category A	-	Colourless or yellowish volatile oil with a bitter almond odour. Slightly soluble in water. Irritating to skin, eyes and mucous membranes.	1990
	-	T14	TP2 TP6 TP13	F-E, S-D	Category D SW1 SW2	SGG10	Colourless liquid. Flashpoint: -20°C c.c. Explosive limits: 2.5% to 12%. Slightly soluble in water. Toxic if swallowed, by skin contact or by inhalation.	1991
	-	T14	TP2 TP13 TP27	F-E, S-D	Category E SW2	-	Flammable toxic liquid which is not specified by name in this class or, on account of its characteristics, in some other class. Toxic if swallowed, by skin contact or by inhalation.	1992
	-	T7	TP2 TP13	F-E, S-D	Category B SW2	-	See entry above.	1992
	-	Τ7	TP1 TP28	F-E, S-D	Category A	-	See entry above.	1992
	-	T11	TP1 TP27	F-E, <u>S-E</u>	Category E	_	-	1993
	-	Τ7	TP1 TP8 TP28	F-E, <u>S-E</u>	Category B	-	-	1993
	-	Т4	TP1 TP29	F-E, <u>S-E</u>	Category A	-	-	1993
	-	T22	TP2 TP13	F-E, S-D	Category D SW2	-	Yellow to dark red, volatile flammable liquid. Flashpoint: -15°C c.c. Explosive limits: 3.7% to 12.5%. May react with water or steam, evolving carbon monoxide, which is a toxic gas. Highly toxic if swallowed, by skin contact or by inhalation.	1994
	-	Т3	TP3 TP29	F-E, S-E	Category B	_	Mobile liquids prepared by mixing asphalt with petroleum distillate. Pungent odour. Immiscible with water.	1999
	-	T1	TP3	F-E, S-E	Category A	-	See entry above.	1999
	-	-	-	F-A, S-I	Category A	-	Ignites readily. When involved in a fire, evolves toxic fumes; in enclosed cargo spaces, these fumes may form an explosive mixture with air.	2000
	-	T1	TP33	F-A, S-I	Category A	-	Brown, amorphous powder. Insoluble in water. Readily combustible.	2001
	-	-	-	F-A, S-J	Category D	-	Ignites readily. When involved in a fire, evolves toxic fumes; in enclosed cargo spaces, these fumes may form an explosive mixture with air.	2002
	-	Т3	TP33	F-G, S-M	Category C H1	SG26	White powder. Ignites spontaneously in air. Reacts violently in contact with water.	2004
	-	-	-	F-A, S-G	Category C	_	-	2006
	-	T21	TP7 TP33	F-G, S-M	Category D H1	SGG15 SG26	Amorphous powder. Liable to ignite spontaneously in air. Forms explosive mixtures with oxidizing substances.	2008
	-	Т3	TP33	F-G, S-M	Category D H1	SGG15 SG26	See entry above.	2008
	-	T1	TP33	F-G, S-M	Category D H1	SGG15 SG26	See entry above.	2008
	-	-	-	F-G, S-M	Category D H1	SGG15 SG26	Hard, silvery metal, liable to ignite spontaneously in air.	2009
	-	-	-	<u>F-G</u> , S-O	Category E H1	SG26 SG35	White crystals. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	2010
	-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Solid. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	2011

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2012	POTASSIUM PHOSPHIDE	4.3	6.1	I	-	0	E0	P403	PP31	-	-
2013	STRONTIUM PHOSPHIDE	4.3	6.1	I	-	0	EO	P403	PP31	-	-
2014	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	5.1	8	II	-	1 L	E2	P504	PP10	IBC02	B5
2015	HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide	5.1	8	I	_	0	EO	P501	_	_	_
2016	AMMUNITION, TOXIC, NON- EXPLOSIVE without burster or expelling charge, non-fuzed	6.1	-	-	-	0	EO	P600	-	-	-
2017	AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	6.1	8	_	-	0	EO	P600	_	_	-
2018	CHLOROANILINES, SOLID	6.1	-	11	_	500 g	E4	P002	-	IBC08	B4 B21
2019	CHLOROANILINES, LIQUID	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
2020	CHLOROPHENOLS, SOLID	6.1	-	111	205	5 kg	E1	P002 LP02	-	IBC08	B3
2021	CHLOROPHENOLS, LIQUID	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2022	CRESYLIC ACID	6.1	8	II	-	100 mL	E4	P001	-	IBC02	_
2023	EPICHLOROHYDRIN	6.1	З Р	II	279	100 mL	E4	P001		IBC02	-
2024	MERCURY COMPOUND, LIQUID, N.O.S.	6.1	– P	I	43 66 274	0	E5	P001	-	-	-
2024	MERCURY COMPOUND, LIQUID, N.O.S.	6.1	– P	II	43 66 274	100 mL	E4	P001	-	IBC02	-
2024	MERCURY COMPOUND, LIQUID, N.O.S.	6.1	– P	III	43 66 223 274	5 L	E1	P001 LP01	-	IBC03	-
2025	MERCURY COMPOUND, SOLID, N.O.S.	6.1	– P	I	43 66 274	0	E5	P002	-	IBC07	B1

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Solid. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	2012
-	-	-	<u>F-G</u> , S-N	Category E SW2 SW5 H1	SG26 SG35	Solid. Reacts with acids or decomposes slowly in contact with water or damp air, evolving phosphine, a spontaneously flammable and highly toxic gas. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	2013
-	T7	TP2 TP6 TP24	F-H, S-Q	Category D SW1	SGG16 SG16 SG59 SG72	Colourless liquid. Slowly decomposes, evolving oxygen; the rate of decomposition increases in contact with metals, except aluminium. In contact with combustible material, may cause fire or explosion. Causes burns to skin, eyes and mucous membranes. Even though stabilized, these solutions may evolve oxygen.	2014
-	Т9	TP2 TP6 TP24	F-H, S-Q	Category D SW1	SGG16 SG16 SG59	Colourless liquid. Slowly decomposes, evolving oxygen; the rate of decomposition increases in contact with metals, except aluminium. Decomposes vigorously in contact with permanganates. When involved in a fire, mixtures with combustible material may be explosive. Causes burns to skin, eyes and mucous membranes. Even though stabilized, these solutions may evolve oxygen.	2015
-	-	-	F-A, S-A	Category E SW2 H1	-	Contents may evolve toxic fumes or vapour. Gases evolved are toxic by skin contact or by inhalation.	2016
-		-	F-A, S-B	Category E SW2 H1	_	Contents may evolve irritant gas or vapour with lachrymatory effects.	2017
-	Т3	TP33	F-A, S-A	Category A	-	Crystalline solid. Melting point of pure <i>para</i> -chloroaniline: 70°C approximately. Toxic if swallowed, by skin contact or by dust inhalation.	2018
-	Τ7	TP2	F-A, S-A	Category A	SG35	Colourless liquid. May be a mixture of two of the isomers (e.g. <i>ortho-</i> and <i>meta-</i>) of chloroaniline. Reacts with acids. Toxic if swallowed, by skin contact or by inhalation.	2019
-	T1	TP33	F-A, S-A	Category A	-	A wide range of toxic solids. Toxic if swallowed, by skin contact or by dust inhalation.	2020
-	T4	TP1	F-A, S-A	Category A	-	A wide range of toxic liquids. Toxic if swallowed, by skin contact or by inhalation.	2021
-	Τ7	TP2 TP13	F-A, S-B	Category B	-	Colourless to brownish-yellow liquid mixture with a phenolic odour. Miscible with water. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes. "Cresylic acid" is a generic name for mixtures of cresols and higher alkylphenols, in varying proportions. It generally contains more than 95% phenolic compounds.	2022
-	Τ7	TP2 TP13	F-E, <u>S-D</u>	Category A SW2	-	Colourless flammable liquid with a chloroform-like odour. Flashpoint: approximately 32°C c.c. Toxic if swallowed, by skin contact or by inhalation.	2023
-	-	-	F-A, <u>S-A</u>	Category B SW2	SGG7 SGG11	Toxic if swallowed, by skin contact or by inhalation.	2024
_	-	-	F-A, <u>S-A</u>	Category B SW2	SGG7 SGG11	See entry above.	2024
-	-	-	F-A, <u>S-A</u>	Category B SW2	SGG7 SGG11	See entry above.	2024
-	Т6	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Toxic if swallowed, by skin contact or by dust inhalation.	2025

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2025	MERCURY COMPOUND, SOLID, N.O.S.	6.1	– P	II	43 66 274	500 g	E4	P002	-	IBC08	B4 B21
2025	MERCURY COMPOUND, SOLID, N.O.S.	6.1	– P	111	43 66 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2026	PHENYLMERCURIC COMPOUND, N.O.S.	6.1	– P	I	43 274	0	E5	P002	-	IBC07	B1
2026	PHENYLMERCURIC COMPOUND, N.O.S.	6.1	– P	Ш	43 274	500 g	E4	P002	-	IBC08	B4 B21
2026	PHENYLMERCURIC COMPOUND, N.O.S.	6.1	– P	111	43 223 274	5 kg	E1	P002 LP02	-	IBC08	В3
2027	SODIUM ARSENITE, SOLID	6.1	-	II	43	500 g	E4	P002	-	IBC08	B4 B21
2028	BOMBS, SMOKE, NON-EXPLOSIVE with corrosive liquid, without initiating device	8	-	II	-	0	EO	P803	-	-	-
2029	HYDRAZINE, ANHYDROUS	8	3/6.1	I	_	0	EO	P001	-	-	-
2030	HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass	8	6.1	I	-	0	EO	P001	-	-	-
2030	HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass	8	6.1	II	-	1 L	EO	P001	-	IBC02	-
2030	HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass	8	6.1	III	-	5 L	E1	P001 LP01	-	IBC03	-
2031	NITRIC ACID other than red fuming, with more than 70% nitric acid	8	5.1	I	_	0	EO	P001	PP81		-
2031	NITRIC ACID other than red fuming, with at least 65% but with not more than 70% nitric acid.	8	5.1	II	-	1 L	E2	P001	PP81	IBC02	B15 B20
2031	NITRIC ACID other than red fuming, with less than 65% nitric acid	8	-	II	-	1 L	E2	P001	PP81	IBC02	B15 B20

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Toxic if swallowed, by skin contact or by dust inhalation.	2025
-	T1	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	See entry above.	2025
-	Т6	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	Usually white crystals or powder. Toxic if swallowed, by skin contact or by dust inhalation.	2026
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	See entry above.	2026
-	T1	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG11	See entry above.	2026
-	Т3	TP33	F-A, S-A	Category A	-	Greyish-white powder. Soluble in water. Reacts with oxidizing substances, evolving heat. Toxic if swallowed, by skin contact or by dust inhalation.	2027
-	-	-	F-A, S-B	Category E SW2	-	Corrosive content evolves dense smoke when in contact with air. Corrosive content may cause acid burns to skin.	2028
-		-	F-E, <u>S-C</u>	Category D SW2	SGG18 SG5 SG8 SG35	Colourless, flammable liquid with an ammoniacal odour. Reacts violently with acids. Flashpoint: 52°C c.c. Miscible with water. Highly reactive reducing agent. Ignites spontaneously when in contact with porous materials such as earth, wood or cloth. Toxic if swallowed, by skin contact or by inhalation. Causes severe burns to skin, eyes and mucous membranes.	2029
-	T10	TP2 TP13	F-A, S-B	Category D SW2	SGG18 SG35	Colourless liquid. Powerful reducing agent, burns readily. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	2030
-	Τ7	TP2 TP13	F-A, S-B	Category D SW2	SGG18 SG35	See entry above.	2030
-	T4	TP1	F-A, S-B	Category D SW2	SGG18 SG35	See entry above.	2030
	T10	TP2 TP13	F-A, S-Q	Category D	SGG1a SG6 SG16 SG17 SG19 SG36 SG49	Colourless liquid. Powerful oxidant; may cause fire in contact with organic materials such as wood, cotton or straw, evolving highly toxic gases (brown fumes). Highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	2031
-	Τ8	TP2	F-A, S-Q	Category D	SGG1a SG6 SG16 SG17 SG19 SG36 SG49	Colourless liquid. Oxidant; may cause fire in contact with organic materials such as wood, cotton or straw, evolving highly toxic gases (brown fumes). Highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	2031
-	Т8	TP2	F-A, S-B	Category D	SGG1a SG36 SG49	See entry above.	2031

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

_			Durana shina ina anasa	01	0	Dealise	Ornerial	Linited on		Deal			0
	1	No.	(PSN)	division	hazard(s)	group	provisions	quantity p	a exceptea provisions	Paci		IB	
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
ח	20	032	NITRIC ACID, RED FUMING	8	5.1/6.1	I	_	0	EO	P602	_	-	-
G	20	033	POTASSIUM MONOXIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
ы,	20	034	HYDROGEN AND METHANE MIXTURE, COMPRESSED	2.1	-	-	-	0	EO	P200	-	-	-
	2	035	1,1,1-TRIFLUOROETHANE (REFRIGERANT GAS R 143a)	2.1	-	-	-	0	E0	P200	-	-	-
	△ 20	036	XENON	2.2	-	-	378 392	120 mL	E1	P200	-	-	-
	△ 20	037	RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES) without a release device, non-refillable	2	-	-	191 277 303 327 344 959	see SP277	EO	P003 LP200	PP96 L2 PP17	_	_
	20	038	DINITROTOLUENES, LIQUID	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	B20
	20	044	2,2-DIMETHYLPROPANE	2.1	-	-	-	0	E0	P200	-	-	
	20	045	ISOBUTYL ALDEHYDE (ISOBUTYRALDEHYDE)	3	-	II	-	1 L	E2	P001	-	IBC02	-
	20	046	CYMENES	3	– P	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2	047	DICHLOROPROPENES	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2	047	DICHLOROPROPENES	3	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
	20	048	DICYCLOPENTADIENE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	20	049	DIETHYLBENZENE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	20	050	DIISOBUTYLENES, ISOMERIC COMPOUNDS	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
	2	051	2-DIMETHYLAMINOETHANOL	8	3	II	_	1 L	E2	P001	-	IBC02	-
	20	052	DIPENTENE	3	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2	053	METHYL ISOBUTYL CARBINOL	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T20	TP2 TP13	F-A, S-Q	Category D SW2	SGG1a SG6 SG16 SG17 SG19 SG36 SG49	Brown liquid. Powerful oxidant; may cause fire in contact with organic materials such as wood, cotton or straw. Highly corrosive to most metals. Toxic if swallowed, by skin contact or by vapour inhalation. Causes severe burns to skin, eyes and mucous membranes.	2032
-	Т3	TP33	F-A, S-B	Category A	SGG18 SG22 SG35	Deliquescent crystalline solid. Reacts violently with water, generating heat. Reacts with ammonium salts, evolving ammonia gas. Reacts violently with acids. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	2033
-	-	-	F-D, S-U	Category E SW2	SG46	Flammable, odourless gas mixtures. Much lighter than air.	2034
-	T50	-	F-D, S-U	Category B SW2	-	Flammable gas with a slight odour. Much heavier than air (2.9).	2035
-	-	-	F-C, S-V	Category A	-	Liquefied, inert gas. Much heavier than air (4.5).	2036
-	-	-	F-D, S-U	Category B SW2 SW22	-	Normally contain mixtures of liquefied butane and propane in various proportions for use in camping stoves, etc.	2037
-	Т7	TP2	F-A, <u>S-A</u>	Category A	-	Immiscible with water. A commercial grade consisting of a mixture of the 2,4-, 3,4- and 3,5-isomers is an oily liquid. Toxic if swallowed, by skin contact or by inhalation.	2038
-	-	-	F-D, S-U	Category E SW2	-	Flammable hydrocarbon gas. Explosive limits: 1.4% to 7.2%. Heavier than air (2.48).	2044
-	T4	TP1	F-E, S-D	Category E SW2	-	Colourless liquid with a characteristic pungent odour. Flashpoint: -24°C c.c. Explosive limits: 1% to 12%. Immiscible with water.	2045
-	T2	TP1	F-E, <u>S-D</u>	Category A	-	Colourless liquids with an aromatic odour. Immiscible with water. Explosive limits: 0.7% to 5.6%.	2046
-	T4	TP1	F-E, S-D	Category B	-	Colourless or yellow liquids with a sweet odour. Explosive limits: 5% to 14%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2047
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	2047
-	T2	TP1	F-E, S-D	Category A	-	The pure substance is a solid with a melting point of 34°C. Flashpoint: 26°C to 38°C o.c. Commercial products are liquids. Immiscible with water. Harmful if swallowed.	2048
-	T2	TP1	F-E, S-D	Category A	_	Colourless liquids. Flashpoint: 49°C to 56°C c.c. Immiscible with water. The commercial product is a mixture of isomers.	2049
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquids. Flashpoint: -18°C to 21°C c.c. Explosive limits: 0.8% to 4.8%. Immiscible with water.	2050
-	T7	TP2	F-E, S-C	Category A	SG35	Colourless, flammable liquid with a fishy odour. Flashpoint: 31°C o.c. Miscible with water. Causes burns to skin, eyes and mucous membranes.	2051
-	T2	TP1	F-E, S-E	Category A	-	Colourless liquid with a lemon-like odour. Flashpoint: 43°C c.c. Explosive limits: 0.7% to 6.1%. Immiscible with water.	2052
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 41°C c.c. Explosive limits: 1% to 5.5%. Miscible with water. Harmful by inhalation.	2053

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3
3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity (d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2054	MORPHOLINE	8	3	I	-	0	EO	P001	-	-	_
2055	STYRENE MONOMER, STABILIZED	3	-	ш	386	5 L	E1	P001	-	IBC03	-
2056	TETRAHYDROFURAN	3	-	II	-	1 L	E2	P001	-	IBC02	-
2057	TRIPROPYLENE	3	– P	II	-	1 L	E2	P001	-	IBC02	-
2057	TRIPROPYLENE	3	– P	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
2058	VALERALDEHYDE	3	-	П	-	1 L	E2	P001	-	IBC02	-
2059	NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	3	-	I	198	0	EO	P001	-	-	-
2059	NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	3	-	II	198	1 L	EO	P001	-	IBC02	-
2059	NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	3	-	111	198 223	5 L	EO	P001 LP01	-	IBC03	-
2067	AMMONIUM NITRATE BASED FERTILIZER	5.1	-	III	306 307 900 967	5 kg	E1	P002 LP02	-	IBC08	Β3
					100					12000	
2071	FERTILIZER	9	_		193	5 кд	EI	LP02	_	IBC08	В3
2073	AMMONIA SOLUTION relative density less than 0.880 at 15°C in water, with more than 35% but not more than 50% ammonia	2.2	– P	-	-	120 mL	EO	P200	-	-	-
2074	ACRYLAMIDE, SOLID	6.1	-		-	5 kg	E1	P002 LP02	-	IBC08	B3
2075	CHLORAL, ANHYDROUS, STABILIZED	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.	
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2	(16a) 7.1	(16b) 7.2–7.7	(17)	(18)	
-	4.3 T10	TP2	7.8 F-E, S-C	7.3–7.7 Category A	-	Colourless liquid with a fishy odour. Flashpoint: 38°C o.c. Explosive limits: 2% to 11.2%. Miscible with water. Harmful by skin contact or by inhalation. Corrosive to skin, eyes and mucous membranes.		
-	T2	TP1	F-E, S-D	Category C SW1	-	Colourless, oily liquid. Flashpoint: 32°C c.c. Explosive limits: 1.1% to 6.1%. Immiscible with water. Irritating to skin, eves and mucous membranes.		
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with an ethereal odour. Flashpoint: below -18°C c.c. Explosive limits: 1.5% to 12%. Miscible with water.	2056	
-	T4	TP2	F-E, <u>S-D</u>	Category B	-	Colourless liquid. Immiscible with water.	2057	
-	T2	TP2	F-E, <u>S-D</u>	Category A	-	See entry above.	2057	
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 12°C c.c. Partially miscible with water. Irritating to skin, eyes and mucous membranes.	2058	
-	T11	TP1 TP8 TP27	F-E, S-D	Category E	-	When involved in a fire, evolves toxic nitrous fumes.	2059	
-	T4	TP1 TP8	F-E, S-D	Category B	-	See entry above.	2059	
-	T2	TP1	F-E, S-D	Category A	-	When involved in a fire, evolves toxic nitrous fumes.	2059	
-	T1 BK2 BK3	TP33	F-H, S-Q	Category C SW1 SW14 SW23	SGG2 SG16 SG42 SG45 SG47 SG48 SG51 SG56 SG58 SG59 SG61	Crystals, granules or prills. Wholly or partly soluble in water. Supporters of combustion. A major fire aboard a ship carrying these substances may involve a risk of explosion in the event of contamination (e.g. by fuel oil) or strong confinement. An adjacent detonation may also involve a risk of explosion. If heated strongly, decompose, giving off toxic gases and gases which support combustion. Transport of AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition is prohibited .	2067	
-	BK2	-	F-H, S-Q	Category A SW26	SGG2	Usually granules. Wholly or partly soluble in water. These mixtures may be subject to self-sustaining decomposition if heated. The temperature in such a reaction can reach 500°C. Decomposition, once initiated, may spread throughout the remainder, producing gases which are toxic. None of these mixtures is subject to the explosion hazard. Transport of AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition is prohibited .	2071	
-	-	-	F-C, S-U	Category E SW2	SGG2 SGG18 SG35 SG46	Solution in water of non-flammable gas with a pungent odour. Reacts violently with acids. Extremely dangerous to the eyes.	2073	
-	T1	TP33	F-A, S-A	Category A SW1 H2	-	Crystals or powder. Soluble in water. May polymerise violently on melting. Toxic if swallowed, by skin contact or by inhalation.	2074	
-	Τ7	TP2	F-A, S-A	Category D SW2	-	Colourless, mobile liquid, evolving toxic vapours which are considerably heavier than air. Toxic if swallowed, by skin contact or by inhalation.		

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

	2
Π	2
G	2
L	2

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2076	CRESOLS, LIQUID	6.1	8	II	-	100 mL	E4	P001	-	IBC02	-
2077	alpha-NAPHTHYLAMINE	6.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
2078	TOLUENE DIISOCYANATE	6.1	-	II	279	100 mL	E4	P001	-	IBC02	-
2079	DIETHYLENETRIAMINE	8	_	II	_	1 L	E2	P001	-	IBC02	_
2186	HYDROGEN CHLORIDE, REFRIGERATED LIQUID	2.3	8	-	900	-	-	-	-	-	-
2187	CARBON DIOXIDE, REFRIGERATED LIQUID	2.2	-	-	-	120 mL	E1	P203	-	-	-
2188	ARSINE	2.3	2.1	-	-	0	E0	P200	-	-	-
2189	DICHLOROSILANE	2.3	2.1/8	-	-	0	E0	P200	-	-	-
2190	OXYGEN DIFLUORIDE, COMPRESSED	2.3	5.1/8	-	-	0	EO	P200	-	-	-
2191	SULPHURYL FLUORIDE	2.3	-	-	-	0	E0	P200	-	-	-
2192	GERMANE	2.3	2.1	-	-	0	E0	P200	-	-	-
2193	HEXAFLUOROETHANE (REFRIGERANT GAS R 116)	2.2	-	-	-	120 mL	E1	P200	-	-	-
2194	SELENIUM HEXAFLUORIDE	2.3	8	-	-	0	E0	P200	-	-	-
2195	TELLURIUM HEXAFLUORIDE	2.3	8	-	_	0	E0	P200	-	-	-
2196	TUNGSTEN HEXAFLUORIDE	2.3	8	-	-	0	EO	P200	-	-	-
2197	HYDROGEN IODIDE, ANHYDROUS	2.3	8	-	-	0	EO	P200	_	-	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T7	TP2	F-A, S-B	Category B	-	Colourless to light yellow liquids. Miscible with water. Melting point of <i>meta</i> -CRESOL: 12°C. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	2076
-	T1	TP33	F-A, S-A	Category A	-	White crystals. Toxic if swallowed, by skin contact or by inhalation.	2077
-	T7	TP2 TP13	F-A, S-A	Category C SW1 SW2	-	Colourless to pale yellow liquid with a pungent odour. Immiscible with water but reacts with it to form carbon dioxide. Melting point: 20°C (pure product). Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2078
-	Τ7	TP2	F-A, S-B	Category A SW2	SGG18 SG35	Yellow hygroscopic liquid with ammoniacal odour. Soluble in water. Strongly alkaline, corrosive. Can form explosive mixtures with nitric acid. Reacts with oxidizing substances. Corrosive to copper and its alloys. Reacts violently with acids. Liquid and vapour can cause severe damage to skin and eyes.	2079
-	-	-	-	-	-	Transport is prohibited.	2186
-	T75	TP5	F-C, S-V	Category D	-	Non-flammable, liquefied gas, colourless and odourless. Heavier than air (1.5). Cannot remain in the liquid state above 31°C.	2187
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a garlic odour. Explosive limits: 3.9% to 77.8%. Much heavier than air (2.8).	2188
-		-	F-D, S-U	Category D SW2	SG4 SG9 SG72	Flammable, toxic and corrosive gas. Reacts with water, evolving hydrogen chloride. Highly irritating to skin, eyes and mucous membranes.	2189
-	-	-	F-C, S-W	Category D SW2 H1	SG6 SG19	Non-flammable, toxic and corrosive, colourless gas with a foul odour. Strong oxidizing agent. Reacts slowly with water or moist air to produce poisonous and corrosive fumes. Corrosive to glass and to most metals. Heavier than air (1.9). Highly irritating to skin, eyes and mucous membranes.	2190
-	-	-	F-C, S-U	Category D SW2	_	Non-flammable, toxic, colourless, odourless gas. Reacts with water or moist air to produce toxic and corrosive fumes. Much heavier than air (3.5). Irritating to skin, eyes and mucous membranes.	2191
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a pungent odour. Much heavier than air (2.6).	2192
-	-	-	F-C, S-V	Category A	-	Non-flammable, colourless and odourless gas. Much heavier than air (4.8). Cannot remain in liquid state above 24.3°C.	2193
-	-	-	F-C, S-U	Category D SW2	-	Colourless, toxic and corrosive gas. Corrosive to glass and to most metals. Heavier than air. Highly irritating to skin, eyes and mucous membranes.	2194
-	-	_	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive colourless gas with an unpleasant odour. Decomposes in water, evolving highly toxic and corrosive fumes. Corrosive to glass and to most metals. Much heavier than air (7.2). Highly irritating to skin, eyes and mucous membranes.	2195
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive, colourless gas, or yellow liquid. Decomposes in water or moist air, evolving highly toxic and corrosive fumes. Corrosive to glass and to most metals. Much heavier than air (10.3). Boiling point: 19.5°C. Highly irritating to skin, eyes and mucous membranes.	2196
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive colourless gas with a pungent odour. Highly corrosive in the presence of water. Much heavier than air (4.4). Highly irritating to skin, eyes and mucous membranes.	2197

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	ting	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2198	PHOSPHORUS PENTAFLUORIDE	2.3	8	-	-	0	E0	P200	-	-	-
D	2199	PHOSPHINE	2.3	2.1	-	-	0	EO	P200	-	-	-
G	2200	PROPADIENE, STABILIZED	2.1	-	-	386	0	EO	P200	-	-	-
L	2201	NITROUS OXIDE, REFRIGERATED LIQUID	2.2	5.1	-	-	0	EO	P203	-	-	-
	2202	HYDROGEN SELENIDE, ANHYDROUS	2.3	2.1	-	-	0	EO	P200	-	-	-
	2203	SILANE	2.1	-	-	-	0	EO	P200	-	-	-
	2204	CARBONYL SULPHIDE	2.3	2.1	-	-	0	E0	P200	-	-	-
	2205	ADIPONITRILE	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2206	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-
	2206	ISOCYANATES, TOXIC, N.O.S. or ISOCYANATE SOLUTION, TOXIC, N.O.S.	6.1	-		223 274	5 L	E1	P001 LP01	-	IBC03	-
	2208	CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine	5.1	– P	Ш	314	5 kg	E1	P002	PP85	_	-
	2209	FORMALDEHYDE SOLUTION with not less than 25% formaldehyde	8	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2210	MANEB or MANEB PREPARATION with not less than 60% maneb	4.2	4.3 P	Ш	273	0	E1	P002	PP100	IBC06	-
	2211	POLYMERIC BEADS, EXPANDABLE evolving flammable vapour	9	-	111	382 965	5 kg	E1	P002	PP14	IBC08	B3 B6

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.	
(12)	Tank instructions (13) 4.2.5 4.3	Provisions (14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive gas with an irritating odour. Reacts with water or moist air to produce toxic and corrosive fumes. Corrosive to glass and to most metals. Much heavier than air (4.3). Highly irritating to skin, eyes and mucous membranes.		
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a garlic odour. Ignites spontaneously in air. Heavier than air (1.2). Irritating to skin, eyes and mucous membranes.	2199	
-	-	-	F-D, S-U	Category B SW1 SW2	-	Liquefied, flammable, colourless gas. Explosive limits: 1.7% to 12%. Heavier than air (1.4). Boiling point: -34° C. Irritating to skin, eyes and mucous membranes.	2200	
-	T75	TP5 TP22	<u>F-C</u> , S-W	Category D SW2	-	Liquefied, non-flammable, colourless gas with a slightly sweet odour. Strong oxidizing agent. Heavier than air (1.5). Cannot remain in liquid state above 36.5° C.	2201	
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a disagreeable odour. Much heavier than air (2.8). Highly irritating to skin, eyes and mucous membranes.	2202	
-	-	-	F-D, S-U	Category E SW2	SG43 SG46	Flammable, colourless gas with a foul odour. Explosive limits: 1% to 100%. Ignites spontaneously in air. Strong reducing agent which reacts violently with oxidizing substances. Heavier than air (1.1).	2203	
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a foul odour. Much heavier than air (2.1).	2204	
-	ТЗ	TP1	F-A, S-A	Category A	SGG6	Colourless, odourless oil. Decomposes above 93°C, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by inhalation.	2205	
-	T11	TP2 TP13 TP27	F-A, S-A	Category E SW1 SW2	-	Liquids with a pungent odour. Immiscible with water but react with it to form carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. If under deck, with mechanical ventilation, six air changes per hour, except when carried in closed containers, when two air changes per hour are required. Irritating to skin, eyes and mucous membranes.	2206	
-	Τ7	TP1 TP13 TP28	F-A, S-A	Category E SW1 SW2	-	See entry above.	2206	
-	_	_	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60	White or yellowish solid (powder, granules or tablets) with chlorine- like odour. Soluble in water. May cause fire in contact with organic material or ammonium compounds. Substances are liable to exothermic decomposition at elevated temperatures. This condition may lead to fire or explosion. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds). Liable to heat slowly. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Dust irritates mucous membranes.	2208	
-	T4	TP1	F-A, S-B	Category A	-	Colourless, clear liquid, with a suffocating pungent odour. Usually stabilized with methyl alcohol. Miscible with water. Causes burns to skin, eyes and mucous membranes.	2209	
-	T1	TP33	F-G, <u>S-L</u>	Category A H1	SG26 SG29	Yellow powder, liable to heat and to ignite spontaneously in air. May evolve toxic, irritating or flammable fumes when wet, when involved in a fire or in contact with acids. Used as fungicide.	2210	
_	T1	TP33	F-A, S-I	Category E SW1 SW6	SG5 SG14	A moulding material in bead or granular form consisting predominantly of polystyrene, poly(methyl methacrylate) or other polymeric material and containing 5% to 8% of a volatile hydrocarbon which is predominantly pentane. During storage, a small proportion of this pentane is released to the atmosphere; this proportion increases at elevated temperatures.	2211	

Chapter 3.2 – Dangerous Goods List

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2212	ASBESTOS, AMPHIBOLE (amosite, tremolite, actinolite, anthophyllite, crocidolite)	9	-	II	168 274	1 kg	EO	P002	PP37	IBC08	B4 B21
2213	PARAFORMALDEHYDE	4.1	-	111	223 967	5 kg	E1	P002 LP02	PP12	IBC08	B3
2214	PHTHALIC ANHYDRIDE with more than 0.05% of maleic anhydride	8	-	Ш	169 939	5 kg	E1	P002 LP02	-	IBC08	B3
2215	MALEIC ANHYDRIDE	8	_	III	_	5 kg	E1	P002	_	IBC08	B3
2215	MALEIC ANHYDRIDE, MOLTEN	8	-	III	-	0	EO	-	-	-	-
2216	FISH MEAL (FISH SCRAP), STABILIZED Anti-oxidant treated. Moisture content greater than 5% but not exceeding 12%, by mass. Fat content not more than 15%	9	_	III	29 117 300 308 907 928 973	0	E1	P900		IBC08	В3
2217	SEED CAKE with not more than 1.5% oil and not more than 11% moisture	4.2	_	111	29 142 973	0	EO	P002 LP02	PP20	IBC08	B3 B6
2218	ACRYLIC ACID, STABILIZED	8	3 P	II	386	1 L	E2	P001	_	IBC02	_

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4.2.5 4.3	Provisions (14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
_	Τ3	TP33	F-A, S-A	Category A SW2 H4	SG29	the dust of asbestos fibres is dangerous and therefore exposure should be avoided at all times. Always prevent the generation of asbestos dust. A safe level of airborne concentration of asbestos fibres may be obtained through effective packing. Cargo spaces or freight containers that have contained any type of raw asbestos should be carefully cleaned before discharging any remaining cargo loading other cargo or carrying out repair or maintenance work. Whenever possible, cleaning of cargo spaces should be carried out whilst the ship is in a port where proper facilities and equipment, including proper respiratory apparatus and protective clothing, is available. Parts of the body that may have been exposed should be collected in impermeable and sealed bags for safe disposal ashore If cleaning cannot be carried out at the discharge port, arrangement should be made in advance for cleaning to be carried out at the new port where necessary facilities are available.	
-	T1 BK2 BK3	TP33	F-A, S-G	Category A SW23	-	White powder with a pungent odour. Evolves formaldehyde, particularly when heated, which is irritating to eyes and mucous membranes.	221
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	White powder or flakes and lumps containing a high proportion of dust. Melting point: 131°C. The vapour of the molten substance has a flashpoint of 152°C c.c. and forms a flammable atmosphere with explosive limits of 1.7% to 10.4%. Causes burns to skin, eyes and mucous membranes. May be carried in the molten state. The molten substance can cause severe skin burns.	2214
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49 SG50 SG57	White powder, needles, flakes, pellets, rods, briquettes, lumps or fused mass. Melting point: about 53°C. Fumes and dust are irritating to skin, eyes and mucous membranes. Inhalation can cause respiratory trouble.	221
-	T4	TP3	F-A, S-B	Category A	SGG1 SG36 SG49 SG50 SG57	Melting point: about 53°C. The vapour of the molten substance has a flashpoint of 103°C c.c. and forms a flammable atmosphere with explosive limits of 1.4% to 7.1%. Fumes are irritating to skin, eyes and mucous membranes.	221
-	T1 BK2	TP33	F-A, S-J	Category B SW24	SG18 SG65	Brown to greenish-brown product obtained through heating and drying of oily fish. Strong odour which may affect other cargo. Liable to heat spontaneously unless of low fat content or effectively anti-oxidant treated.	2216
-	BK2	-	F-A, S-J	Category A SW1 SW4 H1	-	Residue remaining after oil has been extracted by a solvent process from oil-bearing seeds. Used mainly as an animal feed or fertilizer. The most common seed cakes include those derived from coconut (copra), cottonseed, groundnut (peanut), linseed, maize (hominy chop), niger seed, palm kernel, rape seed, rice bran, soya bean and sunflower seed and they may be shipped in the form of cake, flakes, pellets, meal, etc. May self-heat slowly if wet and ignite spontaneously. Before shipment, this cargo should be properly aged. The duration of ageing varies with the oil content. The seed cake should be substantially free from flammable solvent. Smoking and the use of naked lights should not be allowed during loading and unloading, and on entry to cargo spaces at any other time.	2217
_	T7	TP2	F-E, <u>S-C</u>	Category C SW1 SW2	SGG1 SG36 SG49	Colourless, flammable liquid with an acrid odour. Melting point: 13°C. Flashpoint: 54°C o.c. Miscible with water. May polymerize violently, which may cause fire and explosion, unless properly stabilized. Harmful if swallowed or by inhalation. Corrosive to skin, eyes and mucous membranes.	2218

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	С
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2219	ALLYL GLYCIDYL ETHER	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2222	ANISOLE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2224	BENZONITRILE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
	2225	BENZENESULPHONYL CHLORIDE	8	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2226	BENZOTRICHLORIDE	8	-	II	-	1 L	E2	P001	-	IBC02	-
	2227	n-BUTYL METHACRYLATE, STABILIZED	3	-	111	386	5 L	E1	P001 LP01	-	IBC03	-
\triangle	2232	2-CHLOROETHANAL	6.1	-	I	354	0	E0	P602	-	-	-
	2233	CHLOROANISIDINES	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
	2234	CHLOROBENZOTRIFLUORIDES	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2235	CHLOROBENZYL CHLORIDES, LIQUID	6.1	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2236	3-CHLORO-4-METHYLPHENYL ISOCYANATE, LIQUID	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
	2237	CHLORONITROANILINES	6.1	– P	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
	2238	CHLOROTOLUENES	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2239	CHLOROTOLUIDINES, SOLID	6.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	В3
	2240	CHROMOSULPHURIC ACID	8	-	I	-	0	EO	P001	-	-	-
	2241	CYCLOHEPTANE	3	– P	II	-	1 L	E2	P001	_	IBC02	-
	2242	CYCLOHEPTENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2243	CYCLOHEXYL ACETATE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 48°C c.c. Miscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2219
-	T2	TP1	F-E, S-D	Category A	-	Colourless to yellow liquid. Flashpoint: 41°C c.c. Explosive limits: 0.3% to 6.3%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2222
-	T7	TP2	F-A, S-A	Category A SW2	SG35	Colourless liquid with an odour similar to oil of bitter almonds. Reacts with acids, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by inhalation.	2224
-	T4	TP1	F-A, S-B	Category A SW2	SGG1	Colourless to slightly yellow liquid with a pungent odour. Melting point: 12°C. Immiscible with water. Decomposes slowly in water. Harmful if swallowed or by skin contact. Highly irritating to skin, eyes and mucous membranes.	2225
-	T7	TP2	F-A, S-B	Category A SW2	SGG1 SG36 SG49	Colourless to slightly yellow or brown fuming liquid. Reacts with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, corrosive to most metals. Harmful if swallowed, by skin contact or by inhalation. Burns skin and eyes. Vapour irritates eyes and mucous membranes.	2226
-	T2	TP1	F-E, S-D	Category C SW1	-	Colourless liquid. Flashpoint: 41°C c.c. Explosive limits: 2% to 8%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2227
-	T20	TP2 TP13	F-A, S-A	Category D SW2	-	Clear colourless liquid with a pungent odour. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	2232
-	T1	TP33	F-A, S-A	Category A	-	Crystalline solid. Melting point: 52°C. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2233
-	T2	TP1	F-E, S-D	Category A SW2	SGG10	Colourless liquids with an aromatic odour. Flashpoint: 36°C to 59°C c.c. On contact with moisture, can evolve hydrogen fluoride, which is a toxic and corrosive gas. Harmful by inhalation.	2234
-	T4	TP1	F-A, <u>S-A</u>	Category A	-	Colourless liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2235
-	-	-	F-A, S-A	Category B SW2	-	Colourless liquid with a pungent odour. Immiscible with water. Reacts with water, evolving carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2236
-	T1	TP33	F-A, <u>S-A</u>	Category A	-	Yellow or orange crystalline powders or needles. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2237
-	T2	TP1	F-E, S-D	Category A	SGG10	Colourless to brown liquids. Flashpoint: 43°C to 47°C c.c. Immiscible with water. When involved in a fire, evolve toxic gases. Harmful by skin contact or by inhalation. Irritating to eyes and mucous membranes.	2238
-	T1	TP33	F-A, S-A	Category A	-	Crystalline solids. Some isomers may melt at low temperature: melting range between 0°C and 24°C. Toxic if swallowed, by skin contact or by inhalation.	2239
-	T10	TP2 TP13	F-A, S-B	Category B SW2	SGG1a SG6 SG16 SG17 SG19 SG36 SG49	A liquid mixture of sulphuric acid and a chromium compound (e.g. chromium trioxide or sodium dichromate) and sometimes also water. Highly corrosive to most metals. Causes severe burns to skin, eyes and mucous membranes.	2240
-	T4	TP2	F-E, <u>S-D</u>	Category B SW2	-	Oily liquid. Immiscible with water. Narcotic.	2241
-	T4	TP1	F-E, S-D	Category B	-	Oily liquid. Immiscible with water.	2242
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 56°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2243

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D
G
L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2244	CYCLOPENTANOL	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2245	CYCLOPENTANONE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2246	CYCLOPENTENE	3	-	II	-	1 L	E2	P001	-	IBC02	B8
	2247	n-DECANE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2248	DI-n-BUTYLAMINE	8	3	II	-	1 L	E2	P001	-	IBC02	-
7	2249	DICHLORODIMETHYL ETHER, SYMMETRICAL	6.1	3	I	976	0	E0	P099	-	-	-
	2250	DICHLOROPHENYL ISOCYANATES	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
	2251	BICYCLO[2.2.1]HEPTA-2,5- DIENE, STABILIZED (2,5-NORBORNADIENE, STABILIZED)	3	_	II	386	1 L	E2	P001	-	IBC02	-
	2252	1,2-DIMETHOXYETHANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2253	N,N-DIMETHYLANILINE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
	2254	MATCHES, FUSEE	4.1	-	III	293	5 kg	E0	P407	-	-	-
	2256	CYCLOHEXENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2257	POTASSIUM	4.3	-	I	-	0	EO	P403	PP31	IBC04	B1
	2258	1,2-PROPYLENEDIAMINE	8	3	II	-	1 L	E2	P001	-	IBC02	-
	2259	TRIETHYLENETETRAMINE	8	-	II	-	1 L	E2	P001	-	IBC02	-
	2260	TRIPROPYLAMINE	3	8	III	-	5 L	E1	P001	_	IBC03	-
	2261	XYLENOLS, SOLID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T2	TP1	F-E, S-D	Category A	-	Colourless, oily liquid. Flashpoint: 51°C c.c. Immiscible with water.	224
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 31°C c.c. Immiscible with water.	224
-	Τ7	TP2	F-E, S-D	Category E	-	Colourless liquid. Flashpoint: -30°C c.c. Boiling point: 44°C. Immiscible with water. Irritating to skin, eyes and mucous membranes. Narcotic.	224
-	Т2	TP1	F-E, S-E	Category A	-	Colourless liquid. Flashpoint: 47°C c.c. Explosive limits: 0.6% to 5.5%. Immiscible with water.	224
-	T7	TP2	F-E, S-C	Category A	SG35	Colourless, flammable liquid with an amine odour. Flashpoint: 39°C c.c. Partially miscible with water. Decomposes when heated, evolving flammable and toxic gases. Liquid is corrosive to skin, eyes and mucous membranes. Vapour irritates mucous membranes.	224
-	-	-	F-E, S-D	Category D SW2	-	Colourless, volatile, flammable liquid. Flashpoint: 42°C c.c. Immiscible with water. Decomposed by heat and water. Highly toxic if swallowed, by skin contact or by inhalation. The transport of this substance is prohibited except with special authorization granted by the competent authorities.	224
-	Т3	TP33	F-A, S-A	Category B SW1 SW2	-	Colourless to yellowish crystalline solid with an irritating odour. Insoluble in water. Reacts with water, evolving carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. May be carried in the molten state. Irritating to skin, eyes and mucous membranes.	225
-	Τ7	TP2	F-E, S-D	Category D SW1	-	Colourless, volatile liquid. Flashpoint: below –18°C c.c. Explosive limits: 1.7% to 6.3%. Immiscible with water.	225
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with an ethereal odour. Flashpoint: 1°C c.c. Miscible with water.	225
-	T7	TP2	F-A, S-A	Category A	-	Yellowish to brownish oily liquid. Combustible. Toxic if swallowed, by skin contact or by inhalation.	225
-	-	-	F-A, S-I	Category A	-	Matches, the heads of which are prepared with a friction-sensitive igniter composition and a pyrotechnic composition which burns with little or no flame, but with intense heat, regardless of wind or other weather conditions.	225
-	T4	TP1	F-E, S-D	Category E	-	Colourless liquid with an aromatic odour. Immiscible with water. Slightly irritating to skin, eyes and mucous membranes.	225
-	Т9	TP7 TP33	<u>F-G</u> , S-N	Category D H1	SG26 SG35	Soft, silvery metal, solid or liquid. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	225
-	Τ7	TP2	F-E, S-C	Category A SW2	SG35	Colourless, flammable liquid with an ammoniacal odour. Flashpoint range: 33°C to 48°C c.c. Miscible with water. When involved in a fire, evolves toxic gases. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	225
-	Τ7	TP2	F-A, S-B	Category B SW2	SGG18 SG35	Moderately viscous, yellow combustible liquid with an ammoniacal odour. Miscible with water. Strongly alkaline. Can form explosive mixtures with nitric acid. When involved in a fire, evolves toxic gases. Corrosive to copper and copper alloys. Reacts violently with acids. Liquid and vapours cause burns to skin, eyes and mucous membranes. Causes skin allergy.	225
-	T4	TP1	F-E, S-C	Category A SW2	SG35	Colourless liquid. Flashpoint: 35°C c.c. Partially miscible with water. When involved in a fire, evolves toxic gases. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	226
-	Т3	TP33	F-A, S-A	Category A	-	Crystals or needles. Toxic if swallowed, by skin contact or by inhalation.	226

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2262	DIMETHYLCARBAMOYL CHLORIDE	8	-	II	-	1 L	E2	P001	-	IBC02	-
	2263	DIMETHYLCYCLOHEXANES	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
D	2264	N,N-DIMETHYL- CYCLOHEXYLAMINE	8	3	II	-	1 L	E2	P001	-	IBC02	-
G	2265	N,N-DIMETHYLFORMAMIDE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2266	DIMETHYL- <i>N</i> -PROPYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
	2267	DIMETHYL THIOPHOSPHORYL CHLORIDE	6.1	8	II	-	100 mL	E4	P001	-	IBC02	-
	2269	3,3'-IMINODIPROPYLAMINE	8	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2270	ETHYLAMINE, AQUEOUS SOLUTION with not less than 50% but not more than 70% ethylamine	3	8	ΙΙ	-	1 L	E2	P001	-	IBC02	-
	2271	ETHYL AMYL KETONES	3	_	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2272	<i>N</i> -ETHYLANILINE	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2273	2-ETHYLANILINE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2274	N-ETHYL-N-BENZYLANILINE	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2275	2-ETHYLBUTANOL	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2276	2-ETHYLHEXYLAMINE	3	8	Ш	-	5 L	E1	P001	-	IBC03	-
	2277	ETHYL METHACRYLATE, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-
	2278	n-HEPTENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2279	HEXACHLOROBUTADIENE	6.1	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	Τ7	TP2	F-A, S-B	Category A SW2	SGG1 SG36 SG49	Colourless to yellow liquid with a pungent odour. Immiscible with water. Reacts with water, evolving toxic and corrosive fumes. Causes tears. Causes burns to skin, eyes and mucous membranes.	2262
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquids. Flashpoint: 5°C to 16°C c.c. Immiscible with water.	2263
-	Τ7	TP2	F-E, S-C	Category A SW2	SG35	Colourless, flammable liquid. Flashpoint: 43°C c.c. Partially miscible with water. Causes burns to skin, eyes and mucous membranes.	2264
-	T2	TP2	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 58°C c.c. Explosive limits: 2.2% to 16%. Miscible with water. May react violently with oxidizing materials.	2265
-	T7	TP2 TP13	F-E, S-C	Category B SW2	SG35	Colourless liquid with a fishy odour. Flashpoint: -11°C c.c. Miscible with water. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.	2266
-	T7	TP2	F-A, S-B	Category B SW1	SGG1 SG36 SG49	Colourless, combustible liquid with a pungent odour. Reacts slowly with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. May decompose above 60°C, evolving flammable gases. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2267
-	T4	TP2	F-A, S-B	Category A	SG35	Colourless combustible liquid. Miscible with water. Harmful if swallowed or by inhalation. Corrosive to skin, eyes and mucous membranes.	2269
-	T7	TP1	F-E, S-C	Category B SW2	SGG18 SG35	Aqueous solution of a flammable gas with an ammonia-like odour. Explosive limits: 3.5% to 14%. ETHYLAMINE SOLUTION, concentration 50%: flashpoint –11°C c.c.; boiling point 56°C. Pure ETHYLAMINE: boiling point 17°C. Miscible with water. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	2270
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids. Vapour is much heavier than air (4.4). ETHYL <i>normal</i> -AMYL KETONE: flashpoint 43°C c.c. ETHYL <i>secondary</i> -AMYL KETONE: flashpoint 57°C c.c. Immiscible with water. Dissolves some types of plastics. Irritating to skin, eyes and mucous membranes.	2271
-	T4	TP1	F-A, S-A	Category A	SG17 SG35	Colourless to yellowish oily liquid. Reacts with acids, evolving highly toxic fumes of aniline and oxides of nitrogen. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	2272
-	T4	TP1	F-A, S-A	Category A	SG17 SG35	Brown liquid. Immiscible with water. Reacts with acids, evolving highly toxic fumes of aniline and oxides of nitrogen. Reacts violently with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	2273
-	T4	TP1	F-A, S-A	Category A	-	Light yellow, oily liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2274
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 57°C o.c. Immiscible with water.	2275
-	T4	TP1	F-E, S-C	Category A SW2	SG35	Colourless liquid. Flashpoint: 50°C c.c. Miscible with water. Irritating to skin, eyes and mucous membranes.	2276
-	T4	TP1	F-E, S-D	Category C SW1	_	Colourless liquid with a pungent odour. Flashpoint: 20°C o.c. Lower explosive limit: 1.8%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2277
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: -3°C c.c. Immiscible with water.	2278
-	T4	TP1	F-A, <u>S-A</u>	Category A	SGG10	Colourless liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2279

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2280	HEXAMETHYLENEDIAMINE, MOLTEN	8	-	111	-	0	EO	-	-	-	_
2280	HEXAMETHYLENEDIAMINE, SOLID	8	-	ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
2281	HEXAMETHYLENE DIISOCYANATE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
2282	HEXANOLS	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2283	ISOBUTYL METHACRYLATE, STABILIZED	3	-	111	386	5 L	E1	P001 LP01	-	IBC03	-
2284	ISOBUTYRONITRILE	3	6.1	II	-	1 L	E2	P001	-	IBC02	-
2285	ISOCYANATOBENZO- TRIFLUORIDES	6.1	3	II	-	100 mL	E4	P001	-	IBC02	-
2286	PENTAMETHYLHEPTANE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2287	ISOHEPTENES	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
2288	ISOHEXENES	3	-	II	-	1 L	E2	P001	_	IBC02	B8
2289	ISOPHORONEDIAMINE	8	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2290	ISOPHORONE DIISOCYANATE	6.1	_	111	_	5 L	E1	P001 LP01	-	IBC03	-
2291	LEAD COMPOUND, SOLUBLE, N.O.S.	6.1	– P	Ш	199 274	5 kg	E1	P002 LP02	-	IBC08	B3
2293	4-METHOXY-4-METHYL- PENTAN-2-ONE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2294	N-METHYLANILINE	6.1	– P	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2295	METHYL CHLOROACETATE	6.1	3	I	-	0	EO	P001	-	-	-
2296	METHYLCYCLOHEXANE	3	– P	II	-	1 L	E2	P001	-	IBC02	-
2297	METHYLCYCLOHEXANONE	3	_	III	_	5 L	E1	P001 LP01	-	IBC03	_
2298	METHYLCYCLOPENTANE	3	-	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3-7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-A, S-B	Category A SW1 H2	SG35	White crystals or shiny flakes with a specific odour. Melting point: 29°C. Soluble in water; solution in water is a strong alkali. Decomposes when heated, evolving flammable and toxic gases. Causes burns to skin, eyes and mucous membranes.	2280
-	T1	TP33	F-A, S-B	Category A SW1 H2	SG35	See entry above.	2280
-	Τ7	TP2 TP13	F-A, S-A	Category C SW2 H1	-	Colourless to light yellow liquid with a pungent odour. Immiscible with water but reacts with it, evolving heat and carbon dioxide gas. When heated, evolves toxic nitrous fumes. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2281
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids. <i>normal</i> -HEXANOL: flashpoint 57°C c.c. Miscible with water.	2282
-	T2	TP1	F-E, S-D	Category C SW1	-	Colourless liquid. Flashpoint: 49°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2283
-	Т7	TP2 TP13	F-E, S-D	Category E SW2	-	Colourless liquid. Flashpoint: 8°C c.c. Immiscible with water. Toxic by skin contact or by inhalation.	2284
-	T7	TP2	F-E, S-D	Category D SW1 SW2	-	Colourless or yellowish liquids with a pungent odour. Flashpoint of <i>ortho-</i> and <i>meta-</i> isomers: 56°C. Immiscible with water, but reacts with it to form carbon dioxide gas. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2285
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 43°C c.c. Immiscible with water.	2286
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquids. Immiscible with water.	2287
-	T11	TP1	F-E, S-D	Category E	-	Colourless liquids. Boiling range: 54°C to 69°C. Immiscible with water.	2288
-	T4	TP1	F-A, S-B	Category A	SG35	Colourless, slightly hygroscopic liquid with a slight amine odour. Combustible. Miscible with water. Harmful if swallowed. Irritating to skin, eyes and mucous membranes.	2289
-	T4	TP2	F-A, S-A	Category B SW2	-	Colourless or yellowish liquid. Immiscible with water. When involved in a fire, evolves nitrous fumes. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2290
-	T1	TP33	F-A, <u>S-A</u>	Category A	SGG7 SGG9	Colourless crystals or powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2291
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 49°C c.c. Immiscible with water.	2293
-	T4	TP2	F-A, <u>S-A</u>	Category A	-	Colourless to brown combustible liquid. Toxic if swallowed, by skin contact or by inhalation.	2294
-	T14	TP2 TP13	F-E, S-D	Category D	-	Colourless, flammable liquid with a pungent odour. Flashpoint: 47°C c.c. Vapour much heavier than air (vapour density relative to air: 3.8). Immiscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	2295
-	T4	TP2	F-E, <u>S-D</u>	Category B	-	Colourless liquid. Flashpoint: -4°C c.c. Explosive limits: 1.2% to 6.7%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2296
_	T2	TP1	F-E, S-D	Category A	-	Colourless to pale yellow liquids with a sweet odour. 2-METHYLCYCLOHEXANONE: flashpoint 46°C c.c. 3-METHYLCYCLOHEXANONE: flashpoint 51°C c.c. 4-METHYLCYCLOHEXANONE: flashpoint 40°C c.c. Immiscible with water.	2297
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: below -10°C c.c. Explosive limits: 1% to 8.4%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2298

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2299	METHYL DICHLOROACETATE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	_
2300	2-METHYL-5-ETHYLPYRIDINE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2301	2-METHYLFURAN	3	-	II	-	1 L	E2	P001	-	IBC02	-
2302	5-METHYLHEXAN-2-ONE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2303	ISOPROPENYLBENZENE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2304	NAPHTHALENE, MOLTEN	4.1	– P	III	-	0	EO	-	-	-	_
2305	NITROBENZENESULPHONIC ACID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2306	NITROBENZOTRIFLUORIDES, LIQUID	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	-
2307	3-NITRO-4-CHLORO- BENZOTRIFLUORIDE	6.1	– P	Ш	-	100 mL	E4	P001	-	IBC02	-
2308	NITROSYLSULPHURIC ACID, LIQUID	8	-	ΙΙ	-	1 L	E2	P001	-	IBC02	B20
2309	OCTADIENE	3	-	Ш	-	1 L	E2	P001	-	IBC02	_
2310	PENTANE-2,4-DIONE	3	6.1	Ш	-	5 L	E1	P001	-	IBC03	-
2311	PHENETIDINES	6.1	-	111	279	5 L	E1	P001 LP01	-	IBC03	-
2312	PHENOL, MOLTEN	6.1	-	II	-	0	EO	-	-	-	-
2313	PICOLINES	3	_	III	-	5 L	E1	P001 LP01	_	IBC03	_
2315	POLYCHLORINATED BIPHENYLS, LIQUID	9	– P	II	305	1 L	E2	P906	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T4	TP1	F-A, S-A	Category A	-	Liquid. Toxic if swallowed, by skin contact or by inhalation.	229
-	T4	TP1	F-A, S-A	Category A	-	Colourless liquid with a pungent odour. Toxic if swallowed, by skin contact or by inhalation.	230
-	T4	TP1	F-E, S-D	Category E	-	Colourless liquid with a sweetish odour. Flashpoint: -30°C c.c. Immiscible with water. When involved in a fire, evolves toxic gases. Harmful if swallowed or by inhalation. Irritating to skin, eyes and mucous membranes.	230
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 43°C c.c. Immiscible with water.	230
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 38°C to 54°C c.c. Explosive limits: 0.7% to 6.6%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	230
_	T1	TP3	F-A, S-H	Category C	-	Molten liquid with a persistent odour. Melting point: 80°C. Evolves flammable vapours. As the melting point of naphthalene approximates very closely its flashpoint, care should be taken to avoid all possible causes of ignition. Contact between water and molten naphthalene above 110°C must be avoided, as the addition of water will cause violent foaming or even an explosion.	230
-	T3	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Crystals. Soluble in water. Causes burns to skin, eyes and mucous membranes.	230
-	T7	TP2	F-A, <u>S-A</u>	Category A SW2	-	Pale straw-coloured, oily liquids with an aromatic odour. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	230
-	T7	TP2	F-A, <u>S-A</u>	Category A SW2	_	Yellowish, oily liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	230
-	T8	TP2	F-A, S-B	Category D SW2	SGG1a SG6 SG16 SG17 SG19 SG36 SG49	Clear, straw-coloured, oily liquid. Oxidant which may cause fire with organic materials (such as wood, straw, etc.). When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	230
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 9°C to 15°C c.c. Immiscible with water.	230
-	T4	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 34°C c.c. Lower explosive limit: 1.7%. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	231
-	T4	TP1	F-A, S-A	Category A	-	Colourless to yellowish liquids. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	231
-	T7	TP3	F-A, S-A	Category B SW2	-	Molten liquid with a distinctive strong odour. Melting point: 10°C to 43°C (pure product). Toxic if swallowed, by skin contact or by inhalation. Rapidly absorbed through the skin.	231
_	T4	TP1	F-E, S-D	Category A SW2	-	Colourless to yellow liquids with a pungent or sweet odour. Explosive limits: 1.3% to 8.7%. Miscible with water. Harmful by inhalation. <i>alpha</i> -Picoline flashpoint: 28°C c.c. <i>beta</i> -Picoline flashpoint: 40°C c.c. <i>gamma</i> -Picoline flashpoint 40°C c.c. Irritating to skin, eyes and mucous membranes.	231
-	T4	TP1	F-A, <u>S-A</u>	Category A	SG50	Colourless liquid (pure product) with perceptible odours. Immiscible with water. Harmful by ingestion or by skin contact. If spilled, can be a persistent hazard to the environment. This entry also covers articles, such as transformers and condensers, containing free liquid polychlorinated biphenyls.	231

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2316	SODIUM CUPROCYANIDE, SOLID	6.1	– P	I	-	0	E5	P002	-	IBC07	B1
Л	2317	SODIUM CUPROCYANIDE SOLUTION	6.1	– P	I	-	0	E5	P001	-	-	-
G	2318	SODIUM HYDROSULPHIDE with less than 25% water of crystallization	4.2	-	II	-	0	E2	P410	PP31	IBC06	B21
U I	2319	TERPENE HYDROCARBONS, N.O.S.	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
L	2320	TETRAETHYLENEPENTAMINE	8	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
	2321	TRICHLOROBENZENES, LIQUID	6.1	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2322	TRICHLOROBUTENE	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	-
	2323	TRIETHYL PHOSPHITE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2324	TRIISOBUTYLENE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2325	1,3,5-TRIMETHYLBENZENE	3	– P	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2326	TRIMETHYLCYCLOHEXYL- AMINE	8	-	III	-	5 L	E1	P001 LP01	-	IBC03	
	2327	TRIMETHYLHEXAMETHYLENE- DIAMINES	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2328	TRIMETHYLHEXAMETHYLENE DIISOCYANATE	6.1	-	Ш	-	5 L	E1	P001 LP01		IBC03	-
	2329	TRIMETHYL PHOSPHITE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2330	UNDECANE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2331	ZINC CHLORIDE, ANHYDROUS	8	– P	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
	2332	ACETALDEHYDE OXIME	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2333	ALLYL ACETATE	3	6.1	II	-	1 L	E2	P001	-	IBC02	-
\bigtriangleup	2334	ALLYLAMINE	6.1	3	I	354	0	EO	P602	-	_	-
	2335	ALLYL ETHYL ETHER	3	6.1	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T6	TP33	F-A, <u>S-A</u>	Category A	SGG6 SG35	White powder. Soluble in water. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by dust inhalation.	2316
-	T14	TP2 TP13	F-A, <u>S-A</u>	Category B SW2	SGG6 SG35	Colourless liquid. Miscible with water. Decomposed by acids, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed, by skin contact or by inhalation.	231
-	T3	TP33	F-A, S-J	Category A	SGG18 SG35	Colourless needles to lemon-coloured flakes. Soluble in water. Reacts violently with acids.	231
-	T4	TP1 TP29	F-E, S-D	Category A	-	Colourless or yellowish liquids. Flashpoint: 32°C to 49°C c.c. Immiscible with water.	231
-	T4	TP1	F-A, S-B	Category A	SGG18 SG35	Viscous liquid. Miscible with water. When involved in a fire, evolves toxic gases. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	232
-	T4	TP1	F-A, <u>S-A</u>	Category A	SGG10	Colourless liquids. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	232
	Τ7	TP2	F-A, <u>S-A</u>	Category A SW1 SW2	SGG10	Colourless liquid. Immiscible with water. When heated, develops toxic and irritant gases such as phosgene and hydrogen chloride and may also explode. Toxic if swallowed, by skin contact or by inhalation.	232
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 44°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	232
-	T4	TP1	F-E, S-D	Category A	-	Colourless liquid. Immiscible with water.	232
-	T2	TP2	F-E, <u>S-D</u>	Category A	-	Colourless liquid. Flashpoint: 44°C c.c. Immiscible with water. Harmful by inhalation.	232
-	T4	TP1	F-A, S-B	Category A	SG35	Colourless, slightly hygroscopic, combustible liquid with a slight amine odour. Immiscible with water. Causes burns to skin, eyes and mucous membranes.	232
-	T4	TP1	F-A, S-B	Category A	SG35	Colourless, slightly hygroscopic, combustible liquids. Miscible with water. Irritating to skin, eyes and mucous membranes.	232
-	T4	TP2 TP13	F-A, S-A	Category B	-	Colourless or yellowish liquid. Reacts with water, evolving carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	232
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 23°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	232
-	T2	TP1	F-E, S-E	Category A	-	Colourless liquid. Flashpoint: 60°C c.c. Immiscible with water.	233
-	T1	TP33	F-A, <u>S-B</u>	Category A	SGG1 SGG7 SG36 SG49	White, deliquescent crystals. Soluble in water. Dust causes burns to skin, eyes and mucous membranes.	233
-	T4	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 40°C c.c. Explosive limits: 4.2% to 52%. Freezing point 12°C. Miscible with water. Irritating to skin, eyes and mucous membranes.	233
-	T7	TP1 TP13	F-E, S-D	Category E SW2	-	Colourless liquid. Flashpoint: 7°C c.c. Partially miscible with water. Toxic if swallowed, by skin contact or by inhalation. Harmful if swallowed.	233
_	T20	TP2 TP13	F-E, S-D	Category D SW2	SG35	Colourless to light yellow volatile liquid with a pungent odour. Flashpoint: -29°C c.c. Explosive limits: 2.2% to 22%. Boiling range: 55°C to 58°C. Miscible with water. When involved in a fire, evolves highly toxic gases. Highly toxic if swallowed, by skin contact or by inhalation.	233
-	T7	TP1 TP13	F-E, S-D	Category E SW2	-	Colourless liquid. Flashpoint: -11°C c.c. Vapour heavier than air. Immiscible with water. Narcotic. Toxic if swallowed, by skin contact or by inhalation.	233

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited	Excepted	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2336	ALLYL FORMATE	3	6.1	I	-	0	E0	P001	-	-	-
\triangle	2337	PHENYL MERCAPTAN	6.1	3	I	354	0	EO	P602	-	-	-
	2338	BENZOTRIFLUORIDE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2339	2-BROMOBUTANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2340	2-BROMOETHYL ETHYL ETHER	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
	2341	1-BROMO-3-METHYLBUTANE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2342	BROMOMETHYLPROPANES	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
	2343	2-BROMOPENTANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2344	BROMOPROPANES	3	-	П	-	1 L	E2	P001	-	IBC02	-
	2344	BROMOPROPANES	3	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
	2345	3-BROMOPROPYNE	3	-	II	905	1 L	E2	P001	-	IBC02	
	2346	BUTANEDIONE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
	2347	BUTYL MERCAPTAN	3	_	II	-	1 L	E2	P001	-	IBC02	-
	2348	BUTYL ACRYLATES, STABILIZED	3	-	111	386	5 L	E1	P001 LP01	-	IBC03	-
	2350	BUTYL METHYL ETHER	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
	2351	BUTYL NITRITES	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2351	BUTYL NITRITES	3	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
	2352	BUTYL VINYL ETHER, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T14	TP2 TP13	F-E, S-D	Category E SW2	-	Colourless liquid. Immiscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	2336
-	T20	TP2 TP13	F-E, S-D	Category D SW2	SG35	Colourless flammable liquid with a foul odour. Flashpoint: 50°C c.c. Immiscible with water. In contact with acids or when involved in a fire, evolves highly toxic sulphurous fumes. Highly toxic if swallowed, by skin contact or by inhalation.	2337
-	T4	TP1	F-E, S-D	Category B SW2	-	Colourless liquid with an aromatic odour. Flashpoint: 12°C c.c. Lower explosive limit: 2.1%. Immiscible with water. On contact with moisture or air evolves hydrogen fluoride, which is a toxic and corrosive gas. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2338
-	T4	TP1	F-E, S-D	Category B SW2	SGG10	Colourless liquid with a pleasant odour. Flashpoint: 21°C c.c. Immiscible with water. When involved in a fire, evolves toxic fumes. Narcotic.	233
-	T4	TP1	F-E, S-D	Category B SW2	-	Colourless liquid with an ethereal odour. Partially miscible with water. Harmful by inhalation.	234
-	T2	TP1	F-E, S-D	Category A	SGG10	Colourless liquid. Flashpoint: 23°C to 32°C c.c. Immiscible with water.	234
-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless liquids. Immiscible with water. Harmful by inhalation.	234
-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless or yellow liquid with a strong odour. Flashpoint: 21°C c.c. Immiscible with water. Harmful by inhalation.	234
-	T4	TP1	F-E, S-D	Category B SW2	SGG10	Colourless liquids. Immiscible with water. When involved in a fire, evolve toxic fumes. Harmful by inhalation.	234
-	T2	TP1	F-E, S-D	Category A	SGG10	See entry above.	234
-	T4	TP1	F-E, S-D	Category D SW2	-	Colourless to light amber liquid with a sharp odour. Flashpoint: 10°C c.c. Lower explosive limit: 3%. Vapour much heavier than air (4.1). The pure product is shock-sensitive and decomposes with explosive violence, and the possibility of detonation, when heated under confinement. Can be ignited by impact. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes. Causes tears.	234
-	T4	TP1	F-E, S-D	Category B	-	Greenish-yellow liquid with a strong odour. Flashpoint: 6°C c.c. Miscible with water.	234
-	T4	TP1	F-E, S-D	Category B	SG35 SG50 SG57	Colourless liquids with a foul odour. <i>tertiary</i> -BUTYL MERCAPTAN: flashpoint -26°C c.c. <i>secondary</i> -BUTYL MERCAPTAN: flashpoint -23°C c.c. 1-BUTANETHIOL (<i>normal</i> -BUTYL MERCAPTAN): flashpoint 12°C c.c. ISOBUTYL MERCAPTAN: flashpoint -9°C c.c. Immiscible with water. On contact with acids, emit highly toxic fumes.	234
-	T2	TP1	F-E, S-D	Category C SW1	-	Colourless liquid with an unpleasant odour. Flashpoint: 36°C to 41°C c.c. Explosive limits: 1.2% to 9.9%. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	234
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Immiscible with water.	235
-	T4	TP1	F-E, S-D	Category B SW2	-	Yellowish, volatile, oily liquids. Partially miscible with water. Decompose on exposure to air, light, water or heat, evolving toxic nitrous fumes. Harmful by inhalation.	235
-	T2	TP1	F-E, S-D	Category A SW2	-	See entry above.	235
-	T4	TP1	F-E, S-D	Category C SW1 SW2	-	Colourless, volatile liquid with a sharp ethereal odour. Flashpoint: –9°C c.c. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	235

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2353	BUTYRYL CHLORIDE	3	8	II	-	1 L	E2	P001	-	IBC02	B20
2354	CHLOROMETHYL ETHYL ETHER	3	6.1	II	-	1 L	E2	P001	-	IBC02	-
2356	2-CHLOROPROPANE	3	-	I	_	0	E3	P001	-	_	-
2357	CYCLOHEXYLAMINE	8	3	II	-	1 L	E2	P001	-	IBC02	-
2358	CYCLOOCTATETRAENE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
2359	DIALLYLAMINE	3	6.1/8	II	-	1 L	E2	P001	-	IBC99	-
2360	DIALLYL ETHER	3	6.1	II	-	1 L	E2	P001	-	IBC02	-
2361	DIISOBUTYLAMINE	3	8	111	-	5 L	E1	P001	-	IBC03	-
2362	1,1-DICHLOROETHANE	3	-	II	-	1 L	E2	P001	-	IBC02	
2363	ETHYL MERCAPTAN	3	– P	I	-	0	EO	P001	-	-	-
2364	n-PROPYLBENZENE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2366	DIETHYL CARBONATE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2367	alpha-METHYL-VALERALDEHYDE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2368	alpha-PINENE	3	– P	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2370	1-HEXENE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
2371	ISOPENTENES	3	-	I	-	0	E3	P001	-	-	-
2372	1,2-DI(DIMETHYLAMINO) ETHANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2373	DIETHOXYMETHANE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
2374	3,3-DIETHOXYPROPENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2375	DIETHYL SULPHIDE	3	-	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	Т8	TP2 TP13	F-E, S-C	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2353
-	T7	TP1 TP13	F-E, S-D	Category E SW2	-	Colourless liquid with a pungent odour. Partially miscible with water. Fumes in air, evolving hydrogen chloride, which is an irritating and corrosive gas. Toxic by inhalation. Strong lachrymator.	2354
-	T11	TP2 TP13	F-E, S-D	Category E	SGG10	Colourless liquid. Flashpoint: -32°C c.c. Explosive limits: 2.8% to 10.7%. Boiling point: 35°C. Immiscible with water. On contact with heat or flame, emits highly toxic phosgene gas. Can react vigorously with oxidizing materials.	2356
-	T7	TP2	F-E, S-C	Category A SW2	SG35	Colourless or yellowish flammable liquid with a fishy odour. Flashpoint: 27°C c.c. Explosive limits: 0.5% to 21.7%. Miscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	2357
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Freezing point: -4° C. Immiscible with water.	2358
-	T7	TP1	F-E, S-C	Category B SW2	SG5 SG8 SG35	Colourless, volatile liquid with a disagreeable odour. Flashpoint: 7°C c.c. Partially miscible with water. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2359
-	T7	TP1 TP13	F-E, S-D	Category E	-	Colourless, volatile liquid with a perceptible odour. Flashpoint:	2360
-	T4	TP1	F-E, S-C	Category A	SG35	Colourless liquid with a fishy odour. Flashpoint: 29°C c.c. Immiscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	2361
-	T4	TP1	F-E, S-D	Category B SW2	SGG10	Colourless liquid with an aromatic, ethereal odour. Flashpoint: -10°C c.c. Lower explosive limit: 5.6%. Immiscible with water. When involved in a fire, emits toxic fumes of phosgene. Harmful by inhalation.	2362
-	T11	TP2 TP13	F-E, <u>S-D</u>	Category E	SG50 SG57	Volatile liquid with a strong unpleasant odour. Flashpoint: -45°C c.c. Explosive limits: 2.8% to 18.2%. Boiling point: 35°C. Immiscible with water.	2363
-	T2	TP1	F-E, S-D	Category A	_	Colourless liquid. Flashpoint: 39°C c.c. Explosive limits: 0.8% to 6%. Immiscible with water.	2364
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 25°C to 31°C c.c. Vapour much heavier than air (4.1). Immiscible with water. Irritating to skin, eyes and mucous membranes.	2366
-	T4	TP1	F-E, S-D	Category B	_	Colourless liquid. Flashpoint: 13°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2367
-	T2	TP2	F-E, S-E	Category A	-	Colourless liquid with an odour of turpentine. Flashpoint: 33°C c.c. Explosive limits: 0.8% to 6%. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2368
-	T4	TP1	F-E, S-D	Category E	-	Colourless liquid. Explosive limits: 1.2% to 6.9%. Immiscible with water.	2370
-	T11	TP2	F-E, S-D	Category E	-	Colourless, volatile liquid with a disagreeable odour. Flashpoint: below -18°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2371
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 21°C c.c. Miscible with water. Irritability to skin, eyes and mucous membranes.	2372
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: below -5° C c.c. Miscible with water.	2373
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 15°C c.c. Partially miscible with water. Harmful by inhalation.	2374
-	Τ7	TP1 TP13	F-E, S-D	Category E	-	Colourless, volatile liquid with an odour of garlic. Flashpoint: -10°C c.c. Immiscible with water.	2375
	-						

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

ა	-	UN No. (1)	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
	_	(1)				1							
		(1)						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	1		(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		2376	2,3-DIHYDROPYRAN	3	-	II	-	1 L	E2	P001	-	IBC02	-
		2377	1,1-DIMETHOXYETHANE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
D		2378	2-DIMETHYLAMINO- ACETONITRILE	3	6.1	П	-	1 L	E2	P001	_	IBC02	_
G		2379	1,3-DIMETHYLBUTYLAMINE	3	8	II	-	1L	E2	P001	-	IBC02	-
		2380	DIMETHYLDIETHOXYSILANE	3	-	II	-	1 L	E2	P001	-	IBC02	-
		2381	DIMETHYL DISULPHIDE	3	6.1 Р	Ш	-	1 L	EO	P001	-	IBC02	-
	\bigtriangleup	2382	DIMETHYLHYDRAZINE, SYMMETRICAL	6.1	3 P	I	354	0	EO	P602	_	_	_
		2383	DIPROPYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
		2384	DI-n-PROPYL ETHER	3	-	II	-	1 L	E2	P001	-	IBC02	-
		2385	ETHYL ISOBUTYRATE	3	-	11	-	1 L	E2	P001	-	IBC02	-
		2386	1-ETHYLPIPERIDINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
		2387	FLUOROBENZENE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
		2388	FLUOROTOLUENES	3	-	II	-	1 L	E2	P001	-	IBC02	-
		2389	FURAN	3	-	I	-	0	E3	P001	-	-	-
		2390	2-IODOBUTANE	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
		2391	IODOMETHYLPROPANES	3	-	II	-	1 L	E2	P001	-	IBC02	-
		2392	IODOPROPANES	3	-	111	-	5 L	E1	P001 LP01	_	IBC03	_
		2393	ISOBUTYL FORMATE	3	-	II	-	1 L	E2	P001	-	IBC02	-
		2394	ISOBUTYL PROPIONATE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
		2395	ISOBUTYRYL CHLORIDE	3	8	II	-	1L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UI No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(1)
-	T4	TP1	F-E, S-D	Category B	-	Colourless, volatile liquid with an ethereal odour. Flashpoint: -16°C c.c. Miscible with water.	23
-	T7	TP1	F-E, S-D	Category B	-	Colourless liquid with a strong aromatic odour. Miscible with water.	23
-	T7	TP1	F-E, S-D	Category A SW2	SG35	Colourless liquid. Flashpoint: 35°C c.c. Immiscible with water. On contact with water and acids, evolves toxic fumes. Toxic if swallowed, by skin contact or by inhalation.	23
-	Τ7	TP1	F-E, S-C	Category B	SGG18 SG35	Colourless liquid with an ammonia-like odour. Flashpoint: 9°C to 13°C c.c. Immiscible with water. Reacts violently with acids. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	23
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 13°C c.c. Miscible with water. Irritating to skin, eyes and mucous membranes.	23
-	T7	TP2 TP13	F-E, <u>S-D</u>	Category B SW2	-	Yellow liquid with an unpleasant odour. Flashpoint: 15°C c.c. Immiscible with water. When involved in a fire, evolves toxic gases. Toxic if swallowed, by skin contact or by inhalation.	23
-	T20	TP2 TP13	F-E, <u>S-D</u>	Category D SW2	SGG18 SG17 SG35	Colourless, flammable, volatile liquid with an ammonia-like odour. Miscible with water. Reacts violently with acids. May react dangerously with oxidizing substances. Flashpoint: -17°C c.c. Highly toxic if swallowed, by skin contact or by inhalation.	23
-	T7	TP1	F-E, S-C	Category B SW1	SG35	Colourless liquid with a fishy odour. Flashpoint: 7°C c.c. Immiscible with water. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.	23
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint (pure product): -21°C c.c. Lower explosive limit: 1.7%. Immiscible with water.	2
-	T4	TP1	F-E, S-D	Category B	-	Colourless, volatile liquid with an aromatic odour. Flashpoint: 21°C c.c. Immiscible with water.	23
-	T7	TP1	F-E, S-C	Category B	SGG18 SG35	Colourless liquid. Flashpoint: 19°C c.c. Immiscible with water. Reacts violently with acids. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes. May cause lung damage.	23
-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless liquid with a benzene odour. Flashpoint: -15°C c.c. Immiscible with water. Harmful by inhalation.	2:
-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless liquids. <i>ortho</i> -FLUOROTOLUENE: flashpoint 9°C c.c. <i>meta</i> -FLUOROTOLUENE: flashpoint 12°C c.c. <i>para</i> -FLUOROTOLUENE: flashpoint 10°C c.c. Immiscible with water.	23
-	T12	TP2 TP13	F-E, S - D	Category E SW2	-	Colourless liquid with a strong odour. Flashpoint: below -18°C c.c. Explosive limits: 1.3% to 14.3%. Boiling point: 31°C. Immiscible with water. Harmful if swallowed, by skin contact or by inhalation.	23
-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless liquid. Flashpoint: 21°C c.c. Immiscible with water.	23
-	T4	TP1	F-E, S-D	Category B	SGG10	Colourless liquids. Immiscible with water.	23
-	T2	TP1	F-E, S-D	Category A	SGG10	Colourless liquids. 1-IODOPROPANE: flashpoint 34°C c.c. 2-IODOPROPANE: flashpoint approx. 25°C c.c. Immiscible with water.	23
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 5°C c.c. Explosive limits: 1.7% to 8%. Irritating to skin, eyes and mucous membranes.	23
-	T2	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 31°C c.c. Immiscible with water.	23
-	T7	TP2	F-E, S-C	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals.	23

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

R

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	P
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	2
	2396	METHACRYLALDEHYDE, STABILIZED	3	6.1	
	2397	3-METHYLBUTAN-2-ONE	3	-	
D	2398	METHYL tert-BUTYL ETHER	3	-	
G	2399	1-METHYLPIPERIDINE	3	8	
	2400	METHYL ISOVALERATE	3	-	
	2401	PIPERIDINE	8	3	
	2402	PROPANETHIOLS	3	-	
	2403	ISOPROPENYL ACETATE	3	-	
	2404	PROPIONITRILE	3	6.1	
	2405	ISOPROPYL BUTYRATE	3	-	
	2406	ISOPROPYL ISOBUTYRATE	3	-	
	2407	ISOPROPYL CHLOROFORMATE	6.1	3/8	
	2409	ISOPROPYL PROPIONATE	3	-	
	2410	1,2,3,6-TETRAHYDROPYRIDINE	3	-	
	2411	BUTYRONITRILE	3	6.1	
	2412	TETRAHYDROTHIOPHENE	3	-	

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2396	METHACRYLALDEHYDE, STABILIZED	3	6.1	II	386	1 L	E2	P001	-	IBC02	-
2397	3-METHYLBUTAN-2-ONE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2398	METHYL tert-BUTYL ETHER	3	-	II	-	1 L	E2	P001	-	IBC02	-
2399	1-METHYLPIPERIDINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
2400	METHYL ISOVALERATE	3	-	П	-	1 L	E2	P001	-	IBC02	-
2401	PIPERIDINE	8	3	I	-	0	E0	P001	-	-	-
2402	PROPANETHIOLS	3	-	II	-	1 L	E2	P001	-	IBC02	-
2403	ISOPROPENYL ACETATE	3	-	П	-	1 L	E2	P001	-	IBC02	-
2404	PROPIONITRILE	3	6.1	II	-	1 L	E0	P001	-	IBC02	-
2405	ISOPROPYL BUTYRATE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2406	ISOPROPYL ISOBUTYRATE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2407	ISOPROPYL CHLOROFORMATE	6.1	3/8	I	354	0	EO	P602	-	-	-
2409	ISOPROPYL PROPIONATE	3	-	П	-	1 L	E2	P001	-	IBC02	-
2410	1,2,3,6-TETRAHYDROPYRIDINE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2411	BUTYRONITRILE	3	6.1	II	-	1 L	E2	P001	-	IBC02	-
2412	TETRAHYDROTHIOPHENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2413	TETRAPROPYL ORTHOTITANATE	3	-	Ш	-	5 L	E1	P001 LP01		IBC03	-
2414	THIOPHENE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2416	TRIMETHYL BORATE	3	-	П	-	1 L	E2	P001	-	IBC02	-
2417	CARBONYL FLUORIDE	2.3	8	-	-	0	E0	P200	-	-	-
2418	SULPHUR TETRAFLUORIDE	2.3	8	-	-	0	EO	P200	-	_	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T7	TP1 TP13	F-E, S-D	Category D SW1 SW2	_	Colourless liquid. Flashpoint: 2°C c.c. Miscible with water. Toxic by inhalation. Irritating to skin, eyes and mucous membranes.	2396
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: -3°C c.c. Explosive limits: 1.5% to 8%. Immiscible with water.	2397
-	T7	TP1	F-E, S-D	Category E	-	Colourless liquid. Flashpoint: below -18°C c.c. Explosive limits: 1.7% to 8.4%. Boiling point: 55°C. Immiscible with water.	2398
-	T7	TP1	F-E, S-C	Category B	SGG18 SG35	Colourless liquid. Flashpoint: 3°C c.c. Miscible with water. Reacts violently with acids. Harmful by inhalation. Causes burns to skin, eyes and mucous membranes.	2399
-	T4	TP1	F-E, S-D	Category B	_	Colourless liquid. Immiscible with water.	2400
-	T10	TP2	F-E, S-C	Category D	SGG18 SG35	Colourless liquid with a fish-like odour. Miscible with water. Reacts violently with acids. Solution in water is a strong alkali and is corrosive. When involved in fire, evolves toxic nitrous fumes.	2401
-	T4	TP1 TP13	F-E, S-D	Category E	SG50 SG57	Colourless or yellowish liquids with a strong unpleasant odour. Flashpoint: below –18°C c.c. Boiling range: 53°C to 67°C. Immiscible with water.	2402
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 10°C c.c. Immiscible with water.	2403
-	T7	TP1 TP13	F-E, S-D	Category E SW2	_	Colourless, volatile liquid with an ether-like odour. Flashpoint: 2°C c.c. Lower explosive limit: 3.1%. Miscible with water. When involved in a fire, evolves highly toxic cyanide fumes. Toxic if swallowed, by skin contact or by inhalation.	2404
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 25°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2405
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 20°C c.c. Immiscible with water. Narcotic. Irritating to skin, eyes and mucous membranes.	2406
-	-	-	F-E, S-C	Category D SW2	SGG1 SG5 SG8 SG36 SG49	Colourless flammable liquid. Flashpoint: 16°C c.c. Decomposed by water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2407
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 21°C c.c. Immiscible with water.	2409
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 16°C c.c. Miscible with water. Harmful by inhalation.	2410
-	T7	TP1 TP13	F-E, S-D	Category E SW2	_	Colourless liquid. Flashpoint: 21°C c.c. Lower explosive limit: 1.6%. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2411
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid with a pleasant odour. Flashpoint: 13°C c.c. Immiscible with water.	2412
-	T4	TP1	F-E, S-D	Category A	_	Colourless liquid. Flashpoint: 38°C c.c.	2413
-	T4	TP1	F-E, S-D	Category B SW2	-	Colourless liquid with an unpleasant odour. Flashpoint: -9°C c.c. Explosive limits: 1.5% to 12.5%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2414
-	T7	TP1	F-E, S-D	Category B	-	Colourless liquid. Reacts with water, evolving flammable vapours.	2416
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive colourless gas with a pungent odour. Corrosive to glass and to most metals. Corrosive in the presence of water. Much heavier than air (2.3). Highly irritating to skin, eyes and mucous membranes.	2417
-	-	-	F-C, S-U	Category D SW2	SG35	Non-flammable, toxic and corrosive, colourless gas with a pungent odour. Reacts with water, moist air or acids to produce toxic and corrosive fumes. Corrosive to glass and to most metals. Much heavier than air (3.7). Highly irritating to skin, eyes and mucous membranes.	2418

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IE	BC		Р	ortable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions		iı	Tank nstructions	Provisions					
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(1	12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
2419	BROMOTRIFLUOROETHYLENE	2.1	-	-	-	0	E0	P200	-	-	-	-	-	-	-	F-D, S-U	Category B SW2	-	Liquefied, flammable, colourless gas. Much heavier than air (5.6). Boiling point: -3° C.	2419
2420	HEXAFLUOROACETONE	2.3	8	-	-	0	EO	P200	-	-	-	-	-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive, colourless, hygroscopic gas with an unpleasant odour. Reacts vigorously with water, evolving heat. Corrosive to glass and to most metals. Fumes in moist air. Much heavier than air (5.7). Highly irritating to skin, eyes and mucous membranes.	2420
2421	NITROGEN TRIOXIDE	2.3	5.1/8	-	-	0	EO	P200	-	-	-	-	-	-	-	F-C, S-W	Category D SW2	SG6 SG19	Liquefied, non-flammable, toxic and corrosive gas. At lower temperatures, present as a blue liquid. Strong oxidizing agent. Much heavier than air (2.6). Boiling point: 3.5°C. Highly irritating to skin, eyes and mucous membranes.	2421
2422	OCTAFLUOROBUT-2-ENE (REFRIGERANT GAS R 1318)	2.2	-	-	-	120 mL	E1	P200	-	-	-	-	-	-	-	F-C, S-V	Category A	-	Liquefied, non-flammable, colourless gas. Much heavier than air (6.9). Boiling point: 1.2°C.	2422
2424	OCTAFLUOROPROPANE (REFRIGERANT GAS R 218)	2.2	-	-	-	120 mL	E1	P200	-	-	-	-	-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable, colourless gas. Much heavier than air (6.6). Boiling point: -36°C.	2424
2426	AMMONIUM NITRATE, LIQUID (hot concentrated solution)	5.1	-	-	252 942	0	EO	_	_	-	-		-	Τ7	TP1 TP16 TP17	F-H, S-Q	Category D	SGG2 SG42 SG45 SG47 SG48 SG51 SG55 SG58 SG58 SG59 SG61	Hot aqueous solution of not more than 93% ammonium nitrate with not more than 0.2% combustible material (including organic material calculated as carbon) and free from any other added matter, containing at least 7% water, while the maximum content of chloride ions should not exceed 0.02%. May cause fire and explosion in contact with combustible material (e.g. wood, straw, cotton, oil, sugar, etc.), strong acids, and other class 5.1 substances and burn fiercely. Maximum allowable transport temperature of the solution 140°C. This temperature should be indicated on the transport unit. The acidity (pH) of the cargo when diluted with ten parts of water to one part of cargo, by mass, should be between 5.0 and 7.0. The concentration and temperature of the solution at the time of loading, its percentage of combustible materials and of chlorides, and the contents of free acid should be certified.	2426
2427	POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1	-	II	-	1L	E2	P504	-	IBC02	-		-	T4	TP1	F-H, S-Q	Category B	SGG4 SG38 SG49 SG62	Colourless liquid. When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	2427
2427	POTASSIUM CHLORATE, AQUEOUS SOLUTION	5.1	-	III	223	5 L	E1	P504	-	IBC02	-	-	-	T4	TP1	F-H, S-Q	Category B	SGG4 SG38 SG49 SG62	See entry above.	2427
2428	SODIUM CHLORATE, AQUEOUS SOLUTION	5.1	-	II	-	1 L	E2	P504	-	IBC02	-		-	T4	TP1	F-H, S-Q	Category B	SGG4 SG38 SG49 SG62	Colourless liquid. When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	2428
2428	SODIUM CHLORATE, AQUEOUS SOLUTION	5.1	-	III	223	5 L	E1	P504	-	IBC02	-	-	-	T4	TP1	F-H, S-Q	Category B	SGG4 SG38 SG49 SG62	See entry above.	2428

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2429	CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1	_	II	_	1 L	E2	P504	_	IBC02	-
2429	CALCIUM CHLORATE, AQUEOUS SOLUTION	5.1	_	111	223	5 L	E1	P504	-	IBC02	-
2430	ALKYLPHENOLS, SOLID, N.O.S. (including $C_2 - C_{12}$ homologues)	8	-	I	-	0	EO	P002	-	IBC07	B1
2430	ALKYLPHENOLS, SOLID, N.O.S. (including C_2-C_{12} homologues)	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2430	ALKYLPHENOLS, SOLID, N.O.S. (including $C_2 - C_{12}$ homologues)	8	-	III	223	5 kg	E1	P002 LP02	-	IBC08	B3
2431	ANISIDINES	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2432	N,N-DIETHYLANILINE	6.1	-	III	279	5 L	E1	P001 LP01	-	IBC03	-
2433	CHLORONITROTOLUENES, LIQUID	6.1	– P	111	_	5 L	E1	P001 LP01	_	IBC03	-
2434	DIBENZYLDICHLOROSILANE	8	-	II	-	0	EO	P010	-	-	-
2435	ETHYLPHENYL- DICHLOROSILANE	8	_	II	_	0	EO	P010	-	-	-
2436	THIOACETIC ACID	3	-	Ш	-	1 L	E2	P001	-	IBC02	-
2437	METHYLPHENYL- DICHLOROSILANE	8	_	II	_	0	EO	P010	-	-	_
2438	TRIMETHYLACETYL CHLORIDE	6.1	3/8	I	-	0	EO	P001	-	-	-
2439	SODIUM HYDROGENDIFLUORIDE	8	_	II	-	1 kg	E2	P002	_	IBC08	B4 B21
2440	STANNIC CHLORIDE PENTAHYDRATE	8	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-H, S-Q	Category B	SGG4 SG38 SG49 SG62	Colourless liquid. When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	2429
-	T4	TP1	F-H, S-Q	Category B	SGG4 SG38 SG49 SG62	See entry above.	2429
-	T6	TP33	F-A, S-B	Category B	-	A wide range of colourless to pale straw-coloured solids with penetrating odours (sometimes camphor-like). Some have low melting points. Insoluble in water. Cause burns to skin, eyes and mucous membranes.	2430
-	T3	TP33	F-A, S-B	Category B	-	See entry above.	2430
-	T1	TP33	F-A, S-B	Category A	-	See entry above.	2430
-	T4	TP1	F-A, S-A	Category A	_	Reddish or yellowish oily liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2431
-	T4	TP1	F-A, S-A	Category A	-	Colourless to yellow-brown oily liquid. Combustible. Toxic if swallowed, by skin contact or by inhalation.	2432
-	T4	TP1	F-A, <u>S-A</u>	Category A	SG6 SG8 SG10 SG12	Immiscible with water. Oxidizing substance which may explode or burn fiercely when in contact with organic materials. Toxic if swallowed, by skin contact or by inhalation.	2433
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts violently with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapour irritating to skin, eyes and mucous membranes.	2434
-	T10	TP2 TP7 TP13	F-A, S-B	Category C	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2435
-	T4	TP1	F-E, S-D	Category B	-	Colourless or yellow liquid with a pungent odour. Miscible with water. Harmful by inhalation.	2436
-	T10	TP2 TP7 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid. Reacts with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2437
-	T14	TP2 TP13	F-E, S-C	Category D SW1 SW2	SGG1 SG5 SG8 SG36 SG49	Flammable liquid. Flashpoint: 19°C c.c. Boiling point: 108°C. Reacts with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. In the presence of moisture, corrosive to most metals. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2438
-	ТЗ	TP33	F-A, S-B	Category A SW1 SW2 H2	SGG1 SG35 SG36 SG49	White, crystalline powder. Soluble in water. Decomposed by heat or acids, evolving hydrogen fluoride, a toxic extremely irritating and corrosive gas. In the presence of moisture, highly corrosive to glass, other siliceous materials and most metals. Causes burns to skin, eyes and mucous membranes.	2439
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	White, deliquescent solid. Melting point: about 60°C. Soluble in water. In the presence of water, corrosive to most metals. Irritating to skin, eyes and mucous membranes.	2440

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
2441	TITANIUM TRICHLORIDE, PYROPHORIC or TITANIUM TRICHLORIDE MIXTURE, PYROPHORIC	4.2	8	I	_	0	EO	P404	PP31	_	_	
2442	TRICHLOROACETYL CHLORIDE	8	-	II	-	0	EO	P001	-	_	_	
2443	VANADIUM OXYTRICHLORIDE	8	_	II	_	1 L	EO	P001	-	IBC02	_	
2444	VANADIUM TETRACHLORIDE	8	-	I	-	0	EO	P802	-	-	-	
2446	NITROCRESOLS, SOLID	6.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3	
2447	PHOSPHORUS, WHITE, MOLTEN	4.2	6.1 Р	I	-	0	EO	-	-	-	-	
2448	SULPHUR, MOLTEN	4.1	_	III	_	0	EO	_	-	IBC01		
2451	NITROGEN TRIFLUORIDE	2.2	5.1	-	-	0	E0	P200	-	-	-	
2452	ETHYLACETYLENE, STABILIZED	2.1	_	-	386	0	EO	P200	-	-		
2453	ETHYL FLUORIDE (REFRIGERANT GAS R 161)	2.1	-	-	-	0	E0	P200	-	-	-	
2454	METHYL FLUORIDE (REFRIGERANT GAS R 41)	2.1	-	-	-	0	E0	P200	-	-	-	
2455	METHYL NITRITE	2.2	-	-	900	-	-	-	-	-	-	
2456	2-CHLOROPROPENE	3	_	I	-	0	E3	P001	-	-	-	
2457	2,3-DIMETHYLBUTANE	3	-	II	-	1 L	E2	P001	-	IBC02	-	
2458	HEXADIENES	3	_	II	_	1 L	E2	P001	_	IBC02	_	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	-	_	F-G, S-M	Category D SW2 H1	SGG7 SG26	Finely divided, violet, crystalline solid. May ignite on exposure to air or moisture. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	244
-	T7	TP2	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Liquid with a pungent odour, which fumes in moist air. Reacts violently with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. When involved in a fire, evolves toxic gases. In the presence of moisture, corrosive to most metals. Liquid and vapours cause burns to skin, eyes and mucous membranes.	244
-	T7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Yellow liquid. Decomposition occurs on exposure to moist air, forming red fumes of vanadic acid and hydrogen chloride, a corrosive gas apparent as white fumes. Reacts with, or dissolves, many organic compounds. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	244
-	T10	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Reddish-brown liquid. Decomposes under the influence of light, evolving chlorine, a highly toxic and irritating gas. Reacts violently with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. In the presence of moisture, corrosive to most metals. Liquid and vapours cause burns to skin, eyes and mucous membranes.	2444
-	T1	TP33	F-A, S-A	Category A	-	Yellow crystals. Melting point: 32°C or above. Slightly soluble in water. Toxic if swallowed, by skin contact or by inhalation.	2446
-	T21	TP3 TP7 TP26	<u>F-A</u> , S-M	Category D	-	Molten liquid. Melting point: 44°C. Ignites spontaneously in air. Toxic if swallowed, by skin contact or by inhalation. Shipped molten above its melting point.	2447
-	T1	TP3	F-A, S-H	Category C	SG17	Melting point: 119°C. Molten sulphur may contain hydrogen sulphide, which is highly poisonous in low concentrations. When involved in a fire, evolves toxic, very irritating and suffocating gas. Forms explosive and extremely sensitive mixtures with oxidizing substances. Shipped molten above its melting point.	2448
-	-	-	F-C, S-W	Category D SW2	-	Non-flammable, non-toxic, colourless, odourless gas. Strong oxidizing agent; reacts violently with many substances, e.g. grease, oil, etc. Much heavier than air (2.4). May cause slight eye irritation.	2451
-	-	-	F-D, S-U	Category B SW1 SW2	-	Liquefied, flammable, colourless gas with an odour similar to acetylene. Heavier than air (1.9). Boiling point: 8°C. Irritating to skin, eyes and mucous membranes.	2452
-	-	-	F-D, S-U	Category E SW2	-	Liquefied, flammable, colourless gas. Explosive limits: 5% to 10%. Heavier than air (1.7). Boiling point: -37° C.	245
-	-	-	F-D, S-U	Category E SW2	-	Flammable, colourless gas. Heavier than air (1.2).	2454
-	-	-	-	-	-	Transport is prohibited.	245
-	T11	TP2	F-E, S-D	Category E	SGG10	Colourless liquid. Flashpoint: below -18°C c.c. Explosive limits: 2.5% to 12%. Boiling point: 23°C. Immiscible with water. Harmful if swallowed or by inhalation. Irritating to skin, eyes and mucous membranes.	2450
-	Τ7	TP1	F-E, S-D	Category E	-	Colourless liquid. Flashpoint: -29°C c.c. Explosive limits: 1.2% to 7%. Immiscible with water. Irritating to skin, eyes and mucous membranes. Narcotic in high concentrations.	2457
-	T4	TP1	F-E, S-D	Category B	_	Colourless liquids. 1,3-HEXADIENE: flashpoint -3°C c.c. 1,4-HEXADIENE: flashpoint -25°C c.c. 1,5-HEXADIENE: flashpoint -27°C c.c. 2,4-HEXADIENE: flashpoint -7°C c.c. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2458

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

٢	
)

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2459	2-METHYL-1-BUTENE	3	-	I	-	0	E3	P001	-	-	-
	2460	2-METHYL-2-BUTENE	3	-	Ш	-	1 L	E2	P001	-	IBC02	B8
	2461	METHYLPENTADIENES	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2463	ALUMINIUM HYDRIDE	4.3	-	I	-	0	E0	P403	PP31	-	-
	2464	BERYLLIUM NITRATE	5.1	6.1	II	-	1 kg	E2	P002	-	IBC08	B4 B21
	2465	DICHLOROISOCYANURIC ACID, DRY or DICHLOROISOCYANURIC ACID SALTS	5.1	-	II	135	1 kg	E2	P002	-	IBC08	B4 B21
	2466	POTASSIUM SUPEROXIDE	5.1	_	I	_	0	EO	P503	_	IBC06	B1
	2468	TRICHLOROISOCYANURIC ACID, DRY	5.1	_	II	_	1 kg	E2	P002	_	IBC08	B4 B21
	2469	ZINC BROMATE	5.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
	2470	PHENYLACETONITRILE, LIQUID	6.1	-	III	-	5 L	E1	P001 LP01		IBC03	-
	2471	OSMIUM TETROXIDE	6.1	– P	I	-	0	E5	P002	PP30 PP31	IBC07	B1
	2473	SODIUM ARSANILATE	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
$ \land $	2474	THIOPHOSGENE	6.1	-	I	279 354	0	EO	P602	-	-	-
	2475	VANADIUM TRICHLORIDE	8	-	111	_	5 kg	E1	P002 LP02	-	IBC08	В3
	2477	METHYL ISOTHIOCYANATE	6.1	3	I	354	0	EO	P602	-	_	-
	2478	ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	3	6.1	II	274	1 L	E2	P001	PP31	IBC02	_

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T11	TP2	F-E, S-D	Category E	-	Colourless, volatile liquid with a disagreeable odour. Flashpoint: below –18°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	245
-	Τ7	TP1	F-E, S-D	Category E	-	Colourless, volatile liquid with a disagreeable odour. Flashpoint: below -18°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	246
-	T4	TP1	F-E, S-D	Category E	-	Colourless liquids. Flashpoint: below -18°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	246
-	-	-	<u>F-G</u> , S-O	Category E H1	SG26	White to grey powder. In contact with water, acids or moisture, evolves hydrogen, which may be ignited by the heat of the reaction.	246
-	T3	TP33	F-A, S-Q	Category A	-	White or light yellow deliquescent crystals, or fine dust. Mixtures with combustible material are readily ignited and may burn fiercely. Toxic if swallowed, by skin contact or by dust inhalation.	246
-	Т3	TP33	F-A, S-Q	Category A H1	-	White crystalline powder or granules; slightly hygroscopic. Partially soluble in water. Mixtures with combustible material are sensitive to friction and are liable to ignite. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	246
-	-	-	F-G, S-Q	Category D H1	SGG16 SG16 SG26 SG35 SG59	Yellow flakes. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite, following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen. Highly irritating to skin, eyes and mucous membranes.	246
	Т3	TP33	F-A, S-Q	Category A H1	_	Colourless powder or granules. Mixtures with combustible material are sensitive to friction and are liable to ignite. On contact with nitrogen compounds, fumes of nitrogen trichloride can be formed, which are very explosive. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	246
-	T1	TP33	F-H, S-Q	Category A	SGG3 SGG7 SG38 SG49	Colourless powder. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	246
-	T4	TP1	F-A, S-A	Category A	SG35	Colourless to light brown liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	247
-	T6	TP33	F-A, <u>S-A</u>	Category B SW2	-	Pale yellow, crystalline, volatile solid with an irritating odour. Highly toxic if swallowed, by skin contact or by inhalation.	247
-	T1	TP33	F-A, S-A	Category A	-	White, crystalline powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	247
-	T20	TP2 TP13	F-A, S-A	Category D SW2	SG35	Red fuming liquid with a foul phosgene-like odour. Decomposes slowly in water. Reacts with acids, evolving toxic and corrosive fumes. Highly toxic if swallowed, by skin contact or by inhalation.	247
-	T1	TP33	F-A, S-B	Category A SW2	SGG1 SG36 SG49	Pink, deliquescent crystals. Decomposes in water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Irritating to skin, eyes and mucous membranes.	247
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	White crystals. Usually shipped as an oily liquid with a flashpoint below 60°C c.c. Melting point: 36°C (pure substance). Flashpoint: 32°C c.c. (pure substance). Insoluble in water. When involved in a fire, evolves toxic gases. Highly toxic if swallowed, by skin contact or by inhalation.	247
-	T11	TP2 TP13 TP27	F-E, S-D	Category D SW2	-	Flammable toxic liquids with a pungent odour. Immiscible with water but react with it to form carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	247

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC	
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		2478	ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	3	6.1	111	223 274	5 L	E1	P001	PP31	IBC03	-
D G		2480	METHYL ISOCYANATE	6.1	3	Ι	354	0	EO	P601	_	_	_
L		2481	ETHYL ISOCYANATE	6.1	3	I	354	0	EO	P602	-	_	_
		2482	n-PROPYL ISOCYANATE	6.1	3	I	354	0	E0	P602	-	_	_
	\bigtriangleup	2483	ISOPROPYL ISOCYANATE	6.1	3	I	354	0	EO	P602	-	-	-
	\bigtriangleup	2484	tert-BUTYL ISOCYANATE	6.1	3	I	354	0	E0	P602	-	-	
	\bigtriangleup	2485	n-BUTYL ISOCYANATE	6.1	3	I	354	0	E0	P602	-	-	-
	\bigtriangleup	2486	ISOBUTYL ISOCYANATE	6.1	3	I	354	0	E0	P602	-	-	-
	\bigtriangleup	2487	PHENYL ISOCYANATE	6.1	3	I	354	0	EO	P602	-	-	-
	\bigtriangleup	2488	CYCLOHEXYL ISOCYANATE	6.1	3	I	354	0	E0	P602	-	_	-
		2490	DICHLOROISOPROPYL ETHER	6.1	-	П	-	100 mL	E4	P001	-	IBC02	-
		2491	ETHANOLAMINE or ETHANOLAMINE SOLUTION	8	_	111	223	5 L	E1	P001 LP01	_	IBC03	_
		2493	HEXAMETHYLENEIMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T7	TP1 TP13 TP28	F-E, S-D	Category A	-	Flammable toxic liquids with a pungent odour. Immiscible with water but react with it to form carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2478
-	T22	TP2 TP13	F-E, S-D	Category D SW2	SG35	Flammable liquid with a pungent odour. Flashpoint: -7°C c.c. (pure product). Boiling point: 38°C (pure product). Vapour heavier than air. Immiscible with water but reacts violently with it. In contact with water or acids, evolves highly toxic nitrous fumes. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2480
-	T20	TP2 TP13	F-E, S-D	Category D SW2	SG35	Liquid with a pungent odour. Flashpoint: -18°C to 0°C c.c. Boiling point: 60°C. Immiscible with water but reacts violently with it. On contact with water or acids, or when heated above boiling point, evolves highly toxic nitrous fumes. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2481
	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Flammable liquid with a pungent odour. Immiscible with water but reacts violently with it, evolving gases. Flashpoint: -18°C to 23°C c.c. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2482
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Liquid with a pungent odour. Flashpoint: -10°C to 0°C c.c. Immiscible with water but reacts violently with it, evolving gases. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	248
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Colourless liquid with a pungent odour. Immiscible with water but reacts violently with it, evolving gases. Flashpoint: 11°C c.c. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2484
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Colourless liquid with a pungent odour. Immiscible with water but reacts violently with it, evolving gases. Flashpoint: 19°C c.c. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	248
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Liquid with a pungent odour. Immiscible with water but reacts violently with it, evolving gases. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	248
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Colourless to yellowish liquid with a pungent odour. Flashpoint: 51°C c.c. Immiscible with water. Reacts with water, evolving carbon dioxide. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2487
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Yellowish liquid with an irritating odour. Flashpoint: 53°C c.c. Immiscible with water. Reacts with water, evolving carbon dioxide. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	2488
-	T7	TP2	F-A, S-A	Category B	-	Colourless liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2490
-	T4	TP1	F-A, S-B	Category A	SGG18 SG35	Colourless. Miscible with water. Corrosive to copper, copper compounds, copper alloys and rubber. Reacts violently with acids. Liquid and vapour cause burns to skin, eyes and mucous membranes.	249 [.]
-	Τ7	TP1	F-E, S-C	Category B SW2	-	Yellowish liquid with an ammoniacal odour. Flashpoint: 18°C c.c. Miscible with water. Harmful by inhalation. Absorbed through the skin. Causes burns to skin, eyes and mucous membranes.	249

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2495	IODINE PENTAFLUORIDE	5.1	6.1/8	1	_	0	EO	P200	_	_	_
2496	PROPIONIC ANHYDRIDE	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2498	1,2,3,6-TETRAHYDRO- BENZALDEHYDE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2501	TRIS-(1-AZIRIDINYL)- PHOSPHINE OXIDE SOLUTION	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
2501	TRIS-(1-AZIRIDINYL)- PHOSPHINE OXIDE SOLUTION	6.1	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
2502	VALERYL CHLORIDE	8	3	II	-	1 L	E2	P001	-	IBC02	-
2503	ZIRCONIUM TETRACHLORIDE	8	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	В3
2504	TETRABROMOETHANE	6.1	– P	ш	-	5 L	E1	P001 LP01	-	IBC03	-
2505	AMMONIUM FLUORIDE	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	В3
2506	AMMONIUM HYDROGEN SULPHATE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2507	CHLOROPLATINIC ACID, SOLID	8	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
2508	MOLYBDENUM PENTACHLORIDE	8	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
2509	POTASSIUM HYDROGEN SULPHATE	8	_	II	_	1 kg	E2	P002	-	IBC08	B4 B21
2511	2-CHLOROPROPIONIC ACID	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
2512	AMINOPHENOLS (o-, m-, p-)	6.1	-	111	279	5 kg	E1	P002 LP02	-	IBC08	В3
2513	BROMOACETYL BROMIDE	8	-	II	-	1 L	E2	P001	-	IBC02	B20

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-A, S-Q	Category D SW1 SW2	SGG1 SG6 SG16 SG19 SG35 SG36 SG49	Colourless, fuming liquid (density 3.75). Powerful oxidant; may cause fire in contact with organic material such as wood, cotton or straw. Reacts violently with water, evolving hydrogen fluoride, a toxic, extremely corrosive gas apparent as white fumes. In contact with acids or acid fumes, evolves highly toxic fumes of iodine, fluorine and their compounds. Highly corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2495
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless, combustible liquid with a pungent odour. Reacts with water, forming propionic acid. Corrosive to skin, eyes and mucous membranes.	2496
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 57°C o.c. Immiscible with water.	2498
-	T7	TP2	F-A, S-A	Category A	-	Aqueous solution. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	2501
-	T4	TP1	F-A, S-A	Category A	-	See entry above.	2501
-	T7	TP2	F-E, S-C	Category C SW2	SGG1 SG36 SG49	Liquid with a penetrating odour. Flashpoint: 23°C c.c. or above. Reacts with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. Corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2502
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	White, lustrous crystals. Reacts with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. In the presence of moisture, corrosive to most metals. Irritating to mucous membranes.	2503
-	T4	TP1	F-A, <u>S-A</u>	Category A	SGG10	Colourless to yellowish liquid with a camphor-like odour. Toxic if swallowed, by skin contact or by inhalation.	2504
_	T1	TP33	F-A, S-A	Category A	SGG2 SG35	Colourless crystals or powder with an ammonia-like odour. Readily soluble in water. Decomposes in contact with acids, evolving hydrogen fluoride, a corrosive gas. Toxic if swallowed, by skin contact or by dust inhalation.	2505
-	Т3	TP33	F-A, S-B	Category A SW2	SGG1 SGG2 SG36 SG49	White, rhombic crystals. Soluble in water. When involved in a fire, evolves extremely irritating and corrosive fumes. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2506
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Red-brown crystals. Soluble in water.	2507
-	T1	TP33	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Black or green-black crystals. Hygroscopic. Reacts violently with water, evolving hydrogen chloride, a corrosive gas apparent as white fumes. Harmful if swallowed. Dust and vapour irritate skin, eyes and mucous membranes.	2508
-	ТЗ	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless crystals. Soluble in water. When involved in a fire, evolves extremely irritating and corrosive fumes. In the presence of moisture, corrosive to most metals. Irritating to skin, eyes and mucous membranes.	2509
-	T4	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless, aqueous solution with a specific odour. Causes burns to skin, eyes and mucous membranes.	2511
-	T1	TP33	F-A, S-A	Category A	_	White or brownish (<i>ortho-</i> and <i>para-</i>) or reddish-yellow (<i>meta-</i>) crystals. Soluble in water. Toxic if swallowed, by skin contact or by inhalation.	2512
-	T8	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Clear liquid, colourless. Boiling point: 150°C. Reacts violently with water, evolving hydrogen bromide, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Reacts violently with alkalis such as ammonia and hydrazine. Causes very severe burns to skin, eyes and mucous membranes. Vapour causes tears.	2513

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		2514	BROMOBENZENE	3	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-
П		2515	BROMOFORM	6.1	– P	III	-	5 L	E1	P001 LP01	-	IBC03	-
C		2516	CARBON TETRABROMIDE	6.1	– P	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
		2517	1-CHLORO-1,1-DIFLUORO- ETHANE (REFRIGERANT GAS R 142b)	2.1	-	-	-	0	EO	P200	-	-	-
		2518	1,5,9-CYCLODODECATRIENE	6.1	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-
		2520	CYCLOOCTADIENES	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	\bigtriangleup	2521	DIKETENE, STABILIZED	6.1	3	I	354 386	0	EO	P602	_	_	_
	\triangle	2522	2-DIMETHYLAMINOETHYL METHACRYLATE, STABILIZED	6.1	-	II	386	100 mL	E4	P001	-	IBC02	-
		2524	ETHYL ORTHOFORMATE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
		2525	ETHYL OXALATE	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
		2526	FURFURYLAMINE	3	8	Ш	-	5 L	E1	P001	-	IBC03	-
		2527	ISOBUTYL ACRYLATE, STABILIZED	3	-	Ш	386	5 L	E1	P001 LP01	-	IBC03	-
		2528	ISOBUTYL ISOBUTYRATE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
		2529	ISOBUTYRIC ACID	3	8	Ш	-	5 L	E1	P001	-	IBC03	-
		2531	METHACRYLIC ACID, STABILIZED	8	_	II	386	1L	E2	P001	-	IBC02	-
		2533	METHYL TRICHLOROACETATE	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
		2534	METHYLCHLOROSILANE	2.3	2.1/8	-	-	0	EO	P200	-	-	-
		2535	4-METHYLMORPHOLINE (N-METHYLMORPHOLINE)	3	8	II	-	1 L	E2	P001	-	IBC02	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T2	TP1	F-E, <u>S-D</u>	Category A	-	Colourless liquid with a characteristic odour. Flashpoint: 51°C c.c. Explosive limits: 0.5% to 2.8%. Immiscible with water.	251
-	T4	TP1	F-A, <u>S-A</u>	Category A SW1 SW2 H2	SGG10	Colourless liquid or crystals (melting point 9°C) with a chloroform-like odour. Toxic if swallowed, by skin contact or by inhalation. Narcotic effect.	251
-	T1	TP33	F-A, <u>S-A</u>	Category A SW1	-	Colourless crystals. Melting point: 48°C. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation of dust and vapour.	251
-	T50	-	F-D, S-U	Category B SW2	-	Flammable gas. Explosive limits: 8.5% to 14%. Much heavier than air (3.5).	251
-	T4	TP1	F-A, <u>S-A</u>	Category A SW2	-	Colourless liquid. Toxic if swallowed, by skin contact or by inhalation.	251
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids. Immiscible with water. 1,5-CYCLOOCTADIENE: flashpoint 38°C c.c. Irritating to skin, eyes and mucous membranes.	252
-	T20	TP2 TP13	F-E, S-D	Category D SW1 SW2	SG20 SG21	Colourless flammable liquid with a pungent odour. Flashpoint: 44°C c.c. Immiscible with water, but hydrolyses slowly in contact with it. The presence of acids, bases or amines can initiate explosive polymerization. Highly toxic if swallowed, by skin contact or by inhalation.	252
-	Τ7	TP2	F-A, S-A	Category D SW2	-	Combustible liquid. Causes tears. Toxic if swallowed, by skin contact or by inhalation.	252
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with an ethereal odour. Flashpoint: 30°C c.c. Immiscible with water.	252
-	T4	TP1	F-A, S-A	Category A	-	Colourless, oily, aromatic liquid. Slowly decomposed by water. Toxic if swallowed, by skin contact or by dust inhalation.	252
-	T4	TP1	F-E, S-C	Category A SW2	SG35	Pale yellow, oily liquid. Flashpoint: 37°C o.c. Miscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	252
-	T2	TP1	F-E, S-D	Category C SW1	-	Colourless liquid with a pungent odour. Flashpoint: 29°C o.c. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	252
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with a fruity odour. Flashpoint: 37°C c.c. Explosive limits: 0.96% to 7.59%. Immiscible with water.	252
-	T4	TP1	F-E, S-C	Category A	-	Colourless liquid with a pungent odour. Flashpoint: 55°C c.c. Explosive limits: 2% to 9.2%. Miscible with water. Causes burns to skin and eyes. Irritating to skin, eyes and mucous membranes.	252
_	T7	TP2 TP18 TP30	F-A, S-B	Category C SW1 SW2	SGG1 SG36 SG49	Colourless, combustible liquid with a specific odour. Miscible with water. Polymerizes readily above its melting point (15°C), thereby generating heat and possible risk of explosion; should therefore be properly stabilized. Cooling below melting point (15°C) followed by subsequent reheating can release uninhibited monomer that readily polymerizes. Decomposes when heated, evolving toxic gases. Causes burns to skin, eyes and mucous membranes.	253
-	T4	TP1	F-A, S-A	Category A	-	Colourless liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	253
-	-	-	F-D, S-U	Category D SW2	SG4 SG9	Liquefied, flammable, toxic and corrosive colourless gas with a pungent odour. Reacts with water, evolving hydrogen chloride, an irritating and corrosive gas. Heavier than air. Boiling point: 9°C. Highly irritating to skin, eyes and mucous membranes.	25
-	T7	TP1	F-E, S-C	Category B SW2	-	Colourless liquid with an ammonia-like odour. Flashpoint: 13°C c.c. Miscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	253

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2536	METHYLTETRAHYDROFURAN	3	-	II	-	1 L	E2	P001	-	IBC02	-
	2538	NITRONAPHTHALENE	4.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
	2541	TERPINOLENE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2542	TRIBUTYLAMINE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
	2545	HAFNIUM POWDER, DRY	4.2	-	I	-	0	EO	P404	PP31	-	-
	2545	HAFNIUM POWDER, DRY	4.2	-	Ш	-	0	E2	P410	PP31	IBC06	B21
	2545	HAFNIUM POWDER, DRY	4.2	-	Ш	223	0	E1	P002 LP02	PP31 L4	IBC08	B4
	2546	TITANIUM POWDER, DRY	4.2	-	I	-	0	E0	P404	PP31	-	-
	2546	TITANIUM POWDER, DRY	4.2	-	II	-	0	E2	P410	PP31	IBC06	B21
	2546	TITANIUM POWDER, DRY	4.2	-	Ш	223	0	E1	P002 LP02	PP31 L4	IBC08	B4
	2547	SODIUM SUPEROXIDE	5.1	_	I	_	0	EO	P503	-	IBC06	B1
	2548	CHLORINE PENTAFLUORIDE	2.3	5.1/8	-	-	0	EO	P200	-	-	-
	2552	HEXAFLUOROACETONE HYDRATE, LIQUID	6.1	-	Ш	-	100 mL	E4	P001	-	IBC02	-
	2554	METHYLALLYL CHLORIDE	3	-	II	-	1 L	E2	P001	-	IBC02	-
\triangle	2555	NITROCELLULOSE WITH WATER (not less than 25% water, by mass)	4.1	-	II	28 394	0	EO	P406	PP31	_	-
	2556	NITROCELLULOSE WITH ALCOHOL (not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass)	4.1	-	II	28 394	0	EO	P406	PP31	-	-

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4.2.5 4.3	Provisions (14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-E, S-D	Category B	_	Colourless, volatile liquid with an ether-like odour.	2536
-	T1	TP33	F-A, S-G	Category A	-	Yellow crystals. Insoluble in water. Harmful if swallowed.	2538
-	T2	TP1	F-E, S-E	Category A	-	Colourless to pale amber liquid with a lemon odour. Flashpoint: 37°C c.c. Immiscible with water.	2541
-	T7	TP2	F-A, S-A	Category A	-	Colourless, combustible liquid with an amine odour. Immiscible with water. When involved in a fire, evolves toxic gases. Toxic if swallowed, by skin contact or by inhalation.	2542
-	-	-	F-G, S-M	Category D H1	SGG15 SG26	Black amorphous powder. Insoluble in water. Liable to ignite spontaneously in air. Forms explosive mixtures with oxidizing substances.	2545
-	Т3	TP33	F-G, S-M	Category D H1	SGG15 SG26	See entry above.	2545
-	T1	TP33	F-G, S-M	Category D H1	SGG15 SG26	See entry above.	2545
-	-	-	F-G, S-M	Category D H1	SGG7 SGG15 SG26	Grey powder. Liable to ignite spontaneously in air. Forms explosive mixtures with oxidizing substances.	2546
-	ТЗ	TP33	F-G, S-M	Category D H1	SGG7 SGG15 SG26	See entry above.	2546
-	T1	TP33	F-G, S-M	Category D H1	SGG7 SGG15 SG26	See entry above.	2546
-	-	-	F-G, S-Q	Category D H1	SGG16 SG16 SG26 SG35 SG59	Pale yellow coarse powder or granules. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite, following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen. Highly irritating to skin, eyes and mucous membranes.	2547
-	-	-	F-C, S-W	Category D SW2	SG6 SG19	Non-flammable, toxic and corrosive gas. Forms dense, white, corrosive fumes in moist air. Reacts violently with water, evolving hydrogen fluoride, a toxic, irritating and corrosive gas apparent as white fumes. Corrosive to glass and to most metals. Powerful oxidizing agent which may cause violent fires with combustible materials. Much heavier than air (4.5). Highly irritating to skin, eyes and mucous membranes.	2548
-	Τ7	TP2	F-A, S-A	Category B SW2	-	Toxic if swallowed, by skin contact or by inhalation.	2552
-	T4	TP1 TP13	F-E, S-D	Category E	SGG10	Colourless to yellowish, volatile liquid with a penetrating odour. Flashpoint: -12°C c.c. Explosive limits: 2.3% to 9.3%. Immiscible with water. When involved in a fire, may evolve highly toxic phosgene gas. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2554
_	_	_	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Nitrocellulose may be granular or in flakes, blocks or fibrous form. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. May form extremely sensitive compounds with heavy metals or their salts.	2555
-	-	-	F-B, S-J	Category D SW1 H2	SG7 SG30	Nitrocellulose may be granular or in flakes, blocks or fibrous form. In case of leakage, flammable vapours are evolved which, in closed compartments, may form explosive mixtures with air. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Highly explosive when dry. May form extremely sensitive compounds with heavy metals or their salts.	2556

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

				·									
J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
D	\bigtriangleup	2557	NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH or WITHOUT PLASTICIZER, WITH or WITHOUT PIGMENT	4.1	_	II	241 394	0	EO	P406	PP31	-	-
		2558	EPIBROMOHYDRIN	6.1	3 P	I	-	0	E0	P001	-	-	-
u		2560	2-METHYLPENTAN-2-OL	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
L		2561	3-METHYL-1-BUTENE	3	-	I	-	0	E3	P001	-	-	-
		2564	TRICHLOROACETIC ACID SOLUTION	8	-	II	_	1 L	E2	P001	-	IBC02	-
		2564	TRICHLOROACETIC ACID SOLUTION	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
		2565	DICYCLOHEXYLAMINE	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
		2567	SODIUM PENTACHLOROPHENATE	6.1	– P	II	-	500 g	E4	P002	-	IBC08	B4 B21
		2570	CADMIUM COMPOUND	6.1	-	I	274	0	E5	P002	-	IBC07	B1
		2570	CADMIUM COMPOUND	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21
		2570	CADMIUM COMPOUND	6.1	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	В3
		2571	ALKYLSULPHURIC ACIDS	8	-	II	-	1 L	E2	P001	-	IBC02	-
		2572	PHENYLHYDRAZINE	6.1	-	Ш	-	100 mL	E4	P001	-	IBC02	-
		2573	THALLIUM CHLORATE	5.1	6.1 Р	II	-	1 kg	E2	P002	-	IBC06	B21
		2574	TRICRESYL PHOSPHATE with more than 3% ortho-isomer	6.1	– P	II	_	100 mL	E4	P001	-	IBC02	-
		2576	PHOSPHORUS OXYBROMIDE, MOLTEN	8	_	II	_	0	EO	_	_	_	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-J	Category D	SG7 SG30	Nitrocellulose may be in granular form or in flakes. This product may also contain added pigments. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Burns extremely rapidly with intense heat radiation. The formulation should be prepared so that it remains homogeneous and does not separate during transport. May form extremely sensitive compounds with heavy metals or their salts.	2557
-	T14	TP2 TP13	F-E, <u>S-D</u>	Category D SW2	-	Flammable liquid. Flashpoint: 56°C c.c. Highly toxic if swallowed, by skin contact or by inhalation.	2558
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 30°C c.c. Partially miscible with water. Irritating to skin, eyes and mucous membranes.	2560
-	T11	TP2	F-E, S-D	Category E	-	Colourless, volatile liquid with a disagreeable odour. Flashpoint: below -18°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2561
-	T7	TP2	F-A, S-B	Category B	SGG1 SG36 SG49	Colourless, clear solution with a pungent odour. Corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2564
-	T4	TP1	F-A, S-B	Category B	SGG1 SG36 SG49	See entry above.	2564
-	T4	TP1	F-A, S-B	Category A	SG35	Clear, colourless, combustible liquid with a fishy odour which may taint other cargoes. Immiscible with water. Causes burns to skin, eyes and mucous membranes.	2565
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	White or light brown powder with a pungent odour. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2567
-	T6	TP33	F-A, S-A	Category A	-	Powder or crystals with various colours. May be soluble or insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2570
-	T3	TP33	F-A, S-A	Category A	-	See entry above.	2570
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	2570
-	T8	TP2 TP13 TP28	F-A, S-B	Category C SW15	SGG1 SG36 SG49	Colourless oily liquids. React with water, evolving heat. Cause burns to skin, eyes and mucous membranes. Highly corrosive to metal.	2571
-	T7	TP2	F-A, S-A	Category A SW2	-	Pale yellow oily liquid. Melting point: 20°C. Slightly soluble in water. Toxic if swallowed, by skin contact or by inhalation.	2572
-	T3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Colourless crystals. Slightly soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by dust inhalation.	2573
-	T7	TP2	F-A, <u>S-A</u>	Category A	-	Colourless liquid. A mixture of isomers. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2574
-	T7	TP3 TP13	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Melting point: 56°C. Reacts violently with water, evolving hydrogen bromide, a toxic and corrosive gas apparent as white fumes. Reacts violently with organic materials (such as wood, cotton, straw), causing fire. When involved in a fire, evolves highly toxic and corrosive gases. In the presence of moisture, highly corrosive to most metals. Vapours and liquid cause burns to skin, eyes and mucous membranes. Shipped molten above its melting point.	2576

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2577	PHENYLACETYL CHLORIDE	8	_	II	_	1 L	E2	P001	_	IBC02	-
2578	PHOSPHORUS TRIOXIDE	8	-	III	-	5 kg	E1	P002 LP02	-	IBC08	В3
2579	PIPERAZINE	8	_	III	_	5 kg	E1	P002 LP02	-	IBC08	В3
2580	ALUMINIUM BROMIDE SOLUTION	8	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
2581	ALUMINIUM CHLORIDE SOLUTION	8	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
2582	FERRIC CHLORIDE SOLUTION	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
2583	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid	8	-	11	-	1 kg	E2	P002	-	IBC08	B4 B21
2584	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid	8	-	II	-	1 L	E2	P001	-	IBC02	B20
2585	ALKYLSULPHONIC ACIDS, SOLID or ARYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid	8	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
2586	ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid	8	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2587	BENZOQUINONE	6.1	-	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
2588	PESTICIDE, SOLID, TOXIC, N.O.S.	6.1	-	I	61 274	0	E5	P002	-	IBC99	-
2588	PESTICIDE, SOLID, TOXIC, N.O.S.	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2588	PESTICIDE, SOLID, TOXIC, N.O.S.	6.1	-	Ш	61 223 274	5 kg	E1	P002 LP02	-	IBC08	В3
2589	VINYL CHLOROACETATE	6.1	3	II	-	100 mL	E4	P001	-	IBC02	-

		Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	T7	TP2	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Reacts with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolves highly toxic fumes. Corrosive to most metals. Vapour irritates eyes and mucous membranes. Liquid is corrosive to skin, eyes and mucous membranes.	2577
	-	T1	TP33	F-A, S-B	Category A SW1 H2	SGG1 SG36 SG49	Colourless crystals or white deliquescent powder. Melting point: 23°C. Reacts with water, evolving heat and at normal temperatures phosphoric acid, but at higher temperatures phosphine, a highly toxic gas. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2578
	-	T1	TP33	F-A, S-B	Category A SW1 H2	SGG18 SG35	Colourless, deliquescent crystals, turning dark on exposure to light. Soluble in water. Decomposes when heated and when involved in a fire, evolving highly toxic nitrous fumes. The solution in water is a strong base and is highly corrosive. Reacts violently with acids. Irritating to skin, eyes and mucous membranes.	2579
	-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless to yellowish liquid. Highly corrosive to most metals. Vapour highly irritating to skin, eyes and mucous membranes. Liquid causes severe burns to skin, eyes and mucous membranes.	2580
	-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless to yellowish liquid. Highly corrosive to most metals. Vapour highly irritating to skin, eyes and mucous membranes. Liquid causes severe burns to skin, eyes and mucous membranes.	2581
	-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless to light brown liquid. Highly corrosive to most metals.	2582
	-	Т3	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	When involved in a fire, evolve highly toxic gases. Corrosive to most metals, especially in the presence of moisture. Cause burns to skin, eyes and mucous membranes.	2583
	-	Т8	TP2 TP13	F-A, S-B	Category B	SGG1 SG36 SG49	Liquids usually with a pungent odour. When involved in a fire, evolve highly toxic gases. Highly corrosive to most metals. Cause burns to skin, eyes and mucous membranes.	2584
	-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Crystalline solids. When involved in a fire, evolve highly toxic gases. In the presence of moisture, corrosive to most metals. Cause burns to skin, eyes and mucous membranes.	2585
	-	T4	TP1	F-A, S-B	Category B	SGG1 SG36 SG49	Liquids usually with a pungent odour. When involved in a fire, evolve highly toxic gases. Corrosive to most metals. Cause burns to skin, eyes and mucous membranes.	2586
	-	Т3	TP33	F-A, S-A	Category A	-	Yellow crystals with an irritating and penetrating odour resembling that of chlorine. Slightly soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2587
	-	Т6	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2588
	-	Т3	TP33	F-A, S-A	Category A SW2	_	See entry above.	2588
	-	T1	TP33	F-A, S-A	Category A SW2	-	See entry above.	2588
	-	T7	TP2	F-E, S-D	Category A	_	Flammable liquid. Flashpoint: 50°C c.c. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2589

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

	UN No.	Proper shipping name (PSN)	Class or division	ion hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	ting	IB	С
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2590	ASBESTOS, CHRYSOTILE	9	_	111	168	5 kg	E1	P002	PP37	IBC08	B3 B21
	2591	XENON, REFRIGERATED LIQUID	2.2	-	-	-	120 mL	E1	P203	-	-	-
	2599	CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE with approximately 60% chlorotrifluoromethane (REFRIGERANT GAS R 503)	2.2	-	-	-	120 mL	E1	P200	-	-	-
	2601	CYCLOBUTANE	2.1	-	-	-	0	E0	P200	-	-	-
	2602	DICHLORODIFLUORO-METHANE AND DIFLUOROETHANE AZEOTROPIC MIXTURE with approximately 74% dichlorodifluoromethane (REFRIGERANT GAS R 500)	2.2	-	-	-	120 mL	E1	P200	-	-	-
	2603	CYCLOHEPTATRIENE	3	6.1	II	-	1 L	E2	P001	-	IBC02	-
	2604	BORON TRIFLUORIDE DIETHYL ETHERATE	8	3	I	-	0	EO	P001	PP31	-	-
\triangle	2605	METHOXYMETHYL ISOCYANATE	6.1	3	I	354	0	EO	P602	-	-	_
\triangle	2606	METHYL ORTHOSILICATE	6.1	3	I	354	0	EO	P602	-	-	-
	2607	ACROLEIN DIMER, STABILIZED	3	-	III	386	5 L	E1	P001 LP01	-	IBC03	-
	2608	NITROPROPANES	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
	2609	TRIALLYL BORATE	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.		
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2	(16a) 7.1	(16b) 7.2–7.7	(17)	(18)		
-	4.3 T1	TP33	7.8 F-A, S-A	7.3–7.7 Category A SW2 H4	SG29	Mineral fibres of varying length. Non-combustible. Inhalation of the dust of asbestos fibres is dangerous and therefore exposure should be avoided at all times. Always prevent the generation of asbestos dust. A safe level of airborne concentration of asbestos fibres may be obtained through effective packing. Cargo spaces or freight containers that have contained any type of raw asbestos should be carefully cleaned before discharging any remaining cargo, loading other cargo or carrying out repair or maintenance work. Whenever possible, cleaning of cargo spaces should be carried out whilst the ship is in a port where proper facilities and equipment, including proper respiratory apparatus and protective clothing, are available. Parts of the body that may have been exposed should be collected in impermeable and sealed bags for safe disposal ashore. If cleaning cannot be carried out at the discharge port, arrangements should be made in advance for cleaning to be carried out at the next port where necessary facilities are available.	2590		
-	T75 TP5 F-C, S-V Category D - - F-C, S-V Category A		-	Liquefied, inert, colourless and odourless gas. Much heavier than air (4.5).	259 [.]				
-	-	-	F-C, S-V	Category A	-	Much heavier than air (4.5). Non-flammable, colourless gas with a mild ethereal odour. Much heavier than air (3.2).			
-	-	-	F-D, S-U	Category B SW2	-	Liquefied, flammable, colourless gas. Explosive limits: 1.8% to 10%. Heavier than air (1.9). Boiling point: 13°C.	260		
-	T50	-	F-C, S-V	Category A	-	Non-flammable, colourless and odourless gas. Much heavier than air (3.7).	260		
-	T7	TP1 TP13	F-E, S-D	Category E SW2	-	Colourless to dark yellow liquid with a characteristic odour. Flashpoint: 0°C to 4°C c.c. Immiscible with water. Reacts vigorously with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	260		
-	T10	TP2	F-E, S-C	Category D SW2	SGG1 SG36 SG49	Colourless fuming flammable liquid. Flashpoint: 59°C c.c. The flashpoint will be lower when free ether is present. Reacts vigorously with oxidizing substances. Decomposes in contact with water, evolving toxic, corrosive and flammable vapours. Causes burns to skin, eyes and mucous membranes. Inhalation of small quantities of vapour can cause breathing difficulties.	2604		
-	T20	TP2 TP13	F-E, S-D	Category D SW2	_	Colourless liquid with a pungent odour. Flashpoint: 13°C c.c. Immiscible with water. Highly toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	260		
-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	Colourless, flammable liquid with an ethereal odour. Immiscible with water. Flashpoint: -18°C to 19°C c.c. Highly toxic if swallowed, by skin contact or by inhalation. May cause blindness.	2600		
_	T2	TP1	F-E, S-D	Category C SW1 SW2	-	Colourless liquid with a pungent odour. Flashpoint: 48°C o.c. Miscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	260		
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids. Explosive limits: 2.2% to 11%. 1-NITROPROPANE: flashpoint approx. 33°C c.c. 2-NITROPROPANE: flashpoint approx. 28°C c.c. Partially miscible with water. Harmful by inhalation.	260		
-	-	-	F-A, S-A	Category A H1	-	Liquid. Hydrolyses in contact with water, forming allyl alcohol. Toxic if swallowed, by skin contact or by inhalation.	2609		

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2610	TRIALLYLAMINE	3	8	111	-	5 L	E1	P001	-	IBC03	_
2611	PROPYLENE CHLOROHYDRIN	6.1	3	II	-	100 mL	E4	P001	-	IBC02	_
2612	METHYL PROPYL ETHER	3	-	II	-	1 L	E2	P001	-	IBC02	B8
2614	METHALLYL ALCOHOL	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2615	ETHYL PROPYL ETHER	3	-	II	-	1 L	E2	P001	-	IBC02	-
2616	TRIISOPROPYL BORATE	3	-	II	-	1 L	E2	P001	-	IBC02	-
2616	TRIISOPROPYL BORATE	3	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
2617	METHYLCYCLOHEXANOLS, flammable	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2618	VINYLTOLUENES, STABILIZED	3	-	III	386	5 L	E1	P001 LP01	-	IBC03	-
2619	BENZYLDIMETHYLAMINE	8	3	II	-	1 L	E2	P001	-	IBC02	
2620	AMYL BUTYRATES	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2621	ACETYL METHYL CARBINOL	3	_	ш	_	5 L	E1	P001 LP01	-	IBC03	-
2622	GLYCIDALDEHYDE	3	6.1	П	-	1 L	E2	P001	-	IBC02	B8
2623	FIRELIGHTERS, SOLID with flammable liquid	4.1	_	111	_	5 kg	E1	P002 LP02	PP15	-	_
2624	MAGNESIUM SILICIDE	4.3	-	II	-	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
2626	CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid	5.1	_	II	900	1 L	EO	P504	PP31	IBC02	-
2627	NITRITES, INORGANIC, N.O.S.	5.1	_	II	274 900	1 kg	E2	P002	_	IBC08	B4 B21

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-E, S-C	Category A SW2	SG35	Colourless liquid with a fishy odour. Flashpoint: 39°C o.c. Corrosive when in contact with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	2610
-	T7	TP2 TP13	F-E, S-D	Category A SW1 SW2 H2	_	Colourless flammable liquid with a mild odour. Flashpoint: 51°C c.c. Miscible with water. Decomposes when heated, evolving highly toxic fumes. Toxic if swallowed, by skin contact or by inhalation.	2611
-	T7	TP2	F-E, S-D	Category E SW2	-	Colourless, volatile liquid with an ethereal odour. Flashpoint: below -18°C c.c. Lower explosive limit: 2%. Boiling point: 39°C. Partially miscible with water. Narcotic. Irritating to skin, eyes and mucous membranes.	2612
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with a pungent odour. Flashpoint: 34°C c.c. Miscible with water. Irritating to skin, eyes and mucous membranes.	2614
-	T4	TP1	F-E, S-D	Category E	-	Colourless, volatile liquids. Flashpoint: below -18°C c.c. Explosive limits: 1.7% to 9.0%. Miscible with water. Irritating to skin, eyes and mucous membranes.	2615
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: 17°C to 60°C c.c. Reacts with water, evolving flammable vapours.	2616
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	2616
-	T2	TP1	F-E, S-D	Category A	-	Colourless, viscous liquid with a menthol-like odour. Flashpoint: 58°C c.c. Partially miscible with water.	2617
-	T2	TP1	F-E, S-D	Category C SW1	-	Colourless liquids. Flashpoint: 54°C to 60°C c.c. Explosive limits: 0.9% to 6.1%. Partially miscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2618
-	Τ7	TP2	F-E, S-C	Category A SW1 SW2	SG35	Colourless, flammable liquid with an aromatic odour. Flashpoint: 58°C c.c. Immiscible with water. Harmful if swallowed, by skin contact or by inhalation. Corrosive to skin, eyes and mucous membranes.	2619
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquids. Flashpoint: 52°C to 58°C c.c. Partially miscible with water.	2620
-	T2	TP1	F-E, S-D	Category A	_	Yellow liquid with a pleasant odour. Flashpoint: 44°C to 52°C c.c. Miscible with water. Reacts vigorously with oxidizing substances. Irritating to skin, eyes and mucous membranes.	2621
-	Τ7	TP1	F-E, S-D	Category A SW2	-	Colourless liquid with a pungent odour. Flashpoint: 31°C o.c. Miscible with water. Toxic by inhalation. Irritating to skin, eyes and mucous membranes.	2622
-	-	_	F-A, S-I	Category A	SG35	A porous solid, e.g. cellular urea-formaldehyde resin, compacted wood shavings, etc., impregnated with flammable liquid, usually white spirit or kerosene, and designed to burn in a controlled manner. When heated, evolves flammable vapours.	2623
-	Т3	TP33	F-G, S-O	Category B SW5 H1	SG26	White powder or crystals. Reacts with water or steam, evolving hydrogen, a flammable gas. In contact with acids, evolves silane, a spontaneously flammable gas.	2624
-	_	_	F-A, S-Q	Category D	SGG1 SG36 SG38 SG49	Colourless liquid. May decompose, evolving chlorine and oxygen with toxic, corrosive and oxidizing effects. May form explosive mixtures with ammonium compounds, combustible material or powdered metals. Corrosive to most metals. Transport of CHLORIC ACID, AQUEOUS SOLUTION with more than 10% chloric acid is prohibited.	2626
-	Τ3	TP33	F-A, S-Q	Category A	SGG12 SG38 SG49 SG62	Solids. Solid mixtures with combustible material are readily ignited and may burn fiercely. Solid mixtures with ammonium compounds or cyanides may explode. If heated, may decompose, giving off toxic nitrous fumes. Harmful if swallowed. Transport of AMMONIUM NITRITES and mixtures of an inorganic nitrite with an ammonium salt is prohibited .	2627

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		2628	POTASSIUM FLUOROACETATE	6.1	-	I	-	0	E5	P002	-	IBC07	B1
		2629	SODIUM FLUOROACETATE	6.1	-	I	-	0	E5	P002	-	IBC07	B1
D		2630	SELENATES or SELENITES	6.1	-	I	274	0	E5	P002	-	IBC07	B1
G		2642	FLUOROACETIC ACID	6.1	-	I	-	0	E5	P002	-	IBC07	B1
		2643	METHYL BROMOACETATE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	_
L		2644	METHYL IODIDE	6.1	-	I	354	0	EO	P602	-	-	-
		2645	PHENACYL BROMIDE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
	\bigtriangleup	2646	HEXACHLOROCYCLO- PENTADIENE	6.1	-	I	354	0	EO	P602	-	-	-
		2647	MALONONITRILE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
		2648	1,2-DIBROMOBUTAN-3-ONE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
		2649	1,3-DICHLOROACETONE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
		2650	1,1-DICHLORO-1-NITRO-ETHANE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	_
		2651	4,4'-DIAMINODIPHENYL- METHANE	6.1	– P	111	_	5 kg	E1	P002 LP02	_	IBC08	B3
		2653	BENZYL IODIDE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
		2655	POTASSIUM FLUOROSILICATE	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
		2656	QUINOLINE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
		2657	SELENIUM DISULPHIDE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
		2659	SODIUM CHLOROACETATE	6.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
		2660	NITROTOLUIDINES (MONO)	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T6	TP33	F-A, S-A	Category E	-	Solid. Soluble in water. Highly toxic if swallowed, by skin contact or by dust inhalation.	2628
-	Т6	TP33	F-A, S-A	Category E	-	White powder. Soluble in water. Highly toxic if swallowed, by skin contact or by dust inhalation.	2629
-	Т6	TP33	F-A, S-A	Category E	-	A wide range of toxic solids. Generally soluble in water. Highly toxic if swallowed, by skin contact or by dust inhalation.	2630
-	T6	TP33	F-A, S-A	Category E	SGG1 SG36 SG49	Colourless crystals. Melting point: 33°C. Soluble in water. Highly toxic if swallowed, by skin contact or by dust inhalation.	2642
-	T7	TP2	F-A, S-A	Category D SW2	-	Colourless to straw-coloured liquid. Slightly miscible with water. Causes tears. Toxic if swallowed, by skin contact or by inhalation.	2643
-	T20	TP2 TP13	F-A, S-A	Category D SW1 SW2 H2	SGG10	Colourless liquid. Boiling point: 42°C to 43°C. Slightly miscible with water. When heated, evolves toxic fumes. Highly toxic if swallowed, by skin contact or by inhalation. Has strong narcotic effects.	2644
-	ТЗ	TP33	F-A, S-A	Category B SW2	-	White crystals changing to a greenish colour under the influence of light. Melting point: 50°C. Insoluble in water. Causes tears. Toxic if swallowed, by skin contact or by inhalation.	2645
-	T20	TP2 TP13	F-A, S-A	Category D SW2	SGG10	Pale yellow liquid with a pungent odour. Immiscible with water. Causes tears. Highly toxic if swallowed, by skin contact or by inhalation.	2640
-	T3	TP33	F-A, S-A	Category A SW1 H2	-	Colourless crystals. Melting point: 32°C. Soluble in water. When heated, evolves highly toxic cyanogen fumes. Toxic if swallowed, by skin contact or by dust inhalation.	2647
-	-	-	F-A, S-A	Category B SW2	-	Liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation. Causes tears.	2648
-	Т3	TP33	F-A, S-A	Category B SW1 SW2 H2	-	Crystals. Melting point: 45°C. Soluble in water. Decomposes when heated, evolving highly toxic fumes. Toxic if swallowed, by skin contact or by dust inhalation. Causes tears.	2649
-	T7	TP2	F-A, S-A	Category A SW1 SW2 H2	SG17	Liquid. Immiscible with water. May react vigorously with oxidizing substances. Decomposes when heated, evolving highly toxic fumes (oxides of nitrogen). Toxic if swallowed, by skin contact or by inhalation.	2650
-	T1	TP33	F-A, <u>S-A</u>	Category A	-	Tan-coloured flakes or lumps. Slightly soluble in water. Decomposes when heated, evolving highly toxic fumes. Toxic if swallowed, by skin contact or by dust inhalation. May be carried in the molten state.	265
-	T7	TP2	F-A, S-A	Category B SW1 SW2 H2	-	Colourless crystals. Melting point: 24°C. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation. Causes tears.	265
-	T1	TP33	F-A, S-A	Category A	SG35	Solids which react with acids, evolving hydrogen fluoride and silicon tetrafluoride, irritating and corrosive gases. Toxic if swallowed, by skin contact or by dust inhalation.	265
-	T4 TP1 F-A		F-A, S-A	Category A SW1 H2	-	Colourless liquid with a pungent odour. Immiscible with water. When heated, evolves highly toxic fumes (of oxides of nitrogen). Toxic if swallowed, by skin contact or by inhalation.	265
-	Т3	TP33	F-A, S-A	Category A	-	Bright red-yellow crystals with a faint odour. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	265
-	T1	TP33	F-A, S-A	Category A	-	White powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2659
-	T1	TP33	F-A, S-A	Category A	-	Yellow to orange-red crystalline solids. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2660

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

LINI											
No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2661	HEXACHLOROACETONE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2664	DIBROMOMETHANE	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2667	BUTYLTOLUENES	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2668	CHLOROACETONITRILE	6.1	3	I	354	0	EO	P602	_	-	_
2669	CHLOROCRESOLS SOLUTION	6.1	-	П	-	100 mL	E4	P001	-	IBC02	-
2669	CHLOROCRESOLS SOLUTION	6.1	-	ш	223	5 L	E1	P001 LP01	-	IBC03	_
2670	CYANURIC CHLORIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2671	AMINOPYRIDINES (o-, m-, p-)	6.1	_	II	_	500 g	E4	P002	_	IBC08	B4 B21
2672	AMMONIA SOLUTION relative density between 0.880 and 0.957 at 15°C in water, with more than 10% but not more than 35% ammonia	8	– P	III	_	5 L	E1	P001 LP01	_	IBC03	B11
2673	2-AMINO-4-CHLOROPHENOL	6.1	-	11	-	500 g	E4	P002	-	IBC08	B4 B21
2674	SODIUM FLUOROSILICATE	6.1	-	ш	_	5 kg	E1	P002 LP02	_	IBC08	B3
2676	STIBINE	2.3	2.1	_	-	0	EO	P200	-	-	-
2677	RUBIDIUM HYDROXIDE SOLUTION	8	-	Ш	-	1 L	E2	P001	-	IBC02	-
2677	RUBIDIUM HYDROXIDE SOLUTION	8	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
2678	RUBIDIUM HYDROXIDE	8	_	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2679	LITHIUM HYDROXIDE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	_
2679	LITHIUM HYDROXIDE SOLUTION	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions	(1-)	(12.)			
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-A, S-A	Category B SW1 SW2 H2	-	Colourless to yellowish liquid. Slightly miscible with water. When heated, evolves extremely toxic fumes (phosgene). Causes tears. Toxic if swallowed, by skin contact or by inhalation.	266
-	T4	TP1	F-A, S-A	Category A	SGG10	Clear, colourless liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	266
-	T4	TP1	F-A, S-A	Category A	-	Colourless liquids. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	266
-	T20	TP2 TP13	F-A, S-A	Category D SW1 SW2 H2	SG35	Colourless flammable liquid with a pungent odour. Flashpoint: 56°C c.c. Immiscible with water. Decomposes when heated, evolving highly toxic fumes of cyanides. Reacts with steam and acids, evolving toxic and flammable vapours. Highly toxic if swallowed, by skin contact or by inhalation.	266
-	T7	TP2	F-A, S-A	Category A SW1 H2	-	Solutions with a phenol-like odour. Slightly miscible with water. Decompose when heated, evolving extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.	266
-	Τ7	TP2	F-A, S-A	Category A SW1 H2	-	See entry above.	266
-	Т3	TP33	F-A, S-B	Category A SW1 SW2 H2	SGG1 SG36 SG49	Colourless crystals with a pungent odour. Reacts with water, forming toxic and corrosive acids. Decomposes when heated, evolving toxic and corrosive gases. Causes burns to skin, eyes and mucous membranes.	267
-	ТЗ	TP33	F-A, S-A	Category B SW1 SW2 H2	SGG18 SG35	White powder or crystals. Melting points: 58°C to 64°C. Soluble in water. Reacts violently with acids. Toxic if swallowed, by skin contact or by dust inhalation.	267
-	T7	TP2	F-A, <u>S-B</u>	Category A SW2 SW5	SGG18 SG35	Colourless liquid with a pungent odour. Corrosive to copper, nickel, zinc and tin and their alloys such as brass. Not significantly corrosive to iron and steel. Reacts violently with acids. Liquid and vapour cause burns to skin, eyes and mucous membranes.	267
-	Т3	TP33	F-A, S-A	Category A	-	Light brown crystals. Slightly soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	267
-	T1	TP33	F-A, S-A	Category A	SG35	Solids which react with acids, evolving hydrogen fluoride and silicon tetrafluoride, irritating and corrosive gases. Toxic if swallowed, by skin contact or by dust inhalation.	267
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a foul odour. Decomposes violently in the presence of water. Much heavier than air (4.3).	267
-	Τ7	TP2	F-A, S-B	Category A	SGG18 SG22 SG35	Liquid. Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	267
-	T4	TP1	F-A, S-B	Category A	SGG18 SG22 SG35	See entry above.	267
-	Т3	TP33	F-A, S-B	Category A	SGG18 SG22 SG35	Greyish-white solid, very hygroscopic. Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	267
-	Τ7	TP2	F-A, S-B	Category A	SGG18 SG22 SG35	Colourless liquid. Corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	267
-	T4	TP2	F-A, S-B	Category A	SGG18 SG22	See entry above.	267

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2680	LITHIUM HYDROXIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2681	CAESIUM HYDROXIDE SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-
2681	CAESIUM HYDROXIDE SOLUTION	8	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
2682	CAESIUM HYDROXIDE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2683	AMMONIUM SULPHIDE SOLUTION	8	3/6.1	II	-	1L	E2	P001	-	IBC01	-
2684	3-DIETHYLAMINO- PROPYLAMINE	3	8	III	-	5 L	E1	P001	-	IBC03	-
2685	<i>N,N-</i> DIETHYLETHYLENE- DIAMINE	8	3	Ш	-	1 L	E2	P001	-	IBC02	-
2686	2-DIETHYLAMINOETHANOL	8	3	II	-	1L	E2	P001	-	IBC02	-
2687	DICYCLOHEXYLAMMONIUM NITRITE	4.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
2688	1-BROMO-3-CHLOROPROPANE	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2689	GLYCEROL- <i>alpha-</i> MONOCHLOROHYDRIN	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2690	N-n-BUTYLIMIDAZOLE	6.1	-	Ш	-	100 mL	E4	P001	-	IBC02	-
2691	PHOSPHORUS PENTABROMIDE	8	_	II	_	1 kg	EO	P002	-	IBC08	B4 B21
2692	BORON TRIBROMIDE	8	-	I	-	0	EO	P602	-	-	-
2693	BISULPHITES, AQUEOUS SOLUTION, N.O.S.	8	-	111	274	5 L	E1	P001 LP01	-	IBC03	-
2698	TETRAHYDROPHTHALIC ANHYDRIDES with more than 0.05% maleic anhydride	8	-	111	29 169 939 973	5 kg	E1	P002 LP02	PP14	IBC08	B3

		Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	Т3	TP33	F-A, S-B	Category A	SGG18 SG35	Colourless crystals. Soluble in water. Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.	2680
	-	Τ7	TP2	F-A, S-B	Category A	SGG18 SG22 SG35	Colourless liquid. Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Corrosive to glass, aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	2681
	-	T4	TP1	F-A, S-B	Category A	SGG18 SG22 SG35	See entry above.	2681
	-	Т3	TP33	F-A, S-B	Category A	SGG18 SG22 SG35	Colourless or yellowish hygroscopic crystals. Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to glass, aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes.	2682
	-	Τ7	TP2 TP13	F-E, S-C	Category B SW1 H2	SGG2 SGG18 SG35 SG68	Yellow liquid with a foul odour (of rotten eggs). When heated, evolves toxic and flammable vapours. Reacts violently with acids, evolving hydrogen sulphide, a toxic and flammable gas. Toxic if swallowed, by skin contact or by inhalation. Corrosive to skin, eyes and mucous membranes.	2683
	-	T4	TP1	F-E, S-C	Category A	SG35	Colourless liquid with a fishy odour. Flashpoint: 59°C o.c. Miscible with water. Irritating to skin, eyes and mucous membranes.	2684
	-	Τ7	TP2	F-E, S-C	Category A	SG35	Colourless, flammable liquid with a fishy odour. Flashpoint: 46°C o.c. Miscible with water. Harmful by skin contact. Irritating to eyes and mucous membranes.	2685
	-	Τ7	TP2	F-E, S-C	Category A	SG35	Colourless liquid. Miscible with water. Reacts violently with oxidizing substances. Explosive limits: 1.8% to 28%. Flashpoint: 46°C to 60°C c.c. Causes burns to skin, eyes and mucous membranes.	2686
	-	T1	TP33	F-A, S-G	Category A	SGG2	White powder. Insoluble in water. Harmful if swallowed.	2687
	-	T4	TP1	F-A, S-A	Category A	SGG10	Colourless liquid. Immiscible with water. Decomposes when heated, evolving highly toxic fumes. Toxic if swallowed, by skin contact or by inhalation.	2688
	-	T4	TP1	F-A, S-A	Category A	_	Colourless liquid. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	2689
	-	Τ7	TP2	F-A, S-A	Category A	_	Colourless to amber mobile liquid. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	2690
	-	T3	TP33	F-A, S-B	Category B SW1 SW2 H2	SGG1 SG36 SG37 SG49	Yellow hygroscopic crystals, evolving fumes in the air which are corrosive and heavier than air. Reacts violently with water, evolving hydrogen bromide, an irritating and corrosive gas apparent as white fumes. Reacts violently with ammonia, bases and many other substances and may cause fire and explosion. Decomposes when heated, evolving corrosive and toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2691
	-	T20	TP2 TP13	F-A, S-B	Category C SW1 H2	SGG1 SG36 SG49	Colourless fuming liquid. Reacts violently with water, evolving toxic and corrosive fumes. Decomposes when heated, evolving toxic fumes. In the presence of moisture, highly corrosive to most metals. Liquid and vapour cause severe burns to skin, eyes and mucous membranes.	2692
	-	Τ7	TP1 TP28	F-A, S-B	Category A SW2	SG35	Liquid with a pungent odour. Reacts with acids, evolving sulphur dioxide, a toxic gas. Causes burns to skin, eyes and mucous membranes.	2693
	-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	White crystalline powders. React with water, evolving heat and forming tetrahydrophthalic acid. Cause burns to skin, eyes and mucous membranes. When heated, evolve acrid fumes which are irritating to skin, eyes and mucous membranes.	2698

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2699	TRIFLUOROACETIC ACID	8	_	I	-	0	EO	P001	_	_	_
2705	1-PENTOL	8	-	II	-	1 L	E2	P001	-	IBC02	-
2707	DIMETHYLDIOXANES	3	-	II	-	1L	E2	P001	-	IBC02	-
2707	DIMETHYLDIOXANES	3	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
2709	BUTYLBENZENES	3	– P	111	-	5 L	E1	P001 LP01	-	IBC03	-
2710	DIPROPYL KETONE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2713	ACRIDINE	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	В3
2714	ZINC RESINATE	4.1	-	111	-	5 kg	E1	P002	-	IBC06	-
2715	ALUMINIUM RESINATE	4.1	-	111	-	5 kg	E1	P002	-	IBC06	-
2716	1,4-BUTYNEDIOL	6.1	_	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
2717	CAMPHOR, synthetic	4.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	В3
2719	BARIUM BROMATE	5.1	6.1	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2720	CHROMIUM NITRATE	5.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	В3
2721	COPPER CHLORATE	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2722	LITHIUM NITRATE	5.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	В3

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T10	TP2	F-A, S-B	Category B SW1 SW2 H2	SGG1 SG36 SG49	Colourless, fuming, hygroscopic liquid with a pungent odour. Miscible with water. When heated to decomposition or in contact with acids, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Vapours are highly irritating to skin, eyes and mucous membranes. Liquid causes severe burns to skin, eyes and mucous membranes.	2699
-	Τ7	TP2	F-A, S-B	Category B	SG20 SG21	Colourless liquid with a perceptible odour. May react in contact with acids and alkalis. Causes burns to skin, eyes and mucous membranes.	2705
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquids with a pungent odour. Partially miscible with water. React vigorously with oxidizing substances. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2707
-	T2	TP1	F-E, S-D	Category A	-	See entry above.	2707
-	T2	TP2	F-E, <u>S-D</u>	Category A	-	Colourless liquids with an unpleasant odour. Flashpoint: 34°C to 60°C c.c. Explosive limits: 0.7% to 6.9%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2709
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 49°C c.c. Immiscible with water.	2710
-	T1	TP33	F-A, S-A	Category A	-	Small colourless to yellowish crystals or needles. Sublimes at 100°C. Practically insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	2713
-	T1	TP33	F-A, S-I	Category A	SGG7	Powder or clear amber lumps. Insoluble in water. Liable to spontaneous heating. Irritating to skin and mucous membranes.	2714
-	T1	TP33	F-A, S-I	Category A	_	Cream to brown coloured mass. Insoluble in water. Liable to spontaneous heating. Irritating to skin and mucous membranes.	2715
-	T1	TP33	F-A, S-A	Category A	SG35 SG36 SG55	White crystals. Melting point: 58°C. Soluble in water. Forms explosive mixtures with mercury salts, strong acids, alkaline compounds and halides. Toxic if swallowed, by skin contact or by inhalation.	2716
-	T1	TP33	F-A, S-I	Category A	-	Colourless or white crystals, granules or easily broken masses with a penetrating, pungent and aromatic odour. Slightly soluble in water. When heated, evolves flammable and explosive vapours. Harmful if swallowed.	2717
-	T3	TP33	F-H, S-Q	Category A	SGG3 SG38 SG49	White crystals or powder. Slightly soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by dust inhalation.	2719
-	T1	TP33	F-A, S-Q	Category A	-	Purple crystals. Mixtures with combustible material are readily ignited and may burn fiercely. Solutions in water are slightly corrosive. Harmful if swallowed.	2720
-	Τ3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	Blue-green deliquescent crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.	2721
-	T1	TP33	F-A, S-Q	Category A	_	Colourless deliquescent crystals. Soluble in water. Mixtures with combustible material are readily ignited and burn fiercely. Harmful if swallowed.	2722

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2723	MAGNESIUM CHLORATE	5.1	_	II	_	1 kg	E2	P002	-	IBC08	B4 B21
2724	MANGANESE NITRATE	5.1	-	III	_	5 kg	E1	P002 LP02	-	IBC08	B3
2725	NICKEL NITRATE	5.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
2726	NICKEL NITRITE	5.1	-	III	_	5 kg	E1	P002 LP02	-	IBC08	B3
2727	THALLIUM NITRATE	6.1	5.1 P	II	-	500 g	E4	P002	-	IBC06	B21
2728	ZIRCONIUM NITRATE	5.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
2729	HEXACHLOROBENZENE	6.1	-	III	-	5 kg	E1	P002 LP02	-	IBC08	B3
2730	NITROANISOLES, LIQUID	6.1	-	III	279	5 L	E1	P001 LP01	-	IBC03	-
2732	NITROBROMOBENZENES, LIQUID	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2733	AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	3	8	I	274	0	EO	P001		-	-
2733	AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	3	8	II	274	1 L	E2	P001	-	IBC02	-
2733	AMINES, FLAMMABLE, CORROSIVE, N.O.S. or POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	3	8	III	223 274	5 L	E1	P001	-	IBC03	-
2734	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	8	3	I	274	0	EO	P001	-	_	-
2734	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	8	3	II	274	1L	E2	P001	_	IBC02	-

		Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
Ī		Tank instructions	Provisions					
	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	Τ3	TP33	F-H, S-Q	Category A	SGG4 SG38 SG49	White deliquescent crystals or powder. Soluble in water. Melting point: 35°C. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. The cargoes should be protected from moisture prior to and after loading. If weather is inclement, hatches should be closed.	2723
	-	T1	TP33	F-A, S-Q	Category A	-	Pale pink deliquescent crystals. Soluble in water. Melting point between 26°C and 35°C. Mixtures with combustible material are readily ignited and may burn fiercely. Solutions in water are slightly corrosive. Harmful if swallowed.	2724
	-	T1	TP33	F-A, S-Q	Category A	-	Green deliquescent crystals. Soluble in water. Melting point: 55°C. Mixtures with combustible material are readily ignited and may burn fiercely. Solutions in water are slightly corrosive. Harmful if swallowed.	2725
	-	T1	TP33	F-A, S-Q	Category A	SGG12 SG38 SG49	Reddish-yellow crystals. Decomposes if heated, giving off toxic nitrous fumes. Mixtures with combustible material are readily ignited and may burn fiercely. Mixtures with ammonium compounds or cyanides may explode. Harmful if swallowed.	2726
	-	Т3	TP33	F-A, S-Q	Category A	-	Colourless crystals. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Toxic if swallowed, by skin contact or by dust inhalation.	2727
	-	T1	TP33	F-A, S-Q	Category A	_	White crystals, flakes or powder. Soluble in water. Solutions in water are slightly corrosive. Harmful if swallowed.	2728
	-	T1	TP33	F-A, S-A	Category A	-	White needle-like crystals. Insoluble in water. Decomposes when heated, evolving highly toxic fumes. Toxic if swallowed, by skin contact or by dust inhalation.	2729
	-	T4	TP1	F-A, S-A	Category A	-	Light reddish or amber liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2730
	-	T4	TP1	F-A, S-A	Category A	-	Colourless to pale yellow liquids. Melting point of 1-BROMO-3-NITROBENZENE: 17°C. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2732
	-	T14	TP1 TP27	F-E, S-C	Category D SW2	SGG18 SG35	Colourless to yellowish liquids with an unpleasant odour. Some are very volatile. Miscible with water. Corrosive to most metals, especially to copper and its alloys. When involved in a fire, evolve toxic gases. React violently with acids. Harmful by inhalation. Cause burns to skin, eyes and mucous membranes.	2733
	-	T11	TP1 TP27	F-E, S-C	Category B SW2	SGG18 SG35	See entry above.	2733
	-	T7	TP1 TP28	F-E, S-C	Category A SW2	SGG18 SG35	See entry above.	2733
	-	T14	TP2 TP27	F-E, S-C	Category A	SGG18 SG35	Colourless to yellowish flammable liquids or solutions with a pungent odour. Miscible with water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. React violently with acids. Cause burns to skin, eyes and mucous membranes.	2734
	_	T11	TP2 TP27	F-E, S-C	Category A	SGG18 SG35	See entry above.	2734

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2735	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	8	-	I	274	0	EO	P001	-	-	-
2735	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	8	-	II	274	1 L	E2	P001	-	IBC02	-
2735	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.	8	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
2738	<i>N</i> -BUTYLANILINE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
2739	BUTYRIC ANHYDRIDE	8	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2740	n-PROPYL CHLOROFORMATE	6.1	3/8	I	_	0	EO	P602	_	_	_
2741	BARIUM HYPOCHLORITE with more than 22% available chlorine	5.1	6.1	II	_	1 kg	E2	P002	_	IBC08	B4 B21
2742	CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	6.1	3/8	II	274	100 mL	E4	P001	-	IBC01	-
2743	n-BUTYL CHLOROFORMATE	6.1	3/8	II	-	100 mL	EO	P001	-	-	-
2744	CYCLOBUTYL CHLOROFORMATE	6.1	3/8	II	_	100 mL	E4	P001		IBC01	-
2745	CHLOROMETHYL CHLOROFORMATE	6.1	8	II	-	100 mL	E4	P001	-	IBC02	-
2746	PHENYL CHLOROFORMATE	6.1	8	II	_	100 mL	E4	P001	_	IBC02	_

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3-7.7	(16b) 7.2–7.7	(17)	(18)
-	T14	TP2 TP27	F-A, S-B	Category A	SGG18 SG35	Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. React violently with acids. Cause burns to skin, eyes and mucous membranes.	2735
-	T11	TP1 TP27	F-A, S-B	Category A	SGG18 SG35	See entry above.	2735
-	Τ7	TP1 TP28	F-A, S-B	Category A	SGG18 SG35	See entry above.	2735
-	Τ7	TP2	F-A, S-A	Category A	SG17	Amber liquid with a perceptible odour. Immiscible with water. May react vigorously with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	2738
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless liquid. Decomposes in water to form butyric acid.	2739
-	T20	TP2 TP13	F-E, S-C	Category B SW2	SGG1 SG5 SG8 SG36 SG49	Colourless flammable liquid. Flashpoint: 28°C c.c. Decomposed by water, generating propyl alcohol. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2740
-	Τ3	TP33	F-H, S-Q	Category B	SGG8 SG35 SG38 SG49 SG53 SG60	White powder with pungent odour. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by dust inhalation. Dust irritates mucous membranes. Contact with eyes will cause serious injury to the cornea (blindness) if not treated immediately by using copious amounts of water followed by medical attention.	2741
-	_	_	F-E, S-C	Category A SW1 SW2 H1 H2	SGG1 SG5 SG8 SG36 SG49	A wide range of colourless to yellowish flammable liquids. React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Flashpoint: cyclohexyl chloroformate: 53°C c.c. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	2742
-	T20	TP2 TP13	F-E, S-C	Category A SW1 SW2 H1 H2	SGG1 SG5 SG8 SG36 SG49	A wide range of colourless to yellowish flammable liquids. React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Flashpoint: 32°C c.c. to 39°C c.c. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	2743
-	Τ7	TP2 TP13	F-E, S-C	Category A SW1 SW2 H1 H2	SGG1 SG5 SG8 SG36 SG49	A wide range of colourless to yellowish flammable liquids. React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Flashpoint: 38°C c.c. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	2744
-	Τ7	TP2 TP13	F-A, S-B	Category A SW1 SW2 H1 H2	SGG1 SG36 SG49	A wide range of colourless to yellowish liquids. React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	2745
-	Τ7	TP2 TP13	F-A, S-B	Category A SW1 SW2 H1 H2	SGG1 SG36 SG49	A wide range of colourless to yellowish liquids. React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	2746

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

	D	
	G	
ľ		

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2747	tert-BUTYLCYCLOHEXYL CHLOROFORMATE	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2748	2-ETHYLHEXYL CHLOROFORMATE	6.1	8	II	-	100 mL	E4	P001	-	IBC02	-
2749	TETRAMETHYLSILANE	3	-	I	-	0	EO	P001	-	-	-
2750	1,3-DICHLOROPROPANOL-2	6.1	-	II	_	100 mL	E4	P001	-	IBC02	-
2751	DIETHYLTHIOPHOSPHORYL CHLORIDE	8	-	II	_	1 L	E2	P001	-	IBC02	-
2752	1,2-EPOXY-3-ETHOXY-PROPANE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2753	<i>N</i> -ETHYLBENZYLTOLUIDINES, LIQUID	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
△ 2754	N-ETHYLTOLUIDINES	6.1	-	II	-	100 mL	E4	P001	-	IBC02	
2757	CARBAMATE PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2757	CARBAMATE PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2757	CARBAMATE PESTICIDE, SOLID, TOXIC	6.1	-	III	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2758	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	
2758	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	-
2759	ARSENICAL PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2759	ARSENICAL PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2759	ARSENICAL PESTICIDE, SOLID, TOXIC	6.1	-	III	61 223 274	5 kg	E1	P002 LP02	-	IBC08	В3
2760	ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-
2760	ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	П	61 274	1 L	E2	P001	-	IBC02	-
2761	ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1	F-A, S-A	Category A SW1 H1 H2	-	Colourless to yellowish liquid. Reacts with water or decomposes if heated, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Toxic if swallowed, by skin contact or by inhalation.	2747
-	T7	TP2 TP13	F-A, S-B	Category A SW1 SW2 H1 H2	SGG1 SG36 SG49	A wide range of colourless to yellowish liquids. React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	2748
-	T14	TP2	F-E, <u>S-D</u>	Category D	-	Colourless, volatile liquid. Flashpoint: below -18°C c.c. Boiling point: 27°C. Immiscible with water. Harmful if swallowed or by inhalation. Irritating to skin, eyes and mucous membranes.	2749
-	Т7	TP2	F-A, S-A	Category A SW1 SW2 H2	-	Colourless, slightly viscous liquid with a chloroform-like odour. Immiscible with water. Decomposes when heated, evolving extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.	2750
-	T7	TP2	F-A, S-B	Category D SW1 SW2 H2	SGG1 SG36 SG49	Colourless liquid with a perceptible odour. Reacts slowly with water, forming hydrochloric acid. When involved in a fire, evolves toxic gases (hydrogen chloride and sulphur dioxide). Vapour highly irritating to eyes and mucous membranes. Liquid causes burns to skin, eyes and mucous membranes.	2751
-	T2	TP1	F-E, S-D	Category A	_	Immiscible with water. Flashpoint: 47°C c.c. Irritating to skin, eyes and mucous membranes.	2752
-	T7	TP1	F-A, S-A	Category A	-	Liquids with a strong odour. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2753
-	Τ7	TP2	F-A, S-A	Category A	-	Colourless to light amber liquids. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2754
-	T6	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2757
-	Т3	TP33	F-A, S-A	Category A SW2	-	See entry above.	2757
-	T1	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2757
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2758
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	2758
-	Т6	TP33	F-A, S-A	Category A SW2	_	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2759
-	Т3	TP33	F-A, S-A	Category A SW2	-	See entry above.	2759
-	T1	TP33	F-A, S-A	Category A SW2	_	See entry above.	2759
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2760
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	See entry above.	2760
-	T6	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2761

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

 $| \triangle |$

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pacl	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2761	ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2761	ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	6.1	-		61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2762	ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-
2762	ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	-
2763	TRIAZINE PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2763	TRIAZINE PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2763	TRIAZINE PESTICIDE, SOLID, TOXIC	6.1	_		61 223 274	5 kg	E1	P002	_	IBC08	B3
2764	TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-
2764	TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	-
2771	THIOCARBAMATE PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2771	THIOCARBAMATE PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2771	THIOCARBAMATE PESTICIDE, SOLID, TOXIC	6.1	-		61 223 274	5 kg	E1	P002 LP02	_	IBC08	B3
2772	THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	E0	P001	-	-	-
2772	THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	-
2775	COPPER BASED PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2775	COPPER BASED PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2775	COPPER BASED PESTICIDE, SOLID, TOXIC	6.1	-	111	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2776	COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	E0	P001	-	-	-
2776	COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	_
2777	MERCURY BASED PESTICIDE, SOLID, TOXIC	6.1	- P	I	61 274	0	E5	P002	-	IBC07	B1
2777	MERCURY BASED PESTICIDE, SOLID, TOXIC	6.1	- P	II	61 274	500 g	E4	P002	-	IBC08	B4 B21

		Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	Т3	TP33	F-A, S-A	Category A SW2	_	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2761
	-	T1	TP33	F-A, S-A	Category A SW2	-	See entry above.	2761
	-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2762
	-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	2762
	-	Т6	TP33	F-A, S-A	Category A SW2	_	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2763
	-	Т3	TP33	F-A, S-A	Category A SW2	-	See entry above.	2763
	-	Т3	TP33	F-A, S-A	Category A SW2	-	See entry above.	2763
	-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2764
		T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	See entry above.	2764
	-	Т6	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2771
	-	Т3	TP33	F-A, S-A	Category A SW2	_	See entry above.	2771
	-	T1	TP33	F-A, S-A	Category A SW2	-	See entry above.	2771
	-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2772
	-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	2772
	-	Т6	TP33	F-A, S-A	Category A SW2	_	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2775
	-	Т3	TP33	F-A, S-A	Category A SW2	-	See entry above.	2775
	-	T1	TP33	F-A, S-A	Category A SW2	-	See entry above.	2775
	-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2776
	-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	See entry above.	2776
	-	Т6	TP33	F-A, <u>S-A</u>	Category A SW2	SGG7 SGG11	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	2777
	-	Т3	TP33	F-A, <u>S-A</u>	Category A SW2	SGG7 SGG11	See entry above.	2777

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2777	MERCURY BASED PESTICIDE, SOLID, TOXIC	6.1	– P	111	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2778	MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1 Р	I	61 274	0	E0	P001	-	-	-
2778	MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1 Р	II	61 274	1 L	E2	P001	-	IBC02	-
2779	SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2779	SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2779	SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	6.1	_	ш	61 223 274	5 kg	E1	P002 LP02	_	IBC08	B3
2780	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	_
2780	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	_
2781	BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2781	BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2781	BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	6.1	-	Ш	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2782	BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-
2782	BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	-
2783	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
2783	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2783	ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	6.1	-	111	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2784	ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-
2784	ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	_	IBC02	_
2785	4-THIAPENTANAL	6.1	-	Ш	-	5 L	E1	P001 LP01	PP31	IBC03	-
2786	ORGANOTIN PESTICIDE, SOLID, TOXIC	6.1	– P	I	61 274	0	E5	P002	-	IBC07	B1

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	T1	TP33	F-A, <u>S-A</u>	Category A SW2	SGG7 SGG11	Solio Toxio
-	T14	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	SGG7 SGG11	Pest othe com
-	T11	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	SGG7 SGG11	See
-	Т6	TP33	F-A, S-A	Category A SW2	-	Solio swal
-	Т3	TP33	F-A, S-A	Category A SW2	-	See
-	T1	TP33	F-A, S-A	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pest othe com
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See
-	Т6	TP33	F-A, S-A	Category A SW2	-	Solio Toxio
-	Т3	TP33	F-A, S-A	Category A SW2	-	See
-	T1	TP33	F-A, S-A	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pest othe com
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See
-	Т6	TP33	F-A, S-A	Category A SW2	_	Solio swal
-	Т3	TP33	F-A, S-A	Category A SW2	-	See
-	T1	TP33	F-A, S-A	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pest othe com
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	See
-	T4	TP1	F-A, S-A	Category D SW1	SG20 SG21	Colo Miso base
-	Т6	TP33	F-A, <u>S-A</u>	Category A SW2	_	Solio Toxio

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
d pesticides present a very wide range of toxic hazard. c if swallowed, by skin contact or by inhalation.	2777
ticides frequently contain petroleum or coal tar distillates, or er flammable liquids. Miscibility with water depends upon the sposition. Toxic if swallowed, by skin contact or by inhalation.	2778
entry above.	2778
d pesticides present a very wide range of toxic hazard. Toxic if llowed, by skin contact or by inhalation.	2779
entry above.	2779
entry above.	2779
ticides frequently contain petroleum or coal tar distillates, or er flammable liquids. Miscibility with water depends upon the aposition. Toxic if swallowed, by skin contact or by inhalation.	2780
entry above.	2780
d pesticides present a very wide range of toxic hazard. c if swallowed, by skin contact or by inhalation.	2781
entry above.	2781
entry above.	2781
ticides frequently contain petroleum or coal tar distillates, or er flammable liquids. Miscibility with water depends upon the sposition. Toxic if swallowed, by skin contact or by inhalation.	2782
entry above.	2782
d pesticides present a very wide range of toxic hazard. Toxic if llowed, by skin contact or by inhalation.	2783
entry above.	2783
entry above.	2783
ticides frequently contain petroleum or coal tar distillates, or er flammable liquids. Miscibility with water depends upon the aposition. Toxic if swallowed, by skin contact or by inhalation.	2784
entry above.	2784
ourless liquid with an extremely foul and persistent odour. cible with water. Decomposes rapidly in contact with acids and es. Toxic if swallowed, by skin contact or by inhalation.	2785
d pesticides present a very wide range of toxic hazard. c if swallowed, by skin contact or by inhalation.	2786

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pacl	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2786	ORGANOTIN PESTICIDE, SOLID, TOXIC	6.1	- P	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
2786	ORGANOTIN PESTICIDE, SOLID, TOXIC	6.1	– P	Ш	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
2787	ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1 Р	I	61 274	0	EO	P001	-	-	-
2787	ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1 P	II	61 274	1 L	E2	P001	-	IBC02	-
2788	ORGANOTIN COMPOUND, LIQUID, N.O.S.	6.1	– P	I	43 274	0	E5	P001	-	-	-
2788	ORGANOTIN COMPOUND, LIQUID, N.O.S.	6.1	– P	II	43 274	100 mL	E4	P001	-	IBC02	-
2788	ORGANOTIN COMPOUND, LIQUID, N.O.S.	6.1	– P	111	43 223 274	5 L	E1	P001 LP01	-	IBC03	-
2789	ACETIC ACID, GLACIAL or ACETIC ACID SOLUTION, more than 80% acid, by mass	8	3	II	-	1 L	E2	P001	_	IBC02	_
2790	ACETIC ACID SOLUTION not less than 50% but not more than 80% acid, by mass	8	-	II	-	1 L	E2	P001	-	IBC02	-
2790	ACETIC ACID SOLUTION more than 10% and less than 50% acid, by mass	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2793	FERROUS METAL BORINGS, SHAVINGS, TURNINGS, or CUTTINGS in a form liable to self-heating	4.2	-	III	223 931	0	E1	P003 LP02	PP20 PP100 L3	IBC08	B4 B6
2794	BATTERIES, WET, FILLED WITH ACID electric storage	8	_	-	295	1 L	EO	P801	-	-	_
2795	BATTERIES, WET, FILLED WITH ALKALI electric storage	8	-	-	295	1 L	EO	P801	-	-	-
2796	SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID	8	-	II	-	1 L	E2	P001	-	IBC02	B20

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T3	TP33	F-A, <u>S-A</u>	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	278
-	T1	TP33	F-A, <u>S-A</u>	Category A SW2	-	See entry above.	27
-	T14	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	27
-	T11	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	_	See entry above.	278
-	T14	TP2 TP13 TP27	F-A, <u>S-A</u>	Category A SW2	-	A wide variety of toxic liquids. Toxic if swallowed, by skin contact or by inhalation.	278
-	T11	TP2 TP13 TP27	F-A, <u>S-A</u>	Category A SW2	_	See entry above.	278
-	T7	TP2 TP28	F-A, <u>S-A</u>	Category A SW2	-	See entry above.	27
-	T7	TP2	F-E, S-C	Category A	SGG1 SG36 SG49	Colourless flammable liquid with a pungent odour. When pure, crystallizes below 16°C. Flashpoint: 40°C c.c. (pure product), 60°C c.c. (80% solution). Explosive limits: 4% to 17%. Miscible with water. Corrosive to lead and most other metals. Corrosive to skin, eyes and mucous membranes.	27
-	T7	TP2	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Miscible with water. Corrosive to lead and most other metals. Corrosive to skin, eyes and mucous membranes.	27
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	See entry above.	27
-	BK2	_	F-G, S-J	Category A H1	SG26	These cargoes are liable to self-heating and to ignite spontaneously, particularly when in a finely divided form, wet or contaminated with such materials as unsaturated cutting oil, oily rags and other combustible matter. Self-heating or inadequate ventilation may cause dangerous depletion of oxygen in the stowage spaces. Excessive amounts of cast iron borings or organic materials may encourage heating. The swarf should be protected from moisture prior to and after loading. If, during loading, the weather is inclement, hatches should be closed or otherwise protected to keep the material dry.	27
-	_	_	F-A, S-B	Category A SW16	SGG1 SG36 SG49	Metal plates immersed in acid electrolyte in a glass, hard rubber or plastics receptacle. When electrically charged, may cause fire through short-circuiting of terminals. Acid electrolyte is corrosive to most metals. Causes burns to skin, eyes and mucous membranes. Used batteries being transported for disposal or reclamation should be carefully checked prior to shipment to ensure the integrity of each battery and its suitability for transport.	27
-	-	-	F-A, S-B	Category A SW16	SGG18 SG35	Metal plates immersed in alkaline electrolyte in a glass, hard rubber or plastics receptacle. When electrically charged, may cause fire through short-circuiting of terminals. Alkaline electrolyte is corrosive to aluminium, zinc and tin. Reacts violently with acids. Causes burns to skin, eyes and mucous membranes. Used batteries being transported for disposal or reclamation should be carefully checked prior to shipment to ensure the integrity of each battery and its suitability for transport.	27
-	Т8	TP2	F-A, S-B	Category B	SGG1a SG36 SG49	Colourless liquid, mixture not exceeding 1.405 relative density. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	27

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3
3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2797	BATTERY FLUID, ALKALI	8	-	II	-	1 L	E2	P001	-	IBC02	-
2798	PHENYLPHOSPHORUS DICHLORIDE	8	-	II	-	1 L	EO	P001	-	IBC02	-
2799	PHENYLPHOSPHORUS THIODICHLORIDE	8	-	II	-	1 L	EO	P001	-	IBC02	-
2800	BATTERIES, WET, NON-SPILLABLE electric storage	8	_	_	238	1 L	EO	P003	PP16	-	_
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	8	-	I	274	0	EO	P001	-	-	-
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	8	-	П	274	1 L	E2	P001	_	IBC02	_
2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	8	-	Ш	223 274	5 L	E1	P001 LP01	-	IBC03	-
2802	COPPER CHLORIDE	8	– P	ш	_	500 g	E1	P002 LP02	_	IBC08	B3
2803	GALLIUM	8	-	III	-	5 kg	EO	P800	PP41	-	-
2805	LITHIUM HYDRIDE, FUSED SOLID	4.3	-	II	-	500 g	E2	P410	PP31 PP40	IBC04	-
2806	LITHIUM NITRIDE	4.3	-	I	-	0	E0	P403	PP31	IBC04	B1
2807	MAGNETIZED MATERIAL	9	-	_	960	_	-	-	-		-
2809	MERCURY	8	6.1	III	365	5 kg	EO	P800	_	_	_
2810	TOXIC LIQUID, ORGANIC, N.O.S.	6.1	_	I	274 315	0	E5	P001	_	-	_
2810	TOXIC LIQUID, ORGANIC, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-
2810	TOXIC LIQUID, ORGANIC, N.O.S.	6.1	-	111	223 274	5 L	E1	P001 LP01	-	IBC03	-
2811	TOXIC SOLID, ORGANIC, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC99	-
2811	TOXIC SOLID, ORGANIC, N.O.S.	6.1	-	Ш	274	500 g	E4	P002	-	IBC08	B4

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(1	2) (13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	Т7	TP2 TP28	F-A, S-B	Category A	SGG18 SG22 SG35	Reacts violently with acids. Reacts with ammonium salts, evolving ammonia gas. Corrosive to aluminium, zinc and tin.	2797
-	Τ7	TP2	F-A, S-B	Category B SW2	SGG1 SG36 SG49	Colourless liquid. Causes burns to skin, eyes and mucous membranes.	2798
-	T7	TP2	F-A, S-B	Category B SW2	SGG1 SG36 SG49	Colourless liquid which fumes slightly in air. Reacts with water or steam, evolving toxic and flammable vapours. Causes burns to skin, eyes and mucous membranes.	2799
-	-	-	F-A, S-B	Category A	-	Metal plates immersed in gelled alkaline or acid electrolyte in a glass, hard rubber or plastics receptacle of a non-spillable type. When electrically charged, may cause fire through short-circuiting of terminals. Cause burns to skin, eyes and mucous membranes.	2800
-	T14	TP2 TP27	F-A, S-B	Category A	-	A wide range of corrosive liquids. Cause burns to skin, eyes and mucous membranes.	2801
-	T11	TP2 TP27	F-A, S-B	Category A	-	See entry above.	2801
-	Τ7	TP1 TP28	F-A, S-B	Category A	-	See entry above.	2801
	T1	TP33	F-A, <u>S-B</u>	Category A	SGG1 SG36 SG49	White to yellow-brown crystals or powder. Partially to fully soluble in water. Corrosive to steel. Causes burns to skin, eyes and mucous membranes.	2802
-	T1	TP33	F-A, S-B	Category B SW1	-	Silvery-white metallic element that melts at 29°C, becoming a bright, shiny liquid. Insoluble in water. Highly corrosive to aluminium. Harmful if swallowed, by skin contact or by inhalation. Special care should be taken if a leakage occurs when carried in aluminium freight containers. Carriage should be prohibited in hovercraft and other ships constructed from aluminium.	2803
-	T3	TP33	F-G, S-N	Category E H1	SG26 SG35	White, crystalline mass. Reacts with water, moisture or acids, evolving hydrogen which may be ignited by the heat of the reaction.	2805
-	-	-	F-A, S-O	Category E	-	Brownish-red crystals or fine, free-flowing powder. Reacts slowly with water to form lithium hydroxide and ammonia.	2806
	-	-	-	-	-	Not subject to the provisions of this Code but may be subject to provisions governing the transport of dangerous goods by other modes.	2807
-	_	_	F-A, <u>S-B</u>	Category B SW2	SGG7 SGG11 SG24	A silvery metallic element occurring in the liquid state at normal temperatures. Relative density: 13.546. Melting point: $-39^{\circ}C$. Highly corrosive to aluminium. Toxic if swallowed, by skin contact or by inhalation. Special care should be taken if a leakage occurs during transport, especially when carried in breakable packages and in aluminium freight containers. Carriage should be prohibited in hovercraft and other ships constructed from aluminium.	2809
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Toxic if swallowed, by skin contact or by inhalation.	2810
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See entry above.	2810
-	T7	TP1 TP28	F-A, S-A	Category A SW2	-	See entry above.	2810
-	T6	TP33	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	2811
-	T3	TP33	F-A, S-A	Category B	-	See entry above.	2811

B4 B21

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity (d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		2811	TOXIC SOLID, ORGANIC, N.O.S.	6.1	-	III	223 274	5 kg	E1	P002	-	IBC08	B3
		2812	SODIUM ALUMINATE, SOLID	8	-	_	960	_	_	_	_	_	_
D		2813	WATER-REACTIVE SOLID, N.O.S.	4.3	-	I	274	0	EO	P403	PP31	IBC99	-
G		2813	WATER-REACTIVE SOLID, N.O.S.	4.3	-	II	274	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
L		2813	WATER-REACTIVE SOLID, N.O.S.	4.3	-	Ш	223 274	1 kg	E1	P410	PP31	IBC08	B4
	\bigtriangleup	2814	INFECTIOUS SUBSTANCE, AFFECTING HUMANS	6.2	_	_	318 341	0	EO	P620	_	_	_
		2815	<i>N</i> -AMINOETHYLPIPERAZINE	8	6.1	111	-	5 L	E1	P001 LP01	-	IBC03	-
		2817	17 AMMONIUM HYDROGEN- DIFLUORIDE SOLUTION		6.1	II	_	1 L	E2	P001	-	IBC02	B20
		2817 AMMONIUM HYDROGEN- DIFLUORIDE SOLUTION		8	6.1	III	223	5 L	E1	P001	-	IBC03	-
		2818	AMMONIUM POLYSULPHIDE SOLUTION	8	6.1	II	_	1 L	E2	P001	-	IBC02	-
		2818	AMMONIUM POLYSULPHIDE SOLUTION	8	6.1	III	223	5 L	E1	P001	-	IBC03	-
		2819	AMYL ACID PHOSPHATE	8	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
			BUTYRIC ACID	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
		2821	PHENOL SOLUTION	6.1	-	II	-	100 mL	E4	P001	-	IBC02	_
		2821	PHENOL SOLUTION	6.1	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
		2822	2-CHLOROPYRIDINE	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
		2823	CROTONIC ACID, SOLID	8	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3 B21

	Portable tanks and bulk containers Tank Provisions		EmS	Stowage and handling	Segregation	Properties and observations	UN No	
10)	Tank instructions	Provisions	(15)	(10a)	(4.0%)		(10)	
12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	7.1 7.3–7.7	(160) 7.2–7.7	(17)	(18)	
-	T1	TP33	F-A, S-A	Category A	-	Toxic if swallowed, by skin contact or by inhalation.	281	
	-	-	-	-	-	Not subject to the provisions of this Code but may be subject to provisions governing the transport of dangerous goods by other modes.	281	
-	Т9	TP7 TP33	<u>F-G</u> , S-N	Category E SW2 H1	SG26	-	281	
-	Т3	TP33	F-G, S-N	Category E SW2 H1	SG26	-		
-	T1	TP33	F-G, S-N	Category E SW2 H1	SG26	-	281	
-	BK2	-	F-A, S-T	Category E SW2 H1 H5	SG50	Substances which are dangerous to humans or to humans and animals.	281	
-	T4	TP1	F-A, S-B	Category B SW1 SW2 H2	SG35 SG50	Yellow liquid. Miscible with water. Corrosive to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.	281	
-	Т8	TP2 TP13	F-A, S-B	Category B SW2	SGG1 SGG2 SG36 SG49	Colourless liquid. Miscible with water. Highly corrosive to most metals and glass. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	281	
-	T4	TP1 TP13	F-A, S-B	Category B SW2	SGG1 SGG2 SG36 SG49	See entry above.	281	
-	Τ7	TP2 TP13	F-A, S-B	Category B SW1 SW2 H2	SGG2 SGG18 SG35	Unstable yellowish liquid with a foul odour (of rotten eggs). Miscible with water. Reacts violently with acids. Decomposes in contact with acids, evolving hydrogen sulphide, a toxic and flammable gas. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	281	
-	T4	TP1 TP13	F-A, S-B	Category B SW1 SW2 H2	SGG2 SGG18 SG35	See entry above.	281	
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Clear colourless liquid. A mixture of primary and amyl isomers. Immiscible with water. Corrosive to skin, eyes and mucous membranes.	281	
-	T4	TP1	F-A, S-B	Category A SW1 H2	SGG1 SG36 SG49	Colourless liquid with a penetrating and unpleasant odour. Freezing point: -5° C to -8° C. Miscible with water. Corrosive to most metals. Harmful if swallowed or by inhalation. Corrosive to skin, eyes and mucous membranes.	282	
-	T7	TP2	F-A, S-A	Category A	-	Yellowish solutions with a perceptible odour. Toxic if swallowed, by skin contact or by inhalation. Rapidly absorbed through the skin.	282	
-	T4	TP1	F-A, S-A	Category A	-	See entry above.	282	
-	T7	TP2	F-A, S-A	Category A SW2	_	Colourless oily liquid. Slightly miscible with water. Toxic if swallowed, by skin contact or by inhalation.	282	
-	T1	TP33	F-A, S-B	Category A SW1	SGG1 SG36	White crystalline solid. Soluble in water. Decomposes when heated, evolving toxic fumes. Causes burns to skin, eyes and mucous	282	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pacl	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2826	ETHYL CHLOROTHIOFORMATE	8	3 P	II	-	0	E0	P001	-	-	-
2829	CAPROIC ACID	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2830	LITHIUM FERROSILICON	4.3	-	II	-	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
2831	1,1,1-TRICHLOROETHANE	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2834	PHOSPHOROUS ACID	8	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	В3
2835	SODIUM ALUMINIUM HYDRIDE	4.3	-	II	-	500 g	E0	P410	PP31 PP40	IBC04	-
2837	BISULPHATES, AQUEOUS SOLUTION	8	-	II	-	1 L	E2	P001	-	IBC02	-
2837	BISULPHATES, AQUEOUS SOLUTION	8	-	111	223	5 L	E1	P001 LP01	-	IBC03	-
2838	VINYL BUTYRATE, STABILIZED	3	-	П	386	1 L	E2	P001	_	IBC02	-
2839	ALDOL	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
2840	BUTYRALDOXIME	3	-	ш	-	5 L	E1	P001 LP01	-	IBC03	-
2841	DI-n-AMYLAMINE	3	6.1	Ш	-	5 L	E1	P001	-	IBC03	-
2842	NITROETHANE	3	_	111	-	5 L	E1	P001 LP01	-	IBC03	_
2844	CALCIUM MANGANESE SILICON	4.3	-	ш	-	1 kg	E1	P410	PP31	IBC08	B4
2845	PYROPHORIC LIQUID, ORGANIC, N.O.S.	4.2	-	I	274	0	E0	P400	-	-	-
2846	PYROPHORIC SOLID, ORGANIC, N.O.S.	4.2	-	I	274	0	E0	P404	PP31	-	-
2849	3-CHLOROPROPANOL-1	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2850	PROPYLENE TETRAMER	3	– P	III	-	5 L	E1	P001 LP01	-	IBC03	-
2851	BORON TRIFLUORIDE DIHYDRATE	8	_	II	_	1L	E2	P001	_	IBC02	_

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T7	TP2	F-E, <u>S-C</u>	Category A SW2	SGG1 SG36 SG49	Colourless, flammable liquid. Flashpoint: 29°C c.c. Causes burns to skin, eyes and mucous membranes.	282
-	T4	TP1	F-A, S-B	Category A	SGG1 SG36 SG49	Oily, colourless or yellowish liquid. Melting point: -4°C. Partially miscible with water. Corrosive to mild steel. Causes burns to skin, eyes and mucous membranes.	282
-	Т3	TP33	F-G, S-N	Category E SW2 SW5 H1	SG26	Dark, crystalline, metal-like powder or brittle lumps. In contact with moisture, evolves flammable and toxic gases.	283
-	T4	TP1	F-A, S-A	Category A SW2	SGG10	Colourless liquid. Immiscible with water. Decomposes when heated, evolving highly toxic fumes (phosgene and hydrogen chloride). Toxic if swallowed, by skin contact or by inhalation. Narcotic in high concentrations.	283
-	T1	TP33	F-A, S-B	Category A SW1	SGG1 SG36 SG49	Colourless to yellow deliquescent crystals. Soluble in water. Mildly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	283
-	Т3	TP33	F-G, S-O	Category E H1	SG26 SG35	White, crystalline solid. Reacts with water, moisture or acids, evolving hydrogen, which may be ignited by the heat of the reaction.	283
-	Т7	TP2	F-A, S-B	Category A	_	Colourless to white liquid. Miscible with water. Corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	283
-	T4	TP1	F-A, S-B	Category A	-	See entry above.	283
-	T4	TP1	F-E, S-D	Category C SW1	-	Colourless liquid with a pungent odour. Flashpoint: 12°C c.c. Explosive limits: 1.4% to 8.8%. Immiscible with water. Irritating to skin, eyes and mucous membranes.	283
-	T7	TP2	F-A, S-A	Category A SW1 H2	-	Clear, colourless to yellow viscous liquid. Miscible with water. Decomposes at 85°C, evolving toxic fumes. May react vigorously with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	283
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Immiscible with water. Flashpoint: 58°C c.c. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	284
-	T4	TP1	F-E, S-D	Category A	SG35	Colourless liquid with an ammoniacal odour. Flashpoint: 52°C c.c. Slightly miscible with water. Toxic if swallowed, by skin contact or by inhalation.	284
_	T2	TP1	F-E, S-D	Category A	-	Colourless, oily liquid. Flashpoint: 28°C c.c. Lower explosive limit: 3.4%. When involved in a fire, evolves nitrous toxic fumes. Slightly soluble in water. Irritating to skin, eyes and mucous membranes.	284
-	T1	TP33	F-G, S-N	Category A SW5 H1	SG26 SG35	In contact with water, evolves hydrogen, a flammable gas. In contact with acid, evolves silane, a spontaneously flammable gas.	284
-	T22	TP2 TP7	F-G, S-M	Category D H1	SG26 SG63	Highly flammable liquids, may ignite spontaneously in moist air. In contact with air, evolve irritating and slightly toxic fumes.	284
-	-	-	F-G, S-M	Category D H1	SG26	Liable to ignite spontaneously in air. If shaken, may produce sparks. In contact with water, evolve hydrogen, a flammable gas.	284
-	T4	TP1	F-A, S-A	Category A	-	Colourless to light-yellow liquid. Miscible with water. Mildly corrosive to steel. Toxic if swallowed, by skin contact or by inhalation.	284
-	T2	TP2	F-E, S-E	Category A	-	Colourless liquid. Immiscible with water. Irritating to skin, eyes and mucous membranes. 1-dodecene is not marine pollutant.	285
-	T7	TP2	F-A, S-B	Category B SW1 SW2 H2	SGG1 SG36 SG49	Colourless, non-fuming liquid. Boiling range: 58°C to 60°C. Reacts with water, evolving corrosive and toxic fumes. Corrosive to mild steel. Causes burns to skin, eyes and mucous membranes.	285 [.]

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Packing		IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2852	DIPICRYL SULPHIDE, WETTED with not less than 10% water, by mass	4.1	-	I	28	0	EO	P406	PP24 PP31	-	-
2853	MAGNESIUM FLUOROSILICATE	6.1	_	111	-	5 kg	E1	P002 LP02	_	IBC08	B3
2854	AMMONIUM FLUOROSILICATE	6.1	-		-	5 kg	E1	P002 LP02	-	IBC08	В3
2855	ZINC FLUOROSILICATE	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	В3
2856	FLUOROSILICATES, N.O.S.	6.1	-	111	274	5 kg	E1	P002 LP02	-	IBC08	В3
2857	REFRIGERATING MACHINES containing non-flammable, non-toxic gases or ammonia solutions (UN 2672)	2.2	-	-	119	0	EO	P003	PP32	-	-
2858	ZIRCONIUM, DRY coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)	4.1	-	111	921	5 kg	E1	P002 LP02	PP100 L3	-	-
2859	AMMONIUM METAVANADATE	6.1	_	II	_	500 g	E4	P002	_	IBC08	B4 B21
2861	AMMONIUM POLYVANADATE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
2862	VANADIUM PENTOXIDE, non-fused form	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	В3
2863	SODIUM AMMONIUM VANADATE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
2864	POTASSIUM METAVANADATE	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
2865	HYDROXYLAMINE SULPHATE	8	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
2869	TITANIUM TRICHLORIDE MIXTURE	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2869	TITANIUM TRICHLORIDE MIXTURE	8	-	111	223	5 kg	E1	P002 LP02	-	IBC08	B3
2870	ALUMINIUM BOROHYDRIDE	4.2	4.3	I	-	0	EO	P400	-	-	-
2870	ALUMINIUM BOROHYDRIDE IN DEVICES	4.2	4.3	Ι	-	0	E0	P002	PP13	-	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-B, S-J	Category D	SG7 SG30	Desensitized explosive. Golden-yellow, crystalline leaflets. Explosive and sensitive to shock and heat in the dry state. May form extremely sensitive compounds with heavy metals or their salts.	2852
-	T1	TP33	F-A, S-A	Category A	SG35	Solids which react with acids, evolving hydrogen fluoride and silicon tetrafluoride, irritating and corrosive gases. Toxic if swallowed, by skin contact or by dust inhalation.	2853
-	T1	TP33	F-A, S-A	Category A	SGG2 SG35	Solids which react with acids, evolving hydrogen fluoride and silicon tetrafluoride, irritating and corrosive gases. Toxic if swallowed, by skin contact or by dust inhalation.	2854
-	T1	TP33	F-A, S-A	Category A	SGG7 SG35	Solids which react with acids, evolving hydrogen fluoride and silicon tetrafluoride, irritating and corrosive gases. Toxic if swallowed, by skin contact or by dust inhalation.	2855
-	T1	TP33	F-A, S-A	Category A	SG35	Solids which react with acids, evolving hydrogen fluoride and silicon tetrafluoride, irritating and corrosive gases. Toxic if swallowed, by skin contact or by dust inhalation.	2856
-	-	-	F-C, S-V	Category A	-	_	2857
-	-	-	F-G, S-G	Category A H1	SG25 SG26	Hard silvery metal.	2858
-	ТЗ	TP33	F-A, S-A	Category A	SGG2 SG6 SG8 SG10 SG12	White crystalline powder. Slightly soluble in water. May act as an oxidizing substance. Toxic if swallowed, by skin contact or by inhalation.	2859
-	Т3	TP33	F-A, S-A	Category A	SGG2 SG6 SG8 SG10 SG12	Orange powder. Slightly soluble in water. May act as an oxidizing substance. Toxic if swallowed, by skin contact or by inhalation.	2861
-	T1	TP33	F-A, S-A	Category A	_	Brownish powder. Slightly soluble in water. Toxic if swallowed, by skin contact or by inhalation.	2862
-	Т3	TP33	F-A, S-A	Category A	SGG2	Orange wet cake (with 10% to 15% water). Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2863
-	Т3	TP33	F-A, S-A	Category A	-	White crystalline powder. Slightly soluble in water. Toxic if swallowed, by skin contact or by inhalation.	2864
-	T1	TP33	F-A, S-B	Category A	SGG1 SG35 SG36 SG49	Colourless to white crystalline powder. Soluble in water. May decompose explosively when heated. Causes burns to skin, eyes and mucous membranes.	2865
-	Т3	TP33	F-A, S-B	Category A SW2	SGG1 SGG7 SG36 SG49	Violet crystalline solid. Reacts in moist air or in water, evolving heat and hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	2869
-	T1	TP33	F-A, S-B	Category A SW2	SGG1 SGG7 SG36 SG49	See entry above.	2869
-	T21	TP7 TP33	F-G, S-M	Category D H1	SG26	Liquid. Ignites spontaneously in air. Reacts with water or steam to produce heat or hydrogen, which may form explosive mixtures with air.	2870
-	-	-	F-G, S-M	Category D H1	SG26	-	2870

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2871	ANTIMONY POWDER	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
	2872	DIBROMOCHLOROPROPANES	6.1	-	11	-	100 mL	E4	P001	-	IBC02	-
Π	2872	DIBROMOCHLOROPROPANES	6.1	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
	2873	DIBUTYLAMINOETHANOL	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
G	2874	FURFURYL ALCOHOL	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
	2875	HEXACHLOROPHENE	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
	2876	RESORCINOL	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	В3
	2878	TITANIUM SPONGE GRANULES or TITANIUM SPONGE POWDERS	4.1	-	III	223	5 kg	E1	P002 LP02	PP100 L3	IBC08	B4
	2879	SELENIUM OXYCHLORIDE	8	6.1	I	-	0	EO	P001	_	-	-
	2880	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	5.1	– P	II	314 322	1 kg	E2	P002	PP85	_	-
	2880	CALCIUM HYPOCHLORITE, HYDRATED or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	5.1	– P	III	223 314	5 kg	E1	P002	PP85		-
	2881	METAL CATALYST, DRY	4.2	-	I	274	0	EO	P404	PP31	-	-
	2881	METAL CATALYST, DRY	4.2	_	II	274	0	EO	P410	PP31	IBC06	B21
	2881	METAL CATALYST, DRY	4.2	-	111	223 274	0	E1	P002 LP02	PP31 L4	IBC08	B4
\triangle	2900	INFECTIOUS SUBSTANCE, AFFECTING ANIMALS only	6.2	_	_	318 341	0	EO	P620	_	_	_

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2	(16a) 7.1	(16b) 7.2–7.7	(17)	(18
_	4.3 T1	TP33	7.8 F-A, S-A	7.3–7.7 Category A		Metallic antimony in the form of a fine grey powder. Insoluble in	287
_	T7	TP2	F-A S-A	Category A	SGG10	water. Toxic if swallowed, by skin contact or by dust inhalation.	287
	T4	TD1		Catagory	00010	Toxic is sullowed by skin contact or by inhalation.	207
-	14	IPI	F-A, 5-A	Category A	SGGIU	See entry above.	287
-	T4	TP1	F-A, S-A	Category A	-	Colourless liquid with a perceptible odour. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	287
-	T4	TP1	F-A, S-A	Category A	SG17 SG35	Clear, colourless, mobile liquid, becoming brown to dark-red upon exposure to light and air. Miscible with water. Reacts explosively with oxidizing substances. Toxic if swallowed, by skin contact or by inhalation.	287
-	T1	TP33	F-A, S-A	Category A	-	White, odourless powder or crystals. Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	287
-	T1	TP33	F-A, S-A	Category A	-	White to pink crystals. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	287
-	T1	TP33	F-G, S-G	Category D H1	SGG7 SGG15 SG17 SG25 SG26	Silvery grey granules or dark grey, amorphous powder. May react with carbon dioxide, evolving oxygen. Forms explosive mixtures with oxidizing substances.	287
-	T10	TP2 TP13	F-A, S-B	Category E SW2	SGG1 SG36 SG49	Colourless, yellowish liquid. Reacts violently with water, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Causes severe burns to skin, eyes and mucous membranes.	287
_	-	_	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60	White or yellowish solid (powder, granules or tablets) with chlorine- like odour. Soluble in water. May cause fire in contact with organic material or ammonium compounds. Substances are liable to exothermic decomposition at elevated temperatures. This condition may lead to fire or explosion. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds). Liable to heat slowly. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Dust irritates mucous membranes.	288
-	-	-	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60	See entry above	288
-	T21	TP7 TP33	F-G, S-M	Category C H1	SGG7 SGG15 SG25 SG26	Liable to ignite spontaneously in air.	288
-	Т3	TP33	F-G, S-M	Category C H1	SGG7 SGG15 SG25 SG26	See entry above.	28
-	T1	TP33	F-G, S-M	Category C H1	SGG7 SGG15 SG25 SG26	See entry above.	28
-	BK2	-	F-A, S-T	Category E SW2 H1 H5	SG50	Substances which are dangerous to animals only. For action to be taken in the event of damage to, or leaking from, a package containing infectious substances, refer to 7.8.3.	290

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2901	BROMINE CHLORIDE	2.3	5.1/8	-	-	0	EO	P200	-	-	-
2902	PESTICIDE, LIQUID, TOXIC, N.O.S.	6.1	-	I	61 274	0	E5	P001	-	-	-
2902	PESTICIDE, LIQUID, TOXIC, N.O.S.	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
2902	PESTICIDE, LIQUID, TOXIC, N.O.S.	6.1	-	Ш	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. flashpoint not less than 23°C	6.1	3	Ш	61 223 274	5 L	E1	P001	-	IBC03	_
2904	CHLOROPHENOLATES, LIQUID or PHENOLATES, LIQUID	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2905	CHLOROPHENOLATES, SOLID or PHENOLATES, SOLID	8	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3
2907	ISOSORBIDE DINITRATE MIXTURE with not less than 60% lactose, mannose, starch, or calcium hydrogen phosphate	4.1	-	II	127	0	EO	P406	PP26 PP80	IBC06	B12 B21
2908	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – EMPTY PACKAGING	7	See SP290	-	290 368	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
2909	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM NATURAL URANIUM or DEPLETED URANIUM or NATURAL THORIUM	7	See SP290	_	290	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
2910	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – LIMITED QUANTITY OF MATERIAL	7	See SP290	-	290 368	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
2911	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE — INSTRUMENTS or ARTICLES	7	See SP290	_	290	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
2912	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-I), non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
2913	RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II), non fissile or fissile-excepted	7	See SP172	_	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
_	-	_	F-C, S-W	Category D SW2	SG6 SG19	Reddish-yellow non-flammable, toxic and corrosive gas. When heated to decomposition, emits highly toxic and corrosive fumes of bromine and chlorine. Reacts with water, evolving toxic and corrosive fumes. Powerful oxidizing agent which may cause violent fires with combustible materials. Much heavier than air. Highly irritating to skin, eyes and mucous membranes.	2901
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2902
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See entry above.	2902
-	Τ7	TP2 TP28	F-A, S-A	Category A SW2	-	See entry above.	2902
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2903
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	2903
-	Τ7	TP2	F-E, S-D	Category A SW2	-	See entry above.	2903
-	-	-	F-A, S-B	Category A	-	A wide range of corrosive liquids. Cause burns to skin, eyes and mucous membranes.	2904
-	T1	TP33	F-A, S-B	Category A	-	A wide range of corrosive solids. Soluble in water. Cause burns to skin, eyes and mucous membranes.	2905
-	-	-	F-A, S-J	Category E	SG7 SG30	Desensitized explosive. Pure isosorbide dinitrate is explosive. May form extremely sensitive compounds with heavy metals or their salts.	2907
-	-	-	F-I, S-S	Category A	-	See 1.5.1 and 5.1.5.4.2.	2908
_	_	_	F-I, S-S	Category A	-	See 1.5.1 and 5.1.5.4.2.	2909
-	-	-	F-I, S-S	Category A	-	See 1.5.1 and 5.1.5.4.2.	2910
-	-	-	F-I, S-S	Category A	_	See 1.5.1 and 5.1.5.4.2.	2911
-	Τ5	TP4	F-I, S-S	Category A SW20 SW21	-	See 1.5.1.	2912
_	Τ5	TP4	F-I, S-S	Category A	-	See 1.5.1.	2913

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

-)												
J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	ing	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2915	RADIOACTIVE MATERIAL, TYPE A PACKAGE, non-special form, non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
D	2916	RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE, non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
G	2917	RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
L	2919	RADIOACTIVE MATERIAL TRANSPORTED UNDER SPECIAL ARRANGEMENT, non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
	2920	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	8	3	I	274	0	EO	P001	-	-	-
	2920	CORROSIVE LIQUID, FLAMMABLE, N.O.S.	8	3	II	274	1 L	E2	P001	-	IBC02	-
	2921	CORROSIVE SOLID, FLAMMABLE, N.O.S.	8	4.1	I	274	0	E0	P002	-	IBC99	-
	2921	CORROSIVE SOLID, FLAMMABLE, N.O.S.	8	4.1	II	274	1 kg	E2	P002	-	IBC08	B4 B21
	2922	CORROSIVE LIQUID, TOXIC, N.O.S.	8	6.1	I	274	0	EO	P001	-	-	-
	2922	CORROSIVE LIQUID, TOXIC, N.O.S.	8	6.1	Ш	274	1 L	E2	P001	-	IBC02	_
	2922	CORROSIVE LIQUID, TOXIC, N.O.S.	8	6.1	Ш	223 274	5 L	E1	P001	-	IBC03	-
	2923	CORROSIVE SOLID, TOXIC, N.O.S.	8	6.1	I	274	0	E0	P002	-	IBC99	-
	2923	CORROSIVE SOLID, TOXIC, N.O.S.	8	6.1	II	274	1 kg	E2	P002	-	IBC08	B4 B21
	2923	CORROSIVE SOLID, TOXIC, N.O.S.	8	6.1	111	223 274	5 kg	E1	P002	-	IBC08	B3
	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	3	8	I	274	0	E0	P001	-	-	-
	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	3	8	II	274	1 L	E2	P001	-	IBC02	-
	2924	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	3	8	Ш	223 274	5 L	E1	P001	-	IBC03	-
	2925	FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	4.1	8	II	274	1 kg	E2	P002	-	IBC06	B21
	2925	FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	4.1	8	III	223 274	5 kg	E1	P002	-	IBC06	-
	2926	FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	4.1	6.1	II	274	1 kg	E2	P002	-	IBC06	B21
	2926	FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	4.1	6.1	III	223 274	5 kg	E1	P002	-	IBC06	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-I, S-S	Category A SW20 SW21	-	See 1.5.1.	2915
-	-	-	F-I, S-S	Category A SW12	-	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	2916
-	-	-	F-I, S-S	Category A SW12	-	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	2917
-	-	-	F-I, <u>S-S</u>	Category A SW13	_	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	2919
-	T14	TP2 TP27	F-E, S-C	Category C SW1 SW2	-	Causes burns to skin, eyes and mucous membranes.	2920
-	T11	TP2 TP27	F-E, S-C	Category C SW1 SW2	-	See entry above.	2920
-	Т6	TP33	F-A, S-G	Category B SW1 H2	-	Causes burns to skin, eyes and mucous membranes.	2921
-	Т3	TP33	F-A, S-G	Category B SW1 H2	-	See entry above.	2921
-	T14	TP2 TP13 TP27	F-A, S-B	Category B SW2	-	Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.	2922
-	T7	TP2	F-A, S-B	Category B SW2	-	See entry above.	2922
-	Τ7	TP1 TP28	F-A, S-B	Category B SW2	-	See entry above.	2922
-	T6	TP33	F-A, S-B	Category B SW2	-	Causes burns to skin, eyes and mucous membranes. Toxic if swallowed, by skin contact or by inhalation.	2923
-	Т3	TP33	F-A, S-B	Category B SW2	-	See entry above.	2923
-	T1	TP33	F-A, S-B	Category B SW2	-	See entry above.	2923
-	T14	TP2	F-E, S-C	Category E SW2	-	Causes burns to skin, eyes and mucous membranes.	2924
-	T11	TP2 TP27	F-E, S-C	Category B SW2	-	See entry above.	2924
-	Τ7	TP1 TP28	F-E, S-C	Category A SW2	-	See entry above.	2924
-	Т3	TP33	F-A, S-G	Category D SW2	-	Causes burns to skin, eyes and mucous membranes.	2925
-	T1	TP33	F-A, S-G	Category D SW2	-	See entry above.	2925
-	Т3	TP33	F-A, S-G	Category B SW2	_	Toxic if swallowed, by skin contact or by dust inhalation. Should be handled with care to minimize exposure, particularly to dust.	2926
-	T1	TP33	F-A, S-G	Category B SW2	-	See entry above.	2926

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2927	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	6.1	8	I	274 315	0	E5	P001	-	-	-
2927	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	6.1	8	II	274	100 mL	E4	P001	-	IBC02	-
2928	TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	6.1	8	I	274	0	E5	P002	-	IBC99	-
2928	TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	6.1	8	Ш	274	500 g	E4	P002	-	IBC06	B21
2929	TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.	6.1	3	I	274 315	0	E5	P001	-	-	_
2929	TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.	6.1	3	II	274	100 mL	E4	P001	-	IBC02	-
2930	TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S.	6.1	4.1	I	274	0	E5	P002	-	IBC99	-
2930	TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S.	6.1	4.1	II	274	500 g	E4	P002	-	IBC08	B4 B21
2931	VANADYL SULPHATE	6.1	-	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
2933	METHYL 2-CHLORO- PROPIONATE	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2934	ISOPROPYL 2-CHLORO- PROPIONATE	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2935	ETHYL 2-CHLORO-PROPIONATE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2936	THIOLACTIC ACID	6.1	-	Ш	-	100 mL	E4	P001	-	IBC02	-
2937	alpha-METHYLBENZYL ALCOHOL, LIQUID	6.1	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2940	9-PHOSPHABICYCLONONANES (CYCLOOCTADIENE- PHOSPHINES)	4.2	_	II	-	0	E2	P410	PP31	IBC06	B21
2941	FLUOROANILINES	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2942	2-TRIFLUOROMETHYLANILINE	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
2943	TETRAHYDRO-FURFURYLAMINE	3	-	111	-	5 L	E1	P001 LP01	-	IBC03	-
2945	N-METHYLBUTYLAMINE	3	8	II	-	1 L	E2	P001	-	IBC02	-
2946	2-AMINO-5-DIETHYLAMINO- PENTANE	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
2947	ISOPROPYL CHLOROACETATE	3	-		-	5 L	E1	P001 LP01	-	IBC03	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12) (13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T14	TP2 TP13 TP27	F-A, S-B	Category B SW2	-	Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2927
-	T11	TP2 TP27	F-A, S-B	Category B SW2	-	See entry above.	2927
-	Т6	TP33	F-A, S-B	Category B SW2	_	Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	2928
-	Т3	TP33	F-A, S-B	Category B SW2	-	See entry above.	2928
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Toxic if swallowed, by skin contact or by inhalation.	2929
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	2929
-	Т6	TP33	F-A, S-G	Category B	_	Toxic if swallowed, by skin contact or by inhalation.	2930
-	Т3	TP33	F-A, S-G	Category B	_	See entry above.	2930
-	Т3	TP33	F-A, S-A	Category A	_	Blue, crystalline powder. Soluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	2931
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with an ether-like odour. Flashpoint: 32°C c.c. Slightly soluble in water. Irritating to skin, eyes and mucous membranes.	2933
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with a sweetish odour. Flashpoint: 50°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2934
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with a pungent odour. Flashpoint: 38°C c.c. Immiscible with water. Irritating to skin, eyes and mucous membranes.	2935
-	T7	TP2	F-A, S-A	Category A	_	Oily liquid with a foul odour. Melting point: 10°C. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	2936
-	T4	TP1	F-A, S-A	Category A	-	Colourless liquid. Slightly miscible with water. Melting point: 21°C (pure substance). Toxic if swallowed, by skin contact or by inhalation.	2937
-	T3	TP33	F-A, S-J	Category A	-	Colourless, waxy solids. Melting point: 40°C to 60°C. React in contact with materials such as sawdust or other cellulose- based materials, resulting in charring and evolution of toxic fumes. Irritating to skin, eyes and mucous membranes.	2940
-	T4	TP1	F-A, S-A	Category A	_	Liquids. Freezing points: -28° C to -2° C. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2941
-	-	-	F-A, S-A	Category A	_	Liquid. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	2942
-	T2	TP1	F-E, S-D	Category A	-	Colourless to yellowish liquid with an ammoniacal odour. Flashpoint: 45°C c.c. Miscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2943
-	T7	TP1	F-E, S-C	Category B SW2	SG35	Colourless liquid. Flashpoint: 0°C c.c. Miscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.	2945
-	T4	TP1	F-A, S-A	Category A	-	Liquid with an acrid odour. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	2946
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid with a pungent odour. Flashpoint: 56°C c.c. Slightly soluble in water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	2947

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2948	3-TRIFLUOROMETHYLANILINE	6.1	-	11	-	100 mL	E4	P001	-	IBC02	-
2949	SODIUM HYDROSULPHIDE, HYDRATED with not less than 25% water of crystallization	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
2950	MAGNESIUM GRANULES, COATED particle size not less than 149 microns	4.3	-	111	920	1 kg	E1	P410	PP100	IBC08	B4
2956	5- <i>tert</i> -BUTYL-2,4,6-TRINITRO- <i>m</i> -XYLENE (MUSK XYLENE)	4.1	_	III	133	0	EO	P409	-	-	-
2965	BORON TRIFLUORIDE DIMETHYL ETHERATE	4.3	3/8	I	-	0	EO	P401	PP31	-	-
2966	THIOGLYCOL	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-
2967	SULPHAMIC ACID	8	-	111	-	5 kg	E1	P002 LP02	-	IBC08	В3
2968	MANEB, STABILIZED or MANEB PREPARATION, STABILIZED against self-heating	4.3	– P	111	223 946	1 kg	E1	P002	PP100	IBC08	B4
2969	CASTOR BEANS or CASTOR MEAL or CASTOR POMACE or CASTOR FLAKE	9	-	II	141	5 kg	E2	P002	PP34	IBC08	B4 B21
2977	RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE, FISSILE	7	6.1/8	-	-	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
2978	RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE non fissile or fissile-excepted	7	6.1/8	-	317	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
2983	ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURE with not more than 30% ethylene oxide	3	6.1	I	_	0	EO	P001	-	-	_
2984	HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)	5.1	-	III	65	5 L	E1	P504	-	IBC02	B5
2985	CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.	3	8	II	_	0	EO	P010	-	_	_

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T7	TP2	F-A, S-A	Category A SW2	_	Colourless to yellowish liquid. Melting point: 5°C. Slightly miscible with water. Toxic if swallowed, by skin contact or by inhalation.	2948
-	T7	TP2	F-A, S-B	Category A	SGG18 SG35	Colourless needles or yellow flakes. Soluble in water with a foul odour. Melting point: 52°C. Reacts violently with acids, evolving hydrogen sulphide, a toxic and flammable gas. Causes burns to skin, eyes and mucous membranes.	2949
-	T1 BK2	TP33	F-G, S-O	Category A H1	SGG15 SG26 SG35	Coated granules with particle size ranging from 149 to 2,000 microns. In contact with water or acids, evolve hydrogen, a flammable gas.	2950
-		-	F-B, S-G	Category D SW1 SW2 H2 H3	SG1	Insoluble in water. May explode if involved in a fire under confined conditions. Sensitive to strong detonation shock. Harmful if swallowed or by skin contact.	2956
-	T10	TP2 TP7 TP13	<u>F-G</u> , S-O	Category D SW2 H1	SG5 SG8 SG13 SG25 SG26	Colourless, flammable liquid. Flashpoint: 20°C c.c. but widely variable, depending upon free ether content. Freezing point: -14°C. Decomposes in contact with water, forming dimethyl ether, a flammable gas. Causes burns to skin, eyes and mucous membranes.	2965
-	T7	TP2	F-A, S-A	Category A	_	Colourless liquid with a foul odour. Miscible with water. Decomposes when heated, evolving sulphur dioxide. Toxic if swallowed, by skin contact or by inhalation.	2966
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	White crystalline powder. Soluble in water. Decomposes when heated, evolving toxic fumes. Causes burns to skin, eyes and mucous membranes.	2967
-	T1	TP33	F-G, <u>S-L</u>	Category B H1	SG26 SG29 SG35	Yellow powder. May evolve toxic, irritating or flammable fumes when wet, when involved in a fire or in contact with acids. Requires certification from the shipper that the substance is not class 4.2.	2968
-	T3 BK2	TP33	F-A, S-A	Category E SW2	SG10 SG18 SG29	Whole beans or meal. The latter is the residue remaining after the oil has been extracted from the seeds. Castor beans contain a powerful allergen which, by inhalation of dust or by skin contact with crushed bean products, can give rise to severe irritation of the skin, eyes and mucous membranes in some persons. They are also toxic by ingestion. When handling these products, wear at least a dust mask and goggles. Avoid unnecessary skin contact.	2969
-	-	-	<u>F-I, S-S</u>	Category B SW2 SW12	SG17 SG76 SG78	See 1.5.1.	2977
-	-	-	<u>F-I, S-S</u>	Category B SW2 SW12	SG17 SG76 SG78	See 1.5.1.	2978
-	T14	TP2 TP7 TP13	F-E, S-D	Category E SW1 SW2	-	Colourless, volatile liquid with an ethereal odour. Flashpoint: below –18°C c.c. Explosive limits: 2.2% to 55%. Boiling point: 23°C to 28°C. Miscible with water. Corrosive to aluminium. Toxic if swallowed, by skin contact or by inhalation. Irritating to eyes and mucous membranes.	2983
-	T4	TP1 TP6 TP24	F-H, S-Q	Category B SW1	SG16 SG59 SG72	Colourless liquid. Slowly decomposes, evolving oxygen; the rate of decomposition increases in contact with metals, except aluminium.	2984
-	T14	TP2 TP7 TP13 TP27	<u>F-E</u> , S-C	Category B SW2	SGG1 SG36 SG49	Colourless liquids with a pungent odour. When involved in a fire, evolve toxic gases. React violently with water, evolving hydrogen chloride, an irritating and corrosive gas. In the presence of moisture, highly corrosive to most metals. Cause burns to skin, eyes and mucous membranes.	2985

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G

3

3

D
G

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
2986	CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.	8	3	II	-	0	EO	P010	-	-	-
2987	CHLOROSILANES, CORROSIVE, N.O.S.	8	_	II	-	0	EO	P010	-	-	-
2988	CHLOROSILANES, WATER- REACTIVE, FLAMMABLE, CORROSIVE, N.O.S.	4.3	3/8	I	_	0	EO	P401	PP31	-	-
2989	LEAD PHOSPHITE, DIBASIC	4.1	-	II	922	1 kg	E2	P002	_	IBC08	B4 B21
2989	LEAD PHOSPHITE, DIBASIC	4.1	-	Ш	922	5 kg	E1	P002 LP02	-	IBC08	В3
2990	LIFE-SAVING APPLIANCES, SELF-INFLATING	9	_	_	296	0	EO	P905	_		
2991	CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	_	-
2991	CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	_	IBC02	-
2991	CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	Ш	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
2992	CARBAMATE PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	_
2992	CARBAMATE PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
2992	CARBAMATE PESTICIDE, LIQUID, TOXIC	6.1	-	III	61 223 274	5 L	E1	P001 LP01	_	IBC03	_
2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	T	61 274	0	E5	P001	-	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T14	TP2 TP7 TP13 TP27	F-E, S-C	Category C SW2	SGG1 SG36 SG49	Colourless, flammable liquids with a pungent odour. Immiscible with water. React violently with water or steam, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolve toxic gas. In the presence of moisture, highly corrosive to most metals. Cause burns to skin, eyes and mucous membranes.	2986
-	T14	TP2 TP7 TP13 TP27	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless liquids with a pungent odour. Immiscible with water. React violently with water or steam, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolve toxic gases. In the presence of moisture, highly corrosive to most metals. Cause burns to skin, eyes and mucous membranes.	2987
-	T14	TP2 TP7 TP13	<u>F-G</u> , S-N	Category D SW2 H1	SGG1 SG5 SG8 SG13 SG25 SG26 SG36 SG49	Colourless, very volatile liquids, flammable and corrosive, with a pungent odour. Immiscible with water. React violently with water or steam to produce heat which may lead to self-ignition; toxic and corrosive fumes will be evolved. May react vigorously in contact with oxidizing substances. Cause burns to skin, eyes and mucous membranes.	2988
-	ТЗ	TP33	F-A, S-G	Category B	SGG7 SGG9 SG29	Fine white crystals or powder. Insoluble in water. Combustion can be sustained, even in the absence of air. Harmful if swallowed.	2989
-	T1	TP33	F-A, S-G	Category B	SGG7 SGG9 SG29	See entry above.	2989
-	_	_	F-A, <u>S-V</u>	Category A	SG18 SG71	These articles may contain: .1 class 2.2 compressed gases; .2 signal devices (class 1) which may include smoke and illumination signal flares; signal devices must be packed in plastic or fibreboard inner packagings; .3 electric storage batteries; .4 first aid kit; or .5 "strike anywhere" matches.	2990
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2991
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	See entry above.	2991
-	Τ7	TP2 TP28	F-E, S-D	Category A SW2	-	See entry above.	2991
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	_	Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2992
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See entry above.	2992
-	Τ7	TP2 TP28	F-A, S-A	Category A SW2	_	See entry above.	2992
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	2993

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

J	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	_	IBC02	-
D	2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	111	61 223 274	5 L	E1	P001	-	IBC03	-
G	2994	ARSENICAL PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	_	-	-
L	2994	ARSENICAL PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
	2994	ARSENICAL PESTICIDE, LIQUID, TOXIC	6.1	-	111	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
	2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
	2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
	2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	Ш	61 223 274	5 L	E1	P001	-	IBC03	-
	2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	
	2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
	2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	6.1	-	111	61 223 274	5 L	E1	P001 LP01		IBC03	-
	2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
	2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
	2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	111	61 223 274	5 L	E1	P001	-	IBC03	-
	2998	TRIAZINE PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	-
	2998	TRIAZINE PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
	2998	TRIAZINE PESTICIDE, LIQUID, TOXIC	6.1	-	III	61 223 274	5 L	E1	P001 LP01	-	IBC03	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	Liqu and They flam the
-	Τ7	TP2 TP28	F-E, S-D	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Liqu Miso Toxi
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See
-	Τ7	TP2 TP28	F-A, S-A	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	It fre flam the c
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See
-	Τ7	TP2 TP28	F-E, S-D	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Miso Toxi
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See
-	Τ7	TP2 TP28	F-A, S-A	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	It fre flam the o
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See
-	Τ7	TP2 TP28	F-E, S-D	Category A SW2	-	See
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	_	See polli haza Toxi
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See
-	Τ7	TP2 TP28	F-A, S-A	Category A SW2	_	See

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
uid flammable pesticides having a flashpoint between 23°C 60°C c.c., presenting a very wide range of toxic hazard. y frequently contain petroleum or coal tar distillates, or other mable liquids. Flashpoint and miscibility with water depend upon composition. Toxic if swallowed, by skin contact or by inhalation.	2993
e entry above.	2993
uid pesticides which present a very wide range of toxic hazard. cibility with water depends upon the composition. ic if swallowed, by skin contact or by inhalation.	2994
e entry above.	2994
entry above.	2994
equently contains petroleum or coal tar distillates, or other mable liquids. Flashpoint and miscibility with water depend upon composition. Toxic if swallowed, by skin contact or by inhalation.	2995
e entry above.	2995
entry above.	2995
cibility with water depends upon the composition. ic if swallowed, by skin contact or by inhalation.	2996
e entry above.	2996
entry above.	2996
equently contains petroleum or coal tar distillates, or other nmable liquids. Flashpoint and miscibility with water depend upon composition. Toxic if swallowed, by skin contact or by inhalation.	2997
e entry above.	2997
e entry above.	2997
alphabetical index to identify those pesticides which are marine utants. Liquid pesticides which present a very wide range of toxic ard. Miscibility with water depends upon the composition. ic if swallowed, by skin contact or by inhalation.	2998
entry above.	2998
e entry above.	2998

3

D G L

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	_
D	3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
G	3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	Ш	61 223 274	5 L	E1	P001	-	IBC03	-
4	3006	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	6.1	-	Ι	61 274	0	E5	P001	_	_	-
	3006	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
	3006	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	6.1	-	111	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
	3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
	3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
	3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	Ш	61 223 274	5 L	E1	P001	-	IBC03	-
	3010	COPPER BASED PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-		-
	3010	COPPER BASED PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
	3010	COPPER BASED PESTICIDE, LIQUID, TOXIC	6.1	-	Ш	61 223 274	5 L	E1	P001 LP01	_	IBC03	-
	3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3 P	I	61 274	0	E5	P001	_	-	_
	3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	З Р	II	61 274	100 mL	E4	P001	-	IBC02	-
	3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3 P	III	61 223 274	5 L	E1	P001	-	IBC03	-
	3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC	6.1	– P	I	61 274	0	E5	P001	-	-	-
	3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC	6.1	– P	II	61 274	100 mL	E4	P001	-	IBC02	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation		
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7		
-	T14	TP2 TP13	F-E, S-D	Category B SW2	-	Liqu 60°0 The flam the	
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See	
-	Τ7	TP2 TP28	F-E, S-D	Category A SW2	-	See	
-	T14	TP2 TP13	F-A, S-A	Category B SW2	-	Liqu Mis Toxi	
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See	
-	77	TP2 TP28	F-A, S-A	Category A SW2	-	See	
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liqu and The flam the	
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See	
-	Τ7	TP2 TP28	F-E, S-D	Category A SW2	-	See	
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Liqu Mis Toxi	
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See	
-	Τ7	TP2 TP28	F-A, S-A	Category A SW2	-	See	
-	T14	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	SGG7 SGG11	Liqu and The flam the	
-	T11	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	SGG7 SGG11	See	
-	Τ7	TP2 TP28	F-E, <u>S-D</u>	Category A SW2	SGG7 SGG11	See	
-	T14	TP2 TP13 TP27	F-A, <u>S-A</u>	Category B SW2	SGG7 SGG11	Liqu Mis Toxi	
-	T11	TP2 TP13 TP27	F-A, <u>S-A</u>	Category B SW2	SGG7 SGG11	See	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
uid flammable pesticides having a flashpoint between 23°C and C c.c., presenting a very wide range of toxic hazard. y frequently contain petroleum or coal tar distillates, or other mable liquids. Flashpoint and miscibility with water depend upon composition. Toxic if swallowed, by skin contact or by inhalation.	3005
entry above.	3005
entry above.	3005
uid pesticides which present a very wide range of toxic hazard. cibility with water depends upon the composition. ic if swallowed, by skin contact or by inhalation.	3006
entry above.	3006
entry above.	3006
uid flammable pesticides having a flashpoint between 23°C 60°C c.c., presenting a very wide range of toxic hazard. y frequently contain petroleum or coal tar distillates, or other mable liquids. Flashpoint and miscibility with water depend upon composition. Toxic if swallowed, by skin contact or by inhalation.	3009
entry above.	3009
entry above.	3009
uid pesticides which present a very wide range of toxic hazard. cibility with water depends upon the composition. ic if swallowed, by skin contact or by inhalation.	3010
entry above.	3010
entry above.	3010
uid flammable pesticides having a flashpoint between 23°C 60°C c.c., presenting a very wide range of toxic hazard. y frequently contain petroleum or coal tar distillates, or other mable liquids. Flashpoint and miscibility with water depend upon composition. Toxic if swallowed, by skin contact or by inhalation.	3011
entry above.	3011
entry above.	3011
uid pesticides which present a very wide range of toxic hazard. cibility with water depends upon the composition. ic if swallowed, by skin contact or by inhalation.	3012
entry above.	3012

D G L

3

3

D
G

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	Packing		C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC	6.1	– P	111	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	III	61 223 274	5 L	E1	P001	-	IBC03	-
3014	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	-
3014	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
3014	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	6.1	-	III	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	III	61 223 274	5 L	E1	P001	-	IBC03	-
3016	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	-
3016	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
3016	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	6.1	-	III	61 223 274	5 L	E1	P001 LP01		IBC03	-
3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	III	61 223 274	5 L	E1	P001	-	IBC03	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T7	TP2 TP28	F-A, <u>S-A</u>	Category A SW2	SGG7 SGG11	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3012
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3013
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3013
-	Τ7	TP2 TP28	F-E, S-D	Category A SW2	-	See entry above.	3013
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3014
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See entry above.	3014
-	T7	TP2 TP28	F-A, S-A	Category A SW2	_	See entry above.	3014
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3015
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3015
-	T7	TP2 TP28	F-E, S-D	Category A SW2	-	See entry above.	3015
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3016
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See entry above.	3016
-	T7	TP2 TP28	F-A, S-A	Category A SW2	-	See entry above.	3016
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3017
_	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	See entry above.	3017
-	T7	TP2 TP28	F-E, S-D	Category A SW2	-	See entry above.	3017

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Packing		IBC		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3018	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	-	
3018	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-	
3018	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	6.1	-	Ш	61 223 274	5 L	E1	P001 LP01	-	IBC03	-	
3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3 P	I	61 274	0	E5	P001	-	-	-	
3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	З Р	II	61 274	100 mL	E4	P001	-	IBC02	-	
3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3 P	III	61 223 274	5 L	E1	P001	-	IBC03	-	
3020	ORGANOTIN PESTICIDE, LIQUID, TOXIC	6.1	– P	I	61 274	0	E5	P001	-	-	-	
3020	ORGANOTIN PESTICIDE, LIQUID, TOXIC	6.1	– P	II	61 274	100 mL	E4	P001	-	IBC02	-	
3020	ORGANOTIN PESTICIDE, LIQUID, TOXIC	6.1	– P	III	61 223 274	5 L	E1	P001 LP01	-	IBC03		
3021	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S., flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-	
3021	PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S., flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001		IBC02	-	
3022	1,2-BUTYLENE OXIDE, STABILIZED	3	-	II	386	1 L	E2	P001	-	IBC02	-	
△ 3023	2-METHYL-2-HEPTANETHIOL	6.1	3	I	354	0	EO	P602	-	-	-	
3024	COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-	
3024	COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	_	
3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3018
-	T11	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	See entry above.	3018
-	T7	TP2 TP28	F-A, S-A	Category A SW2	-	See entry above.	3018
-	T14	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3019
-	T11	TP2 TP13 TP27	F-E, <u>S-D</u>	Category B SW2	_	See entry above.	3019
-	Τ7	TP2 TP28	F-E, <u>S-D</u>	Category A SW2	-	See entry above.	3019
-	T14	TP2 TP13 TP27	F-A, <u>S-A</u>	Category B SW2	-	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3020
-	T11	TP2 TP13 TP27	F-A, <u>S-A</u>	Category B SW2	-	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3020
-	T7	TP2 TP28	F-A, <u>S-A</u>	Category A SW2	-	See entry above.	3020
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3021
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3021
-	T4	TP1	F-E, S-D	Category C SW1	SG20 SG21	Colourless liquid. Flashpoint: -15°C c.c. Explosive limits: 1.5% to 18.3%. Reacts violently with acids, alkalis and oxidizers. Miscible with water. Harmful if swallowed or by inhalation. Irritating to skin, eyes and mucous membranes.	3022
-	T20	TP2 TP13	F-E, S-D	Category D SW2	SG57	Colourless flammable liquid with a foul odour. Flashpoint: 31°C c.c. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation.	3023
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Pesticides frequently contain petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3024
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3024
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3025

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Packing		IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	_	IBC02	_
3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	III	61 223 274	5 L	E1	P001	-	IBC03	_
3026	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	_	-	_
3026	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
3026	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	6.1	-	Ш	61 223 274	5 L	E1	P001 LP01	_	IBC03	_
3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1
3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	6.1	-	Ш	61 274	500 g	E4	P002	-	IBC08	B4 B21
3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	6.1	-	Ш	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
3028	BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID electric storage	8	_	III	295 304	5 kg	EO	P801	-	-	
3048	ALUMINIUM PHOSPHIDE PESTICIDE	6.1	-	I	153 930	0	EO	P002	PP31	IBC07	B1
3054	CYCLOHEXYL MERCAPTAN	3	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
3055	2-(2-AMINOETHOXY)ETHANOL	8	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-
3056	n-HEPTALDEHYDE	3	-	Ш	_	5 L	E1	P001 LP01	-	IBC03	_
3057	TRIFLUOROACETYL CHLORIDE	2.3	8	-	-	0	EO	P200	-	-	_
3064	NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 5% nitroglycerin	3	_	II	359	0	EO	P300	_	_	_
3065	ALCOHOLIC BEVERAGES, with more than 70% alcohol by volume	3	-	II	-	5 L	E2	P001	PP2	IBC02	-

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	Liquid flammable pesticides having a flashpoint between 23°C and 60°C c.c., presenting a very wide range of toxic hazard. They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3025
-	T7	TP1 TP28	F-E, S-D	Category A SW2	_	See entry above.	3025
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	_	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3026
-	T11	TP2 TP27	F-A, S-A	Category B SW2	-	See entry above.	3026
-	Τ7	TP1 TP28	F-A, S-A	Category A SW2	-	See entry above.	3026
-	Т6	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	3027
-	Т3	TP33	F-A, S-A	Category A SW2	_	See entry above.	3027
-	T1	TP33	F-A, S-A	Category A SW2	-	See entry above.	3027
-	_	_	F-A, S-B	Category A	SGG18 SG35	Series of metal plates immersed in dry potassium hydroxide in a closed receptacle. When electrically charged, may cause fire through short-circuiting of terminals. Batteries need not be individually marked and labelled if the pallet bears the appropriate mark and label. Used batteries being transported for disposal or reclamation should be carefully checked prior to shipment to ensure the integrity of each battery and its suitability for transport. React violently with acids.	3028
-	Т6	TP33	F-A, S-A	Category E SW2 SW5	-	Waxed pellets, adequately stabilized powder, tablets or crystals. Highly toxic if swallowed, by skin contact or by inhalation.	3048
-	T2	TP1	F-E, S-D	Category A SW2	SG50 SG57	Colourless liquid with a garlic-like odour. Flashpoint: 49°C c.c. Immiscible with water. Harmful by inhalation. Irritating to skin, eyes and mucous membranes.	3054
-	T4	TP1	F-A, S-B	Category A	SG35	Colourless, slightly viscous liquid with a mild odour. Miscible with water. Harmful if swallowed or by inhalation. Corrosive to skin, eyes and mucous membranes.	3055
-	T2	TP1	F-E, S-D	Category A	_	Colourless or pale yellow, oily liquid with a pungent odour. Flashpoint: 35°C to 45°C c.c. Explosive limits: 1.1% to 5.2%. Slightly soluble in water. Irritating to skin, eyes and mucous membranes.	3056
-	T50	TP21	F-C, S-U	Category D SW2	-	Liquefied, non-flammable, toxic and corrosive gas. Reacts with water. Corrosive to glass and to most metals, including steel. Heavier than air (1.4 at 20°C). Highly irritating to skin, eyes and mucous membranes.	3057
-	_	-	F-E, S-D	Category E	_	Immiscible with water. Ignites readily. When involved in a fire, evolves toxic nitrous fumes. Not explosive in this state but damage to, or leakage from, a package may allow solvent to evaporate and thus leave the nitroglycerin in an explosive state.	3064
-	T4	TP1	F-E, S-D	Category A	-	Aqueous solutions of ethanol produced and supplied as alcoholic beverages. Miscible with water. Flashpoint: $-13^{\circ}C$ c.c. or greater.	3065

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and quantity p	d excepted provisions	Pack	king	IB	C		Portable tanks and bulk containers		is and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions		ir	Tank structions	Provisions					
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(12	12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
3065	ALCOHOLIC BEVERAGES, with more than 24% but not more than 70% alcohol by volume	3		111	144 145 247	5L	E1	P001	PP2	IBC03		-	-	T2	TP1	F-E, S-D	Category A		Alcoholic beverages containing more than 24% alcohol but not more than 70% by volume, when transported as part of the manufacturing process, may be transported in wooden barrels with a capacity of more than 250 L and not more than 500 L meeting the general requirements of 4.1.1, as appropriate, on the following conditions: .1 the wooden barrels should be checked and tightened before filling .2 sufficient ullage (not less than 3%) should be left to allow for the expansion of the liquid; .3 the wooden barrels should be transported in containers meeting the requirements of the International Convention for Safe Containers (CSC), as amended. Each wooden barrel should be wedged by appropriate means to prevent them from being displaced in any way during transport; and .5 when carried on board ships, the containers should be stowed in open cargo spaces or in enclosed cargo spaces complying with the requirements for class 3 flammable liquids with a flashpoint of 23°C c.c. or less in regulation II-2/19 of SOLAS, 74, as amended.	3065
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	8	-	II	163 367	1 L	E2	P001	-	IBC02	-		-	Τ7	TP2 TP28	F-A, S-B	Category B SW2	-	Corrosive content. Causes burns to skin, eyes and mucous membranes.	3066
3066	PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL (including paint thinning or reducing compound)	8	-	III	163 223 367	5 L	E1	P001	-	IBC03			-	T4	TP1 TP29	F-A, S-B	Category A SW2	_	See entry above.	3066
△ 3070	ETHYLENE OXIDE AND DICHLORODIFLUORO-METHANE MIXTURE with not more than 12.5% ethylene oxide	2.2	-	-	392	120 mL	E1	P200	-	-	-		-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas. Much heavier than air.	3070
3071	MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, TOXIC, FLAMMABLE, N.O.S.	6.1	3	II	274	100 mL	E4	P001	-	IBC02	-	-	-	T11	TP2 TP13 TP27	F-E, S-D	Category C SW2	SG57	Colourless to yellow flammable liquids with a garlic odour. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	3071
3072	LIFE-SAVING APPLIANCES, NOT SELF-INFLATING containing dangerous goods as equipment	9	-	-	296	0	EO	P905	-	-	-	-	-	-	-	F-A, <u>S-V</u>	Category A	SG18 SG71	These articles may contain: 1 class 2.2 compressed gases; 2 signal devices (class 1) which may include smoke and illumination signal flares; signal devices must be packed in plastic or fibreboard inner packagings; 3 electric storage batteries; 4 first aid kit; or 5 "strike anywhere" matches.	3072
3073	VINYLPYRIDINES, STABILIZED	6.1	3/8	II	386	100 mL	E4	P001	-	IBC01	-	-	-	Τ7	TP2 TP13	F-E, S-C	Category C SW1 SW2	SGG18 SG5 SG8 SG35	Colourless to straw-coloured flammable liquids. Flashpoint: 42°C to 51°C c.c. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes. React violently with acids.	3073
3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	9	-	III	274 335 966 967 969	5 kg	E1	P002 LP02	PP12	IBC08	B3	-	-	T1 BK1 BK2 BK3	TP33	F-A, S-F	Category A SW23	-	-	3077

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

 $\mathbf{\Omega}$

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions
								Limited quantities	Excepted quantities
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5
		3078	CERIUM turnings or gritty powder	4.3	-	II	-	500 g	E2
D	\bigtriangleup	3079	METHACRYLONITRILE, STABILIZED	6.1	3	I	354 386	0	EO
G		3080	ISOCYANATES, TOXIC, FLAMMABLE, N.O.S or ISOCYANATE SOLUTION, TOXIC, FLAMMABLE, N.O.S.	6.1	3	II	274	100 mL	E4
L		3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	9	-	III	274 335 969	5 L	E1
		3083	PERCHLORYL FLUORIDE	2.3	5.1	_	_	0	EO
		3084	CORROSIVE SOLID, OXIDIZING, N.O.S.	8	5.1	I	274	0	E0
		3084	CORROSIVE SOLID, OXIDIZING, N.O.S.	8	5.1	II	274	1 kg	E2
		3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	5.1	8	I	274	0	EO
		3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	5.1	8	II	274	1 kg	E2
		3085	OXIDIZING SOLID, CORROSIVE, N.O.S.	5.1	8	III	223 274	5 kg	E1
		3086	TOXIC SOLID, OXIDIZING, N.O.S.	6.1	5.1	I	274	0	E5
		3086	TOXIC SOLID, OXIDIZING, N.O.S.	6.1	5.1	Ш	274	500 g	E4
		3087	OXIDIZING SOLID, TOXIC, N.O.S.	5.1	6.1	I	274 900	0	EO
		3087	OXIDIZING SOLID, TOXIC, N.O.S.	5.1	6.1	II	274 900	1 kg	E2
		3087	OXIDIZING SOLID, TOXIC,	5.1	6.1	111	223	5 kg	E1

4.2

4.2

4.1

_

_

_

Ш

III

II

274 900

274

223

274

_

0

0

1 kg

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13)	Provisions (14)	(15)	(16a)	(16b)	(17)	(18)
	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		
-	Т3	TP33	F-G, S-O	Category E H1	SGG15 SG26 SG35	Grey, ductile metal or powder. Decomposes in water and reacts violently with acids, evolving hydrogen, which may be ignited by the heat of the reaction.	307
-	T20	TP2 TP13	F-E, S-D	Category D SW1 SW2	-	Colourless, mobile liquid with a pungent odour. Flashpoint: 4°C c.c. Explosive limits: 3% to 17%. Partially miscible with water. Highly toxic if swallowed, by skin contact or by inhalation. Practice has shown that this substance may leak from packagings that ordinarily are leakproof to other chemicals.	307
-	T11	TP2 TP13 TP27	F-E, S-D	Category D SW1 SW2	-	Flammable liquids or solutions with a pungent odour. Immiscible with or insoluble in water, but react with it to form carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	308
-	T4	TP1 TP29	F-A, S-F	Category A	-	-	308
-		_	F-C, S-W	Category D SW2	-	Non-flammable, toxic, colourless gas with a characteristic sweet odour. Strong oxidizing agent; may cause fire in contact with organic materials. Reacts with water or moist air to produce toxic and corrosive fumes. Mixtures with oils or combustible materials may explode. Much heavier than air (3.6). Irritating to skin, eyes and mucous membranes.	308
-	Т6	TP33	F-A, S-Q	Category C	-	Causes burns to skin, eyes and mucous membranes.	308
-	ТЗ	TP33	F-A, S-Q	Category C	-	See entry above.	308
-	-	-	F-A, S-Q	Category D H1	SG38 SG49 SG60	Causes burns to skin, eyes and mucous membranes. Particular care in handling should be exercised if packages have become wetted.	308
-	Т3	TP33	F-A, S-Q	Category B H1	SG38 SG49 SG60	See entry above.	308
-	T1	TP33	F-A, S-Q	Category B H1	SG38 SG49 SG60	See entry above.	308
-	Т6	TP33	F-A, S-Q	Category C	-	Toxic if swallowed, by skin contact or by inhalation.	308
-	Т3	TP33	F-A, S-Q	Category C	-	See entry above.	308
-	-	-	F-A, S-Q	Category D	SG38 SG49 SG60	Toxic if swallowed, by skin contact or by dust inhalation. Should be handled with care to minimize exposure, particularly to dust.	308
-	T3	TP33	F-A, S-Q	Category B	SG38 SG49 SG60	See entry above.	308
-	T1	TP33	F-A, S-Q	Category B	SG38 SG49 SG60	See entry above.	308
-	T3	TP33	F-A, S-J	Category C	-	Liable to self-heating or spontaneous combustion.	308
-	T1	TP33	F-A, S-J	Category C	_	See entry above.	308
-	Т3	TP33	F-G, S-G	Category B H1	SGG7 SGG15 SG17 SG25 SG26	-	308

Packing

(8) 4.1.4

P410

P602

P001

P001

LP01

P200

P002

P002

P503

P002

P002

P002

P002

P503

P002

P002

P410

P002

LP02

P002

E2

E1

E2

Instructions Provisions Instructions Provisions

(10)

4.1.4

IBC07

_

IBC02

IBC03

_

_

IBC06

_

IBC06

IBC08

_

IBC06

-

IBC06

IBC08

IBC06

IBC08

IBC08

(9) 4.1.4

PP31

PP40

_

_

PP1

_

-

-

_

_

_

-

_

_

-

_

PP31

PP31

PP100

IBC

(11)

4.1.4

B4

B21

_

_

_

-

_

B21

_

B21

B3

-

B21

-

B21

B3

B21

B3

B4

B21

N.O.S.

N.O.S.

3088 SELF-HEATING SOLID,

ORGANIC, N.O.S. 3088 SELF-HEATING SOLID,

ORGANIC, N.O.S.

3089 METAL POWDER, FLAMMABLE,

Circular Letter No. 4135 Annex 2

Chapter 3.2 - Dangerous Goods List

D G L

3

3

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
_		3089	METAL POWDER, FLAMMABLE, N.O.S.	4.1	_	III	223	5 kg	E1	P002	PP100	IBC08	B4 B21
D G L		3090	LITHIUM METAL BATTERIES (including lithium alloy batteries)	9	-	-	188 230 310 376 377 384 387	0	EO	P903 P908 P909 P910 P911 LP903 LP904 LP905 LP906	-	_	-
		3091	LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries)	9	_	_	188 230 310 360 376 377 384 387 390	0	EO	P903 P908 P909 P910 P911 LP903 LP904 LP905 LP906	_	_	_
		3092	1-METHOXY-2-PROPANOL	3	-	III	-	5 L	E1	P001 LP01	-	IBC03	-
		3093	CORROSIVE LIQUID, OXIDIZING, N.O.S.	8	5.1	I	274	0	E0	P001	-	-	-
		3093	CORROSIVE LIQUID, OXIDIZING, N.O.S.	8	5.1	Ш	274	1 L	E2	P001	-	IBC02	-
		3094	CORROSIVE LIQUID, WATER-REACTIVE, N.O.S.	8	4.3	I	274	0	E0	P001	-	-	-
		3094	CORROSIVE LIQUID, WATER-REACTIVE, N.O.S.	8	4.3	Ш	274	500 mL	E2	P001	-	-	-
		3095	CORROSIVE SOLID, SELF-HEATING, N.O.S.	8	4.2	I	274	0	E0	P002	-	-	
		3095	CORROSIVE SOLID, SELF-HEATING, N.O.S.	8	4.2	Ш	274	1 kg	E2	P002	-	IBC06	B21
		3096	CORROSIVE SOLID, WATER-REACTIVE, N.O.S.	8	4.3	I	274	0	E0	P002	-	-	-
		3096	CORROSIVE SOLID, WATER-REACTIVE, N.O.S.	8	4.3	Ш	274	1 kg	E2	P002	PP100	IBC06	B21
	\bigtriangleup	3097	FLAMMABLE SOLID, OXIDIZING, N.O.S.	4.1	5.1	Ш	274 976	0	E0	P099	-	-	-
	\bigtriangleup	3097	FLAMMABLE SOLID, OXIDIZING, N.O.S.	4.1	5.1	III	274 976	0	E0	P099	-	-	-
		3098	OXIDIZING LIQUID, CORROSIVE, N.O.S.	5.1	8	I	274	0	EO	P502	-	-	-
		3098	OXIDIZING LIQUID, CORROSIVE, N.O.S.	5.1	8	II	274	1 L	E2	P504	-	IBC01	-
		3098	OXIDIZING LIQUID, CORROSIVE, N.O.S.	5.1	8	III	223 274	5 L	E1	P504	-	IBC02	-

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.	
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	T1	TP33	F-G, S-G	Category A H1	SGG7 SGG15 SG17 SG25 SG26	-	3089	
-	_	_	F-A, S-I	Category A SW19	_	Electrical batteries containing lithium encased in a rigid metallic body. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.	3090	4
-		-	F-A, S-I	Category A SW19	-	Electrical lithium batteries containing lithium encased in a rigid metallic body may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.	3091	4
-	T2	TP1	F-E, S-D	Category A	-	Colourless liquid. Flashpoint: 29°C to 35°C c.c. Explosive limits: 1.7% to 11.5%. Miscible with water. Reacts with strong oxidizing substances. Irritating to skin, eyes and mucous membranes.	3092	
-	-	-	F-A, S-Q	Category C	-	Causes burns to skin, eyes and mucous membranes.	3093	
-	-	-	F-A, S-Q	Category C	-	See entry above.	3093	
-	-	-	F-G, S-L	Category D H1	SG26	Causes burns to skin, eyes and mucous membranes.	3094	
-	-	-	F-G, S-L	Category D H1	SG26	See entry above.	3094	
-	Т6	TP33	F-A, S-N	Category D	-	Causes burns to skin, eyes and mucous membranes.	3095	
-	Т3	TP33	F-A, S-N	Category D	-	See entry above.	3095	
-	T6	TP33	F-G, S-L	Category D H1	SG26	Causes burns to skin, eyes and mucous membranes.	3096	
-	Т3	TP33	F-G, S-L	Category D H1	SG26	See entry above.	3096	
-	-	-	F-A, S-Q	-	-	-	3097	4
-	T1	TP33	F-A, S-Q	-	-	-	3097	4
-	-	-	F-A, S-Q	Category D H1	SG38 SG49 SG60	Causes burns to skin, eyes and mucous membranes. Particular care in handling should be exercised if packages have become wetted.	3098	
-	-	-	F-A, S-Q	Category B H1	SG38 SG49 SG60	See entry above.	3098	
-	-	-	F-A, S-Q	Category B H1	SG38 SG49 SG60	See entry above.	3098	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

ຽ		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		3099	OXIDIZING LIQUID, TOXIC, N.O.S.	5.1	6.1	I	274	0	EO	P502	-	-	-
ח		3099	OXIDIZING LIQUID, TOXIC, N.O.S.	5.1	6.1	II	274	1 L	E2	P504	-	IBC01	-
		3099	OXIDIZING LIQUID, TOXIC, N.O.S.	5.1	6.1	III	223 274	5 L	E1	P504	-	IBC02	-
u	\triangle	3100	OXIDIZING SOLID, SELF-HEATING, N.O.S.	5.1	4.2	I	274 976	0	E0	P099	-	-	-
	\triangle	3100	OXIDIZING SOLID, SELF-HEATING, N.O.S.	5.1	4.2	II	274 976	0	E0	P099	-	-	-
		3101	ORGANIC PEROXIDE TYPE B, LIQUID	5.2	See SP181	-	122 181 195 274	25 mL	EO	P520	-	_	-
		3102	ORGANIC PEROXIDE TYPE B, SOLID	5.2	See SP181	-	122 181 195 274	100 g	EO	P520	-	-	-
		3103	ORGANIC PEROXIDE TYPE C, LIQUID	5.2	-	_	122 195 274	25 mL	EO	P520	-	-	-
		3104	ORGANIC PEROXIDE TYPE C, SOLID	5.2	-	-	122 195 274	100 g	EO	P520	-	-	-
		3105	ORGANIC PEROXIDE TYPE D, LIQUID	5.2	-	_	122 274	125 mL	EO	P520	-	-	-
		3106	ORGANIC PEROXIDE TYPE D, SOLID	5.2	-	-	122 274	500 g	EO	P520	-	-	-
		3107	ORGANIC PEROXIDE TYPE E, LIQUID	5.2	_	_	122 274	125 mL	EO	P520	-	-	-
		3108	ORGANIC PEROXIDE TYPE E, SOLID	5.2	-	-	122 274	500 g	EO	P520	-	-	-
		3109	ORGANIC PEROXIDE TYPE F, LIQUID	5.2	-	_	122 274	125 mL	EO	P520	_	IBC520	-
		3110	ORGANIC PEROXIDE TYPE F, SOLID	5.2	-	-	122 274	500 g	EO	P520	-	IBC520	-

	Portable tan bulk conta	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-A, S-Q	Category D	SG38 SG49 SG60	Toxic if swallowed, by skin contact or by dust inhalation. Should be handled with care to minimize exposure, particularly to dust.	3099
-	-	-	F-A, S-Q	Category B	SG38 SG49 SG60	See entry above.	3099
-	-	-	F-A, S-Q	Category B	SG38 SG49 SG60	See entry above.	3099
-		-	F-A, S-Q	-	-	-	3100
-	-	-	F-A, S-Q	-	-	-	3100
-	-	-	F-J, S-R	Category D SW1	SG1 SG35 SG36 SG72	May explode at elevated temperatures or in a fire. Burns vigorously. Immiscible with water. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3101
-	-	-	F-J, S-R	Category D SW1	SG1 SG35 SG36 SG72	May explode at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with the eyes and skin should be avoided. Addition of water to disuccinic acid peroxide will decrease its thermal stability. May evolve irritant or toxic fumes.	3102
-		-	F-J, S-R	Category D SW1	SG35 SG36 SG72	May decompose violently at elevated temperatures or in a fire. Burns vigorously. Immiscible with water except for <i>tert</i> -butyl hydroperoxide. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3103
-	-	-	F-J, S-R	Category D SW1	SG35 SG36 SG72	May decompose violently at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3104
-	-	-	F-J, S-R	Category D SW1	SG35 SG36 SG72	Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water except for acetylacetone peroxide, <i>tert</i> -butyl hydroperoxide and peroxyacetic acid, type D, stabilized. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3105
-	-	-	F-J, S-R	Category D SW1	SG35 SG36 SG72	Decomposes at elevated temperatures or in a fire. Burns vigorously. Insoluble in water except for 3-chloroperoxybenzoic acid. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3106
-	-	_	F-J, S-R	Category D SW1	SG35 SG36 SG72	Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water except for <i>tert</i> -amyl hydroperoxide, and <i>tert</i> -butyl hydroperoxide and peroxyacetic acid, type E, stabilized. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3107
-	-	-	F-J, S-R	Category D SW1	SG35 SG36 SG72	Decomposes at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3108
-	T23	_	F-J, S-R	Category D SW1	SG35 SG36 SG72	Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water except for <i>tert</i> -butyl hydroperoxide; dibenzoyl peroxide; dilauroyl peroxide and peroxyacetic acid, type F, stabilized. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3109
-	T23	TP33	F-J, S-R	Category D SW1	SG35 SG36 SG72	Decomposes at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.	3110

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3111	ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED	5.2	See SP181	_	122 181 195 274 923	0	EO	P520	_	_	_
3112	ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED	5.2	See SP181	-	122 181 195 274 923	0	EO	P520	-	-	-
3113	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED	5.2	_	-	122 195 274 923	0	EO	P520	_	_	_
3114	ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED	5.2	-	-	122 195 274 923	0	EO	P520	-	-	-
3115	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED	5.2	-	-	122 274 923	0	EO	P520	-	-	-
3116	ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED	5.2	-	-	122 274 923	0	EO	P520	-	-	-
3117	ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED	5.2	-	-	122 274 923	0	EO	P520	-	-	
3118	ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED	5.2	-	-	122 274 923	0	EO	P520	_	-	_
3119	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED	5.2	-	-	122 274 923	0	EO	P520	_	IBC520	_

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-F, S-R	Category D SW1 SW3	SG1 SG35 SG36 SG72	May explode at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3111
-	-	-	F-F, S-R	Category D SW1 SW3	SG1 SG35 SG36 SG72	May explode at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3112
-	-	-	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	May decompose violently at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3113
-	-	-	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	May decompose violently at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3114
-		-	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3115
-	-	-	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water except for diperoxyazelaic acid. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3116
-	-	-	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3117
-	-	-	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water except for di-(2-ethylhexyl) peroxydicarbonate. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3118
-	T23	-	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water except for di-(4- <i>tert</i> -butylcyclohexyl) peroxydicarbonate, dicetyl peroxydicarbonate and dimyristyl peroxydicarbonate. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3119

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

3		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		3120	ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED	5.2	-	-	122 274 923	0	EO	P520	-	IBC520	-
D	\triangle	3121	OXIDIZING SOLID, WATER-REACTIVE, N.O.S.	5.1	4.3	I	274 976	0	E0	P099	-	-	-
G	\triangle	3121	OXIDIZING SOLID, WATER-REACTIVE, N.O.S.	5.1	4.3	II	274 976	0	EO	P099	-	-	-
		3122	TOXIC LIQUID, OXIDIZING, N.O.S.	6.1	5.1	I	274 315	0	E0	P001	-	-	-
		3122	TOXIC LIQUID, OXIDIZING, N.O.S.	6.1	5.1	11	274	100 mL	E4	P001	-	IBC02	-
		3123	TOXIC LIQUID, WATER-REACTIVE, N.O.S.	6.1	4.3	I	274 315	0	EO	P099	-	-	-
		3123	TOXIC LIQUID, WATER-REACTIVE, N.O.S.	6.1	4.3	II	274	100 mL	E4	P001	-	IBC02	-
		3124	TOXIC SOLID, SELF-HEATING, N.O.S.	6.1	4.2	I	274	0	E5	P002	-	-	-
		3124	TOXIC SOLID, SELF-HEATING, N.O.S.	6.1	4.2	11	274	0	E4	P002	-	IBC06	B21
		3125	TOXIC SOLID, WATER-REACTIVE, N.O.S.	6.1	4.3	I	274	0	E5	P099	-	-	
		3125	TOXIC SOLID, WATER-REACTIVE, N.O.S.	6.1	4.3	II	274	500 g	E4	P002	PP100	IBC06	B21
	\triangle	3126	SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	4.2	8	II	274	0	E2	P410	-	IBC05	B21
	\triangle	3126	SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	4.2	8	Ш	223 274	0	E1	P002	-	IBC08	B3
	\triangle	3127	SELF-HEATING SOLID, OXIDIZING, N.O.S.	4.2	5.1	11	274 976	0	E0	P099	-	-	-
	\triangle	3127	SELF-HEATING SOLID, OXIDIZING, N.O.S.	4.2	5.1	Ш	223 274 976	0	EO	P099	-	-	-
	\triangle	3128	SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	4.2	6.1	11	274	0	E2	P410	-	IBC05	B21
	\bigtriangleup	3128	SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	4.2	6.1	Ш	223 274	0	E1	P002	-	IBC08	B3
	\triangle	3129	WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.	4.3	8	I	274	0	EO	P402	-	-	-
	\triangle	3129	WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.	4.3	8	II	274	0	E0	P402	-	IBC01	-
	\bigtriangleup	3129	WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.	4.3	8	111	223 274	0	E1	P001	_	IBC02	_
	\bigtriangleup	3130	WATER-REACTIVE LIQUID, TOXIC, N.O.S.	4.3	6.1	I	274	0	EO	P402	-	-	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.	
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	T23	TP33	F-F, S-R	Category D SW1 SW3	SG35 SG36 SG72	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water. Contact with the eyes and skin should be avoided. Control and emergency temperatures for each formulation are given in the table 2.5.3.2.4. The temperature should be checked regularly. May evolve irritant or toxic fumes.	3120	
-	-	-	F-G, S-L	H1	SG26	-	3121	
-	-	-	F-G, S-L	H1	SG26	-	3121	
-	-	-	F-A, S-Q	Category C	-	Toxic if swallowed, by skin contact or by inhalation.	3122	
-	-	-	F-A, S-Q	Category C	-	See entry above.	3122	
-	-	-	F-G, S-N	Category D SW2 H1	SG26	Toxic if swallowed, by skin contact or by inhalation.	3123	
-	-	-	F-G, S-N	Category D SW2 H1	SG26	See entry above.	3123	
-	Т6	TP33	F-A, S-J	Category D SW2	-	Highly toxic if swallowed, by skin contact or by inhalation.	3124	
-	Т3	TP33	F-A, S-J	Category D SW2	-	See entry above.	3124	
-	Т6	TP33	F-G, S-N	Category D SW2 H1	SG26	Toxic if swallowed, by skin contact or by inhalation.	3125	
-	T3	TP33	F-G, S-N	Category D SW2 H1	SG26	See entry above.	3125	
-	Т3	TP33	F-A, S-J	Category C	-	-	3126	
-	T1	TP33	F-A, S-J	Category C	-	-	3126	
-	T3	TP33	F-A, S-J	-	-	-	3127	
-	T1	TP33	F-A, S-J	-	-	-	3127	
-	Т3	TP33	F-A, S-J	Category C	-	-	3128	
-	T1	TP33	F-A, S-J	Category C	-	-	3128	
-	T14	TP2 TP7 TP13	<u>F-G</u> , S-N	Category D H1	SG26	-	3129	
-	T11	TP2 TP7	F-G, S-N	Category E SW5 H1	SG26	-	3129	
-	Τ7	TP2 TP7	F-G, S-N	Category E SW5 H1	SG26	· _		
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26	-	3130	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity (d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	\bigtriangleup	3130	WATER-REACTIVE LIQUID, TOXIC, N.O.S.	4.3	6.1	II	274	0	E0	P402	-	IBC01	_
n	\triangle	3130	WATER-REACTIVE LIQUID, TOXIC, N.O.S.	4.3	6.1	111	223 274	0	E1	P001	-	IBC02	-
	\triangle	3131	WATER-REACTIVE SOLID, CORROSIVE, N.O.S.	4.3	8	I	274	0	E0	P403	PP31	-	-
G	\bigtriangleup	3131	WATER-REACTIVE SOLID, CORROSIVE, N.O.S.	4.3	8	II	274	0	E2	P410	PP31 PP40	IBC06	B21
L	\triangle	3131	WATER-REACTIVE SOLID, CORROSIVE, N.O.S.	4.3	8	Ш	223 274	0	E1	P410	PP31	IBC08	B4
	\triangle	3132	WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.	4.3	4.1	I	274	0	E0	P403	PP31	IBC99	-
	\bigtriangleup	3132	WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.	4.3	4.1	II	274	0	E2	P410	PP31 PP40	IBC04	-
	\bigtriangleup	3132	WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.	4.3	4.1	Ш	223 274	0	E1	P410	PP31	IBC06	-
	\triangle	3133	WATER-REACTIVE SOLID, OXIDIZING, N.O.S.	4.3	5.1	II	274 976	0	E0	P099	-	-	-
	\triangle	3133	WATER-REACTIVE SOLID, OXIDIZING, N.O.S.	4.3	5.1	Ш	223 274 976	0	EO	P099	-	-	-
		3134	WATER-REACTIVE SOLID, TOXIC, N.O.S.	4.3	6.1	I	274	0	E0	P403	PP31	-	-
		3134	WATER-REACTIVE SOLID, TOXIC, N.O.S.	4.3	6.1	Ш	274	500 g	E2	P410	PP31 PP40	IBC05	B21
		3134	WATER-REACTIVE SOLID, TOXIC, N.O.S.	4.3	6.1	Ш	223 274	1 kg	E1	P410	PP31	IBC08	B4
	\triangle	3135	WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.	4.3	4.2	I	274	0	EO	P403	PP31	-	-
	\bigtriangleup	3135	WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.	4.3	4.2	II	274	0	E2	P410	PP31	IBC05	B21
	\triangle	3135	WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.	4.3	4.2	Ш	223 274	0	E1	P410	PP31	IBC08	B4
		3136	TRIFLUOROMETHANE, REFRIGERATED LIQUID	2.2	-	-	-	120 mL	E1	P203	-	-	-
	\triangle	3137	OXIDIZING SOLID, FLAMMABLE, N.O.S.	5.1	4.1	I	274 976	0	E0	P099	-	-	-
		3138	ETHYLENE, ACETYLENE AND PROPYLENE MIXTURE, REFRIGERATED LIQUID containing at least 71.5% ethylene, with not more than 22.5% acetylene and not more than 6% propylene	2.1	_	_	-	0	EO	P203	_	_	_

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.	
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	-	-	F-G, S-N	Category E SW5 H1	SG26	-	3130	
-	-	-	F-G, S-N	Category E SW5 H1	SG26	-	3130	
-	Т9	TP7 TP33	<u>F-G</u> , S-L	Category D H1	SG26	-	3131	
-	Т3	TP33	F-G, S-L	Category E SW5 H1	SG26	-	3131	
-	T1	TP33	F-G, S-L	Category E SW5 H1	SG26	-	3131	
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26	-	3132	
-	ТЗ	TP33	F-G, S-N	Category E SW5 H1	SG26	-	3132	
-	T1	TP33	F-G, S-N	Category E SW5 H1	SG26	-	3132	
-	-	-	F-G, S-L	H1	SG26	-	3133	
-	-	-	F-G, S-L	Н1	SG26	-	3133	
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26	-	3134	
-	T3	TP33	F-G, S-N	Category E SW5 H1	SG26	-	3134	
-	T1	TP33	F-G, S-N	Category E SW5 H1	SG26	-	3134	
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26	-	3135	
-	T3	TP33	F-G, S-N	Category E SW5 H1	SG26	-	3135	
-	T1	TP33	F-G, S-N	Category E SW5 H1	SG26	-	3135	
-	T75	TP5	F-C, S-V	Category D	-	Liquefied, non-flammable gas. Much heavier than air (2.4).	3136	
-	-	-	F-G, S-Q	H1	SG25 SG26	-	3137	
-	T75	TP5	<u>F-D</u> , S-U	Category D SW2	SG46	Liquefied, flammable, colourless mixture of gases with a garlic odour. Explosive limits: 2.7% to 36%. Lighter than air (0.96).	3138	

Circular Letter No. 4135 Annex 2

3

Chapter 3.2 – Dangerous Goods List

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3139	OXIDIZING LIQUID, N.O.S.	5.1	-	I	274	0	E0	P502	-	-	-
3139	OXIDIZING LIQUID, N.O.S.	5.1	-	II	274	1 L	E2	P504	-	IBC02	-
3139	OXIDIZING LIQUID, N.O.S.	5.1	-	III	223 274	5 L	E1	P504	-	IBC02	-
3140	ALKALOIDS, LIQUID, N.O.S. or ALKALOIDS SALTS, LIQUID, N.O.S.	6.1	-	I	43 274	0	E5	P001	-	-	-
3140	ALKALOIDS, LIQUID, N.O.S. or ALKALOIDS SALTS, LIQUID, N.O.S.	6.1	-	II	43 274	100 mL	E4	P001	-	IBC02	-
3140	ALKALOIDS, LIQUID, N.O.S. or ALKALOIDS SALTS, LIQUID, N.O.S.	6.1	-	III	43 223 274	5 L	E1	P001 LP01	-	IBC03	-
3141	ANTIMONY COMPOUND, INORGANIC, LIQUID, N.O.S.	6.1	-	III	45 274	5 L	E1	P001 LP01	-	IBC03	-
3142	DISINFECTANT, LIQUID, TOXIC, N.O.S.	6.1	-	I	274	0	E5	P001	-	-	-
3142	DISINFECTANT, LIQUID, TOXIC, N.O.S.	6.1	-	Ш	274	100 mL	E4	P001	-	IBC02	-
3142	DISINFECTANT, LIQUID, TOXIC, N.O.S.	6.1	-	Ш	223 274	5 L	E1	P001 LP01	-	IBC03	-
3143	DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1
3143	DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21
3143	DYE, SOLID, TOXIC, N.O.S. or DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	6.1	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	6.1	-	I	43 274	0	E5	P001	-	-	-
3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	6.1	-	II	43 274	100 mL	E4	P001	-	IBC02	-
3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.	6.1	-	III	43 223 274	5 L	E1	P001 LP01	-	IBC03	-
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C ₂ -C ₁₂ homologues)	8	-	I	-	0	EO	P001	-	-	-
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C_2-C_{12} homologues)	8	-	II	-	1 L	E2	P001	-	IBC02	-
3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C_2-C_{12} homologues)	8	-	III	223	5 L	E1	P001 LP01	-	IBC03	-
3146	ORGANOTIN COMPOUND, SOLID, N.O.S.	6.1	– P	Ι	43 274	0	E5	P002	-	IBC07	B1
3146	ORGANOTIN COMPOUND, SOLID, N.O.S.	6.1	– P	II	43 274	500 g	E4	P002	-	IBC08	B4 B21

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	-	-	F-A, S-Q	Category D	SG38 SG49 SG60	-
-	-	-	F-A, S-Q	Category B	SG38 SG49 SG60	-
-	-	-	F-A, S-Q	Category B	SG38 SG49 SG60	-
-		-	F-A, S-A	Category A	-	A w Toxi
-	-	-	F-A, S-A	Category A	-	See
-		-	F-A, S-A	Category A	_	See
-	-	-	F-A, S-A	Category A	-	A w by i
-	-	-	F-A, S-A	Category A SW2	_	A w by i
-	-	-	F-A, S-A	Category A SW2	-	See
-	-	-	F-A, S-A	Category A SW2	-	See
-	T6	TP33	F-A, S-A	Category A	-	A w inha
-	Т3	TP33	F-A, S-A	Category A	_	See
-	T1	TP33	F-A, S-A	Category A	-	See
-	-	-	F-A, S-A	Category B SW2	-	A w by ii
-	-	-	F-A, S-A	Category B SW2	-	See
-	-	-	F-A, S-A	Category B SW2	-	See
-	T14	TP2	F-A, S-B	Category B	-	A w pen mise mer
-	T11	TP2 TP27	F-A, S-B	Category B	_	See
-	Τ7	TP1 TP28	F-A, S-B	Category A	-	See
-	T6	TP33	F-A, <u>S-A</u>	Category B SW2	-	A w by ii
-	Т3	TP33	F-A, <u>S-A</u>	Category A SW2	-	See

Circular Letter No. 4135 Annex 2

Properties and observations UN No. (17) (18) 3139 3139 3139 vide range of toxic liquids, generally of vegetable origin. 3140 xic if swallowed, by skin contact or by inhalation. 3140 entry above. entry above. 3140 3141 ide range of toxic liquids. Toxic if swallowed, by skin contact or nhalation. ide range of toxic liquids. Toxic if swallowed, by skin contact or 3142 nhalation. 3142 entry above. 3142 entry above. ide range of toxic solids. Toxic if swallowed, by skin contact or by 3143 alation. 3143 entry above. 3143 entry above. ide variety of toxic liquids. Toxic if swallowed, by skin contact or 3144 nhalation. 3144 entry above. 3144 entry above. 3145 ide range of colourless to pale straw-coloured liquids with netrating odours (sometimes camphor-like). Liquids slightly cible with water. Cause burns to skin, eyes and mucous mbranes. 3145 entry above. 3145 entry above. ide variety of toxic solids. Toxic if swallowed, by skin contact or 3146 nhalation. 3146 entry above.

Chapter 3.2 – Dangerous Goods List

3

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
		3146	ORGANOTIN COMPOUND, SOLID, N.O.S.	6.1	– P		43 223 274	5 kg	E1	P002 LP02	_	IBC08	B3
Π		3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	8	-	I	274	0	E0	P002	-	IBC07	B1
C		3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	8	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
		3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	8	-		223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	\bigtriangleup	3148	WATER-REACTIVE LIQUID, N.O.S.	4.3	-	I	274	0	E0	P402	PP31	-	-
		3148	WATER-REACTIVE LIQUID, N.O.S.	4.3	-	II	274	500 mL	E2	P402	PP31	IBC01	-
		3148	WATER-REACTIVE LIQUID, N.O.S.	4.3	-	111	223 274	1 L	E1	P001	PP31	IBC02	-
		3149	HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED	5.1	8	II	196	1 L	E2	P504	PP10	IBC02	B5
		3150	DEVICES, SMALL, HYDROCARBON GAS POWERED or HYDROCARBON GAS REFILLS FOR SMALL DEVICES with release device	2.1	-	-	-	0	EO	P003	-		
		3151	POLYHALOGENATED BIPHENYLS, LIQUID or HALOGENATED MONOMETHYL- DIPHENYLMETHANES, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID	9	– P	II	203 305	1 L	E2	P906	-	IBC02	-
		3152	POLYHALOGENATED BIPHENYLS, SOLID or HALOGENATED MONOMETHYL- DIPHENYLMETHANES, SOLID or POLYHALOGENATED TERPHENYLS, SOLID	9	– P	II	203 305 958	1 kg	E2	P906	-	IBC08	B4 B21
		3153	PERFLUORO(METHYL VINYL ETHER)	2.1	-	-	-	0	E0	P200	-	-	-
		3154	PERFLUORO(ETHYL VINYL ETHER)	2.1	-	-	-	0	E0	P200	-	-	-
		3155	PENTACHLOROPHENOL	6.1	– P	II	43	500 g	E4	P002	-	IBC08	B4 B21
		3156	COMPRESSED GAS, OXIDIZING, N.O.S.	2.2	5.1	-	274	0	EO	P200	-	-	-
		3157	LIQUEFIED GAS, OXIDIZING, N.O.S.	2.2	5.1	-	274	0	EO	P200	-	-	-
		3158	GAS, REFRIGERATED LIQUID, N.O.S.	2.2	-	-	274	120 mL	E1	P203	-	-	-
		3159	1,1,1,2-TETRAFLUOROETHANE (REFRIGERANT GAS R 134a)	2.2	-	-	-	120 mL	E1	P200	-	-	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
12)	Tank instructions (13)	Provisions	(15)	(16a)	(16b)	(17)	(18
12)	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7		
-	T1	TP33	F-A, <u>S-A</u>	Category A SW2	-	A wide variety of toxic solids. Toxic if swallowed, by skin contact or by inhalation.	314
-	Τ6	TP33	F-A, S-B	Category A	-	A wide range of corrosive solids or pastes. Cause burns to skin, eyes and mucous membranes.	314
-	Т3	TP33	F-A, S-B	Category A	-	See entry above.	314
-	T1	TP33	F-A, S-B	Category A	-	See entry above.	314
-	T13	TP2 TP7	<u>F-G</u> , S-N	Category E SW2 H1	SG26	-	314
-	Τ7	TP2 TP7	F-G, S-N	Category E SW2 H1	SG26	-	314
-	Τ7	TP2 TP7	F-G, S-N	Category E SW2 H1	SG26	-	314
-	Τ7	TP2 TP6 TP24	F-H, S-Q	Category D SW1	SGG16 SG16 SG59 SG72	Colourless liquid. Carried as an aqueous solution. Slowly decomposes, evolving oxygen; the rate of decomposition increases on contact with most metals. In contact with combustible material, may cause fire. Causes burns to skin, eyes and mucous membranes. Even though stabilized, these solutions may evolve oxygen.	314
-	-	-	F-D, S-U	Category B SW2	-	Various small devices used for cosmetic and other purposes, and their refills.	315
-	-	-	F-A, <u>S-A</u>	Category A	SG50	Viscous liquids with a perceptible odour. Harmful by ingestion or by skin contact. This entry also covers articles, such as transformers and condensers, containing free liquid polyhalogenated biphenyls or polyhalogenated terphenyls.	315
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SG50	Solid with a perceptible odour. Melting point of solids varies from 2°C to 164°C. Harmful by ingestion or by skin contact. This entry also covers articles, such as rags, cotton waste, clothing or sawdust, containing polyhalogenated biphenyls or polyhalogenated terphenyls where no free visible liquid is present.	315
-	T50	-	F-D, S-U	Category E SW2	-	Explosive limits: 7% to 73%. Much heavier than air (4.8). Boiling point: -27°C.	315
-	-	-	F-D, S-U	Category E SW2	-	Explosive limits: 7% to 73%. Much heavier than air (6.4). Boiling point: 12°C.	315
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	Toxic if swallowed, by skin contact or by dust inhalation.	315
-	-	-	<u>F-C</u> , S-W	Category D	-	-	315
-	-	-	<u>F-C</u> , S-W	Category D	-	-	315
-	T75	TP5	F-C, S-V	Category D	-	-	315
-	T50	-	F-C, S-V	Category A	-	Non-flammable gas with a mild ether-like odour. Much heavier than air (3.5).	315

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3160	LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S.	2.3	2.1	-	274	0	E0	P200	-	-	-
	3161	LIQUEFIED GAS, FLAMMABLE, N.O.S.	2.1	-	-	274	0	E0	P200	-	-	-
	3162	LIQUEFIED GAS, TOXIC, N.O.S.	2.3	-	-	274	0	E0	P200	-	-	-
Δ	3163	LIQUEFIED GAS, N.O.S.	2.2	-	-	274 392	120 mL	E1	P200	-	-	-
\triangle	3164	ARTICLES, PRESSURIZED, PNEUMATIC or HYDRAULIC (containing non-flammable gas)	2.2	-	-	283 371	120 mL	EO	P003	PP32	_	-
	3165	AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK (containing a mixture of anhydrous hydrazine and methylhydrazine) (M86 fuel)	3	6.1/8	I	-	0	EO	P301	-	-	-
	3166	VEHICLE, FLAMMABLE GAS POWERED or VEHICLE, FLAMMABLE LIQUID POWERED or VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED or VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED	9	_	_	356 388 961 962	_	-	_	_	_	-
	3167	GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S., not refrigerated liquid	2.1	-	-	209	0	E0	P201	-	-	-
	3168	GAS SAMPLE, NON-PRESSURIZED, TOXIC, FLAMMABLE, N.O.S., not refrigerated liquid	2.3	2.1	-	209	0	E0	P201	-		
	3169	GAS SAMPLE, NON-PRESSURIZED, TOXIC, N.O.S., not refrigerated liquid	2.3	-	-	209	0	EO	P201	-	-	-
	3170	ALUMINIUM SMELTING BY-PRODUCTS or ALUMINIUM REMELTING BY-PRODUCTS	4.3	_	II	244	500 g	E2	P410	PP31 PP40	IBC07	B4 B21
	3170	ALUMINIUM SMELTING BY-PRODUCTS or ALUMINIUM REMELTING BY-PRODUCTS	4.3	-	III	223 244	1 kg	E1	P002	PP31	IBC08	В4
	3171	BATTERY-POWERED VEHICLE or BATTERY-POWERED EQUIPMENT	9	-	-	388 961 962 971	-	-	-	-	-	-
	3172	TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	6.1	-	I	210 274	0	E5	P001	-	-	-
	3172	TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	6.1	-	II	210 274	100 mL	E4	P001	-	IBC02	-
	3172	TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	6.1	-	III	210 223 274	5 L	E1	P001 LP01	-	IBC03	-
	3174	TITANIUM DISULPHIDE	4.2	-	III	-	0	E1	P002 LP02	PP31	IBC08	B3

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	-	-	<u>F-D</u> , S-U	Category D SW2	_	-
-	T50	-	F-D, S-U	Category D SW2	-	-
-	-	-	F-C, S-U	Category D SW2	-	-
-	T50	-	F-C, S-V	Category A	-	-
-	-	-	F-C, S-V	Category A	-	Artic oper
-	-	-	F-E, S-C	Category D SW2	SG5 SG8 SG13	The oxidi by sl muc
-		-	*	Category A	_	Type limit moto *F-D
-	-	-	F-D, S-U	Category D	-	-
-	-	-	F-D, S-U	Category D	-	-
-	-	-	F-C, S-U	Category D	-	-
-	T3 BK2	TP33	F-G, S-P	Category B SW5 H1	SGG15 SG26	Grey wate toxic e.g. potli
-	T1 BK2	TP33	F-G, S-P	Category B SW5 H1	SGG15 SG26	See
-	_	-	F-A, S-I	Category A	-	Type equi batte cars
-	-	-	F-A, S-A	Category B	-	Toxii infec subs by sl
-	-	-	F-A, S-A	Category B	-	See
-	-	-	F-A, S-A	Category A	-	See
-	T1	TP33	F-A, S-J	Category A	SGG7	Yello wate

Circular Letter No. 4135 Annex 2

UN Properties and observations No. (17) (18) 3160 3161 3162 3163 cles containing non-flammable, non-toxic gas necessary for their 3164 eration. mixture is miscible with water and may react dangerously with 3165 lizing substances. The mixture is highly toxic if swallowed, skin contact or by inhalation. Causes burns to skin, eyes and cous membranes. es of articles transported under this entry include, but are not 3166 ted to motor vehicles, hybrid vehicles, fuel cell powered vehicles, torcycles and boats. D, S-U for gases or F-E, S-E for liquids. 3167 3168 3169 y powder or lumps with some metallic inclusions. Contact with 3170 er may cause heating with possible evolution of flammable and c gases such as hydrogen and ammonia. This entry includes aluminium dross, aluminium skimmings, spent cathodes, spent liner and aluminium salt slags. 3170 entry above. es of articles transported under this entry include vehicles or 3171 ipment powered by wet batteries, sodium batteries or lithium teries with the batteries installed, such as electrically-powered s, lawnmowers, wheelchairs and other mobility aids. ns from plant, animal or bacterial sources which contain 3172 ctious substances or toxins that are contained in infectious stances should be classified in class 6.2. Toxic if swallowed, skin contact or by inhalation. 3172 entry above. 3172 entry above. ow or grey powder with an unpleasant odour. In contact with 3174 er slowly evolves hydrogen sulphide gas.

Chapter 3.2 – Dangerous Goods List

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3175	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	4.1	-	II	216 274	1 kg	E2	P002	PP9	IBC06	B21
3176	FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S.	4.1	-	Ш	274	0	E0	-	-	-	-
3176	FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S.	4.1	-	III	223 274	0	E0	-	-	-	-
3178	FLAMMABLE SOLID, INORGANIC, N.O.S.	4.1	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
3178	FLAMMABLE SOLID, INORGANIC, N.O.S.	4.1	-	Ш	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
3179	FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	4.1	6.1	II	274	1 kg	E2	P002	-	IBC06	B21
3179	FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	4.1	6.1	III	223 274	5 kg	E1	P002	-	IBC06	-
3180	FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.	4.1	8	II	274	1 kg	E2	P002	-	IBC06	B21
3180	FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.	4.1	8	Ш	223 274	5 kg	E1	P002	-	IBC06	-
3181	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.	4.1	-	Ш	274	1 kg	E2	P002	PP31	IBC08	B4 B21
3181	METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.	4.1	-	Ш	223 274	5 kg	E1	P002 LP02	PP31	IBC08	B3
3182	METAL HYDRIDES, FLAMMABLE, N.O.S.	4.1	-	II	274	1 kg	E2	P410	PP31 PP40	IBC04	-
3182	METAL HYDRIDES, FLAMMABLE, N.O.S.	4.1	-	III	223 274	5 kg	E1	P002	PP31	IBC04	-
3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	4.2	-	Ш	274	0	E2	P001	PP31	IBC02	-
3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.	4.2	-	111	223 274	0	E1	P001	PP31	IBC02	-
3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	4.2	6.1	Ш	274	0	E2	P402	PP31	IBC02	-
3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	4.2	6.1	111	223 274	0	E1	P001	PP31	IBC02	-
3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	4.2	8	Ш	274	0	E2	P402	PP31	IBC02	-
3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	4.2	8	III	223 274	0	E1	P001	PP31	IBC02	-
3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	4.2	-	II	274	0	E2	P001	PP31	IBC02	-
3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.	4.2	-	III	223 274	0	E1	P001	PP31	IBC02	-
3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	4.2	6.1	II	274	0	E2	P402	PP31	IBC02	-
3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	4.2	6.1	111	223 274	0	E1	P001	PP31	IBC02	-
3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	4.2	8	II	274	0	E2	P402	PP31	IBC02	_

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	
	Tank instructions	Provisions				
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	
-	T3 BK2	TP33	F-A, S-I	Category B	-	Mix mat
-	T3	TP3 TP26	F-A, S-H	Category C	-	Ship
-	T1	TP3 TP26	F-A, S-H	Category C	-	See
-	Т3	TP33	F-A, S-G	Category B	-	-
-	T1	TP33	F-A, S-G	Category B	-	-
-	Т3	TP33	F-A, S-G	Category B SW2	-	Tox han
-	T1	TP33	F-A, S-G	Category B SW2	-	See
-	ТЗ	TP33	F-A, S-G	Category D SW2	-	Cau
-	T1	TP33	F-A, S-G	Category D SW2	-	See
-	ТЗ	TP33	F-A, S-I	Category B SW2	SGG7	Dec skin
-	T1	TP33	F-A, S-I	Category B SW2	SGG7	See
-	Т3	TP33	F-A, S-G	Category E	-	-
-	T1	TP33	F-A, S-G	Category E	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	-	-	F-A, S-J	Category C	-	-
-	_	-	F-A, S-J	Category C	-	-

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
tures of non-dangerous solids (such as soil, sand, production erials, etc.) and flammable liquids.	3175
oped molten above its melting point.	3176
entry above.	3176
	3178
	3178
ic if swallowed, by skin contact or by dust inhalation. Should be dled with care to minimize exposure, particularly to dust.	3179
entry above.	3179
ises burns to skin, eyes and mucous membranes.	3180
entry above.	3180
composes in water. Liable to spontaneous heating. Irritating to and mucous membranes.	3181
entry above.	3181
	3182
	3182
	3183
	3183
	3184
	3184
	3185
	3185
	3186
	3186
	3187
	3187
	3188

D G L

3

3

3	UN	Proper shipping name	Class or	Subsidiary	Packing	Special	Limited an	d excepted	Pack	king	IB	C
	No.	(PSN)	division	hazard(s)	group	provisions	quantity p	provisions	Instructions	Provisions	Instructions	Provisions
							quantities	quantities		FIUVISIUIIS	IIISUUGUOIIS	FIUVISIUIIS
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	4.2	8	III	223 274	0	E1	P001	PP31	IBC02	-
Л	3189	METAL POWDER, SELF-HEATING, N.O.S.	4.2	-	II	274	0	E2	P410	PP31	IBC06	B21
G	3189	METAL POWDER, SELF-HEATING, N.O.S.	4.2	-	Ш	223 274	0	E1	P002 LP02	PP31 L4	IBC08	B4
u I	3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	4.2	-	II	274	0	E2	P410	PP31	IBC06	B21
	3190	SELF-HEATING SOLID, INORGANIC, N.O.S.	4.2	-	III	223 274	0	E1	P002 LP02	PP31	IBC08	B3
	3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	4.2	6.1	II	274	0	E2	P410	-	IBC05	B21
	3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	4.2	6.1	III	223 274	0	E1	P002	-	IBC08	B3
	3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	4.2	8	Ш	274	0	E2	P410	-	IBC05	B21
	3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	4.2	8	III	274	0	E1	P002	-	IBC08	B3
	3194	PYROPHORIC LIQUID, INORGANIC, N.O.S.	4.2	-	I	274	0	E0	P400	-	-	-
	3200	PYROPHORIC SOLID, INORGANIC, N.O.S.	4.2	-	I	274	0	E0	P404	PP31	-	-
	3205	ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	4.2	-	II	183 274	0	E2	P410	PP31	IBC06	B21
	3205	ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	4.2	-	III	183 223 274	0	E1	P002 LP02	PP31	IBC08	В3
\bigtriangleup	3206	ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	4.2	8	II	182 274	0	E2	P410	PP31	IBC05	B21
\triangle	3206	ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	4.2	8	Ш	182 223 274	0	E1	P002	PP31	IBC08	B3
	3208	METALLIC SUBSTANCE, WATER- REACTIVE, N.O.S.	4.3	-	I	274	0	EO	P403	PP31	IBC99	-
	3208	METALLIC SUBSTANCE, WATER- REACTIVE, N.O.S.	4.3	-	II	274	500 g	EO	P410	PP31 PP40	IBC07	B4 B21
	3208	METALLIC SUBSTANCE, WATER- REACTIVE, N.O.S.	4.3	-	111	223 274	1 kg	E1	P410	PP31	IBC08	B4
	3209	METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.	4.3	4.2	I	274	0	EO	P403	PP31	-	-
	3209	METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.	4.3	4.2	II	274	0	E2	P410	PP31 PP40	IBC05	B21
	3209	METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.	4.3	4.2	III	223 274	0	E1	P410	PP31	IBC08	B4

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-A, S-J	Category C	-	-	3188
-	T3	TP33	F-G, S-J	Category C H1	SGG7 SGG15 SG26	Forms explosive mixtures with oxidizing substances.	3189
-	T1	TP33	F-G, S-J	Category C H1	SGG7 SGG15 SG26	See entry above.	3189
-	Т3	TP33	F-A, S-J	Category C	-	Liable to self-heating or spontaneous combustion.	3190
-	T1	TP33	F-A, S-J	Category C	-	See entry above.	3190
-	тз	TP33	F-A, S-J	Category C	-	-	3191
-	T1	TP33	F-A, S-J	Category C	-	-	3191
-	тз	TP33	F-A, S-J	Category C	-	-	3192
-	T1	TP33	F-A, S-J	Category C	-	-	3192
-	-	-	F-G, S-M	Category D H1	SG26 SG63	Highly flammable liquids, may ignite spontaneously in moist air. In contact with air, evolve irritating and slightly toxic fumes.	3194
-	T21	TP7 TP33	F-G, S-M	Category D H1	SG26	Liable to ignite spontaneously in air. If shaken, may produce sparks. In contact with water, evolve hydrogen, a flammable gas.	3200
-	T3	TP33	F-A, S-J	Category B	-	Free-flowing hygroscopic powders. Irritating to skin, eyes and mucous membranes.	3205
-	T1	TP33	F-A, S-J	Category B	-	Free-flowing hygroscopic powders. Irritating to skin, eyes and mucous membranes.	3205
-	T3	TP33	F-A, S-J	Category B	SGG18 SG35	Free-flowing hygroscopic powder. Cause burns to skin, eyes and mucous membranes.	3206
-	T1	TP33	F-A, S-J	Category B	SGG18 SG35	See entry above.	3206
-	-	-	<u>F-G</u> , S-N	Category E SW2 H1	SG26	-	3208
-	Т3	TP33	F-G, S-N	Category E SW2 H1	SG26	-	3208
-	T1	TP33	F-G, S-N	Category E SW2 H1	SG26	-	3208
-	-	-	<u>F-G</u> , S-N	Category E SW2 H1	SG26	-	3209
-	Т3	TP33	F-G, S-N	Category E SW2 H1	SG26	-	3209
-	T1	TP33	F-G, S-N	Category E SW2 H1	SG26	-	3209

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C		Po ł
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions		in
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(12)	
3210	CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	_	II	274 351	1L	E2	P504	_	IBC02	_	_	
3210	CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	-	Ш	223 274 351	5 L	E1	P504	-	IBC02	-	-	
3211	PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	_	II	_	1 L	E2	P504	_	IBC02	_	-	
3211	PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	-	III	223	5 L	E1	P504	-	IBC02	-	-	
3212	HYPOCHLORITES, INORGANIC, N.O.S.	5.1	_	II	274 349 900 903	1 kg	E2	P002	-	IBC08	B4 B21	-	
3213	BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	-	II	274 350	1L	E2	P504	_	IBC02	_	-	
3213	BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	-	111	223 274 350	5 L	E1	P504	-	IBC02	_	-	
3214	PERMANGANATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	_	II	274 353	1L	E2	P504	-	IBC02	_	-	
3215	PERSULPHATES, INORGANIC, N.O.S.	5.1	_	111	_	5 kg	E1	P002 LP02	_	IBC08	B3	-	

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4 2 5	Provisions (14)	(15)	(16a) 7 1	(16b) 7 2–7 7	(17)	(18)
	4.3	4.2.5	7.8	7.3–7.7	1.2-1.1		
-	T4	TP1	F-H, S-Q	Category B	SG38 SG49 SG62	When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water of the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion. Transport of ammonium chlorate, aqueous solution is prohibited .	3210
-	T4	TP1	F-H, S-Q	Category B	SG38 SG49 SG62	See entry above.	3210
-	T4	TP1	F-H, S-Q	Category B	SGG13 SG38 SG49 SG62	When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water of the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	3211
-	T4	TP1	F-H, S-Q	Category B	SGG13 SG38 SG49 SG62	See entry above.	3211
-	T3	TP33	F-H, S-Q	Category D SW1 SW17	SGG8 SG35 SG38 SG49 SG53 SG60	Solids. Critical ambient temperature of decomposition may be as low as 60°C. May cause fire in contact with organic material or ammonium compounds. React with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Dust irritates mucous membranes. Transport of ammonium hypochlorite and mixtures of a hypochlorite with an ammonium salt is prohibited .	3212
-	T4	TP1	F-H, S-Q	Category B	SGG3 SG38 SG49 SG62	When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water of the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion. Transport of ammonium bromate, aqueous solution is prohibited .	3213
_	T4	TP1	F-H, S-Q	Category B	SGG3 SG38 SG49 SG62	See entry above.	3213
-	T4	TP1	F-H, S-Q	Category D	SGG14 SG38 SG49 SG60 SG62	When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water of the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion. Transport of ammonium permanganate, aqueous solution is prohibited .	3214
-	T1	TP33	F-A, S-Q	Category A	SG40 SG49	Solids. Solid mixtures with combustible material are sensitive to friction and are liable to ignite. React fiercely with cyanides when heated or by friction. May form explosive mixture with powdered metals or ammonium compounds.	3215

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	Limited and excepted quantity provisions		Packing		IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3216	PERSULPHATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	_	III	_	5 L	E1	P504	_	IBC02	_	
3218	NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	_	II	270	1 L	E2	P504	_	IBC02	_	
3218	NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	-	III	223 270	5 L	E1	P504	-	IBC02	-	
3219	NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	-	II	274 900	1L	E2	P504	-	IBC01	-	
3219	NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	5.1	-	III	223 274 900	5 L	E1	P504	-	IBC02	-	
3220	PENTAFLUOROETHANE (REFRIGERANT GAS R 125)	2.2	-	-	-	120 mL	E1	P200	-	-	-	
3221	SELF-REACTIVE LIQUID TYPE B	4.1	See SP181	-	181 274	25 mL	EO	P520	PP21	-	-	
3222	SELF-REACTIVE SOLID TYPE B	4.1	See SP181	-	181 274	100 g	EO	P520	PP21	-	-	
3223	SELF-REACTIVE LIQUID TYPE C	4.1	-	-	274	25 mL	EO	P520	PP21 PP94 PP95	-	-	
3224	SELF-REACTIVE SOLID TYPE C	4.1	-	_	274	100 g	EO	P520	PP21 PP94 PP95	_	-	
3225	SELF-REACTIVE LIQUID TYPE D	4.1	-	-	274	125 mL	EO	P520	-	-	-	

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T4	TP1 TP29	F-A, S-Q	Category A	SG38 SG49 SG62	When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water of the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	3216
-	T4	TP1	F-A, S-Q	Category B	SG38 SG49 SG62	When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water of the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	3218
-	T4	TP1	F-A, S-Q	Category B	SG38 SG49 SG62	See entry above.	3218
-	T4	TP1	F-A, S-Q	Category B	SGG12 SG38 SG49 SG62	When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water of the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly with fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion; .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion. Transport of ammonium nitrites, aqueous solution is prohibited .	3219
-	T4	TP1	F-A, S-Q	Category B	SGG12 SG38 SG49 SG62	See entry above.	3219
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable gas with a mild ether-like odour. Much heavier than air (4.2).	3220
-	-	-	F-J, S-G	Category D SW1	SG1 SG35 SG36	May explode at elevated temperatures or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3221
-	-	_	F-J, S-G	Category D SW1	SG1 SG35 SG36	May explode at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3222
-	-	-	F-J, S-G	Category D SW1	SG35 SG36	May decompose violently at elevated temperatures or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3223
-	_	_	F-J, S-G	Category D SW1	SG35 SG36	May decompose violently at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3224
-	-	-	F-J, S-G	Category D SW1	SG35 SG36	Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3225

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3226	SELF-REACTIVE SOLID TYPE D	4.1	-	-	274	500 g	EO	P520	-	-	-	
3227	SELF-REACTIVE LIQUID TYPE E	4.1	-	-	274	125 mL	E0	P520	-	-	-	
3228	SELF-REACTIVE SOLID TYPE E	4.1	-	-	274	500 g	E0	P520	-	-	-	
3229	SELF-REACTIVE LIQUID TYPE F	4.1	-	-	274	125 mL	E0	P520	-	IBC99	-	
3230	SELF-REACTIVE SOLID TYPE F	4.1	-	-	274	500 g	E0	P520	-	IBC99	-	
3231	SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED	4.1	See SP181	-	181 194 274 923	0	EO	P520	PP21	-	-	
3232	SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED	4.1	See SP181	_	181 194 274 923	0	EO	P520	PP21		-	
3233	SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED	4.1	-	-	194 274 923	0	EO	P520	PP21	-	-	
3234	SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED	4.1	_	_	194 274 923	0	EO	P520	PP21	_	_	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4.2.5 4.3	Provisions (14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-J, S-G	Category D SW1	SG35 SG36	Decomposes at elevated temperatures or in a fire. Burns vigorously. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Insoluble in water except: 4-(BENZYL(ETHYL)AMINO)-3-ETHOXYBENZENEDIAZONIUM ZINC CHLORIDE 3-CHLORO-4-DIETHYLAMINOBENZENEDIAZONIUM ZINC CHLORIDE 4-DIPROPYLAMINOBENZENEDIAZONIUM ZINC CHLORIDE SODIUM 2-DIAZO-1-NAPHTHOL-4-SULPHONATE SODIUM 2-DIAZO-1-NAPHTHOL-5-SULPHONATE	3226
-	-	-	F-J, S-G	Category D SW1	SG35 SG36	Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3227
-	-	-	F-J, S-G	Category D SW1	SG35 SG36	Decomposes at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3228
-	T23	-	F-J, S-G	Category D SW1	SG35 SG36	Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3229
	T23	_	F-J, S-G	Category D SW1	SG35 SG36	Decomposes at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3230
-	_	_	F-F, S-K	Category D SW1 SW3	SG1 SG35 SG36	May explode at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature should be checked regularly.	3231
-	-	_	F-F, S-K	Category D SW1 SW3	SG1 SG35 SG36	May explode at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature should be checked regularly.	3232
-	-	-	F-F, S-K	Category D SW1 SW3	SG35 SG36	May explode at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature should be checked regularly.	3233
-	_	_	F-F, S-K	Category D SW1 SW3	SG35 SG36	May explode at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water except: 3-METHYL-4-(PYRROLIDIN-1-YL)BENZENEDIAZONIUM TETRAFLUOROBORATE TETRAMINEPALLADIUM(II) NITRATE Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature should be checked regularly.	3234

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3235	SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED	4.1	_	-	194 274 923	0	E0	P520	_	_	_
3236	SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED	4.1	_	_	194 274 923	0	EO	P520	_	_	_
3237	SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED	4.1	-	-	194 274 923	0	EO	P520	-	-	-
3238	SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED	4.1	_	_	194 274 923	0	EO	P520	_	-	-
3239	SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED	4.1	_	-	194 274 923	0	EO	P520	_	-	-
3240	SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED	4.1	_	_	194 274 923	0	EO	P520	-		-
3241	2-BROMO-2-NITROPROPANE- 1,3-DIOL	4.1	-	III	-	5 kg	E1	P520	PP22	IBC08	B3
3242	AZODICARBONAMIDE	4.1	-	II	215	500 g	EO	P409	-	-	_
3243	SOLIDS CONTAINING TOXIC LIQUID, N.O.S.	6.1	-	II	217 274	500 g	E4	P002	PP9	IBC02	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions	Provisions	(15)	(163)	(16b)	(17)	(10)
(12)	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7	(17)	(10)
-	-	-	F-F, S-K	Category D SW1 SW3	SG35 SG36	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3235
-	-	-	F-F, S-K	Category D SW1 SW3	SG35 SG36	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Soluble in water except: AZODICARBONAMIDE FORMULATION TYPE D 2,2'-AZODI(2,4-DIMETHYL-4-METHOXYVALERONITRILE) 2,2'-AZODI(2,4-DIMETHYLVALERONITRILE) 2,2'-AZODI(2-METHYLBUTYRONITRILE) N-FORMYL-2-(NITROMETHYLENE)-1,3-PERHYDROTHIAZINE 4-NITROSOPHENOL Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation.	3236
-	-	-	F-F, S-K	Category D SW1 SW3	SG35 SG36	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature should be checked regularly.	3237
-	-	-	F-F, S-K	Category D SW1 SW3	SG35 SG36	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature should be checked regularly.	3238
_	T23	-	F-F, S-K	Category D SW1 SW3	SG35 SG36	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature must be checked regularly.	3239
-	T23	-	F-F, S-K	Category D SW1 SW3	SG35 SG36	Decomposes at temperatures higher than the emergency temperature or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous decomposition. The products of combustion or self-accelerating decomposition may be toxic by inhalation. Control and emergency temperatures for each formulation can be found in 2.4.2.3.2.3. The temperature must be checked regularly.	3240
-	-	-	F-J, S-G	Category C SW1 SW2 H2 H3	-	White crystals. Soluble in water. Decomposes when heated, evolving toxic gases. Sensitive to strong detonation shock. This substance shall be packed in accordance with packing method OP6 (see applicable packing instruction).	3241
_	T3	TP33	F-J, S-G	Category D	SG17 SG35 SG36	Yellow or orange powder. Insoluble in water. Heat may cause exothermic decomposition, producing carbon monoxide (a toxic and flammable gas) and nitrogen. May explode if involved in a fire under confined conditions. Addition of activators (e.g. zinc compounds) may result in a decrease of thermal stability and/or a change in explosive properties.	3242
-	T3 BK2	TP33	F-A, S-A	Category B SW2	-	Mixtures of non-dangerous solids (such as soil, sand, production materials, etc.) and toxic liquids. Toxic if swallowed, by skin contact or by inhalation.	3243

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

ļ			
	j	r J	

	UN No.	Proper shipping name (PSN) Class or Subsidiary Packing group Provisions Limited and excepted quantity provisions		Packing		IB	C					
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3244	SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.	8	-	II	218 274	1 kg	E2	P002	PP9	IBC05	-
	3245	GENETICALLY MODIFIED MICROORGANISMS or GENETICALLY MODIFIED ORGANISMS	9	-	-	219	0	E0	P904	-	IBC99	-
$ \land $	3246	METHANESULPHONYL CHLORIDE	6.1	8	I	354	0	E0	P602	-	_	-
	3247	SODIUM PEROXOBORATE, ANHYDROUS	5.1	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21
	3248	MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3	6.1	II	220 221	1 L	E2	P001	-	-	-
	3248	MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	3	6.1	III	220 221 223	5 L	E1	P001	-	-	-
	3249	MEDICINE, SOLID, TOXIC, N.O.S.	6.1	-	II	221	500 g	E4	P002	-	-	-
	3249	MEDICINE, SOLID, TOXIC, N.O.S.	6.1	-	III	221 223	5 kg	E1	P002 LP02	-	-	-
	3250	CHLOROACETIC ACID, MOLTEN	6.1	8	II	-	0	E0	-	-	-	-
	3251	ISOSORBIDE-5-MONONITRATE	4.1	-	III	226	5 kg	EO	P409	_	_	-
	3252	DIFLUOROMETHANE (REFRIGERANT GAS R 32)	2.1	-	-	-	0	E0	P200	-	-	-
	3253	DISODIUM TRIOXOSILICATE	8	-	III	-	5 kg	E1	P002 LP02	-	IBC08	В3
	3254	TRIBUTYLPHOSPHANE	4.2	_	I	_	0	EO	P400	-	-	_
	3255	tert-BUTYL HYPOCHLORITE	4.2	8	I	976	0	EO	P099	-	_	-
	3256	ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flashpoint above 60°C, at or above its flashpoint	3	-	III	274	0	EO	P099	-	IBC01	-
	3257	ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below its flashpoint (including molten metals, molten salts, etc.)	9	-	Ш	232 274	0	EO	P099	-	IBC01	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.]
	Tank instructions	Provisions						
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)	
-	T3 BK2	TP33	F-A, S-B	Category B SW2	_	Mixtures of non-dangerous solids (such as soil, sand, production materials, etc.) and corrosive liquids. Cause burns to skin, eyes and mucous membranes.	3244	
-	-	-	F-A, S-T	SW7	SG50	-	3245	
-	T20	TP2 TP13	F-A, S-B	Category D SW2	SGG1 SG36 SG49	Pale yellow liquid. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3246	
-	T3	TP33	F-A, S-Q	Category A SW1 H1	-	Yellowish, odourless crystals. Soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Harmful if swallowed.	3247	
-	-	-	F-E, S-D	Category B SW2	_	Toxic if swallowed, by skin contact or by inhalation.	3248	
-	-	-	F-E, S-D	Category A	-	See entry above.	3248	
-	Т3	TP33	F-A, S-A	Category C SW2	-	Toxic if swallowed, by skin contact or by dust inhalation.	3249	
-	T1	TP33	F-A, S-A	Category C SW2	-	See entry above.	3249	
-	T7	TP3 TP28	F-A, S-B	Category C SW2	SGG1 SG36 SG49	Molten liquid. Melting point may be as low as 50°C. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3250	
-	-	-	F-F, S-G	Category D SW1 SW2 H2 H3	-	May explode if involved in a fire under confined conditions. Sensitive to strong detonation shock.	3251	
-	T50	-	F-D, S-U	Category D SW2	-	Flammable colourless gas. Heavier than air (1.8).	3252	
-	T1	TP33	F-A, S-B	Category A	SGG18 SG35	Colourless hygroscopic solid. Dangerous reaction with oxidizers. In the presence of moisture, reacts with aluminium, zinc, tin and their compounds, evolving hydrogen, a flammable gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	3253	
-	T21	TP2 TP7	F-A, S-M	Category D	SG44	Colourless yellowish liquid. Insoluble in water. Strong garlic odour (phosphine). Liable to heat and ignite spontaneously in air. If involved in a fire, evolves phosphine, a flammable and highly toxic gas. Reacts violently with oxidizing substances (peroxides, halogens, nitric oxides and carbon tetrachloride). Irritating to mucous membranes.	3254	
-	-	-	F-A, S-M	Category D	SGG8	Volatile flammable slightly yellow liquid with a pungent odour. Immiscible with water. Boiling point: 77°C to 79°C. Flashpoint between -15°C and -10°C. Exposure to light causes immediate dangerous decomposition. Causes burns to skin, eyes and mucous membranes.	3255	
_	Т3	TP3 TP29	F-E, S-D	Category A	-	-	3256	
-	Т3	T3 TP3 F-A, <u>S-P</u> Catego TP29 SW5		Category A SW5	-	Any liquid which is transported at or above 100°C but below its flashpoint. May cause fire if in contact with combustible material due to extreme temperature.	3257	

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3258	ELEVATED TEMPERATURE SOLID, N.O.S. at or above 240°C	9	-	III	232 274	0	E0	P099	-	-	-
D	3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	8	-	I	274	0	EO	P002	_	IBC07	B1
G	3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	8	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
L	3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.	8	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	8	-	I	274	0	EO	P002	-	IBC07	B1
	3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	8	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
	3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	8	-	111	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	8	-	Ι	274	0	EO	P002	-	IBC07	B1
	3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	8	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
	3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	8	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	8	-	Ι	274	0	E0	P002	-	IBC07	B1
	3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	8	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
	3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	8	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	8	-	I	274	0	E0	P002	-	IBC07	B1
	3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	8	-	II	274	1 kg	E2	P002	-	IBC08	B4 B21
	3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	8	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	8	-	I	274	0	EO	P001	-	-	-
	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	8	-	II	274	1 L	E2	P001	-	IBC02	-
	3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	8	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
	3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	8	-	I	274	0	E0	P001	-	-	-

	Portable tanks and bulk containers Tank instructions 12) (13) (14) 4.2.5 4.2.5		EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-A, <u>S-P</u>	Category A SW5	_	Any solid which is transported at or above 240°C. May cause fire if in contact with combustible material due to extreme temperature.	3258
-	Τ6	TP33	F-A, S-B	Category A	SGG18 SG35	Colourless to yellowish solids with a pungent odour. Miscible with or soluble in water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Cause burns to skin, eyes and mucous membranes. React violently with acids.	3259
-	Т3	TP33	F-A, S-B	Category A	SGG18 SG35	See entry above.	3259
-	T1	TP33	F-A, S-B	Category A	SGG18 SG35	See entry above.	3259
-	Т6	TP33	F-A, S-B	Category B	SGG1 SG36 SG49	Causes burns to skin, eyes and mucous membranes.	3260
-	Т3	TP33	F-A, S-B	Category B	SGG1 SG36 SG49	See entry above.	3260
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	See entry above.	3260
-	Т6	TP33	F-A, S-B	Category B	SGG1 SG36 SG49	Causes burns to skin, eyes and mucous membranes.	3261
-	Т3	TP33	F-A, S-B	Category B	SGG1 SG36 SG49	See entry above.	3261
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	See entry above.	3261
-	T6	TP33	F-A, S-B	Category B	SGG18 SG35	Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.	3262
-	Т3	TP33	F-A, S-B	Category B	SGG18 SG35	See entry above.	3262
-	T1	TP33	F-A, S-B	Category A	SGG18 SG35	See entry above.	3262
-	T6	TP33	F-A, S-B	Category B	SGG18 SG35	Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.	3263
-	Т3	TP33	F-A, S-B	Category B	SGG18 SG35	See entry above.	3263
-	T1	TP33	F-A, S-B	Category A	SGG18 SG35	See entry above.	3263
-	T14	TP2 TP27	F-A, S-B	Category B SW2	SGG1 SG36 SG49	Causes burns to skin, eyes and mucous membranes.	3264
-	T11	TP2 TP27	F-A, S-B	Category B SW2	SGG1 SG36 SG49	See entry above.	3264
-	Τ7	TP1 TP28	F-A, S-B	Category A SW2	SGG1 SG36 SG49	See entry above.	3264
-	T14	TP2 TP27	F-A, S-B	Category B SW2	SGG1 SG36 SG49	Causes burns to skin, eyes and mucous membranes.	3265

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provision
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	8	-	II	274	1 L	E2	P001	-	IBC02	-
Л	3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	8	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	8	-	I	274	0	E0	P001	-	-	-
G	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	8	-	II	274	1 L	E2	P001	-	IBC02	-
	3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	8	-	111	223 274	5 L	E1	P001 LP01	-	IBC03	-
	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	8	-	I	274	0	E0	P001	-	-	-
	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	8	-	Ш	274	1 L	E2	P001	-	IBC02	-
	3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	8	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
	3268	SAFETY DEVICES, electrically initiated	9	-	-	280 289	0	E0	P902 LP902	-	-	-
	3269	POLYESTER RESIN KIT, liquid base material	3	-	II	236 340	5 L	See SP340	P302	-	-	-
	3269	POLYESTER RESIN KIT, liquid base material	3	-	111	236 340	5 L	See SP340	P302	-	-	-
	3270	NITROCELLULOSE MEMBRANE FILTERS with not more than 12.6% nitrogen, by dry mass	4.1	-	II	237 286	1 kg	E2	P411	-	-	-
	3271	ETHERS, N.O.S.	3	-	II	274	1 L	E2	P001	-	IBC02	-
	3271	ETHERS, N.O.S.	3	-	111	223 274	5 L	E1	P001 LP01	-	IBC03	-
	3272	ESTERS, N.O.S.	3	-	II	274	1 L	E2	P001	-	IBC02	-
	3272	ESTERS, N.O.S.	3	-	111	223 274	5 L	E1	P001 LP01	-	IBC03	-
	3273	NITRILES, FLAMMABLE, TOXIC, N.O.S.	3	6.1	I	274	0	EO	P001	-	-	-
	3273	NITRILES, FLAMMABLE, TOXIC, N.O.S.	3	6.1	II	274	1 L	E2	P001	-	IBC02	-
\triangle	3274	ALCOHOLATES SOLUTION, N.O.S. in alcohol	3	8	II	274	1 L	E2	P001	-	IBC02	-
	3275	NITRILES, TOXIC, FLAMMABLE, N.O.S.	6.1	3	I	274 315	0	E5	P001	-	-	-
	3275	NITRILES, TOXIC, FLAMMABLE, N.O.S.	6.1	3	II	274	100 mL	E4	P001	-	IBC02	-

		Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
((12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	T11	TP2 TP27	F-A, S-B	Category B SW2	SGG1 SG36 SG49	Causes burns to skin, eyes and mucous membranes.	3265
	-	Τ7	TP1 TP28	F-A, S-B	Category A SW2	SGG1 SG36 SG49	See entry above.	3265
	-	T14	TP2 TP27	F-A, S-B	Category B SW2	SGG18 SG35	Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.	3266
	-	T11	TP2 TP27	F-A, S-B	Category B SW2	SGG18 SG35	See entry above.	3266
	-	T7	TP1 TP28	F-A, S-B	Category A SW2	SGG18 SG35	See entry above.	3266
	-	T14	TP2 TP27	F-A, S-B	Category B SW2	SGG18 SG35	Reacts violently with acids. Causes burns to skin, eyes and mucous membranes.	3267
	-	T11	TP2 TP27	F-A, S-B	Category B SW2	SGG18 SG35	See entry above.	3267
	-	Τ7	TP1 TP28	F-A, S-B	Category A SW2	SGG18 SG35	See entry above.	3267
	-	-	-	<u>F-B</u> , S-X	Category A	-	-	3268
	-	-	-	F-E, S-D	Category B	-	Polyester resin kits consist of two components: a base material (flammable liquid) and an activator (organic peroxide), each separately packed in an inner packaging.	3269
	-	-	-	F-E, S-D	Category A	-	See entry above.	3269
	-	-	-	F-A, S-I	Category D	-	Filters may be small round pieces or large sheets. When involved in a fire, evolve toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Burn rapidly with intense heat radiation.	3270
	-	Τ7	TP1 TP8 TP28	F-E, S-D	Category B	-	-	3271
	-	T4	TP1 TP29	F-E, S-D	Category A	-	-	3271
	-	T7	TP1 TP8 TP28	F-E, S-D	Category B	-	-	3272
	-	T4	TP1 TP29	F-E, S-D	Category A	-	-	3272
	-	T14	TP2 TP13 TP27	F-E, S-D	Category E SW2	SG35	Liquids evolving toxic vapour. React with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Toxic if swallowed, by skin contact or by inhalation.	3273
	-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	SG35	See entry above.	3273
	-	-	-	F-E, S-C	Category B	SGG18 SG35	Colourless solution. Reacts violently with water. Causes burns to skin, eyes and mucous membranes.	3274
	-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	SG35	Flammable liquids, evolving toxic vapour. React with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	3275
	-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	SG35	See entry above.	3275

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3276	NITRILES, LIQUID, TOXIC, N.O.S.	6.1	-	I	274 315	0	E5	P001	-	-	-
3276	NITRILES, LIQUID, TOXIC, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-
3276	NITRILES, LIQUID, TOXIC, N.O.S.	6.1	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
3277	CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.	6.1	8	II	274	100 mL	E4	P001	_	IBC02	-
3278	ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	-	I	43 274 315	0	E5	P001	-	-	-
3278	ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	-	II	43 274	100 mL	E4	P001	-	IBC02	-
3278	ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	-	III	43 223 274	5 L	E1	P001 LP01	-	IBC03	-
3279	ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.	6.1	3	I	43 274 315	0	E5	P001	-	-	-
3279	ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.	6.1	3	II	43 274	100 mL	E4	P001	-	-	-
3280	ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	6.1	-	I	274 315	0	E5	P001	-	-	-
3280	ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-
3280	ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	6.1	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
3281	METAL CARBONYLS, LIQUID, N.O.S.	6.1	-	I	274 315	0	E5	P601	-	-	-
3281	METAL CARBONYLS, LIQUID, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-
3281	METAL CARBONYLS, LIQUID, N.O.S.	6.1	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
3282	ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	-	Ι	274	0	E5	P001	-	-	-
3282	ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-
3282	ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	6.1	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-
3283	SELENIUM COMPOUND, SOLID, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1
3283	SELENIUM COMPOUND, SOLID, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21
3283	SELENIUM COMPOUND, SOLID, N.O.S.	6.1	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T14	TP2 TP13 TP27	F-A, S-A	Category B	SG35	Liquids, evolving toxic vapour. React with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Miscible with water. Toxic if swallowed, by skin contact or by inhalation.	3276
-	T11	TP2 TP27	F-A, S-A	Category B	SG35	See entry above.	3276
-	Τ7	TP1 TP28	F-A, S-A	Category A	SG35	See entry above.	3276
-	Т8	TP2 TP13 TP28	F-A, S-B	Category A SW1 SW2 H1 H2	SGG1 SG36 SG49	React and decompose with water or heat, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	3277
-	T14	TP2 TP13 TP27	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	3278
-	T11	TP2 TP27	F-A, S-A	Category B	_	See entry above.	3278
-	Τ7	TP1 TP28	F-A, S-A	Category A	-	See entry above.	3278
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	A wide variety of toxic flammable liquids. Toxic if swallowed, by skin contact or by inhalation.	3279
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3279
-	T14	TP2 TP13 TP27	F-A, S-A	Category B	_	Toxic if swallowed, by skin contact or by inhalation.	3280
-	T11	TP2 TP27	F-A, S-A	Category B	-	See entry above.	3280
-	Τ7	TP1 TP28	F-A, S-A	Category A	-	See entry above.	3280
-	T14	TP2 TP13 TP27	F-A, S-A	Category D SW2	-	A range of metal carbonyls which, when heated, can give off carbon monoxide, a toxic gas. Immiscible with water. Toxic if swallowed, by skin contact or by inhalation.	3281
-	T11	TP2 TP27	F-A, S-A	Category B SW2	-	See entry above.	3281
-	Τ7	TP1 TP28	F-A, S-A	Category B SW2	-	See entry above.	3281
-	T14	TP2 TP13 TP27	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	3282
-	T11	TP2 TP27	F-A, S-A	Category B	-	See entry above.	3282
-	T7	TP1 TP28	F-A, S-A	Category A	_	See entry above.	3282
-	T6	TP33	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	3283
-	Т3	TP33	F-A, S-A	Category B	-	See entry above.	3283
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	3283

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

ວ	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pacl	king	IB	С	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
	3284	TELLURIUM COMPOUND, N.O.S.	6.1	-	Ι	274	0	E5	P002	-	IBC07	B1	
	3284	TELLURIUM COMPOUND, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21	
D	3284	TELLURIUM COMPOUND, N.O.S.	6.1	-	Ш	223 274	5 kg	E1	P002 LP02	-	IBC08	B3	
	3285	VANADIUM COMPOUND, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1	
G	3285	VANADIUM COMPOUND, N.O.S.	6.1	-	11	274	500 g	E4	P002	-	IBC08	B4 B21	
	3285	VANADIUM COMPOUND, N.O.S.	6.1	-	Ш	223 274	5 kg	E1	P002 LP02	-	IBC08	B3	
	3286	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	3	6.1/8	I	274	0	EO	P001	-	-	-	
	3286	FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	3	6.1/8	II	274	1 L	E2	P001	-	IBC99	-	
	3287	TOXIC LIQUID, INORGANIC, N.O.S.	6.1	-	I	274 315	0	E5	P001	-	-	-	
	3287	TOXIC LIQUID, INORGANIC, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-	
	3287	TOXIC LIQUID, INORGANIC, N.O.S.	6.1	-	III	223 274	5 L	E1	P001 LP01	-	IBC03	-	
	3288	TOXIC SOLID, INORGANIC, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC99	-	
	3288	TOXIC SOLID, INORGANIC, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21	
	3288	TOXIC SOLID, INORGANIC, N.O.S.	6.1	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3	
	3289	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	6.1	8	Ι	274 315	0	E5	P001	-	-	-	
	3289	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	6.1	8	II	274	100 mL	E4	P001	-	IBC02	-	
	3290	TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	6.1	8	I	274	0	E5	P002	-	IBC99	_	
	3290	TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	6.1	8	II	274	500 g	E4	P002	-	IBC06	B21	
\bigtriangleup	3291	CLINICAL WASTE, UNSPECIFIED, N.O.S. or (BIO) MEDICAL WASTE, N.O.S. or REGULATED MEDICAL WASTE, N.O.S.	6.2	_	-	_	0	EO	P621 LP621		IBC620	_	
	3292	BATTERIES, CONTAINING SODIUM or CELLS, CONTAINING SODIUM	4.3	_	-	239	0	EO	P408	-	_	_	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations			
	Tank instructions	Provisions							
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)		
-	T6	TP33	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	3284		
-	Т3	TP33	F-A, S-A	Category B	-	See entry above.	3284		
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	3284		
-	T6	TP33	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	3285		
-	Т3	TP33	F-A, S-A	Category B	-	See entry above.	3285		
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	3285		
-	T14	TP2 TP13 TP27	F-E, S-C	Category E SW2	SG5 SG8	Flammable, toxic, corrosive liquid. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3286		
-	T11	TP2 TP13 TP27	F-E, S-C	Category B SW2	SG5 SG8	See entry above.	3286		
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Toxic if swallowed, by skin contact or by inhalation.	3287		
-	T11	TP2 TP27	F-A, S-A	Category B SW2	-	See entry above.	3287		
-	T7	TP1 TP28	F-A, S-A	Category A SW2	-	See entry above.	3287		
-	T6	TP33	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	3288		
-	T3	TP33	F-A, S-A	Category B	-	See entry above.	3288		
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	3288		
-	T14	TP2 TP13 TP27	F-A, S-B	Category B SW2	-	Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3289		
-	T11	TP2 TP27	F-A, S-B	Category B SW2	-	See entry above.	3289		
-	Т6	TP33	F-A, S-B	Category B SW2	-	Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3290		
-	Т3	TP33	F-A, S-B	Category B SW2	-	See entry above.	3290		
-	BK2	-	F-A, S-T	SW28	-	Derived from the medical treatment of animals, humans or from bio-research.	3291		
-	-	-	F-G, S-P	Category A H1	SG26	Series of hermetically sealed metal cells containing sodium, electrically connected and secured within a metal casing. "Cold" batteries (batteries containing elemental sodium only in the solid state) are electrically inert. Batteries are activated by heating to between 300°C and 350°C before operating to produce electricity. Activated batteries (i.e. "hot" batteries containing liquid elemental sodium) may cause fire through short-circuit of the terminals. Batteries or cells should not be offered for transport at a temperature such that liquid elemental sodium is present in the battery or cell unless approved, and under conditions of transport established by the competent authority.	3292		

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3
3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3293	HYDRAZINE, AQUEOUS SOLUTION with not more than 37% hydrazine, by mass	6.1	-		223	5 L	E1	P001 LP01	-	IBC03	-
D	3294	HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with not more than 45% hydrogen cyanide	6.1	3 P	I	900	0	EO	P601	-	-	-
G	3295	HYDROCARBONS, LIQUID, N.O.S.	3	-	I	-	500 mL	E3	P001	_	-	-
L	3295	HYDROCARBONS, LIQUID, N.O.S.	3	-	II	-	1 L	E2	P001	-	IBC02	-
	3295	HYDROCARBONS, LIQUID, N.O.S.	3	-	Ш	223	5 L	E1	P001 LP01	-	IBC03	-
	3296	HEPTAFLUOROPROPANE (REFRIGERANT GAS R 227)	2.2	-	_	-	120 mL	E1	P200	-	-	-
	3297	ETHYLENE OXIDE AND CHLOROTETRAFLUORO- ETHANE MIXTURE with not more than 8.8% ethylene oxide	2.2	_	_	392	120 mL	E1	P200	_	_	_
	3298	ETHYLENE OXIDE AND PENTAFLUOROETHANE MIXTURE with not more than 7.9% ethylene oxide	2.2	-	-	392	120 mL	E1	P200	-	-	-
	3299	ETHYLENE OXIDE AND TETRAFLUOROETHANE MIXTURE with not more than 5.6% ethylene oxide	2.2	_	_	392	120 mL	E1	P200	-	-	-
	3300	ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 87% ethylene oxide	2.3	2.1	_	-	0	EO	P200	-	-	-
	3301	CORROSIVE LIQUID, SELF-HEATING, N.O.S.	8	4.2	I	274	0	E0	P001	-	-	-
	3301	CORROSIVE LIQUID, SELF-HEATING, N.O.S.	8	4.2	11	274	0	E2	P001	-	-	-
	3302	2-DIMETHYLAMINOETHYL ACRYLATE, STABILIZED	6.1	_	II	386	100 mL	E4	P001	_	IBC02	_
	3303	COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S.	2.3	5.1	-	274	0	E0	P200	-	-	-
	3304	COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.	2.3	8	-	274	0	E0	P200	-	-	-
	3305	COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.	2.3	2.1/8	-	274	0	EO	P200	-	-	-
	3306	COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	2.3	5.1/8	_	274	0	EO	P200	-	-	-
	3307	LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S.	2.3	5.1	-	274	0	E0	P200	-	-	-
	3308	LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S.	2.3	8	_	274	0	E0	P200	_	-	-

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13)	Provisions	(15)	(16a)	(16b)	(17)	(18)
(12)	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7	(17)	(10)
-	T4	TP1	F-A, S-A	Category A	SGG18 SG35	Colourless liquid. Reacts violently with acids. Toxic if swallowed, by skin contact or by inhalation.	3293
-	T14	TP2 TP13	F-E, <u>S-D</u>	Category D SW2	-	Flammable solution, evolving extremely toxic flammable vapours. Miscible with water. Highly toxic if swallowed, by skin contact or by inhalation. Transport of HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with more than 45% hydrogen cyanide is prohibited .	3294
-	T11	TP1 TP8 TP28	F-E, S-D	Category E	-	Immiscible with water.	3295
-	T7	TP1 TP8 TP28	F-E, S-D	Category B	-	See entry above.	3295
-	T4	TP1 TP29	F-E, S-D	Category A	_	See entry above.	3295
-	T50	-	F-C, S-V	Category A	-	Non-flammable compressed gas. Heavier than air (1.4).	3296
-	T50	-	F-C, S-V	Category A	_	Liquefied, non-flammable, colourless gas with an ether-like odour. Much heavier than air.	3297
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable, colourless gas with an ether-like odour. Much heavier than air.	3298
-	T50	_	F-C, S-V	Category A	-	Liquefied, non-flammable, colourless gas with an ether-like odour. Much heavier than air.	3299
-	-	-	F-D, S-U	Category D SW2	-	Liquefied, flammable, toxic colourless gas with an ether-like odour. Heavier than air (1.5).	3300
-	-	-	F-A, S-J	Category D	_	Causes burns to skin, eyes and mucous membranes.	3301
-	-	-	F-A, S-J	Category D	-	See entry above.	3301
-	T7	TP2	F-A, S-A	Category D SW1	_	Colourless to light yellow liquid. Acrid odour. Miscible with water. Causes tears. Stabilized with hydroquinone derivatives. Hydrolyses in water to give off acrylic acid and dimethylaminoethanol. Toxic if swallowed, by skin contact or by inhalation.	3302
-	-	-	F-C, S-W	Category D SW2	-	-	3303
-	-	-	F-C, S-U	Category D SW2	-	-	3304
-	-	-	F-D, S-U	Category D SW2	SG4 SG9	-	3305
-	-	-	F-C, S-W	Category D SW2	SG6 SG19	-	3306
-	-	-	F-C, S-W	Category D SW2	-	-	3307
-	-	-	F-C, S-U	Category D SW2	-	-	3308

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3309	LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.	2.3	2.1/8	-	274	0	EO	P200	-	-	-
3310	LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	2.3	5.1/8	-	274	0	EO	P200	-	-	-
3311	GAS, REFRIGERATED LIQUID, OXIDIZING, N.O.S.	2.2	5.1	-	274	0	E0	P203	-	-	-
3312	GAS, REFRIGERATED LIQUID, FLAMMABLE, N.O.S.	2.1	-	-	274	0	E0	P203	-	-	-
3313	ORGANIC PIGMENTS, SELF-HEATING	4.2	-	II	-	0	E2	P002	-	IBC08	B4 B21
3313	ORGANIC PIGMENTS, SELF-HEATING	4.2	-	III	223	0	E1	P002 LP02	-	IBC08	B3
3314	PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form, evolving flammable vapour	9	-	III	207 965	5 kg	E1	P002	PP14	IBC08	B3 B6
3315	CHEMICAL SAMPLE, TOXIC	6.1	_	I	250	0	EO	P099	_	-	
3316	CHEMICAL KIT or FIRST AID KIT	9	-	-	251 340	See SP251	See SP340	P901	-	-	-
3317	2-AMINO-4,6-DINITROPHENOL, WETTED with not less than 20% water, by mass	4.1	-	I	28	0	EO	P406	PP26 PP31	-	-
3318	AMMONIA SOLUTION relative density less than 0.880 at 15°C in water, with more than 50% ammonia	2.3	8 P	-	23	0	EO	P200	-	-	-
3319	NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2% but not more than 10% nitroglycerin, by mass	4.1	_	II	272 274	0	EO	P099	_	_	_
3320	SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION with not more than 12% sodium borohydride and not more than 40% sodium hydroxide, by mass	8	_	II	-	1 L	E2	P001	-	IBC02	-

		Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
		Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
	-	-	-	<u>F-D</u> , S-U	Category D SW2	SG4 SG9	-	3309
	-	-	-	F-C, S-W	Category D SW2	SG6 SG19	-	3310
	-	T75	TP5 TP22	F-C, S-W	Category D	-	-	3311
	-	T75	TP5	<u>F-D</u> , S-U	Category D SW2	-	-	3312
	-	Т3	TP33	F-A, S-J	Category C	-	Self-heating coloured powder or granules. Odourless. Liable to self-heating or spontaneous combustion.	3313
	-	T1	TP33	F-A, S-J	Category C	-	See entry above.	3313
	-	-	-	F-A, S-I	Category E SW1 SW6	SG5 SG14	A moulding material consisting predominantly of polystyrene, poly(methyl methacrylate) or other polymeric material and containing 5% to 8% of a volatile hydrocarbon which is predominantly pentane. During storage, a small proportion of this pentane is released to the atmosphere; this proportion increases at elevated temperatures.	3314
	-			F-A, S-A	Category D SW2	_	This entry may only be used for samples of chemicals taken for analysis in connection with the implementation of the Convention on the Prohibition of the Development, Production, Stockpiling and Use of Chemical Weapons and on their Destruction. The transport of substances under this entry shall be in accordance with the chain of custody and security procedures specified by the Organization for the Prohibition of Chemical Weapons. The chemical sample may only be transported providing prior approval has been granted by the competent authority or the Director General of the Organization for the Prohibition of Chemical Weapons. During transport, the packaging shall be accompanied by a copy of the document of approval for transport, showing the quantity limitations and the packing requirements.	3315
	-	-	-	F-A, <u>S-P</u>	Category A	-	-	3316
	-	_	_	F-B, S-J	Category D	SG7 SG30	Desensitized explosive. Red crystals. Insoluble in water. Explosive in the dry state. May form extremely sensitive compounds with heavy metals or their salts. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. Harmful if swallowed or by skin contact.	3317
	-	T50	-	F-C, S-U	Category D SW2	SGG18 SG35 SG46	Highly concentrated solution in water of a non-flammable, toxic and corrosive gas with a pungent odour. Even though this substance has a flammability hazard, it only exhibits such hazard under extreme fire conditions in confined areas. Reacts violently with acids. Highly irritating to skin, eyes and mucous membranes. Suffocating in low concentrations.	3318
	-	_	_	F-B, S-J	Category E	_	Desensitized explosive with lactose, glucose or cellulose. White solid. Soluble in water. When involved in a fire, the nitroglycerin may accumulate and may produce an explosion. Contact with water may dissolve the desensitizer (lactose or glucose), causing migration and accumulation of the nitroglycerin, which may explode. Nitroglycerin is more dense than water. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. Inhalation of vapours may cause headaches, dizziness and fainting.	3319
	-	T7	TP2	F-A, S-B	Category A	SGG18 SG35	Off-white clear liquid with a slight hydrocarbon odour. Reacts violently with acids. In contact with acids or if diluted with large amount of water, evolves hydrogen gas and heat. Causes burns to skin, eyes and mucous membranes.	3320

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

U
1

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	С
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3320	SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION with not more than 12% sodium borohydride and not more than 40% sodium hydroxide, by mass	8	_	III	223	5 L	E1	P001 LP01	_	IBC03	-
3321	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3322	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III), non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3323	RADIOACTIVE MATERIAL, TYPE C PACKAGE, non fissile or fissile-excepted	7	See SP172	-	172 317 325	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3324	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), FISSILE	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3325	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY, (LSA-III), FISSILE	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3326	RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II), FISSILE	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3327	RADIOACTIVE MATERIAL, TYPE A PACKAGE, FISSILE, non-special form	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3328	RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE, FISSILE	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3329	RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, FISSILE	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3330	RADIOACTIVE MATERIAL, TYPE C PACKAGE, FISSILE	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3331	RADIOACTIVE MATERIAL, TRANSPORTED UNDER SPECIAL ARRANGEMENT, FISSILE	7	See SP172	-	172 326	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3332	RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, non fissile or fissile-excepted	7	See SP172	-	172 317	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3333	RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, FISSILE	7	See SP172	-	172	0	EO	See 4.1.9	See 4.1.9	See 4.1.9	See 4.1.9
3334	AVIATION REGULATED LIQUID, N.O.S.	9	-	-	960	_	-	-	-	-	-
3335	AVIATION REGULATED SOLID, N.O.S.	9	-	-	960	-	-	-	-	-	-

	Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(1	2) (13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3-7.7	(16b) 7.2–7.7	(17)	(18)
	- T4	TP2	F-A, S-B	Category A	SGG18 SG35	See entry above.	3320
	- T5	TP4	F-I, S-S	Category A SW20 SW21	-	See 1.5.1.	3321
	- T5	TP4	F-I, S-S	Category A SW21	_	See 1.5.1.	3322
		-	F-I, S-S	Category A SW12	-	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	3323
		-	F-I, <u>S-S</u>	Category A SW12 SW20 SW21	-	See 1.5.1.	3324
		-	F-I, <u>S-S</u>	Category A SW12 SW21	-	See 1.5.1.	3325
	-	-	F-I, <u>S-S</u>	Category A SW12	-	See 1.5.1.	3326
		-	F-I, <u>S-S</u>	Category A SW12 SW20 SW21	-	See 1.5.1.	3327
		-	F-I, <u>S-S</u>	Category A SW12	-	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	3328
		-	F-I, <u>S-S</u>	Category A SW12	-	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	3329
		-	F-I, <u>S-S</u>	Category A SW12	_	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	3330
		-	F-I, <u>S-S</u>	Category A SW13	-	See 1.5.1. For ships transporting an INF cargo as defined in regulation VII/14 of the SOLAS Convention, 1974, as amended, refer also to the INF Code.	3331
		_	<u>F-I, S-S</u>	Category A	_	See 1.5.1.	3332
		-	<u>F-I</u> , <u>S-S</u>	Category A SW12	-	See 1.5.1.	3333
		-	-	-	_	Not subject to the provisions of this Code but may be subject to provisions governing the transport of dangerous goods by other modes.	3334
		-	-	-	-	Not subject to the provisions of this Code but may be subject to provisions governing the transport of dangerous goods by other modes.	3335

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	3	-	I	274	0	EO	P001	-	-	-
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	3	-	II	274	1 L	E2	P001	-	IBC02	-
3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	3	-	III	223 274	5 L	E1	P001 LP01	_	IBC03	-
3337	REFRIGERANT GAS R 404A	2.2	-	-	-	120 mL	E1	P200	-	-	-
3338	REFRIGERANT GAS R 407A	2.2	-	-	-	120 mL	E1	P200	-	-	-
3339	REFRIGERANT GAS R 407B	2.2	-	-	-	120 mL	E1	P200	-	-	-
3340	REFRIGERANT GAS R 407C	2.2	-	-	-	120 mL	E1	P200	-	-	-
3341	THIOUREA DIOXIDE	4.2	-	II	-	0	E2	P002	PP31	IBC06	B21
3341	THIOUREA DIOXIDE	4.2	-	111	223	0	E1	P002 LP02	PP31	IBC08	B3
3342	XANTHATES	4.2	_	II	_	0	E2	P002	PP31	IBC06	B21
3342	XANTHATES	4.2	-	111	223	0	E1	P002 LP02	PP31	IBC08	B3
3343	NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, FLAMMABLE, N.O.S. with not more than 30% nitroglycerin, by mass	3	-	-	274 278	0	E0	P099	-	-	-
3344	PENTAERYTHRITE TETRANITRATE (PENTAERYTHRITOL TETRANITRATE; PETN) MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass	4.1	_	II	272 274	0	EO	P406	PP26 PP80	_	-
3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	6.1	-	I	61 274	0	E5	P002	-	IBC07	B1

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T11	TP2	F-E, S-D	Category E	SG50 SG57	Colourless to yellow liquids with a garlic odour. Immiscible with water.	3336
-	Τ7	TP1 TP8 TP28	F-E, S-D	Category B	SG50 SG57	See entry above.	3336
-	T4	TP1 TP29	F-E, S-D	Category B	SG50 SG57	See entry above.	3336
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable, colourless gas with a faint ether-like odour. Heavier than air (1.06). Very high exposures may cause anaesthetic effects and asphyxiation.	3337
-	Т50	_	F-C, S-V	Category A	_	Liquefied, non-flammable, colourless gas with a faint ether-like odour. Heavier than air (1.17). Very high exposures may cause anaesthetic effects and asphyxiation.	3338
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable, colourless gas with a faint ether-like odour. Heavier than air (1.19). Very high exposures may cause anaesthetic effects and asphyxiation.	3339
-	T50	-	F-C, S-V	Category A	-	Liquefied, non-flammable, colourless gas with a faint ether-like odour. Heavier than air (1.16). Very high exposures may cause anaesthetic effects and asphyxiation.	3340
-	Τ3	TP33	F-A, S-J	Category D	-	White to yellow-white crystalline powder. Virtually odourless. Strong reducing agent. Violent exothermic decomposition above 100°C with emission of large amounts of sulphur oxides, ammonia, carbon monoxide, carbon dioxide, nitrogen oxides and hydrogen sulphide. Extended exposure to temperatures above 50°C and moisture may cause visible decomposition. Dust irritating to skin, eyes and mucous membranes.	3341
-	T1	TP33	F-A, S-J	Category D	_	See entry above.	3341
-	T3	TP33	F-A, S-J	Category D SW2	-	Hygroscopic yellow powder with an unpleasant odour. On contact with moisture, evolves highly flammable vapours such as carbon disulphide (UN 1131, which has a flashpoint of -30° C c.c. and a very low ignition temperature of 100° C). When confined, can cause an explosion due to the wide explosive limits of the vapours. Finely divided dust forms explosive mixtures in air. Care should be taken when opening cargo transport units in case carbon disulphide vapours are present.	3342
-	T1	TP33	F-A, S-J	Category D SW2	_	See entry above.	3342
-	-	-	F-E, S-Y	Category D	-	-	3343
-	_	_	F-B, S-J	Category E	-		3344
-	Τ6	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	3345

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	6.1	-	II	61 274	500 g	E4	P002	-	IBC08	B4 B21
П	3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	6.1	-	Ш	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
G	3346	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	_	_
L	3346	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint less than 23°C	3	6.1	II	61 274	1 L	E2	P001	-	IBC02	-
	3347	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
	3347	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	-	IBC02	-
	3347	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	111	61 223 274	5 L	E1	P001	-	IBC03	-
	3348	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	-
	3348	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
	3348	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	6.1	-	Ш	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
	3349	PYRETHROID PESTICIDE, SOLID, TOXIC	6.1	-	Ι	61 274	0	E5	P002	-	IBC07	B1
	3349	PYRETHROID PESTICIDE, SOLID, TOXIC	6.1	-	Ш	61 274	500 g	E4	P002	-	IBC08	B4 B21
	3349	PYRETHROID PESTICIDE, SOLID, TOXIC	6.1	-	Ш	61 223 274	5 kg	E1	P002 LP02	-	IBC08	B3
	3350	PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	I	61 274	0	EO	P001	-	-	-
	3350	PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	3	6.1	П	61 274	1 L	E2	P001	-	IBC02	-
	3351	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	I	61 274	0	E5	P001	-	-	-
	3351	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	II	61 274	100 mL	E4	P001	_	IBC02	-
	3351	PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	6.1	3	111	61 223 274	5 L	E1	P001	-	IBC03	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T3	TP33	F-A, S-A	Category A SW2	_	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	3345
-	T1	TP33	F-A, S-A	Category A SW2	-	See entry above.	3345
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	_	Pesticides frequently containing petroleum or coal tar distillates, or other flammable liquids. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3346
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3346
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3347
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3347
	T7	TP2 TP28	F-E, S-D	Category A SW2	-	See entry above.	3347
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	-	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3348
-	T11	TP2 TP27	F-A, S-A	Category B SW2	-	See entry above.	3348
-	T7	TP2 TP28	F-A, S-A	Category A SW2	-	See entry above.	3348
-	T6	TP33	F-A, S-A	Category A SW2	-	Solid pesticides present a very wide range of toxic hazard. Toxic if swallowed, by skin contact or by inhalation.	3349
-	T3	TP33	F-A, S-A	Category A SW2	-	See entry above.	3349
-	T1	TP33	F-A, S-A	Category A SW2	-	See entry above.	3349
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3350
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3350
-	T14	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	They frequently contain petroleum or coal tar distillates, or other flammable liquids. Flashpoint and miscibility with water depend upon the composition. Toxic if swallowed, by skin contact or by inhalation.	3351
-	T11	TP2 TP13 TP27	F-E, S-D	Category B SW2	-	See entry above.	3351
-	T7	TP2 TP28	F-E, S-D	Category A SW2	-	See entry above.	3351

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3352	PYRETHROID PESTICIDE, LIQUID, TOXIC	6.1	-	I	61 274	0	E5	P001	-	-	-
	3352	PYRETHROID PESTICIDE, LIQUID, TOXIC	6.1	-	II	61 274	100 mL	E4	P001	-	IBC02	-
D	3352	PYRETHROID PESTICIDE, LIQUID, TOXIC	6.1	-	III	61 223 274	5 L	E1	P001 LP01	-	IBC03	-
G	3354	INSECTICIDE GAS, FLAMMABLE, N.O.S.	2.1	-	-	274	0	E0	P200	-	-	-
п.	3355	INSECTICIDE GAS, TOXIC, FLAMMABLE, N.O.S.	2.3	2.1	-	274	0	E0	P200	-	-	-
	3356	OXYGEN GENERATOR, CHEMICAL	5.1	_	-	284	0	EO	P500	-	_	-
	3357	NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, N.O.S. with not more than 30% nitroglycerin, by mass	3	-	II	274 288	0	EO	P099	-	-	
	3358	REFRIGERATING MACHINES containing flammable, non-toxic, liquefied gas	2.1	-	-	291	0	EO	P003	PP32	-	-
	3359	FUMIGATED CARGO TRANSPORT UNIT	9	_	-	302	0	EO	-		-	
	3360	FIBRES, VEGETABLE, DRY	4.1	-	-	29 123 299 973	0	EO	P003	PP19	-	-
	3361	CHLOROSILANES, TOXIC, CORROSIVE, N.O.S.	6.1	8	II	274	0	EO	P010	_	_	-
	3362	CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	6.1	3/8	II	274	0	EO	P010	-	-	-

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T14	TP2 TP13 TP27	F-A, S-A	Category B SW2	_	Liquid pesticides which present a very wide range of toxic hazard. Miscibility with water depends upon the composition. Toxic if swallowed, by skin contact or by inhalation.	33
-	T11	TP2 TP27	F-A, S-A	Category B SW2	-	See entry above.	33
-	T7	TP2 TP28	F-A, S-A	Category A SW2	-	See entry above.	33
-	-	-	F-D, S-U	Category D	-	Flammable mixtures of insecticides with liquefied gases.	33
-	-	-	F-D, S-U	Category D SW2	-	Toxic, flammable mixtures of insecticides with liquefied gases.	33
_	_	_	F-H, S-Q	Category D	_	Oxygen generators, chemical are devices containing chemicals which, upon activation, release oxygen as a product of chemical reaction. Chemical oxygen generators are used for the generation of oxygen for respiratory support, e.g. in aircraft, submarines, spacecraft, bomb shelters and breathing apparatus. Oxidizing salts such as chlorates and perchlorates of lithium, sodium and potassium, which are used in chemical oxygen generators, evolve oxygen when heated. These salts are mixed (compounded) with a fuel, usually iron powder, to form a chlorate candle, which produces oxygen by continuous reaction. The fuel is used to generate heat by oxidation. Once the reaction begins, oxygen is released from the hot salt by thermal decomposition (a thermal shield is used around the generator). A portion of the oxygen reacts with the fuel to produce more heat, which produces more oxygen, and so on. Initiation of the reaction can be achieved by a percussion device, friction device or electric wire.	33
-	-	-	F-E, S-Y	Category D	-	-	33
-	-	-	F-D, S-U	Category D	-	-	33
-	-	-	F-A, <u>S-D</u>	Category B SW2	-	A 'FUMIGATED CARGO TRANSPORT UNIT' is a closed cargo transport unit containing goods or materials that either are or have been fumigated within the unit. The fumigant gases used are either poisonous or asphyxiant. The gases are usually evolved from solid or liquid preparations distributed within the unit. See also 5.5.2.	33
-	-	-	F-A, S-I	Category A	-	Ignite readily. Consignments of cotton, dry having a density not less than 360 kg/m ³ , flax, dry having a density not less than 400 kg/m ³ , sisal, dry having a density not less than 360 kg/m ³ (ISO Standard 8115 (1986)) and tampico fibre, dry having a density not less than 360 kg/m ³ are not subject to the provisions of this Code when carried in closed cargo transport units.	33
-	- T14 TP2 F-A, S-B TP7 TP13 TP27		F-A, S-B	Category C SW2	SGG1 SG36 SG49	Colourless to yellow liquids with a pungent odour. Immiscible with water. React violently with water or steam, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolve toxic gas. In the presence of moisture, highly corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	33
-	T14	TP2 TP7 TP13 TP27	F-E, S-C	Category C SW2	SGG1 SG5 SG8 SG36 SG49	Colourless to yellow flammable liquids with a pungent odour. Immiscible with water. React violently with water or steam, evolving hydrogen chloride, an irritating and corrosive gas apparent as white fumes. When involved in a fire, evolve toxic gas. In the presence of moisture, highly corrosive to most metals. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	33

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

J		UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
		(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	\bigtriangleup	3363	DANGEROUS GOODS IN ARTICLES or DANGEROUS GOODS IN MACHINERY or DANGEROUS GOODS IN APPARATUS	9	_	_	301	See SP301	EO	P907	_	_	-
D		3364	TRINITROPHENOL (PICRIC ACID), WETTED with not less than 10% water, by mass	4.1	-	I	28	0	E0	P406	PP24 PP31	-	-
U I		3365	TRINITROCHLOROBENZENE (PICRYL CHLORIDE), WETTED with not less than 10% water, by mass	4.1	-	I	28	0	E0	P406	PP24 PP31	-	-
		3366	TRINITROTOLUENE (TNT), WETTED with not less than 10% water, by mass	4.1	-	I	28	0	EO	P406	PP24 PP31	-	-
		3367	TRINITROBENZENE, WETTED with not less than 10% water, by mass	4.1	-	I	28	0	EO	P406	PP24 PP31	_	-
		3368	TRINITROBENZOIC ACID, WETTED with not less than 10% water, by mass	4.1	-	I	28	0	EO	P406	PP24 PP31	-	-
		3369	SODIUM DINITRO-o- CRESOLATE, WETTED with not less than 10% water, by mass	4.1	6.1 Р	I	28	0	EO	P406	PP24 PP31	-	
		3370	UREA NITRATE, WETTED with not less than 10% water, by mass	4.1	-	I	28	0	EO	P406	PP31 PP78	-	-
		3371	2-METHYLBUTANAL	3	-	II	-	1 L	E2	P001	-	IBC02	-
		3373	BIOLOGICAL SUBSTANCE, CATEGORY B	6.2	-	-	319 341	0	EO	P650	-	-	-
		3374	ACETYLENE, SOLVENT FREE	2.1	-	-	-	0	EO	P200	-	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-A, <u>S-P</u>	Category A	-	Types of articles transported under this entry contain only limited quantities of dangerous goods.	336
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. Soluble in water. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. Harmful if swallowed or by skin contact.	336
-	-		F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Explosive and sensitive to shock and heat in the dry state. Reacts violently with heavy metals and their salts.	336
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Explosive and sensitive to shock and heat in the dry state. Reacts violently with heavy metals and their salts.	336
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of odourless yellow crystals. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Explosive and sensitive to shock and heat in the dry state. Harmful if swallowed or by skin contact. Reacts violently with heavy metals and their salts.	336
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow crystals. Soluble in water. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Explosive and sensitive to shock and heat in the dry state. Harmful if swallowed or by skin contact. Reacts violently with heavy metals and their salts.	336
-	_	_	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Substance in pure form consists of yellow powder. May form extremely sensitive compounds with heavy metals or their salts. When involved in a fire, evolves toxic fumes; in closed compartments, these fumes may form an explosive mixture with air. Explosive and sensitive to friction in the dry state. Toxic if swallowed, by skin contact or by inhalation.	336
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. May form extremely sensitive compounds with heavy metals or their salts. Explosive and sensitive to friction in the dry state. Harmful if swallowed or by skin contact.	337
-	T4	TP1	F-E, S-D	Category B	-	Colourless liquid. Flashpoint: -3.5° C. Explosive limits: 1.3 to 13.9%. Slightly miscible with water.	337
-	T1 BK2	TP1	F-A, S-T	Category C SW2 SW18	-	Substances which are known or are reasonably expected to contain pathogens, transported in a form that, when exposure to it occurs, are not capable of causing permanent disability, life-threatening or fatal disease to humans or animals. Human or animal specimens for which there is minimal likelihood that pathogens are present are not subject to the provisions of this Code (see 2.6.3.2.3.6). Other exemptions are stated in 2.6.3.2.3.	337
-	_	_	<u>F-D</u> , <u>S-U</u>	Category D SW1 SW2	SG46	Flammable gas with slight odour. Explosive limits: 2.1 to 80%. Lighter than air (0.907). Acetylene without solvent. Rough handling and exposure to local heating should be avoided, since these conditions may result in delayed explosion. Empty cylinders should be carried with the same precautions as filled cylinders.	337

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

3	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	ing	IB	С
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
D	3375	AMMONIUM NITRATE EMULSION or SUSPENSION or GEL intermediate for blasting explosives	5.1	-	II	309	0	E2	P505	-	IBC02	B16
G L	3376	4-NITROPHENYLHYDRAZINE, with not less than 30% water, by mass	4.1	-	I	28	0	EO	P406	PP26 PP31	-	-
	3377	SODIUM PERBORATE MONOHYDRATE	5.1	-	III	967	5 kg	E1	P002 LP02	-	IBC08	B3
	3378	SODIUM CARBONATE PEROXYHYDRATE	5.1	_	II	_	1 kg	E2	P002	-	IBC08	B4 B21
	3378	SODIUM CARBONATE PEROXYHYDRATE	5.1	-	III	967	5 kg	E1	P002 LP02	-	IBC08	В3
	3379	DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.	3	-	I	274 311	0	EO	P099	-	-	-
\bigtriangleup	3380	DESENSITIZED EXPLOSIVE, SOLID, N.O.S.	4.1	-	I	274 311 394	0	EO	P099	-	-	-
	3381	TOXIC BY INHALATION LIQUID, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	6.1	_	I	274	0	EO	P601	-		_
	3382	TOXIC BY INHALATION LIQUID, N.O.S. with an LC_{50} lower than or equal to 1,000 m L/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	6.1	-	I	274	0	EO	P602	-	-	-
	3383	TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	6.1	3	I	274	0	EO	P601	_	_	_

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T1	TP1 TP9 TP17 TP32	F-H, S-Q	Category D SW1	SGG2 SG16 SG42 SG45 SG47 SG48 SG51 SG56 SG58 SG59 SG61	Non-sensitized emulsions, suspensions and gels consisting primarily of a mixture of ammonium nitrate and fuel, intended to produce a Type E blasting explosive only after further processing prior to use. Substances shall satisfactorily pass test series 8 of the Manual of Tests and Criteria, part I, section 18 and be approved by the competent authority.	3375
-	-	-	F-B, S-J	Category E	SG7 SG30	Desensitized explosive. Dark orange solid. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals or their salts. Harmful if swallowed or by skin contact.	3376
-	T1 BK2 BK3	TP33	F-A, S-Q	Category A SW1 SW23 H1	SGG16 SG59	White crystals or powder. Partially soluble in water. Mixtures with combustible material are readily ignited and may burn fiercely. Risk of decomposition when exposed to continuous heat (exothermic decomposition \geq 60°C). When involved in a fire or exposed to high temperatures, it may decompose, yielding oxygen and steam. Harmful if swallowed.	3377
-	T3 BK2	TP33	F-A, S-Q	Category A SW1 H1	SGG16 SG59	White crystals or powder. Soluble in water. Mixtures with combustible material are readily ignited. Decomposes in contact with water and acids, forming hydrogen peroxide. Risk of decomposition when exposed to continuous heat (exothermic decomposition \geq 60°C). When involved in a fire or exposed to high temperatures, it may decompose, yielding oxygen and steam. Irritating to eyes, skin and mucous membranes. Harmful if swallowed.	3378
-	T1 BK2 BK3	TP33	F-A, S-Q	Category A SW1 SW23 H1	SGG16 SG59	See entry above.	3378
-	-	-	F-E, S-Y	Category D	SG30	Desensitized explosive. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals and their salts.	3379
-	-	-	F-B, S-J	Category D	SG7 SG30	Desensitized explosive. Explosive and sensitive to friction in the dry state. May form extremely sensitive compounds with heavy metals and their salts.	3380
-	T22	TP2 TP13	F-A, S-A	Category D SW2	-	A variety of toxic liquids which present a highly toxic inhalation hazard. Highly toxic if swallowed, by skin contact or by inhalation.	3381
-	T20	TP2 TP13	F-A, S-A	Category D SW2	-	A variety of toxic liquids which present a highly toxic inhalation hazard. Highly toxic if swallowed, by skin contact or by inhalation.	3382
-	T22	TP2 TP13	F-E, S-D	Category D SW2	-	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being flammable. Highly toxic if swallowed, by skin contact or by inhalation.	3383

Circular Letter No. 4135 Annex 2

3

D G L

Chapter 3.2 – Dangerous Goods List

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity (d excepted provisions	Pack	king	IB	С	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3384	TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	6.1	3	I	274	0	EO	P602	-	-	-	
3385	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	6.1	4.3	I	274	0	EO	P601	-	_	_	
3386	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	6.1	4.3	I	274	0	EO	P602	-	-	-	
3387	TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	6.1	5.1	I	274	0	EO	P601	_	_	_	
3388	TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	6.1	5.1	I	274	0	EO	P602	-	-	-	
3389	TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	6.1	8	I	274	0	EO	P601	-	-		
3390	TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	6.1	8	I	274	0	EO	P602	-	-	-	
3391	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC	4.2	-	I	274	0	EO	P404	PP86	-	-	
3392	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC	4.2	-	I	274	0	EO	P400	PP86	-	-	
3393	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE	4.2	4.3	I	274	0	EO	P404	PP86	_	_	
3394	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE	4.2	4.3	I	274	0	EO	P400	PP86	-	-	
3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	4.3	-	Ι	274	0	EO	P403	PP31	_	-	

[Portable tanks and bulk containers Tank instructions			EmS	Stowage and handling	Segregation	Properties and observations	UN No.						
		Tank instructions	Provisions											
	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)						
	-	T20	TP2 TP13	F-E, S-D	Category D SW2	-	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being flammable. Highly toxic if swallowed, by skin contact or by inhalation.	3384						
	_	T22	TP2 TP13	F-G, S-N	Category D SW2 H1	SG26	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being water-reactive. Highly toxic if swallowed, by skin contact or by inhalation.	3385						
	-	- T20 TF		F-G, S-N	Category D SW2 H1	SG26	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being water-reactive. Highly toxic if swallowed, by skin contact or by inhalation.	3386						
	-	T22	TP2 TP13	F-A, S-Q	Category D SW2	_	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being an oxidizer. Highly toxic if swallowed, by skin contact or by inhalation.							
	-	T20	TP2 TP13	F-A, S-Q	Category D SW2	-	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being an oxidizer. Highly toxic if swallowed, by skin contact or by inhalation.	3388						
	_	T22	TP2 TP13	F-A, S-B	Category D SW2	_	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being corrosive. Highly toxic if swallowed, by skin contact or by inhalation.	3389						
	-	T20	TP2 TP13	F-A, S-B	Category D SW2	-	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being corrosive. Highly toxic if swallowed, by skin contact or by inhalation.	3390						
	-	T21	TP7 TP33 TP36	F-G, S-M	Category D H1	SG26 SG72	Liable to ignite spontaneously in air. If shaken, may produce sparks.	3391						
	-	T21	TP2 TP7 TP36	F-G, S-M	Category D H1	SG26 SG63 SG72	Highly flammable liquid. Liable to ignite spontaneously in air. In contact with air, evolve irritating and slightly toxic fumes.	3392						
	-	T21	TP7 TP33 TP36 TP41	F-G, S-M	Category D H1	SG26 SG35 SG72	Liable to ignite spontaneously in air. If shaken, may produce sparks. React violently with moisture, water and acids, evolving flammable gas.	3393						
	-	T21	TP2 TP7 TP36 TP41	F-G, S-M	Category D H1	SG26 SG35 SG63 SG72	Highly flammable liquid. Liable to ignite spontaneously in air. In contact with air, evolve irritating and slightly toxic fumes. React violently with moisture, water and acids, evolving flammable gas.	3394						
	-	Т9	TP7 TP33 TP36 TP41	<u>F-G</u> , S-N	Category E SW2 H1	SG26 SG35 SG72	Reacts violently with moisture, water and acids, evolving flammable gas.	3395						

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	4.3	-	II	274	500 g	E2	P410	PP31	IBC04	-
3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	4.3	-	Ш	223 274	1 kg	E1	P410	PP31	IBC06	-
3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	4.3	4.1	I	274	0	E0	P403	PP31	-	-
3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	4.3	4.1	II	274	500 g	E2	P410	PP31	IBC04	-
3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	4.3	4.1	III	223 274	1 kg	E1	P410	PP31	IBC06	-
3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	4.3	4.2	I	274	0	EO	P403	PP31	_	-
3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	4.3	4.2	II	274	500 g	E2	P410	PP31	IBC04	-
3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	4.3	4.2	III	223 274	1 kg	E1	P410	PP31	IBC06	-
3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	4.3	-	I	274	0	E0	P402	PP31	-	-
3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	4.3	-	II	274	500 mL	E2	P001	PP31	IBC01	-
3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	4.3	-	III	223 274	1 L	E1	P001	PP31	IBC02	-
3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	4.3	3	I	274	0	E0	P402	PP31	-	-
3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	4.3	3	II	274	500 mL	E2	P001	PP31	IBC01	-
3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	4.3	3	111	223 274	1 L	E1	P001	PP31	IBC02	-
3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING	4.2	-	II	274	500 g	E2	P410	-	IBC06	-
3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING	4.2	-	III	223 274	1 kg	E1	P002	_	IBC08	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	T3	TP33 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	Reacts violently with moisture, water and acids, evolving flammable gas.	3395
-	T1	TP33 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	See entry above.	3395
-	Т9	TP7 TP33 TP36 TP41	<u>F-G</u> , S-N	Category E SW2 H1	SG26 SG35 SG72	Flammable solid. Reacts violently with moisture, water and acids, evolving flammable gas.	3396
-	T3	TP33 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	See entry above.	3396
-	T1	TP41 T1 TP33 F TP36 TP41		Category E SW2 H1	SG26 SG35 SG72	See entry above.	3396
-	Т9	TP7 TP33 TP36 TP41	<u>F-G</u> , S-N	Category E SW2 H1	SG26 SG35 SG72	Liable to self-heating or spontaneous combustion. Reacts violently with moisture, water and acids, evolving flammable gas.	3397
-	Т3	TP33 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	See entry above.	3397
-	T1	TP33 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	See entry above.	3397
-	T13	TP2 TP7 TP36 TP41	<u>F-G</u> , S-N	Category E SW2 H1	SG26 SG35 SG72	Reacts violently with moisture, water and acids, evolving flammable gas.	3398
-	Τ7	TP2 TP7 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	Reacts violently with moisture, water and acids, evolving flammable gas.	3398
-	T7	TP2 TP7 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	See entry above.	3398
-	T13	TP2 TP7 TP36 TP41	<u>F-G</u> , S-N	Category D SW2 H1	SG26 SG35 SG72	Flammable liquid. Reacts violently with moisture, water and acids, evolving flammable gas.	3399
-	T7	TP2 TP7 TP36 TP41	F-G, S-N	Category D SW2 H1	SG26 SG35 SG72	See entry above.	3399
-	T7	TP2 TP7 TP36 TP41	F-G, S-N	Category E SW2 H1	SG26 SG35 SG72	See entry above.	3399
-	T3	TP33 TP36	F-A, S-J	Category C	SG72	Liable to self-heating or spontaneous combustion.	3400
-	- T1 TP33 TP36		F-A, S-J	Category C	SG72	See entry above.	3400

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pack	king	IB	C		Portable tanl bulk contai	ks and ners	EmS
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions		Tank instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8
3401	ALKALI METAL AMALGAM, SOLID	4.3	-	I	182	0	EO	P403	PP31	-	_	-	Т9	TP7 TP33	<u>F-G</u> , S-N
3402	ALKALINE EARTH METAL AMALGAM, SOLID	4.3	-	I	183	0	EO	P403	PP31	-	-	-	Т9	TP7 TP33	<u>F-G</u> , S-N
3403	POTASSIUM METAL ALLOYS, SOLID	4.3	-	I	-	0	E0	P403	PP31	-	-	-	Т9	TP7 TP33	<u>F-G</u> , S-L
3404	POTASSIUM SODIUM ALLOYS, SOLID	4.3	-	I	-	0	EO	P403	PP31	-	-	-	Т9	TP7 TP33	<u>F-G</u> , S-L
3405	BARIUM CHLORATE SOLUTION	5.1	6.1	Π	-	1L	E2	P504	-	IBC02	-	-	T4	TP1	F-H, S-Q
3405	BARIUM CHLORATE SOLUTION	5.1	6.1	111	223	5 L	E1	P001	-	IBC02		-	T4	TP1	F-H, S-Q
3406	BARIUM PERCHLORATE SOLUTION	5.1	6.1	Π	-	1L	E2	P504	-	IBC02	-	-	T4	TP1	F-H, S-Q
3406	BARIUM PERCHLORATE SOLUTION	5.1	6.1	111	223	5 L	E1	P001	-	IBC02	-	-	T4	TP1	F-H, S-Q
3407	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1	-	Π	-	1L	E2	P504	-	IBC02	-	-	T4	TP1	F-H, S-Q
3407	CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	5.1	-		223	5 L	E1	P504	_	IBC02	_	-	T4	TP1	F-H, S-Q

Stowage and

handling

(16a) 7.1 7.3–7.7

Category D H1

Category D H1

Category D H1

Category D H1

Category A

Category A

Category A

Category A

Category A

Category A

Segregation

(16b) 7.2–7.7

SGG7 SGG11 SG26 SG35

SGG7

SGG11

SG26

SG35

SG26 SG35

SG26

SG35

SGG4 SG38

SG49

SG62

SGG4 SG38

SG49 SG62

SGG13 SG38 SG49

SG62

SGG13

SG38 SG49 SG62

SGG4 SG38 SG49 SG62

SGG4

SG38 SG49 SG62

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
Silvery solid, consisting of metal alloyed with mercury. Reacts with moisture, water or acids, evolving hydrogen, a flammable gas. When heated, evolves toxic vapours.	3401
Consists of metal alloyed with mercury. Contains 2% to 10% alkaline earth metals and may contain up to 98% mercury. Reacts with moisture, water or acids, evolving hydrogen, a flammable gas. When heated, evolves toxic vapours.	3402
Soft, silvery metal. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	3403
Soft, silvery metal. Floats on water. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction. Highly reactive, sometimes with explosive effect.	3404
Colourless aqueous solution. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by inhalation. Leakage and subsequent evaporation of the water from the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion, .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	3405
See entry above.	3405
Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are liable to ignite. When involved in a fire, may cause an explosion. Toxic if swallowed, by skin contact or by inhalation. Leakage and subsequent evaporation of the water from the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion, .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	3406
See entry above.	3406
Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are liable to ignite. When involved in a fire, may cause an explosion. Leakage and subsequent evaporation of the water from the solutions may present increased dangers as follows: .1 in contact with combustible material (particularly fibrous material such as jute, cotton or sisal) or sulphur, danger of spontaneous combustion, .2 in contact with ammonium compounds, powdered metals or oils, danger of explosion.	3407
See entry above.	3407

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3408	LEAD PERCHLORATE SOLUTION	5.1	6.1 P	II	-	1 L	E2	P504	-	IBC02	-	
3408	LEAD PERCHLORATE SOLUTION	5.1	6.1 Р	III	223	5 L	E1	P001	-	IBC02	_	
3409	CHLORONITROBENZENES, LIQUID	6.1	-	Ш	279	100 mL	E4	P001	-	IBC02	-	
3410	4-CHLORO-⊘-TOLUIDINE HYDROCHLORIDE SOLUTION	6.1	-	111	223	5 L	E1	P001	-	IBC03	-	
3411	beta-NAPHTHYLAMINE SOLUTION	6.1	-	II	-	100 mL	E4	P001	-	IBC02	-	
3411	<i>beta</i> -NAPHTHYLAMINE SOLUTION	6.1	-	111	223	5 L	E1	P001	-	IBC02	-	
3412	FORMIC ACID with not less than 10% but not more than 85% acid by mass	8	-	II	-	1 L	E2	P001	-	IBC02	-	
3412	FORMIC ACID with not less than 5% but less than 10% acid by mass	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-	
3413	POTASSIUM CYANIDE SOLUTION	6.1	– P	I	-	0	E5	P001	PP31	-	-	
3413	POTASSIUM CYANIDE SOLUTION	6.1	– P	II	-	100 mL	E4	P001	PP31	IBC02	-	
3413	POTASSIUM CYANIDE SOLUTION	6.1	– P	Ш	223	5 L	E1	P001 LP01	PP31	IBC03	-	
3414	SODIUM CYANIDE SOLUTION	6.1	– P	I	-	0	E5	P001	PP31	-	-	
3414	SODIUM CYANIDE SOLUTION	6.1	– P	II	-	100 mL	E4	P001	PP31	IBC02	-	
3414	SODIUM CYANIDE SOLUTION	6.1	– P	Ш	223	5 L	E1	P001 LP01	PP31	IBC03	_	
3415	SODIUM FLUORIDE SOLUTION	6.1	-	III	223	5 L	E1	P001 LP01	-	IBC03	-	
3416	CHLOROACETOPHENONE, LIQUID	6.1	_	II	_	0	EO	P001	_	IBC02	_	
3417	XYLYL BROMIDE, SOLID	6.1	-	II	-	0	E4	P002	-	IBC08	B4 B21	
3418	2,4-TOLUYLENEDIAMINE SOLUTION	6.1	-	III	223	5 L	E1	P001 LP01	-	IBC03	-	
3419	BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21	

	Portable tanks and bulk containers Tank Provisio			EmS	Stowage and handling	Segregation	Properties and observations	UN No.			
		Tank instructions	Provisions								
((12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)			
	-	T4	TP1	F-H, S-Q	Category A	SGG7 SGG9 SGG13 SG38 SG49	Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when heated. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are liable to ignite. When involved in a fire, may cause an explosion.	3408			
	-	T4	TP1	F-H, S-Q	Category A	SGG7 SGG9 SGG13 SG38 SG49	See entry above.	3408			
	-	T7	TP2	F-A, S-A	Category A	-	Yellow liquid. Toxic if swallowed, by skin contact or by inhalation.	3409			
	-	T4	TP1	F-A, S-A	Category A	-	Toxic if swallowed, by skin contact or by inhalation.	3410			
	-	T7	TP2	F-A, S-A	Category A	-	Toxic if swallowed, by skin contact or by inhalation.	3411			
	-	Т7	TP2	F-A, S-A	Category A	-	See entry above.	3411			
	-	Τ7	TP2	F-A, S-B	Category A SW2	SGG1 SG36 SG49	Colourless liquid with a pungent odour. Corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	3412			
	-	T4	TP1	F-A, S-B	Category A SW2	SGG1 SG36 SG49	See entry above.	3412			
	-	T14	TP2 TP13	F-A, <u>S-A</u>	Category B	SGG6 SG35	Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed or by skin contact.	3413			
	-	T11	TP2 TP13 TP27	F-A, <u>S-A</u>	Category B	SGG6 SG35	Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed or by skin contact.	3413			
	-	Τ7	TP2 TP13 TP28	F-A, <u>S-A</u>	Category A	SGG6 SG35	See entry above.	3413			
	-	T14	TP2 TP13	F-A, <u>S-A</u>	Category B	SGG6 SG35	Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Highly toxic if swallowed or by skin contact.	3414			
	-	T11	TP2 TP13 TP27	F-A, <u>S-A</u>	Category B	SGG6 SG35	See entry above.	3414			
	-	Τ7	TP2 TP13 TP28	F-A, <u>S-A</u>	Category A	SGG6 SG35	See entry above.	3414			
	-	T4	TP1	F-A, S-A	Category A	SG35	Colourless liquid. Reacts with acids, evolving hydrogen fluoride, a toxic, irritating and corrosive gas, apparent as white fumes. Toxic if swallowed, by skin contact or by inhalation.	3415			
	-	T7	TP2 TP13	F-A, S-A	Category D SW1 SW2 H2	-	Liquid evolving irritating vapour ("Tear Gas"). Toxic if swallowed, by skin contact or by inhalation.	3416			
	-	Т3	TP33	F-A, S-G	Category D SW2	-	Crystals or powder, evolving irritating vapour ("Tear Gas"). Toxic if swallowed, by skin contact or by inhalation.	3417			
	-	T4	TP1	F-A, S-A	Category A	-	Toxic if swallowed, by skin contact or by inhalation.	3418			
	- T3 TP33 F-A, S-B Category A		SGG1 SG36 SG49	White crystalline solid. Melting point: 23°C. Highly corrosive to mos metals. Causes burns to skin, eyes and mucous membranes.							

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

D G L

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3420	BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21	
3421	POTASSIUM HYDROGEN DIFLUORIDE SOLUTION	8	6.1	II	-	1 L	E2	P001	-	IBC02	-	
3421	POTASSIUM HYDROGEN DIFLUORIDE SOLUTION	8	6.1	111	223	5 L	E1	P001	-	IBC03	-	
3422	POTASSIUM FLUORIDE SOLUTION	6.1	-	III	223	5 L	E1	P001 LP01	-	IBC03	-	
3423	TETRAMETHYLAMMONIUM HYDROXIDE, SOLID	8	-	II	_	1 kg	E2	P002	_	IBC08	B4 B21	
3424	AMMONIUM DINITRO-0- CRESOLATE SOLUTION	6.1	– P	II	-	100 mL	E4	P001	-	IBC02	-	
3424	AMMONIUM DINITRO-0- CRESOLATE SOLUTION	6.1	– P	III	223	5 L	E1	P001	_	IBC02	-	
3425	BROMOACETIC ACID, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21	
3426	ACRYLAMIDE SOLUTION	6.1	-	111	223	5 L	E1	P001 LP01	-	IBC03	-	
3427	CHLOROBENZYL CHLORIDES, SOLID	6.1	– P	111	-	5 kg	E1	P002 LP02	-	IBC08	B3	
3428	3-CHLORO-4-METHYLPHENYL ISOCYANATE, SOLID	6.1	-	II	_	500 g	E4	P002	_	IBC08	B4 B21	
3429	CHLOROTOLUIDINES, LIQUID	6.1	-	Ш	-	5 L	E1	P001 LP01	-	IBC03	-	
3430	XYLENOLS, LIQUID	6.1	-	II	-	100 mL	E4	P001		IBC02	-	
3431	NITROBENZOTRIFLUORIDES, SOLID	6.1	– P	II	_	500 g	E4	P002	-	IBC08	B4 B21	
3432	POLYCHLORINATED BIPHENYLS, SOLID	9	– P	II	305 958	1 kg	E2	P906	_	IBC08	B4 B21	
3434	NITROCRESOLS, LIQUID	6.1	-	III	-	5 L	E1	P001 LP01	-	IBC03	-	
3436	HEXAFLUOROACETONE HYDRATE, SOLID	6.1	_	11	_	500 g	E4	P002	_	IBC08	B4 B21	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(1
-	T3	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	White crystalline solid. Melting point: 28°C. Highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	34
-	T7	TP2	F-A, S-B	Category A SW1 SW2	SGG1 SG35 SG36 SG49	Decomposed by heat or acids, evolving hydrogen fluoride, a toxic, extremely irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to glass, other siliceous materials and most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	34
-	T4	TP1	F-A, S-B	Category A SW1 SW2	SGG1 SG35 SG36 SG49	See entry above.	34
-	T4	TP1	F-A, S-A	Category A	SG35	Decomposed by acids, evolving hydrogen fluoride, an irritating and corrosive gas. Toxic if swallowed, by skin contact or by inhalation.	34
-	Т3	TP33	F-A, S-B	Category A	SGG2 SGG18 SG35	Very soluble in water. Reacts violently with acids.	34
-	T7	TP2	F-A, <u>S-A</u>	Category B	SGG2 SG15 SG16 SG30 SG63	The commercial product is a 50% suspension in water. May support combustion and burn without oxygen. When involved in a fire, evolves toxic fumes. Forms extremely sensitive explosive compounds with lead, silver or other heavy metals and their compounds. Toxic if swallowed, by skin contact or by inhalation.	34
	T7	TP2	F-A, <u>S-A</u>	Category A	SGG2 SG15 SG16 SG30 SG63	See entry above.	34
-	T3	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Colourless, deliquescent crystals. Melting point: 51°C. Corrosive to most metals. Harmful if swallowed. Causes burns to eyes and skin.	34
-	T4	TP1	F-A, S-A	Category A SW1 H2	-	Toxic if swallowed, by skin contact or by inhalation.	34
-	T1	TP33	F-A, <u>S-A</u>	Category A	-	Colourless crystalline solid. Melting point: 29°C. Immiscible with or insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	34
-	Т3	TP33	F-A, S-A	Category B SW2	-	Colourless solid with a pungent odour. Melting point: 23°C. Insoluble in water. Reacts with water, evolving carbon dioxide. Toxic if swallowed, by skin contact or by inhalation. Irritating to skin, eyes and mucous membranes.	34
-	T4	TP1	F-A, S-A	Category A	-	Brown liquid. Toxic if swallowed, by skin contact or by inhalation.	34
-	Τ7	TP2	F-A, S-A	Category A	-	The commercial products are liquids with a pungent tar odour. Toxic if swallowed, by skin contact or by inhalation.	34
-	T3	TP33	F-A, <u>S-A</u>	Category A SW2	-	Low melting point (31°C to 32°C) solids with an aromatic odour. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	34
_	Т3	TP33	F-A, <u>S-A</u>	Category A	SG50	Solids with perceptible odour. Insoluble in water. Harmful by ingestion or by skin contact. If spilled, can be a persistent hazard to the environment. This entry also covers articles, such as rags, cotton waste, clothing or sawdust, containing polychlorinated biphenyls where no free visible liquid is present.	34
-	T4	TP1	F-A, S-A	Category A	-	Slightly miscible in water. Toxic if swallowed, by skin contact or by inhalation.	34
-	Т3	TP33	F-A, S-A	Category B SW2	-	This entry covers solid hydrate and hexafluoroacetone. Melting point of the pure substance: 23°C. Toxic if swallowed, by skin contact or by inhalation.	34

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pack	king	IBC	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3437	CHLOROCRESOLS, SOLID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
3438	alpha-METHYLBENZYL ALCOHOL, SOLID	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	B3
3439	NITRILES, SOLID, TOXIC, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1
3439	NITRILES, SOLID, TOXIC, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21
3439	NITRILES, SOLID, TOXIC, N.O.S.	6.1	-	III	223 274	5 kg	E1	P002 LP02	-	IBC08	B3
3440	SELENIUM COMPOUND, LIQUID, N.O.S.	6.1	-	Ι	274	0	E5	P001	-	-	_
3440	SELENIUM COMPOUND, LIQUID, N.O.S.	6.1	-	II	274	100 mL	E4	P001	-	IBC02	-
3440	SELENIUM COMPOUND, LIQUID, N.O.S.	6.1	-	III	223 274	5 L	E1	P001	-	IBC03	-
3441	CHLORODINITROBENZENES, SOLID	6.1	– P	II	279	500 g	E4	P002	-	IBC08	B4 B21
3442	DICHLOROANILINES, SOLID	6.1	– P	II	279	500 g	E4	P002	_	IBC08	B4 B21
3443	DINITROBENZENES, SOLID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
3444	NICOTINE HYDROCHLORIDE, SOLID	6.1	-	II	43	500 g	E4	P002	-	IBC08	B4 B21
3445	NICOTINE SULPHATE, SOLID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
3446	NITROTOLUENES, SOLID	6.1	-	Ш	-	500 g	E4	P002	-	IBC08	B4 B21
3447	NITROXYLENES, SOLID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21
3448	TEAR GAS SUBSTANCE, SOLID, N.O.S.	6.1	-	Ι	274	0	EO	P002	PP31	-	_
3448	TEAR GAS SUBSTANCE, SOLID, N.O.S.	6.1	-	Ш	274	0	E0	P002	PP31	IBC08	B4 B21
3449	BROMOBENZYL CYANIDES, SOLID	6.1	-	I	138	0	E5	P002	PP31	-	-
3450	DIPHENYLCHLOROARSINE, SOLID	6.1	– P	I	-	0	EO	P002	PP31	IBC07	B1
3451	TOLUIDINES, SOLID	6.1	– P	II	279	500 g	E4	P002	_	IBC08	B4 B21
3452	XYLIDINES, SOLID	6.1	-	II	-	500 g	E4	P002	-	IBC08	B4 B21

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12) (13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	ТЗ	TP33	F-A, S-A	Category A SW1 H2	-	White or pink crystals with a phenol-like odour. Melting point: 45°C to 68°C. Slightly soluble in water. Decomposes when heated, evolving extremely toxic fumes (phosgene). Toxic if swallowed, by skin contact or by inhalation.	3437
-	T1	TP33	F-A, S-A	Category A	_	Slightly soluble in water. Melting point: 21°C (pure substance). Toxic if swallowed, by skin contact or by inhalation.	3438
-	Т6	TP33	F-A, S-A	Category B	SG35	Solid, evolving toxic vapours. Reacts with acids or acid fumes, evolving hydrogen cyanide, a highly toxic and flammable gas. Soluble in water. Toxic if swallowed, by skin contact or by inhalation.	3439
-	Т3	TP33	F-A, S-A	Category B	SG35	See entry above.	3439
-	T1	TP33	F-A, S-A	Category A	SG35	See entry above.	3439
-	T14	TP2 TP27	F-A, S-A	Category B	_	Toxic if swallowed, by skin contact or by inhalation.	3440
-	T11	TP2 TP27	F-A, S-A	Category B	-	See entry above.	3440
-	Т7	TP1 TP28	F-A, S-A	Category A	-	See entry above.	3440
-	Т3	TP33	F-A, <u>S-A</u>	Category A	SG15	Crystals. Melting point: 27°C to 53°C. May explode if involved in a fire. Toxic if swallowed, by skin contact or by inhalation.	3441
-	Т3	TP33	F-A, <u>S-A</u>	Category A SW2	_	Solid with a penetrating odour. Liquid mixtures of various isomers of dichloroanilines, some of which in the pure state may be solid, with a melting point varying from 24°C to 72°C. Toxic if swallowed, by skin contact or by inhalation.	3442
-	Т3	TP33	F-A, S-A	Category A	SG15	May explode if involved in a fire. Toxic if swallowed, by skin contact or by inhalation.	3443
-	Т3	TP33	F-A, S-A	Category A	-	Deliquescent crystals or solids or pastes. Soluble in water. Toxic if swallowed, by skin contact or by inhalation.	3444
-	Т3	TP33	F-A, S-A	Category A	-	Solid or paste. Soluble in water. Toxic if swallowed, by skin contact or by inhalation.	3445
-	Т3	TP33	F-A, S-A	Category A	-	Yellow solid. Melting point: <i>para</i> -NITROTOLUENE: 52°C to 54°C. Toxic if swallowed, by skin contact or by inhalation.	3446
-	Т3	TP33	F-A, S-A	Category A	-	Yellow solid. Melting points: 4-NITRO-2-XYLENE: 29°C to 31°C, 5-NITRO-3-XYLENE: 72°C to 74°C. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	3447
-	Т6	TP33	F-A, S-A	Category D SW2	-	"Tear gas substance" is a generic term for substances which, in minute quantities dispersed in air, cause extreme eye irritation and profuse tears. Toxic if swallowed, by skin contact or by inhalation.	3448
-	Т3	TP33	F-A, S-A	Category D SW2	-	See entry above.	3448
-	T6	TP33	F-A, S-A	Category D SW1 SW2 H2	SGG6 SG35	Volatile, yellow crystals evolving irritating vapours ("Tear Gas"). Melting point: <i>meta</i> -BROMOBENZYL CYANIDE 25°C. Highly toxic if swallowed, by skin contact or by inhalation.	3449
-	T6	TP33	F-A, <u>S-A</u>	Category D SW2	-	When pure, volatile, colourless crystals evolving an irritating vapour ("Tear Gas"). Melting point: 41°C. Highly toxic if swallowed, by skin contact or by inhalation.	3450
-	- T3 TP33		F-A, <u>S-A</u>	Category A	-	<i>para</i> -TOLUIDINE is solid in pure form, with a melting point of approximately 45°C. Toxic if swallowed, by skin contact or by inhalation.	3451
-	Т3	TP33	F-A, S-A	Category A	-	3,4-Dimethylaniline is a solid, which has a melting point of 47°C. Toxic if swallowed, by skin contact or by dust inhalation.	3452

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Pacl	king	IB		
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3453	PHOSPHORIC ACID, SOLID	8	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3	
3454	DINITROTOLUENES, SOLID	6.1	- P	11	-	500 g	E4	P002	-	IBC08	B4 B21	
3455	CRESOLS, SOLID	6.1	8	II	_	500 g	E4	P002	_	IBC08	B4 B21	
3456	NITROSYLSULPHURIC ACID, SOLID	8	-	II	-	1 kg	E2	P002	-	IBC08	B4 B21	
3457	CHLORONITROTOLUENES, SOLID	6.1	– P	111	-	5 kg	E1	P002 LP02	-	IBC08	B3	
3458	NITROANISOLES, SOLID	6.1	-	Ш	279	5 kg	E1	P002 LP02	-	IBC08	B3	
3459	NITROBROMOBENZENES, SOLID	6.1	-	111	-	5 kg	E1	P002 LP02	-	IBC08	B3	
3460	<i>N</i> -ETHYLBENZYLTOLUIDINES, SOLID	6.1	-	Ш	-	5 kg	E1	P002 LP02	-	IBC08	В3	
3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	6.1	_	I	210 274	0	E5	P002	-	IBC07	B1	
3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	6.1	-	II	210 274	500 g	E4	P002	-	IBC08	B4 B21	
3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	6.1	-	111	210 223 274	5 kg	E1	P002	-	IBC08	В3	
3463	PROPIONIC ACID, with not less than 90% acid by mass	8	3	II	-	1 L	E2	P001	-	IBC02	-	
3464	ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	6.1	-	I	43 274	0	E5	P002	_	IBC07	B1	
3464	ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	6.1	-	II	43 274	500 g	E4	P002	-	IBC08	B4 B21	
3464	ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	6.1	_	Ш	43 223 274	5 kg	E1	P002 LP02	_	IBC08	B3	
3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1	
3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21	

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4.2.5 4.3	Provisions (14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	T1	TP33	F-A, S-B	Category A	SGG1 SG36 SG49	Very deliquescent, crystalline solid. Melting point: 42°C. Soluble in water. Mildly corrosive to most metals.	345
-	Т3	TP33	F-A, <u>S-A</u>	Category A	-	Yellow crystals or flakes, insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	345
-	Т3	TP33	F-A, S-B	Category B	-	Light yellow solid. Soluble in water. Melting points of CRESOLS: <i>ortho</i> -CRESOL: 30°C, <i>para</i> -CRESOL: 35°C. Toxic if swallowed, by skin contact or by inhalation. Cause burns to skin, eyes and mucous membranes.	345
-	Т3	TP33	F-A, S-B	Category D SW2	SGG1 SG6 SG16 SG17 SG19 SG36 SG49	Crystalline solid. Oxidant which may cause fire with organic materials (such as wood, straw, etc.). When involved in a fire, evolves toxic gases. In the presence of moisture, highly corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	345
-	T1	TP33	F-A, <u>S-A</u>	Category A	SG6 SG8 SG10 SG12	Melting range 20°C to 40°C. Insoluble in water. Oxidizing substance which may explode or burn fiercely when in contact with organic materials. Toxic if swallowed, by skin contact or by inhalation.	345
-	T1	TP33	F-A, S-A	Category A	-	Light reddish or amber crystals. Melting points: 38°C to 54°C. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	345
-	T1	TP33	F-A, S-A	Category A	-	Colourless to pale yellow crystals which may liquefy under transport conditions. Melting points: 1-BROMO-2-NITROBENZENE: 43°C. 1-BROMO-4-NITROBENZENE: 127°C. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	345
-	T1	TP33	F-A, S-A	Category A	-	Solid which may liquefy under transport conditions. Strong odour. Insoluble in water. Toxic if swallowed, by skin contact or by inhalation.	346
-	T6	TP33	F-A, S-A	Category B	-	Toxins from plant, animal or bacterial sources which contain infectious substances or toxins that are contained in infectious substances should be classified in class 6.2. Toxic if swallowed, by skin contact or by inhalation.	346
-	Т3	TP33	F-A, S-A	Category B	-	See entry above.	346
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	346
-	Τ7	TP2	F-E, S-C	Category A	SGG1 SG36 SG49	Colourless flammable liquid with a pungent odour. Miscible with water. Corrosive to lead and most other metals. Burns skin. Vapours irritate mucous membranes. Pure PROPIONIC ACID: flashpoint 50°C c.c.	346
-	T6	TP33	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	346
-	Т3	TP33	F-A, S-A	Category B	-	See entry above.	346
-	T1	TP33	F-A, S-A	Category A	-	See entry above.	346
-	T6	TP33	F-A, S-A	Category B	-	Toxic if swallowed, by skin contact or by inhalation.	346
-	Т3	TP33	F-A, S-A	Category B	-	See entry above.	346

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pac	king	IB	C		Portable tan bulk conta	ks and iners	EmS	Stowage and handling	Segregation
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions		Tank instructions	Provisions			
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7
3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.	6.1	-	111	223 274	5 kg	E1	P002 LP02	-	IBC08	B3	-	T1	TP33	F-A, S-A	Category A	-
3466	METAL CARBONYLS, SOLID, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1	-	Т6	TP33	F-A, S-A	Category D SW2	-
3466	METAL CARBONYLS, SOLID, N.O.S.	6.1	-	11	274	500 g	E4	P002	-	IBC08	B4 B21	-	Т3	TP33	F-A, S-A	Category D SW2	-
3466	METAL CARBONYLS, SOLID, N.O.S.	6.1	-	Ш	223 274	5 kg	E1	P002 LP02	-	IBC08	B3	-	T1	TP33	F-A, S-A	Category D SW2	-
3467	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	6.1	-	I	274	0	E5	P002	-	IBC07	B1	-	T6	TP33	F-A, S-A	Category B	-
3467	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	6.1	-	II	274	500 g	E4	P002	-	IBC08	B4 B21	-	Т3	TP33	F-A, S-A	Category B	-
3467	ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	6.1	-	111	223 274	5 kg	E1	P002 LP02	-	IBC08	B3	-	T1	TP33	F-A, S-A	Category A	-
3468	HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT or HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT	2.1	_	-	321 356	0	EO	P205	-	_	_	-		-	F-D, S-U	Category D	_
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3	8	I	163 367	0	EO	P001	-	_	_	-	T11	TP2 TP27	F-E, S-C	Category E SW2	-
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3	8	II	163 367	1L	E2	P001		IBC02	-	-	T7	TP2 TP8 TP28	F-E, S-C	Category B SW2	_
3469	PAINT, FLAMMABLE, CORROSIVE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	3	8	III	163 223 367	5 L	E1	P001	-	IBC03	-	-	T4	TP1 TP29	F-E, S-C	Category A SW2	_

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Properties and observations	UN No.
(17)	(18)
Toxic if swallowed, by skin contact or by inhalation.	3465
Insoluble in water. Toxic if swallowed, by skin contact or by dust inhalation.	3466
See entry above.	3466
See entry above.	3466
Toxic if swallowed, by skin contact or by inhalation.	3467
See entry above.	3467
See entry above.	3467
Article containing flammable odourless gas, which is much lighter than air.	3468
Miscibility with water depends upon the composition. Corrosive contents cause burns to skin, eyes and mucous membranes.	3469
See entry above.	3469
See entry above.	3469

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity	d excepted provisions	Pac	king	IB	C		Portable tan bulk conta	ks and iners
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions		Tank instructions	Provis
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(12)	(13) 4.2.5 4.3	(14 4.2
3470	PAINT, CORROSIVE, FLAMMABLE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base) or PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE (including paint thinning or reducing compound)	8	3	II	163 367	1L	E2	P001	_	IBC02	_	-	T7	TP TP TP2
3471	HYDROGENDIFLUORIDES SOLUTION, N.O.S.	8	6.1	II	-	1 L	E2	P001	-	IBC02	-	-	T7	TP
3471	HYDROGENDIFLUORIDES SOLUTION, N.O.S.	8	6.1		223	5 L	E1	P001	-	IBC03	_	-	T4	TP
3472	CROTONIC ACID, LIQUID	8	-	111	-	5 L	E1	P001 LP01	-	IBC03	-	-	T4	TP
3473	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT containing flammable liquids	3	_	-	328	1 L	EO	P004	-	_	-	-		-
3474	1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	4.1	-	I	-	0	EO	P406	PP48	-	-	-	-	-
3475	ETHANOL AND GASOLINE MIXTURE or ETHANOL AND MOTOR SPIRIT MIXTURE or ETHANOL AND PETROL MIXTURE, with more than 10% ethanol	3	_	II	333	1L	E2	P001	-	IBC02	-	-	T4	TP
3476	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing water-reactive substances	4.3	_	-	328 334	500 mL or 500 g	EO	P004	-	-	-	-	-	-
3477	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing corrosive substances	8	_	-	328 334	1 L or 1 kg	EO	P004	-	-	_	-	-	-
3478	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing liquefied flammable gas	2.1	_	_	328 338	120 mL	EO	P004	-	_	_	-	-	-

Stowage and

handling

(16a) 7.1 7.3–7.7 Segregation

(16b) 7.2–7.7

_

SG35

SG35

SGG1

SG36

SG49

SG7 SG30

_

SG26

_

EmS

(15) 5.4.3.2 7.8

F-E, S-C Category B SW2

F-A, S-B Category A SW1

F-A, S-B Category A SW1

SW2 F-A, S-B Category A SW1

H2

F-E, S-D Category A

F-B, S-J Category D

F-E, S-E Category E

F-G, S-P Category A H1

F-A, S-B Category A

F-D, S-U Category B

SW2

Provisions

(14) 4.2.5

TP2 TP8 TP28

TP2

TP1

TP1

_

_

TP1

_

-

_

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

_		
	Properties and observations	UN No.
	(17)	(18)
	Miscibility with water depends upon the composition. Corrosive contents cause burns to skin, eyes and mucous membranes.	3470
	When involved in a fire or in contact with acids, evolves hydrogen fluoride, an extremely irritating and corrosive gas. Corrosive to glass, other siliceous materials and most metals. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3471
	See entry above.	3471
	Causes burns to skin, eyes and mucous membranes.	3472
	Fuel cell cartridges containing flammable liquids including methanol or methanol/water solutions. Fuel cell cartridges may also be shipped in, or packed with, equipment.	3473
	Desensitized explosive. White to light beige powder. Explosive and sensitive to friction in the dry state. When involved in a fire, evolves toxic fumes; in closed compartments these fumes may form an explosive mixture with air. May form extremely sensitive compounds with heavy metals or their salts.	3474
	Colourless, volatile liquids. Miscibility with water depends on the composition.	3475
	Fuel cell cartridges containing water-reactive substances may also be shipped in, or packed with, equipment.	3476
	Fuel cell cartridges containing corrosive substances may also be shipped in, or packed with, equipment.	3477
	Fuel cell cartridges containing butane or other flammable liquefied gas may also be shipped in, or packed with, equipment.	3478

3

D G L

3

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	С	
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
	3479	FUEL CELL CARTRIDGES or FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT or FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing hydrogen in metal hydride	2.1	_	_	328 339	120 mL	EO	P004	_	_	_	
	3480	LITHIUM ION BATTERIES (including lithium ion polymer batteries)	9	_	-	188 230 310 348 376 377 384 387	0	EO	P903 P908 P909 P910 P911 LP903 LP904 LP905 LP906	_	-	_	
7	3481	LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)	9	_	_	188 230 310 348 360 376 377 384 387 390	0	EO	P903 P908 P909 P910 P911 LP903 LP904 LP905 LP906	_	_	_	
	3482	ALKALI METAL DISPERSION, FLAMMABLE or ALKALINE EARTH METAL DISPERSION, FLAMMABLE	4.3	3	I	182 183	0	E0	P402	PP31	-	-	
	3483	MOTOR FUEL ANTI-KNOCK MIXTURE, FLAMMABLE	6.1	3 P	I	_	0	E0	P602	-	-	-	
	3484	HYDRAZINE AQUEOUS SOLUTION, FLAMMABLE with more than 37% hydrazine, by mass	8	3 6.1	I	-	0	E0	P001	-	-	-	
	3485	CALCIUM HYPOCHLORITE, DRY, CORROSIVE or CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	5.1	8 P	II	314	1 kg	E2	P002	PP85			
	3486	CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine	5.1	8 P	III	314	5 kg	E1	P002	PP85	_	_	

	Portable tank bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions (13) 4.2.5	Provisions (14) 4.2.5	(15) 5.4.3.2	(16a) 7.1	(16b) 7.2–7.7	(17)	(18
-	-	-	7.8 F-D, S-U	7.3–7.7 Category B		Fuel cell cartridges containing hydrogen, butane or other flammable odourless gas, which is much lighter than air, may also be shipped in or packed with equipment.	347
-	-	-	F-A, S-I	Category A	-	Electrical batteries containing lithium ion encased in a rigid metallic	348
				SW19		body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.	
-		-	F-A, S-I	Category A SW19	-	Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.	348
-	-	-	<u>F-G</u> , S-N	Category D H1	SG26 SG35	Finely divided alkali or alkaline earth metal suspended in a flammable liquid. Reacts violently with moisture, water or acids, evolving hydrogen, which may be ignited by the heat of the reaction.	348
-	T14	TP2 TP13	F-E, <u>S-D</u>	Category D SW1 SW2	SGG7 SGG9	Volatile flammable liquids evolving toxic vapour. Mixture of tetraethyllead or tetramethyllead with ethylene dibromide and ethylene dichloride. Insoluble in water. Highly toxic if swallowed, by skin contact or by inhalation.	348
-	T10	TP2 TP13	F-E, <u>S-C</u>	Category D SW2	SGG18 SG5 SG8 SG35	Colourless flammable liquid. Powerful reducing agent, burns readily. Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.	348
_	_	_	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60	White or yellowish corrosive solid (powder, granules or tablets) with chlorine-like odour. Soluble in water. May cause fire in contact with organic material or ammonium compounds. Substances are liable to exothermic decomposition at elevated temperatures. This condition may lead to fire or explosion. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds). Liable to heat slowly. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	348
-	_	_	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60	White or yellowish corrosive solid (powder, granules or tablets) with chlorine-like odour. Soluble in water. May cause fire in contact with organic material or ammonium compounds. Substances are liable to exothermic decomposition at elevated temperatures. This condition may lead to fire or explosion. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds). Liable to heat slowly. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	348

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D G L

3

1	2	
	2	

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
3487	CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	5.1	8 P	II	314 322	1 kg	E2	P002	PP85	_	-
3487	CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE or CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	5.1	8 P	III	223 314	5 kg	E1	P002	PP85	-	-
3488	TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	6.1	3 8	I	274	0	EO	P601	_	_	-
3489	TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	6.1	3 8	I	274	0	EO	P602	-	-	-
3490	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	6.1	4.3 3	I	274	0	EO	P601	-		
3491	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	6.1	4.3 3	I	274	0	EO	P602	-	-	-
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3	6.1	I	343	0	EO	P001	-	-	-
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3	6.1	II	343	1 L	E2	P001	-	IBC02	-
3494	PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	3	6.1	III	343	5 L	E1	P001	-	IBC03	-
3495	IODINE	8	6.1	III	279	5 kg	E1	P002	-	IBC08	B3
3496	BATTERIES, NICKEL-METAL HYDRIDE	9	_	_	117 963	0	EO	See SP963	_	IBC08	-

	Portable tanl bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
(12)	Tank instructions	Provisions	(15)	(16a)	(16b)	(17)	(10)
(12)	4.2.5 4.3	4.2.5	5.4.3.2 7.8	7.1 7.3–7.7	7.2–7.7	(17)	(10)
_	-	-	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60	White or yellowish corrosive solid (powder, granules or tablets) with chlorine-like odour. Soluble in water. May cause fire in contact with organic material or ammonium compounds. Substances are liable to exothermic decomposition at elevated temperatures. This condition may lead to fire or explosion. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds). Liable to heat slowly. Reacts with acids, evolving chlorine, an irritating, corrosive and toxic gas. In the presence of moisture, corrosive to most metals. Causes burns to skin, eyes and mucous membranes.	3487
-	-	-	F-H, S-Q	Category D SW1 SW11	SGG8 SG35 SG38 SG49 SG53 SG60	See entry above.	3487
	T22	TP2 TP13	F-E, S-D	Category D SW2	SG5 SG8	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being flammable and corrosive. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3488
-	T20	TP2 TP13	F-E, S-D	Category D SW2	SG5 SG8	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being flammable and corrosive. Highly toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.	3489
-	T22	TP2 TP13	F-G, S-N	Category D SW2 H1	SG5 SG13 SG25 SG26	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being water-reactive and flammable. Highly toxic if swallowed, by skin contact or by inhalation.	3490
-	T20	TP2 TP13	F-G, S-N	Category D SW2 H1	SG5 SG13 SG25 SG26	A variety of toxic liquids which present a highly toxic inhalation hazard as well as being water-reactive and flammable. Highly toxic if swallowed, by skin contact or by inhalation.	3491
-	T14	TP2 TP13	F-E, S-E	Category D SW2	-	Immiscible with water. Evolves hydrogen sulphide, which is a flammable, toxic gas with a foul odour, heavier than air (1.2). Toxic if swallowed, by skin contact or by inhalation.	3494
-	Τ7	TP2	F-E, S-E	Category D SW2	-	See entry above.	3494
-	T4	TP1	F-E, S-E	Category C SW2	_	See entry above.	3494
-	T1	TP33	F-A, S-B	Category B SW2	SG37	Bluish-black solid with a metallic lustre and a pungent odour. Melting point: 114°C. Below its melting point, may evolve vapours which are irritating to skin, eyes and mucous membranes. Slightly soluble in water but soluble in most organic solvents. Corrosive to most metals.	3495
-	-	-	F-A, S-I	Category A SW1	-	Nickel-metal hydride cells or batteries packed with or contained in equipment and nickel-metal hydride button cells are not subject to the provisions of this Code.	3496

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

J	U N	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C
								Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	((1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	34	497	KRILL MEAL	4.2	-	II	300	0	E2	P410	-	IBC06	B21
n	34	497	KRILL MEAL	4.2	-	111	223 300	0	E1	P002 LP02	-	IBC08	B3
G	34	498	IODINE MONOCHLORIDE, LIQUID	8	-	II	-	1 L	EO	P001	-	IBC02	-
	34	499	CAPACITOR, ELECTRIC DOUBLE LAYER (with an energy storage capacity greater than 0.3 Wh)	9	-	-	361	0	EO	P003	-	-	-
	△ 35	500	CHEMICAL UNDER PRESSURE, N.O.S.	2.2	-	-	274 362	0	E0	P206	PP97	-	-
	35	501	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	2.1	-	-	274 362	0	E0	P206	PP89	-	-
	35	502	CHEMICAL UNDER PRESSURE, TOXIC, N.O.S.	2.2	6.1	-	274 362	0	E0	P206	PP89	-	-
	35	503	CHEMICAL UNDER PRESSURE, CORROSIVE, N.O.S.	2.2	8	-	274 362	0	E0	P206	PP89	-	-
	35	504	CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S.	2.1	6.1	-	274 362	0	E0	P206	PP89	-	-
	35	505	CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S.	2.1	8	-	274 362	0	EO	P206	PP89	-	
	35	506	MERCURY CONTAINED IN MANUFACTURED ARTICLES	8	6.1	-	366	5 kg	E0	P003	PP90		
	35	507	URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE, less than 0.1 kg per package, non-fissile or fissile-excepted	6.1	7/8	I	317 369	0	EO	P603	-	-	-
	35	508	CAPACITOR, ASYMMETRIC (with an energy storage capacity greater than 0.3Wh)	9	-	-	372	0	EO	P003	-	-	-
	35	509	PACKAGINGS, DISCARDED, EMPTY, UNCLEANED	9	_	_	968	0	EO		-	-	_
	35	510	ADSORBED GAS, FLAMMABLE, N.O.S.	2.1	-	-	274	0	E0	P208	-	-	-
	35	511	ADSORBED GAS, N.O.S.	2.2	-	-	274	0	E0	P208	-	-	-
	35	512	ADSORBED GAS, TOXIC, N.O.S.	2.3	-	-	274	0	E0	P208	-	-	-
	35	513	ADSORBED GAS, OXIDIZING, N.O.S.	2.2	5.1	-	274	0	E0	P208	-	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18
-	Т3	TP33	F-A, S-J	Category B SW27	SG65	Pink to red meal derived from Krill which is a shrimp-like marine organism. Medium odour, which may affect other sensitive cargo. Liable to self-heating. Naturally rich in anti-oxidants, which lessen the risk of spontaneous heating.	349
-	T1	TP33	F-A, S-J	Category A	-	See entry above.	349
-	T7	TP2	F-A, S-B	Category D SW2	SGG1 SG6 SG16 SG17 SG19 SG36 SG49	Red Liquid. Reacts violently with water, evolving irritating and corrosive gases apparent as white fumes. Powerful oxidant: may cause fire in contact with organic materials such as wood, cotton or straw. In the presence of moisture, highly corrosive to most metals. Vapour irritates mucous membranes.	349
-	-	-	F-A, S-I	Category A	-	Articles intended to store energy containing a non-dangerous activated carbon and an electrolyte. Electric double layer capacitors installed in equipment may be transported in a charged state.	349
-	T50	TP4 TP40	F-C, S-V	Category B	-	Liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas.	35
-	T50	TP4 TP40	<u>F-D</u> , <u>S-U</u>	Category D SW2	-	Liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas.	35
-	T50	TP4 TP40	F-C, <u>S-V</u>	Category D SW2	-	Liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas.	35
-	T50	TP4 TP40	F-C, <u>S-V</u>	Category D SW2	-	Liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas.	35
-	T50	TP4 TP40	<u>F-D</u> , <u>S-U</u>	Category D SW2	-	Liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas.	35
-	T50	TP4 TP40	<u>F-D</u> , <u>S-U</u>	Category D SW2	-	Liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas.	350
-	-	-	F-A, <u>S-B</u>	Category B SW2	SG24	Articles containing mercury (UN 2809). Carriage should be prohibited in hovercraft and other ships constructed with aluminium.	35
-	_	_	<u>F-I</u> , <u>S-S</u>	Category A SW12	SG77	See 1.5.1.	35
-	-	-	F-A, S-I	Category A	-	Articles intended to store energy containing positive and negative electrodes comprised of different materials and an electrolyte. Asymetric capacitors may be transported in a charged state.	35
_	_	_	_	-	_	This entry shall not be used for sea transport. Discarded packaging shall meet the requirements of 4.1.1.11. Discarded packaging means packagings, large packagings or intermediate bulk containers (IBC), or parts thereof, which have contained dangerous goods, other than radioactive material, which are transported for disposal, recycling or recovery of their material, other than reconditioning, repair, routine maintenance, remanufacturing or reuse, and which have been emptied to the extent that only residues of dangerous goods adhering to the packaging parts are present.	350
-	-	-	F-D, S-U	Category D SW2	-	-	35
-	-	-	F-C, S-V	Category A	-	-	35
-	-	-	F-C, S-U	Category D SW2	-	-	35
-	-	-	<u>F-C</u> , S-W	Category D	-	-	35

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

3

D
G
l

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited an quantity p	d excepted provisions	Pack	king	IB	C	
						Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions	
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	
3514	ADSORBED GAS, TOXIC, FLAMMABLE, N.O.S.	2.3	2.1	-	274	0	E0	P208	-	-	-	
3515	ADSORBED GAS, TOXIC, OXIDIZING, N.O.S.	2.3	5.1	-	274	0	E0	P208	-	-	-	
3516	ADSORBED GAS, TOXIC, CORROSIVE, N.O.S.	2.3	8	-	274 379	0	E0	P208	-	-	-	
3517	ADSORBED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.	2.3	2.1 8	-	274	0	E0	P208	-	-	-	
3518	ADSORBED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	2.3	5.1 8	-	274	0	E0	P208	-	-	-	
3519	BORON TRIFLUORIDE, ADSORBED	2.3	8	-	_	0	EO	P208	_	_	_	
3520	CHLORINE, ADSORBED	2.3	5.1 8	-	-	0	EO	P208	-	-	-	
3521	SILICON TETRAFLUORIDE, ADSORBED	2.3	8	-	-	0	EO	P208	-	-	-	
3522	ARSINE, ADSORBED	2.3	2.1	-	-	0	E0	P208	-	-	-	
3523	GERMANE, ADSORBED	2.3	2.1	-	-	0	E0	P208	-	-	-	
3524	PHOSPHORUS PENTAFLUORIDE, ADSORBED	2.3	8	-	-	0	EO	P208	-	-	-	
3525	PHOSPHINE, ADSORBED	2.3	2.1	-	-	0	EO	P208	-	-	-	
3526	HYDROGEN SELENIDE, ADSORBED	2.3	2.1	-	-	0	EO	P208	-	-	-	
3527	POLYESTER RESIN KIT, solid base material	4.1	-	II	236 340	5kg	EO	P412	-	-	-	
3527	POLYESTER RESIN KIT, solid base material	4.1	-	111	236 340	5kg	E0	P412	-	-	-	
3528	ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED	3	_	_	363 972	0	EO	P005	_	-	-	

	Portable tan bulk contai	ks and iners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
-	-	-	F-D, S-U	Category D SW2	-	-	3514
-	-	-	<u>F-C</u> , S-W	Category D SW2	-	-	3515
-	-	-	F-C, S-U	Category D SW2	-	-	3516
-	-	-	F-D, S-U	Category D SW2	SG4 SG9	-	3517
-	-	-	<u>F-C</u> , S-W	Category D SW2	SG6 SG19	-	3518
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive gas. Forms dense white corrosive fumes in moist air. Reacts violently with water, evolving hydrogen fluoride, an irritating and corrosive gas apparent as white fumes. In the presence of moisture, highly corrosive to glass and most metals. Much heavier than air (2.35). Highly irritating to skin,	3519
-	-	-	F-C, S-W	Category D SW2	SG6 SG19	eyes and mucous membranes. Non-flammable, toxic and corrosive yellow gas with a pungent odour. Corrosive to glass and to most metals. Much heavier than air (2.4). Highly irritating to skin, eyes and mucous membranes. Powerful oxidant which may cause fire.	3520
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive gas with a pungent odour. Corrosive to metals. In moist air, produces hydrogen fluoride. Much heavier than air (3.6). Highly irritating to skin, eyes and mucous membranes.	3521
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a garlic odour. Explosive limits: 3.9% to 77.8%. Much heavier than air (2.8).	3522
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a pungent odour. Much heavier than air (2.6).	3523
-	-	-	F-C, S-U	Category D SW2	-	Non-flammable, toxic and corrosive gas with an irritating odour. Reacts with water or moist air to produce toxic and corrosive fumes. Corrosive to glass and to most metals. Much heavier than air (4.3). Highly irritating to skin, eyes and mucous membranes.	3524
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a garlic odour. Ignites spontaneously in air. Heavier than air (1.2). Irritating to skin, eyes and mucous membranes.	3525
-	-	-	F-D, S-U	Category D SW2	-	Flammable, toxic, colourless gas with a disagreeable odour. Much heavier than air (2.8). Highly irritating to skin, eyes and mucous membranes.	3526
-	-	-	F-A, S-G	Category B	-	Polyester resin kits consist of two components: a base material (flammable solid) and an activator (organic peroxide), each separately packed in an inner packaging.	3527
-	-	-	F-A, S-G	Category B	-	See entry above.	3527
-	-	_	F-E, S-E	Category E SW29	_	Types of articles transported under this entry include engines or machinery, powered by fuels classified as dangerous goods via internal combustion systems or fuel cells (e.g. combustion engines, generators, compressors, turbines, heating units, etc.).	3528

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

3

D	
G	

	UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	provisions	quantity p	d excepted provisions	Pack	ang	IB	ن ا
							Limited quantities	Excepted quantities	Instructions	Provisions	Instructions	Provisions
	(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4
	3529	ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or ENGINE, FUEL CELL, FLAMMABLE GAS POWERED or MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED	2.1	-	_	356 363 972	0	EO	P005	-	-	-
;	3530	ENGINE, INTERNAL COMBUSTION or MACHINERY, INTERNAL COMBUSTION	9	– P	-	363 972	0	E0	P005	-	-	-
;	3531	POLYMERIZING SUBSTANCE, SOLID, STABILIZED, N.O.S.	4.1	-	III	274 386	0	E0	P002	PP92	IBC07	B18
;	3532	POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.	4.1	-	111	274 386	0	E0	P001	PP93	IBC03	B19
:	3533	POLYMERIZING SUBSTANCE, SOLID, TEMPERATURE CONTROLLED, N.O.S.	4.1	-	111	274 386	0	EO	P002	PP92	IBC07	B18
3	3534	POLYMERIZING SUBSTANCE, LIQUID, TEMPERATURE CONTROLLED, N.O.S.	4.1	-	III	274 386	0	EO	P001	PP93	IBC03	B19
:	3535	TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S.	6.1	4.1	I	274	0	E5	P002	-	IBC99	-
1	3535	TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S.	6.1	4.1	Ш	274	500 g	E4	P002	-	IBC08	B4 B21
:	3536	LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT lithium ion batteries or lithium metal batteries	9	-	-	389	0	EO	-	-	-	-
	3537	ARTICLES CONTAINING FLAMMABLE GAS, N.O.S.	2.1	See 2.0.6.6	-	274 391	0	E0	P006 LP03		-	-
;	3538	ARTICLES CONTAINING NON-FLAMMABLE, NON-TOXIC GAS, N.O.S.	2.2	See 2.0.6.6	-	274 391	0	E0	P006 LP03	-	-	-
	3539	ARTICLES CONTAINING TOXIC GAS, N.O.S.	2.3	See 2.0.6.6	-	274 391	0	E0	-	-	-	-
3	3540	ARTICLES CONTAINING FLAMMABLE LIQUID, N.O.S.	3	See 2.0.6.6	-	274 391	0	E0	P006 LP03	-	-	-
	3541	ARTICLES CONTAINING FLAMMABLE SOLID, N.O.S.	4.1	See 2.0.6.6	-	274 391	0	E0	P006 LP03	-	-	-
:	3542	ARTICLES CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S.	4.2	See 2.0.6.6	-	274 391	0	EO	-	-	-	-

	Portable tan bulk contai	ks and ners	EmS	Stowage and handling	Segregation	Properties and observations	UN No.
	Tank instructions	Provisions					
(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3-7.7	(16b) 7.2–7.7	(17)	(18)
-	_	-	F-D, S-U	Category E	_	Types of articles transported under this entry include engines or machinery, powered by fuels classified as dangerous goods via internal combustion systems or fuel cells (e.g. combustion engines, generators, compressors, turbines, heating units, etc.).	3529
-	-	-	F-A, S-F	Category A	-	Types of articles transported under this entry include engines or machinery, powered by fuels classified as dangerous goods via internal combustion systems (e.g. combustion engines, generators, compressors, turbines, heating units, etc.).	353
-	T7	TP4 TP6 TP33	F-J, S-G	Category D SW1	SG35 SG36	Polymerizes at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous polymerization. The products of combustion or self-accelerating polymerization may be toxic by inhalation.	353
-	Τ7	TP4 TP6	F-J, S-G	Category D SW1	SG35 SG36	Polymerizes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous polymerization. The products of combustion or self-accelerating polymerization may be toxic by inhalation.	353
-	Τ7	TP4 TP6 TP33	F-F, S-K	Category D SW1 SW3	SG35 SG36	Polymerizes at temperatures higher than the self-accelerating polymerization temperature or in a fire. Burns vigorously. Insoluble in water. Contact with alkalis or acids may cause dangerous polymerization. The products of combustion or self-accelerating polymerization may be toxic by inhalation. Control and emergency temperatures can be found in the transport document as required in 5.4.1.5.5. The temperature must be checked regularly.	353
-	T7	TP4 TP6	F-F, S-K	Category D SW1 SW3	SG35 SG36	Polymerizes at temperatures higher than the self-accelerating polymerization temperature or in a fire. Burns vigorously. Immiscible with water. Contact with alkalis or acids may cause dangerous polymerization. The products of combustion or self-accelerating polymerization may be toxic by inhalation. Control and emergency temperatures can be found in the transport document as required in 5.4.1.5.5. The temperature must be checked regularly.	353
-	T6	TP33	F-A, S-G	Category B	-	Toxic if swallowed, by skin contact or by dust inhalation.	353
-	Т3	TP33	F-A, S-G	Category B	-	See entry above.	353
-	-	-	F-A, S-I	Category A	-	Cargo transport unit containing lithium metal or lithium ion batteries which is designed to serve as mobile power supply unit.	353
-	-	-	F-D, <u>S-U</u>	Category D SW2	-	-	353
-	-	-	F-C, <u>S-V</u>	Category A	-	-	353
-	-	-	F-C, <u>S-U</u>	-	-	-	353
-	-	-	F-E, <u>S-D</u>	Category B	-	-	354
-	-	-	F-A <u>, S-G</u>	Category B	-	-	354
-	-	-	*	-	-	* F-G, <u>S-M</u> for pyrophoric substances, F-A, <u>S-J</u> for self-heating substances	354

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

D G L

3

UN No.	Proper shipping name (PSN)	Class or division	Subsidiary hazard(s)	Packing group	Special provisions	Limited and excepted quantity provisions		Packing		IBC		Portable tanks and bulk containers			EmS	Stowage and handling	Segregation	Properties and observations	UN No.
						Limited Excepted quantities	Instructions	Provisions	Instructions	Provisions		Tank instruction	Provisions						
(1)	(2) 3.1.2	(3) 2.0	(4) 2.0	(5) 2.0.1.3	(6) 3.3	(7a) 3.4	(7b) 3.5	(8) 4.1.4	(9) 4.1.4	(10) 4.1.4	(11) 4.1.4	(12)	(13) 4.2.5 4.3	(14) 4.2.5	(15) 5.4.3.2 7.8	(16a) 7.1 7.3–7.7	(16b) 7.2–7.7	(17)	(18)
354	3 ARTICLES CONTAINING A SUBSTANCE WHICH IN CONTACT WITH WATER EMITS FLAMMABLE GASES, N.O.S.	4.3	See 2.0.6.6	-	274 391	0	EO	-	-	-	-	-	-	-	F-G, <u>S-N</u>	-	-	-	3543
354	4 ARTICLES CONTAINING OXIDIZING SUBSTANCE, N.O.S.	5.1	See 2.0.6.6	-	274 391	0	E0	-	-	-	-	-	-	-	F-A, <u>S-Q</u>	-	-	-	3544
3545	5 ARTICLES CONTAINING ORGANIC PEROXIDE, N.O.S.	5.2	See 2.0.6.6	-	274 391	0	E0	-	-	-	-	-	-	-	F-J, <u>S-R</u>	-	-	-	3545
354	6 ARTICLES CONTAINING TOXIC SUBSTANCE, N.O.S.	6.1	See 2.0.6.6	-	274 391	0	EO	P006 LP03	-	-	-	-	-	-	F-A, <u>S-A</u>	Category B SW2 *	-	Toxic if swallowed, by skin contact or by dust inhalation. * When competent authority approval is required by SP391, the stowage and handling will be specified by the competent authority.	3546
354	7 ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.	8	See 2.0.6.6	-	274 391	0	EO	P006 LP03	-	-	-	-	-	-	F-A, <u>S-B</u>	Category B SW2	-	Causes burns to skin, eyes and mucous membranes.	3547
354	8 ARTICLES CONTAINING MISCELLANEOUS DANGEROUS GOODS, N.O.S.	9	See 2.0.6.6	-	274 391	0	EO	P006 LP03	-	-	-	-	-	-	F-A, <u>S-P</u>	Category A	-	-	3548
■ 354	9 MEDICAL WASTE, CATEGORY A, AFFECTING HUMANS, solid or MEDICAL WASTE, CATEGORY A, AFFECTING ANIMALS only, solid	6.2	-	-	395 975	0	EO	P622 LP622	-	-	-	-	-	-	F-A, S-T	Category E SW2 H1 H5	SG50	Waste containing substances which are dangerous to humans and/ or animals.	3549

Circular Letter No. 4135 Annex 2

Chapter 3.2 – Dangerous Goods List

Chapter 3.3

Special provisions applicable to certain substances, materials or articles

3.3.1 When column 6 of the Dangerous Goods List indicates that a special provision is relevant to a dangerous good, the meaning and requirement(s) of that special provision are as set out below. Where a special provision includes a requirement for package marking, the provisions of 5.2.1.2.1 to .4 shall be met. If the required mark is in the form of specific wording indicated in quotation marks, such as "LITHIUM BATTERIES FOR DISPOSAL", the size of the mark shall be at least 12 mm, unless otherwise indicated in the special provision or elsewhere in this Code.

- 16 Samples of new or existing explosive substances or articles may be transported as directed by the competent authority for purposes including: testing, classification, research and development, quality control, or as a commercial sample. Explosive samples which are not wetted or desensitized shall be limited to 10 kg in small packages as specified by the competent authority. Explosive samples which are wetted or desensitized shall be limited to 25 kg.
- 23 Even though this substance has a flammability hazard, it only exhibits such hazard under extreme fire conditions in confined areas.
- 26 This substance is not permitted for transport in portable tanks, or intermediate bulk containers with a capacity exceeding 450 L, due to the potential initiation of an explosion when transported in large volumes.
- 28 This substance may be transported under the provisions of class 4.1 only if it is so packaged that the percentage of diluent will not fall below that stated, at any time during transport (see 2.4.2.4).
- 29 The packages, including bales, are exempt from labelling provided that they are marked with the appropriate class (e.g. "class 4.2").
- 32 When in any other form, this substance is not subject to the provisions of this Code.
- 37 When coated, this substance is not subject to the provisions of this Code.
- This substance, when it contains not more than 0.1% calcium carbide, is not subject to the provisions of this Code.
- 39 This substance, when it contains less than 30% or not less than 90% silicon, is not subject to the provisions of this Code.
- 43 When offered for transport as pesticides, these substances shall be transported under the relevant pesticide entry and in accordance with the relevant pesticide provisions (see 2.6.2.3 and 2.6.2.4).
- 45 Antimony sulphides and oxides which contain not more than 0.5% of arsenic, calculated on the total mass, are not subject to the provisions of this Code.
- 47 Ferricyanides and ferrocyanides are not subject to the provisions of this Code.
- 59 These substances, when they contain not more than 50% magnesium, are not subject to the provisions of this Code.
- 61 The technical name, which shall supplement the proper shipping name, shall be the ISO common name, or other name listed in *The WHO Recommended Classification of Pesticides by Hazard and Guidelines to Classification* or the name of the active substance (see also 3.1.2.8.1.1).
- 62 This substance, when it contains not more than 4% sodium hydroxide, is not subject to the provisions of this Code.
- 63 The division of class 2 and the subsidiary hazards depend on the nature of the contents of the aerosol dispenser. The following provisions shall apply:
 - .1 Class 2.1 applies if the contents include 85% by mass or more flammable components and the chemical heat of combustion is 30 kJ/g or more;
 - .2 Class 2.2 applies if the contents contain 1% by mass or less flammable components and the heat of combustion is less than 20 kJ/g.

- .3 Otherwise the product shall be classified as tested by the tests described in the Manual of Tests and Criteria, part III, section 31. Extremely flammable and flammable aerosols shall be classified in class 2.1; non-flammable in class 2.2;
- .4 Gases of class 2.3 shall not be used as a propellant in an aerosol dispenser;
- .5 Where the contents other than the propellant of aerosol dispensers to be ejected are classified as class 6.1 packing groups II or III or class 8 packing groups II or III, the aerosol shall have a subsidiary hazard of class 6.1 or class 8;
- .6 Aerosols with contents meeting the criteria for packing group I for toxicity or corrosivity shall be prohibited from transport;
- .7 Except for consignments transported in limited quantities (see chapter 3.4), packages containing aerosols shall bear labels for the primary hazard and for the subsidiary hazard(s), if any.

Flammable components are flammable liquids, flammable solids or flammable gases and gas mixtures as defined in notes 1 to 3 of subsection 31.1.3 of part III of the Manual of Tests and Criteria. This designation does not cover pyrophoric, self-heating or water-reactive substances. The chemical heat of combustion shall be determined by one of the following methods: ASTM D240, ISO/FDIS 13943:1999 (E/F) 86.1 to 86.3 or NFPA 30B.

- 65 Hydrogen peroxide aqueous solutions with less than 8% hydrogen peroxide are not subject to the provisions of this Code.
- 66 Cinnabar is not subject to the provisions of this Code.

 \otimes

- 105 Nitrocellulose meeting the descriptions of UN 2556 or UN 2557 may be classified in class 4.1.
- 113 The transport of chemically unstable mixtures is prohibited.
- 117 Only regulated when transported by sea.
- 119 Refrigerating machines and refrigerating-machinery components including machines or other appliances which have been designed for the specific purpose of keeping food or other items at a low temperature in an internal compartment, and air-conditioning units. Refrigerating machines and refrigerating-machine components are not subject to the provisions of this Code if they contain less than 12 kg of gas in class 2.2 or less than 12 L of ammonia solution (UN 2672).
- 122 The subsidiary hazard(s), the control and emergency temperatures, if any, and the generic entry number for each of the currently assigned organic peroxide formulations are given in 2.5.3.2.4, 4.1.4.2 packing instruction IBC520 and 4.2.5.2.6 portable tank instruction T23.
- 123 Only regulated when transported by air or by sea.
 - 127 Other inert material or inert material mixture may be used at the discretion of the competent authority, provided this inert material has identical phlegmatizing properties.
 - 131 The phlegmatized substance shall be significantly less sensitive than dry PETN.
 - 133 If over-confined in packagings, this substance may exhibit explosive behaviour. Packagings authorized under packing instruction P409 are intended to prevent over-confinement. When a packaging other than those prescribed under packing instruction P409 is authorized by the competent authority of the country of origin in accordance with 4.1.3.7, the package shall bear an "EXPLOSIVE" subsidiary hazard label (Model No. 1, see 5.2.2.2.2) unless the competent authority of the country of origin has permitted this label to be dispensed with for the specific packaging employed because test data have proved that the substance in this packaging does not exhibit explosive behaviour (see 5.4.1.5.5.1). The provisions of 7.1.3.1, 7.1.4.4 and 7.2.3.3 shall also be considered.
 - 135 The dihydrated sodium salt of dichloroisocyanuric acid does not meet the criteria for inclusion in class 5.1 and is not subject to the provisions of this Code unless meeting the criteria for inclusion in another class or division.
 - 138 *p*-Bromobenzyl cyanide is not subject to the provisions of this Code.
 - 141 Products which have undergone sufficient heat treatment so that they present no hazard during transport are not subject to the provisions of this Code.
 - 142 Solvent-extracted soya bean meal containing not more than 1.5% oil and 11% moisture, being substantially free from flammable solvents, which is accompanied by a certificate from the shipper stating that the substance, as offered for shipment, meets this requirement is not subject to the provisions of this Code.
 - 144 An aqueous solution containing not more than 24% alcohol by volume is not subject to the provisions of this Code.
 - 145 Alcoholic beverages of packing group III, when transported in receptacles of 250 L or less, are not subject to the provisions of this Code.

- 152 The classification of this substance will vary with particle size and packaging, but borderlines have not been experimentally determined. Appropriate classifications shall be made as required by 2.1.3.
- 153 This entry applies only if it is demonstrated, on the basis of tests, that the substance, when in contact with water, is not combustible nor shows a tendency to auto-ignition and that the mixture of gases evolved is not flammable.
- 163 A substance specifically listed by name in the Dangerous Goods List shall not be transported under this entry. Materials transported under this entry may contain 20% or less nitrocellulose provided the nitrocellulose contains not more than 12.6% nitrogen (by dry mass).
- 168 Asbestos which is immersed or fixed in a natural or artificial binder (such as cement, plastics, asphalt, resins or mineral ore) in such a way that no escape of hazardous quantities of respirable asbestos fibres can occur during transport is not subject to the provisions of this Code. Manufactured articles containing asbestos and not meeting this provision are nevertheless not subject to the provisions of this Code when packaged so that no escape of hazardous quantities of respirable asbestos fibres can occur during transport.
- 169 Phthalic anhydride in the solid state and tetrahydrophthalic anhydride, with not more than 0.05% maleic anhydride, are not subject to the provisions of this Code. Phthalic anhydride molten at a temperature above its flashpoint, with not more than 0.05% maleic anhydride, shall be classified under UN 3256.
- 172 Where a radioactive material has (a) subsidiary hazard(s):
 - .1 The substance shall be allocated to packing group I, II or III, if appropriate, by application of the packing group criteria provided in part 2 corresponding to the nature of the predominant subsidiary hazard;
 - .2 Packages shall be labelled with subsidiary hazard labels corresponding to each subsidiary hazard exhibited by the material; corresponding placards shall be affixed to cargo transport units in accordance with the relevant provisions of 5.3.1;
 - .3 For the purposes of documentation and package marking, the proper shipping name shall be supplemented with the name of the constituents which most predominantly contribute to this (these) subsidiary hazard(s) and which shall be enclosed in parenthesis;
 - \triangle .4 The dangerous goods transport document shall indicate the class or division of the subsidiary hazard and, where assigned, the packing group as required by 5.4.1.4.1.4 and 5.4.1.4.1.5.

For packing, see also 4.1.9.1.5.

- 177 Barium sulphate is not subject to the provisions of this Code.
- 178 This entry shall be used only when no other appropriate entry exists in the list, and only with the approval of the competent authority of the country of origin.
- 181 Packages containing this type of substance shall bear the "EXPLOSIVE" subsidiary hazard label (Model No. 1, see 5.2.2.2.2) unless the competent authority of the country of origin has permitted this label to be dispensed with for the specific packaging employed because test data have proved that the substance in this packaging does not exhibit explosive behaviour (see 5.4.1.5.5.1). The provisions of 7.2.3.3 shall also be considered.
- 182 The group of alkali metals includes lithium, sodium, potassium, rubidium and caesium.
- 183 The group of alkaline earth metals includes magnesium, calcium, strontium and barium.
- 188 Cells and batteries offered for transport are not subject to other provisions of this Code if they meet the following:
 - .1 For a lithium metal or lithium alloy cell, the lithium content is not more than 1 g, and for a lithiumion cell, the watt-hour rating is not more than 20 Wh;
 - .2 For a lithium metal or lithium alloy battery, the aggregate lithium content is not more than 2 g, and for a lithium-ion battery, the watt-hour rating is not more than 100 Wh. Lithium-ion batteries subject to this provision shall be marked with the watt-hour rating on the outside case, except those manufactured before 1 January 2009;
 - .3 Each cell or battery meets the provisions of 2.9.4.1, 2.9.4.5, 2.9.4.6 if applicable and 2.9.4.7;
 - .4 Cells and batteries, except when installed in equipment, shall be packed in inner packagings that completely enclose the cell or battery. Cells and batteries shall be protected so as to prevent short circuits. This includes protection against contact with electrically conductive material within the same packaging that could lead to a short circuit. The inner packagings shall be packed in strong outer packagings which conform to the provisions of 4.1.1.1, 4.1.1.2, and 4.1.1.5;

- .5 Cells and batteries when installed in equipment shall be protected from damage and short circuit, and the equipment shall be equipped with an effective means of preventing accidental activation. This requirement does not apply to devices which are intentionally active in transport (radio frequency identification (RFID) transmitters, watches, sensors, etc.) and which are not capable of generating a dangerous evolution of heat. When batteries are installed in equipment, the equipment shall be packed in strong outer packagings constructed of suitable material of adequate strength and design in relation to the packaging's capacity and its intended use unless the battery is afforded equivalent protection by the equipment in which it is contained;
- .6 Each package shall be marked with the appropriate lithium battery mark, as illustrated in 5.2.1.10;

Note 1: The provisions concerning marking in special provision 188 of amendment 37-14 of the Code may continue to be applied until 31 December 2018.

Note 2: Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, Section IB of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air that bear the mark as shown in 5.2.1.10 (lithium battery mark) and the label shown in 5.2.2.2.2, Model No. 9A shall be deemed to meet the provisions of this special provision.

This requirement does not apply to:

- .1 packages containing only button cell batteries installed in equipment (including circuit boards); and
- .2 packages containing no more than four cells or two batteries installed in equipment, where there are not more than two packages in the consignment.

When packages are placed in an overpack, the lithium battery mark shall either be clearly visible or be reproduced on the outside of the overpack and the overpack shall be marked with the word "OVERPACK". The lettering of the "OVERPACK" mark shall be at least 12 mm high;

- .7 Except when cells or batteries are installed in equipment, each package shall be capable of withstanding a 1.2 m drop test in any orientation without damage to cells or batteries contained therein, without shifting of the contents so as to allow battery to battery (or cell to cell) contact and without release of contents; and
- .8 Except when cells or batteries are installed in or packed with equipment, packages shall not exceed 30 kg gross mass. As used in this special provision "equipment" means apparatus for which the lithium cells or batteries will provide electrical power for its operation.

As used above and elsewhere in this Code, "lithium content" means the mass of lithium in the anode of a lithium metal or lithium alloy cell.

Separate entries exist for lithium metal batteries and lithium ion batteries to facilitate the transport of these batteries for specific modes of transport and to enable the application of different emergency response actions.

A single cell battery as defined in part III, subsection 38.3.2.3 of the Manual of Tests and Criteria is considered a "cell" and shall be transported according to the requirements for "cells" for the purpose of this special provision.

- 190 Aerosol dispensers shall be provided with protection against inadvertent discharge. Aerosols with a capacity not exceeding 50 mL containing only non-toxic constituents are not subject to the provisions of this Code.
- 191 Receptacles with a capacity not exceeding 50 mL containing only non-toxic constituents are not subject to the provisions of this Code.
- 193 This entry may only be used for ammonium nitrate based compound fertilizers. They shall be classified in accordance with the procedure as set out in the Manual of Tests and Criteria, part III, section 39.
- 194 The control and emergency temperatures, if any, and the generic entry number for each of the currently assigned self-reactive substances are given in 2.4.2.3.2.3.
- 195 For certain organic peroxides types B or C, a smaller packaging than that allowed by packing methods OP5 or OP6 respectively has to be used (see 4.1.7 and 2.5.3.2.4).
- 196 Formulations which, in laboratory testing, neither detonate in the cavitated state nor deflagrate, which show no effect when heated under confinement and which exhibit no explosive power may be transported under this entry. The formulation must also be thermally stable (i.e. the SADT is 60°C or higher for a 50 kg package). Formulations not meeting these criteria shall be transported under the provisions of class 5.2 (see 2.5.3.2.4).
- 198 Nitrocellulose solutions containing not more than 20% nitrocellulose may be transported as paint, perfumery products or printing ink, as applicable. See UN Nos. 1210, 1263, 1266, 3066, 3469 and 3470.

- 199 Lead compounds which, when mixed in a ratio of 1:1000 with 0.07M hydrochloric acid and stirred for one hour at a temperature of 23°C ± 2°C, exhibit a solubility of 5% or less (see ISO 3711:1990, Lead chromate pigments and lead chromate-molybdate pigments – Specifications and methods of test) are considered insoluble and are not subject to the provisions of this Code unless they meet the criteria for inclusion in another hazard class.
- 201 Lighters and lighter refills shall comply with the provisions of the country in which they were filled. They shall be provided with protection against inadvertent discharge. The liquid portion of the gas shall not exceed 85% of the capacity of the receptacle at 15°C. The receptacles, including the closures, shall be capable of withstanding an internal pressure of twice the pressure of the liquefied petroleum gas at 55°C. The valve mechanisms and ignition devices shall be securely sealed, taped or otherwise fastened or designed to prevent operation or leakage of the contents during transport. Lighters shall not contain more than 10 g of liquefied petroleum gas. Lighter refills shall not contain more than 65 g of liquefied petroleum gas.
- 203 This entry shall not be used for polychlorinated biphenyls, UN 2315.
- 204 Articles containing smoke-producing substance(s) corrosive according to the criteria for class 8 shall be labelled with a "CORROSIVE" subsidiary hazard label (Model No. 8, see 5.2.2.2.2).

Articles containing smoke-producing substance(s) toxic by inhalation according to the criteria for class 6.1 shall be labelled with a "TOXIC" subsidiary hazard label (Model No. 6.1, see 5.2.2.2.2), except that those manufactured before 31 December 2016 may be transported until 1 January 2019 without a "TOXIC" subsidiary hazard label.

- 205 This entry shall not be used for PENTACHLOROPHENOL, UN 3155.
- 207 Plastics moulding compounds may be made from polystyrene, poly(methyl methacrylate) or other polymeric material.
- 208 The commercial grade of calcium nitrate fertilizer, when consisting mainly of a double salt (calcium nitrate and ammonium nitrate) containing not more than 10% ammonium nitrate and at least 12% water of crystallization, is not subject to the provisions of this Code.
- 209 The gas shall be at a pressure corresponding to ambient atmospheric pressure at the time the containment system is closed and this shall not exceed 105 kPa absolute.
- 210 Toxins from plant, animal or bacterial sources which contain infectious substances, or toxins that are contained in infectious substances, shall be classified under class 6.2.
- 215 This entry only applies to the technically pure substance or to formulations derived from it, having an SADT higher than 75°C, and, therefore, does not apply to formulations which are self-reactive substances (for self-reactive substances, see 2.4.2.3.2.3). Homogeneous mixtures containing not more than 35% by mass of azodicarbonamide and at least 65% of inert substance are not subject to this Code unless criteria of other classes are met.
- 216 Mixtures of solids which are not subject to the provisions of this Code and flammable liquids may be transported under this entry without first applying the classification criteria of class 4.1, provided there is no free liquid visible at the time the substance is loaded or at the time the packaging or cargo transport unit is closed. Each cargo transport unit shall be leakproof when used as a bulk container. Sealed packets and articles containing less than 10 mL of a packing group II or III flammable liquid absorbed into a solid material are not subject to the provisions of this Code provided there is no free liquid in the packet or article.
- 217 This entry shall only be used for mixtures of solids which are not subject to the provisions of this Code and toxic liquids may be transported under this entry without first applying the classification criteria of class 6.1, provided there is no free liquid visible at the time the substance is loaded or at the time the packaging or cargo transport unit is closed. Each cargo transport unit shall be leakproof when used as a bulk container. This entry shall not be used for solids containing a packing group I liquid.
- 218 This entry shall only be used for mixtures of solids which are not subject to the provisions of this Code and corrosive liquids may be transported under this entry without first applying the classification criteria of class 8, provided there is no free liquid visible at the time the substance is loaded or at the time the packaging or cargo transport unit is closed. Each cargo transport unit shall be leakproof when used as a bulk container. This entry shall not be used for solids containing a packing group I liquid.
- 219 Genetically modified microorganisms (GMMOs) and genetically modified organisms (GMOs) packed and marked in accordance with packing instruction P904 are not subject to any other provisions of this Code.

If GMMOs or GMOs meet the definition in chapter 2.6 of a toxic substance or an infectious substance and the criteria for inclusion in class 6.1 or 6.2, the provisions of this Code for transporting toxic substances or infectious substances apply.

- 220 The technical name of the flammable liquid component only of this solution or mixture shall be shown in parentheses immediately following the proper shipping name.
- 221 Substances included under this entry shall not be of packing group I.
- 223 If the chemical or physical properties of a substance covered by this description are such that, when tested, it does not meet the established defining criteria for the class or division listed in column 3, or any other class or division, it is not subject to the provisions of this Code except in the case of a marine pollutant where 2.10.3 applies.
- 224 Unless it can be demonstrated by testing that the sensitivity of the substance in its frozen state is no greater than in its liquid state, the substance shall remain liquid during normal transport conditions. It shall not freeze at temperatures above -15°C.
- Fire extinguishers under this entry may include installed actuating cartridges (cartridges, power device of division 1.4C or 1.4S) without changing the classification of class 2.2 provided the total quantity of deflagrating (propellant) explosives does not exceed 3.2 g per extinguishing unit. Fire extinguishers shall be manufactured, tested, approved and labelled according to the provisions applied in the country of manufacture.

Note: "Provisions applied in the country of manufacture" means the provisions applicable in the country of manufacture or those applicable in the country of use.

Fire extinguishers under this entry include:

- .1 portable fire extinguishers for manual handling and operation;
- .2 fire extinguishers for installation in aircraft;
- .3 fire extinguishers mounted on wheels for manual handling;
- .4 fire extinguishing equipment or machinery mounted on wheels or wheeled platforms or units transported similar to (small) trailers; and
- .5 fire extinguishers composed of a non-rollable pressure drum and equipment, and handled, e.g. by fork lift or crane when loaded or unloaded.

Note: Pressure receptacles which contain gases for use in the above-mentioned extinguishers or for use in stationary fire-fighting installations shall meet the requirements in chapter 6.2 and all requirements applicable to the relevant dangerous goods when these pressure receptacles are transported separately.

- 226 Formulations of these substances containing not less than 30% non-volatile, non-flammable phlegmatizer are not subject to the provisions of this Code.
- 227 When phlegmatized with water and inorganic inert material, the content of urea nitrate may not exceed 75% by mass and the mixture shall not be capable of being detonated by the series 1, type (a) test in the Manual of Tests and Criteria, part I.
- 228 Mixtures not meeting the criteria for flammable gases (class 2.1) shall be transported under UN 3163.
- 230 Lithium cells and batteries may be transported under this entry if they meet the provisions of 2.9.4.
- 232 This entry shall only be used when the substance does not meet the criteria of any other class. Transport in cargo transport units other than in tanks shall be in accordance with standards specified by the competent authority of the country of origin.
- 235 This entry applies to articles which contain class 1 explosive substances and which may also contain dangerous goods of other classes. These articles are used to enhance safety in vehicles, vessels or aircraft, e.g. air bag inflators, air bag modules, seat-belt pretensioners, and pyromechanical devices.
- 236 Polyester resin kits consist of two components: a base material (either class 3 or class 4.1, packing group II or III) and an activator (organic peroxide). The organic peroxide shall be type D, E, or F, not requiring temperature control. The packing group shall be II or III, according to the criteria of either class 3 or class 4.1, as appropriate, applied to the base material. The quantity limit shown in column 7a of the Dangerous Goods List of chapter 3.2 applies to the base material.
- 237 The membrane filters, including paper separators, coating or backing materials, etc., that are present in transport, shall not be liable to propagate a detonation as tested by one of the tests described in the Manual of Tests and Criteria, part I, test series 1(a).

In addition, the competent authority may determine, on the basis of the results of suitable burning rate tests taking account of the standard tests in the Manual of Tests and Criteria, part III, 33.2.1, that nitrocellulose membrane filters in the form in which they are to be transported are not subject to the provisions of this Code applicable to flammable solids in class 4.1.

A Batteries can be considered as non-spillable provided that they are capable of withstanding the vibration and pressure differential tests given below, without leakage of battery fluid:
Vibration test: The battery is rigidly clamped to the platform of a vibration machine and a simple harmonic motion having an amplitude of 0.8 mm (1.6 mm maximum total excursion) is applied. The frequency is varied at the rate of 1 Hz/min between the limits of 10 Hz and 55 Hz. The

entire range of frequencies and return is traversed in 95 ± 5 minutes for each mounting position (direction of vibration) of the battery. The battery is tested in three mutually perpendicular positions (to include testing with fill openings and vents, if any, in an inverted position) for equal time periods.

Pressure differential test: Following the vibration test, the battery is stored for six hours at 24°C \pm 4°C while subjected to a pressure differential of at least 88 kPa. The battery is tested in three mutually perpendicular positions (to include testing with fill openings and vents, if any, in an inverted position) for at least six hours in each position.

Non-spillable type batteries which are an integral part of and necessary for the operation of mechanical or electronic equipment shall be securely fastened in the battery holder on the equipment and protected in such a manner as to prevent damage and short circuits.

- .2 Non-spillable batteries are not subject to the provisions of this Code if, at a temperature of 55°C, the electrolyte will not flow from a ruptured or cracked case and there is no free liquid to flow and if, when packaged for transport, the terminals are protected from short circuit.
- 239 Batteries or cells shall not contain dangerous goods other than sodium, sulphur or sodium compounds (e.g. sodium polysulphides and sodium tetrachloroaluminate). Batteries or cells shall not be offered for transport at a temperature such that liquid elemental sodium is present in the battery or cell, unless approved and under the conditions established by the competent authority. Cells shall consist of hermetically sealed metal casings which fully enclose the dangerous goods under normal conditions of transport.

Batteries shall consist of cells secured within and fully enclosed by a metal casing so constructed and closed as to prevent the release of the dangerous goods under normal conditions of transport.

- \triangle 240 Deleted.
 - 241 The formulation shall be prepared so that it remains homogeneous and does not separate during transport. Formulations with low nitrocellulose contents and not showing dangerous properties when tested for their liability to detonate, deflagrate or explode when heated under defined confinement by tests of test series 1(a), 2(b) and 2(c) respectively in the Manual of Tests and Criteria, part I and not being a flammable solid when tested in accordance with test N. 1 in the Manual of Tests and Criteria, part III, paragraph 33.2.1.4 (chips, if necessary, crushed and sieved to a particle size of less than 1.25 mm) are not subject to the provisions of this Code.
 - 242 Sulphur is not subject to the provisions of this Code when it has been formed to a specific shape (such as prills, granules, pellets, pastilles or flakes).
 - 243 Gasoline, motor spirit and petrol for use in spark-ignition engines (e.g. in automobiles, stationary engines and other engines) shall be assigned to this entry regardless of variations in volatility.
 - 244 This entry includes materials and substances such as aluminium dross, aluminium skimmings, spent cathodes, spent potliner and aluminium salt slags.

Before loading, these by-products shall be cooled to ambient temperature, unless they have been calcined to remove moisture. Cargo transport units containing bulk loads shall be adequately ventilated and protected against ingress of water throughout the journey.

- 247 Alcoholic beverages containing more than 24% alcohol but not more than 70% by volume, when transported as part of the manufacturing process, may be transported in wooden barrels with a capacity of more than 250 L and not more than 500 L meeting the general requirements of 4.1.1, as appropriate, on the following conditions:
 - .1 the wooden barrels shall be checked and tightened before filling;
 - .2 sufficient ullage (not less than 3%) shall be left to allow for the expansion of the liquid;
 - .3 the wooden barrels shall be transported with the bungholes pointing upwards;
 - .4 the wooden barrels shall be transported in containers meeting the provisions of the International Convention for Safe Containers (CSC 1972), as amended, and each wooden barrel shall be secured in custom-made cradles and be wedged by appropriate means to prevent it from being displaced in any way during transport; and
 - .5 when carried on board ships, the containers shall be stowed in open cargo spaces or in enclosed cargo spaces complying with the requirements for class 3 flammable liquids with a flashpoint of 23°C c.c. or less in regulation II-2/19 of SOLAS, 74, as amended or regulation II-2/54 of SOLAS 74, as amended by the resolutions indicated in II-2/1.2.1, as applicable.
- 249 Ferrocerium, stabilized against corrosion, with a minimum iron content of 10% is not subject to the provisions of this Code.
- 250 This entry may only be used for samples of chemicals taken for analysis in connection with the implementation of the Convention on the Prohibition of the Development, Production, Stockpiling and Use of Chemical Weapons and on their Destruction. The transport of substances under this

251

entry shall be in accordance with the chain of custody and security procedures specified by the Organization for the Prohibition of Chemical Weapons.

The chemical sample may only be transported provided prior approval has been granted by the competent authority or the Director General of the Organization for the Prohibition of Chemical Weapons and providing the sample complies with the following conditions:

- .1 it shall be packaged according to packing instruction 623 in the International Civil Aviation Organization's Technical Instructions for the Safe Transport of Dangerous Goods by Air; and
- .2 during transport, it shall be accompanied by a copy of the document of approval for transport, showing the quantity limitations and the packing provisions.
- The entry CHEMICAL KIT or FIRST AID KIT is intended to apply to boxes, cases, etc., containing small quantities of various dangerous goods which are used, for example, for medical, analytical, testing or repair purposes. Such kits shall only contain dangerous goods that are permitted as:
 - .1 excepted quantities not exceeding the quantity indicated by the code in column 7b of the Dangerous Goods List of chapter 3.2, provided that the net quantity per inner packaging and net quantity per package are as prescribed in 3.5.1.2 and 3.5.1.3; or
 - .2 limited quantities as indicated in column 7a of the Dangerous Goods List of chapter 3.2, provided that the net quantity per inner packaging does not exceed 250 mL or 250 g.

Components shall not react dangerously (see 4.1.1.6). The total quantity of dangerous goods in any one kit shall not exceed either 1 L or 1 kg.

For the purposes of completion of the dangerous goods transport document as set out in 5.4.1.4.1, the packing group shown on the document shall be the most stringent packing group assigned to any individual substance in the kit. Where the kit contains only dangerous goods to which no packing group is assigned, no packing group need be indicated on the dangerous goods transport document.

Kits which are carried on board vehicles for first-aid or operating purposes are not subject to the provisions of this Code.

Chemical kits and first aid kits containing dangerous goods in inner packagings which do not exceed the quantity limits for limited quantities applicable to individual substances as specified in column 7a of the Dangerous Goods List may be transported in accordance with chapter 3.4.

- 252 Provided the ammonium nitrate remains in solution under all conditions of transport, aqueous solutions of ammonium nitrate, with not more than 0.2% combustible material, in a concentration not exceeding 80%, are not subject to the provisions of this Code.
- 266 This substance, when containing less alcohol, water or phlegmatizer than specified, shall not be transported, unless specifically authorized by the competent authority.
- 267 Any explosives, blasting, type C containing chlorates shall be segregated from explosives containing ammonium nitrate or other ammonium salts.
- 270 Aqueous solutions of class 5.1 inorganic solid nitrate substances are considered as not meeting the criteria of class 5.1 if the concentration of the substances in solution at the minimum temperature encountered in transport is not greater than 80% of the saturation limit.
- 271 Lactose or glucose or similar materials may be used as a phlegmatizer provided that the substance contains not less than 90%, by mass, of phlegmatizer. The competent authority may authorize these mixtures to be classified under class 4.1 on the basis of series 6(c) tests of part I of the Manual of Tests and Criteria on at least three packages as prepared for transport. Mixtures containing at least 98%, by mass, of phlegmatizer are not subject to the provisions of this Code. Packages containing mixtures with not less than 90%, by mass, of phlegmatizer need not bear a "TOXIC" subsidiary hazard label.
- 272 This substance shall not be transported under the provisions of class 4.1 unless specifically authorized by the competent authority (see UN 0143 or UN 0150 as appropriate).
- 273 Maneb and maneb preparations stabilized against self-heating need not be classified in class 4.2 when it can be demonstrated by testing that a cubic volume of 1 m³ of substance does not self-ignite and that the temperature at the centre of the sample does not exceed 200°C when the sample is maintained at a temperature of not less than 75°C \pm 2°C for a period of 24 hours.
- For the purposes of documentation and package marking, the proper shipping name shall be supplemented with the technical name (see 3.1.2.8.1).
 - For UN 3077 and UN 3082 only, the technical name may be a name shown in capital letters in column 2 of the Dangerous Goods List, provided that this name does not include "N.O.S." and that special provision 274 is not assigned. The name which most appropriately describes the substance or mixture shall be used, e.g.:
 - UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (paint)
 - UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (perfumery products).

- 277 For aerosols or receptacles containing toxic substances, the limited quantity value is 120 mL. For all other aerosols or receptacles, the limited quantity value is 1,000 mL.
- 278 These substances shall not be classified and transported unless authorized by the competent authority on the basis of results from series 2 tests and series 6(c) tests of part I of the Manual of Tests and Criteria on packages as prepared for transport (see 2.1.3.1). The competent authority shall assign the packing group on the basis of the chapter 2.3 criteria and the package type used for the series 6(c) tests.
- 279 The substance is assigned to this classification or packing group based on human experience rather than the strict application of classification criteria set out in this Code.
- 280 This entry applies to safety devices for vehicles, vessels or aircraft, e.g. air bag inflators, air bag modules, seat-belt pretensioners, and pyromechanical devices, which contain dangerous goods of class 1 or of other classes, when transported as component parts and if these articles as presented for transport have been tested in accordance with test series 6(c) of part I of the Manual of Tests and Criteria, with no explosion of the device, no fragmentation of device casing or pressure receptacle, and no projection hazard nor thermal effect which would significantly hinder fire-fighting or emergency response efforts in the immediate vicinity. This entry does not apply to life-saving appliances described in special provision 296 (UN Nos. 2990 and 3072).
- 281 Transport of hay, straw or bhusa when wet, damp or contaminated with oil is prohibited and when not wet or contaminated with oil is subject to the provisions of this Code.
- 283 Articles, containing gas, intended to function as shock absorbers, including impact-energyabsorbing devices or pneumatic springs, are not subject to the provisions of this Code provided:
 - .1 each article has a gas space capacity not exceeding 1.6 L and a charge pressure not exceeding 280 bar where the product of the capacity (litres) and charge pressure (bar) does not exceed 80 (i.e. 0.5 L gas space and 160 bar charge pressure, 1 L gas space and 80 bar charge pressure, 1.6 L gas space and 50 bar charge pressure, 0.28 L gas space and 280 bar charge pressure);
 - .2 each article has a minimum burst pressure of 4 times the charge pressure at 20°C for products not exceeding 0.5 L gas space capacity and 5 times charge pressure for products greater than 0.5 L gas space capacity;
 - .3 each article is manufactured from material which will not fragment upon rupture;
 - .4 each article is manufactured in accordance with a quality-assurance standard acceptable to the competent authority; and
 - .5 the design type has been subjected to a fire test demonstrating that pressure in the article is relieved by means of a fire-degradable seal or other pressure relief device, such that the article will not fragment and that the article does not rocket.
- 284 An oxygen generator, chemical, containing oxidizing substances shall meet the following conditions:
 - .1 the generator, when containing an explosive device, shall only be transported under this entry when excluded from class 1 in accordance with 2.1.3 of this Code;
 - .2 the generator, without its packaging, shall be capable of withstanding a 1.8 m drop test onto a rigid, non-resilient, flat and horizontal surface, in the position most likely to cause damage, without loss of its contents and without actuation; and
 - .3 when the generator is equipped with an actuating device, it shall have at least two positive means of preventing unintentional actuation.
- 286 Nitrocellulose membrane filters covered by this entry, each with a mass not exceeding 0.5 g, are not subject to the provisions of this Code when contained individually in an article or a sealed packet.
- 288 These substances shall not be classified and transported unless authorized by the competent authority on the basis of results from series 2 tests and series 6(c) tests of part I of the Manual of Tests and Criteria on packages as prepared for transport (see 2.1.3).
- 289 Safety devices, electrically initiated and safety devices, pyrotechnic installed in vehicles, vessels or aircraft or in completed components such as steering columns, door panels, seats, etc., are not subject to the provisions of this Code.
- 290 When this radioactive material meets the definitions and criteria of other classes or divisions as defined in part 2, it shall be classified in accordance with the following:
 - .1 where the substance meets the criteria for dangerous goods in excepted quantities as set out in chapter 3.5, the packagings shall be in accordance with 3.5.2 and meet the testing requirements of 3.5.3. All other requirements applicable to radioactive material, excepted packages as set out in 1.5.1.5 shall apply without reference to the other class or division;

.2 where the quantity exceeds the limits specified in 3.5.1.2, the substance shall be classified in accordance with the predominant subsidiary hazard. The dangerous goods transport document shall describe the substance with the UN number and proper shipping name applicable to the other class supplemented with the name applicable to the radioactive excepted package according to column 2 in the Dangerous Goods List of chapter 3.2, and the substance shall be transported in accordance with the provisions applicable to that UN number. An example of the information shown on the dangerous goods transport document is:

UN 1993, Flammable liquid, N.O.S. (ethanol and toluene mixture), Radioactive material, excepted package – limited quantity of material, class 3, PG II.

- In addition, the provisions of 2.7.2.4.1 shall apply;
- .3 the provisions of chapter 3.4 for the transport of dangerous goods packed in limited quantities shall not apply to substances classified in accordance with subparagraph .2;
- .4 when the substance meets a special provision that exempts this substance from all dangerous goods provisions of the other classes, it shall be classified in accordance with the applicable UN number of class 7 and all requirements specified in 1.5.1.5 shall apply.
- 291 Flammable liquefied gases shall be contained within refrigerating-machine components. These components shall be designed and tested to at least three times the working pressure of the machinery. The refrigerating machines and refrigerating-machine components shall be designed and constructed to contain the liquefied gas and preclude the risk of bursting or cracking of the pressure-retaining components during normal conditions of transport. Refrigerating machines and refrigerating-machine components are not subject to the provisions of this Code if they contain less than 12 kg of gas.
- 293 The following definitions apply to matches:
 - .1 *Fusee matches* are matches the heads of which are prepared with a friction-sensitive igniter composition and a pyrotechnic composition which burns with little or no flame, but with intense heat;
 - .2 Safety matches are matches that combined with or attached to the box, book or card that can be ignited by friction only on a prepared surface;
 - .3 "Strike anywhere" matches are matches that can be ignited by friction on a solid surface;
 - .4 *Wax 'Vesta' matches* are matches that can be ignited by friction either on a prepared surface or on a solid surface.
- 294 Safety matches and wax 'Vesta' matches in an outer packaging not exceeding 25 kg net mass are not subject to any other provision (except marking) of this Code when packaged in accordance with packing instruction P407.
- Batteries need not be individually marked and labelled if the pallet bears the appropriate mark and label.
- 296 These entries apply to life-saving appliances such as liferafts, personal flotation devices and self-inflating slides. UN 2990 applies to self-inflating appliances. UN 3072 applies to life-saving appliances that are not self-inflating. Life-saving appliances may contain:
 - .1 signal devices (class 1) which may include smoke and illumination signal flares packed in packagings that prevent them from being inadvertently activated;
 - .2 for UN 2990 only, cartridges, power device of division 1.4, compatibility group S, may be contained for purposes of the self-inflating mechanism and provided that the quantity of explosives per appliance does not exceed 3.2 g;
 - .3 class 2.2 compressed or liquefied gases;
 - .4 electric storage batteries (class 8) and lithium batteries (class 9);
 - .5 first aid kits or repair kits containing small quantities of dangerous goods (e.g. classes 3, 4.1, 5.2, 8 or 9 substances); or
 - .6 "Strike anywhere" matches packed in packagings that prevent them from being inadvertently activated.

Life-saving appliances packed in strong rigid outer packagings with a total maximum gross mass of 40 kg, containing no dangerous goods other than class 2.2 compressed or liquefied gases with no subsidiary hazard in receptacles with a capacity not exceeding 120 mL, installed solely for the purpose of the activation of the appliance, are not subject to the provision of this Code.

299 Consignments of:

- .1 Cotton, dry having a density not less than 360 kg/m³;
- .2 Flax, dry having a density not less than 400 kg/m³;
- .3 Sisal, dry having a density not less than 360 kg/m³; and
- .4 Tampico fibre, dry having a density not less than 360 kg/m³,

according to ISO 8115:1986, are not subject to the provisions of this Code when transported in closed cargo transport units.

- 300 Fish meal, fish scrap and krill meal shall not be transported if the temperature at the time of loading exceeds 35°C or 5°C above the ambient temperature, whichever is higher.
- △ 301 This entry only applies to articles such as machinery, apparatus or devices containing dangerous goods as a residue or an integral element of the articles. It shall not be used for articles for which a proper shipping name already exists in the Dangerous Goods List. Articles transported under this entry shall only contain dangerous goods which are authorized to be transported in accordance with the provisions in chapter 3.4 (Limited quantities). The quantity of dangerous goods in articles shall not exceed the quantity specified in column 7a of the Dangerous Goods List for each item of dangerous goods contained. If the articles contains more than one item of dangerous goods, the individual dangerous goods shall be enclosed to prevent them reacting dangerous goods remain in their intended orientation, orientation arrows shall be displayed on at least two opposite vertical sides with the arrows pointing in the correct direction in accordance with 5.2.1.7.1.
 - 302 Fumigated cargo transport units containing no other dangerous goods are only subject to the provisions of 5.5.2.
 - Receptacles shall be assigned to the class and, if any, subsidiary hazard of the gas or mixture of gases contained therein determined in accordance with the provisions of chapter 2.2.
 - 304 This entry may only be used for the transport of non-activated batteries which contain dry potassium hydroxide and which are intended to be activated prior to use by the addition of an appropriate amount of water to the individual cells.
 - These substances are not subject to the provisions of this Code when in concentrations of not more than 50 mg/kg.
 - 306 This entry may only be used for substances that are too insensitive for acceptance into class 1 when tested in accordance with test series 2 (see Manual of Tests and Criteria, part I).
 - 307 This entry may only be used for ammonium nitrate based fertilizers. They shall be classified in accordance with the procedure as set out in the Manual of Tests and Criteria, part III, section 39.
- △ 308 Stabilization of fish meal shall be achieved to prevent spontaneous combustion by effective application of ethoxyquin, BHT (butylated hydroxytoluene) or tocopherols (also used in a blend with rosemary extract) at the time of production. The said application shall occur within twelve months prior to shipment. Fish scrap or fish meal shall contain at least 50 ppm (mg/kg) of ethoxyquin, 100 ppm (mg/kg) of BHT or 250 ppm (mg/kg) of tocopherol based antioxidant at the time of shipment.
 - 309 This entry applies to non-sensitized emulsions, suspensions and gels consisting primarily of a mixture of ammonium nitrate and fuel, intended to produce a Type E blasting explosive only after further processing prior to use.

The mixture for emulsions typically has the following composition: 60-85% ammonium nitrate, 5-30% water, 2-8% fuel, 0.5-4% emulsifier agent, 0-10% soluble flame suppressants, and trace additives. Other inorganic nitrate salts may replace part of the ammonium nitrate.

The mixture for suspensions and gels typically has the following composition: 60–85% ammonium nitrate, 0–5% sodium or potassium perchlorate, 0–17% hexamine nitrate or monomethylamine nitrate, 5–30% water, 2–15% fuel, 0.5–4% thickening agent, 0–10% soluble flame suppressants, and trace additives. Other inorganic nitrate salts may replace part of the ammonium nitrate.

- △ Substances shall satisfy the criteria for classification as an ANE of Test Series 8 of the Manual of Tests and Criteria, part I, section 18 and be approved by the competent authority.
- 310 The testing requirements in the Manual of Tests and Criteria, part III, subsection 38.3 do not apply to production runs, consisting of not more than 100 cells or batteries, or to pre-production prototypes of cells or batteries when these prototypes are transported for testing when packaged in accordance with packing instruction P910 of 4.1.4.1 or LP905 of 4.1.4.3, as applicable.

The transport document shall include the following statement: "Transport in accordance with special provision 310".

Damaged or defective cells, batteries, or cells and batteries contained in equipment shall be transported in accordance with special provision 376 and packaged in accordance with packing instructions P908 of 4.1.4.1 or LP904 of 4.1.4.3, as applicable.

Cells, batteries or cells and batteries contained in equipment transported for disposal or recycling may be packaged in accordance with special provision 377 and packing instruction P909 of 4.1.4.1.

- 311 Substances shall not be transported under this entry unless approved by the competent authority on the basis of the results of appropriate tests according to part I of the Manual of Tests and Criteria. Packaging shall ensure that the percentage of diluent does not fall below that stated in the competent authority approval at any time during transport.
- 314 .1 These substances are liable to exothermic decomposition at elevated temperatures. Decomposition can be initiated by heat or by impurities (e.g. powdered metals (iron, manganese, cobalt, magnesium) and their compounds).

- .2 During the course of transport, these substances shall be shaded from direct sunlight and all sources of heat and be placed in adequately ventilated areas.
- 315 This entry shall not be used for class 6.1 substances which meet the inhalation toxicity criteria for packing group I described in 2.6.2.2.4.3.
- 316 This entry applies only to calcium hypochlorite, dry, when transported in non-friable tablet form.
- 317 "Fissile-excepted" applies only to those fissile materials and packages containing fissile material which are excepted in accordance with 2.7.2.3.5.
- 318 For the purposes of documentation, the proper shipping name shall be supplemented with the technical name (see 3.1.2.8). Technical names need not be shown on the package. When the infectious substances to be transported are unknown, but suspected of meeting the criteria for inclusion in category A and assignment to UN 2814 or UN 2900, the words "suspected category A infectious substance" shall be shown, in parentheses, following the proper shipping name on the transport document, but not on the outer packagings.
- 319 Substances packed and packages marked in accordance with packing instruction P650 are not subject to any other provisions of this Code.
- 321 These storage systems shall always be considered as containing hydrogen.
- 322 When transported in non-friable tablet form, these goods are assigned to packing group III.
- \triangle 323 Deleted.
 - 324 This substance needs to be stabilized when in concentrations of not more than 99%.
 - 325 In the case of non-fissile or fissile-excepted uranium hexafluoride, the material shall be classified under UN 2978.
- 326 In the case of fissile uranium hexafluoride, the material shall be classified under UN 2977.
- △ 327 Waste aerosols and waste gas cartridges consigned in accordance with 5.4.1.4.3.3 may be transported under UN 1950 or UN 2037, as appropriate, for the purposes of reprocessing or disposal. They need not be protected against movement and inadvertent discharge provided that measures to prevent dangerous build-up of pressure and dangerous atmospheres are addressed. Waste aerosols, other than those leaking or severely deformed, shall be packed in accordance with packing instruction P207 and special provision PP87, or packing instruction LP200 and special packing provision L2. Waste gas cartridges, other than those leaking or severely deformed, shall be packed in accordance with packing instruction LP200 and special packing provision L2. Leaking provisions PP17 and PP96, or packing instruction LP200 and special packing provision L2. Leaking or severely deformed aerosols and gas cartridges shall be transported in salvage pressure receptacles or salvage packagings provided appropriate measures are taken to ensure there is no dangerous build-up of pressure. Waste aerosols and waste gas cartridges shall not be transported in closed freight containers.
 - Waste gas cartridges that were filled with gases of class 2.2 and have been pierced are not subject to this Code.
 - 328 This entry applies to fuel cell cartridges, including when contained in equipment or packed with equipment. Fuel cell cartridges installed in or integral to a fuel cell system are regarded as contained in equipment. "Fuel cell cartridge" means an article that stores fuel for discharge into the fuel cell through a valve(s) that controls the discharge of fuel into the fuel cell. Fuel cell cartridges, including when contained in equipment, shall be designed and constructed to prevent fuel leakage under normal conditions of transport.

Fuel cell cartridge design types using liquids as fuels shall pass an internal pressure test at a pressure of 100 kPa (gauge) without leakage.

Except for fuel cell cartridges containing hydrogen in metal hydride, which shall be in compliance with special provision 339, each fuel cell cartridge design type shall be shown to pass a 1.2 m drop test onto an unyielding surface, in the orientation most likely to result in failure of the containment system, with no loss of contents.

When lithium metal or lithium ion batteries are contained in the fuel cell system, the consignment shall be consigned under this entry and under the appropriate entries for UN 3091 LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT.

- 332 Magnesium nitrate hexahydrate is not subject to the provisions of this Code.
- 333 Ethanol and gasoline, motor spirit or petrol mixtures for use in spark-ignition engines (e.g. in automobiles, stationary engines and other engines) shall be assigned to this entry regardless of variations in volatility.
- A fuel cell cartridge may contain an activator provided it is fitted with two independent means of preventing unintended mixing with the fuel during transport.
- 335 Mixtures of solids which are not subject to the provisions of this Code and environmentally hazardous liquids assigned to UN 3082 may be classified and transported as UN 3077, provided there is no free liquid visible at the time the substance is loaded or at the time the packaging or cargo transport unit is closed. If free liquid is visible at the time the mixture is loaded or at the time the packaging or cargo transport unit is closed, the mixture shall be classified as UN 3082. Each cargo transport unit shall be leakproof when used as a bulk container. Sealed packets and articles containing less than 10 mL of an environmentally hazardous liquid assigned to UN 3082, absorbed into a solid material but with no free liquid in the packet or article, or containing less than 10 g of an environmentally hazardous solid assigned to UN 3077, are not subject to the provisions of this Code.
- Each fuel cell cartridge transported under this entry and designed to contain a liquefied flammable gas shall:
 - .1 be capable of withstanding, without leakage or bursting, a pressure of at least two times the equilibrium pressure of the contents at 55°C;
 - .2 not contain more than 200 mL liquefied flammable gas, the vapour pressure of which shall not exceed 1 000 kPa at 55°C; and
 - .3 pass the hot water bath test prescribed in 6.2.4.1 of chapter 6.2.

Fuel cell cartridges containing hydrogen in a metal hydride transported under this entry shall have a water capacity less than or equal to 120 mL. The pressure in the fuel cell cartridge shall not exceed 5 MPa at 55°C. The design type shall withstand, without leaking or bursting, a pressure of two (2) times the design pressure of the cartridge at 55°C or 200 kPa more than the design pressure of the cartridge at 55°C, whichever is greater. The pressure at which this test is conducted is referred to in the Drop Test and the Hydrogen Cycling Test as the "minimum shell burst pressure".

Fuel cell cartridges shall be filled in accordance with procedures provided by the manufacturer. The manufacturer shall provide the following information with each fuel cell cartridge:

- .1 Inspection procedures to be carried out before initial filling and before refilling of the fuel cell cartridge;
- .2 Safety precautions and potential hazards to be aware of;
- .3 Method for determining when the rated capacity has been achieved;
- .4 Minimum and maximum pressure range;
- .5 Minimum and maximum temperature range; and
- .6 Any other requirements to be met for initial filling and refilling, including the type of equipment to be used for initial filling and refilling.

The fuel cell cartridges shall be designed and constructed to prevent fuel leakage under normal conditions of transport. Each cartridge design type, including cartridges integral to a fuel cell, shall be subjected to and shall pass the following tests:

Drop test

339

A 1.8 m drop test onto an unyielding surface in four different orientations:

- .1 Vertically, on the end containing the shut-off valve assembly;
- .2 Vertically, on the end opposite to the shut-off valve assembly;
- .3 Horizontally, onto a steel apex with a diameter of 38 mm, with the steel apex in the upward position; and
- .4 At a 45° angle on the end containing the shut-off valve assembly.

There shall be no leakage, determined by using a soap bubble solution or other equivalent means on all possible leak locations, when the cartridge is charged to its rated charging pressure. The fuel cell cartridge shall then be hydrostatically pressurized to destruction. The recorded burst pressure shall exceed 85% of the minimum shell burst pressure.

Fire test

A fuel cell cartridge filled to rated capacity with hydrogen shall be subjected to a fire engulfment test. The cartridge design, which may include a vent feature integral to it, is deemed to have passed the fire test if:

- .1 The internal pressure vents to zero gauge pressure without rupture of the cartridge; or
- .2 The cartridge withstands the fire for a minimum of 20 minutes without rupture.

Hydrogen cycling test

This test is intended to ensure that a fuel cell cartridge design stress limits are not exceeded during use.

The fuel cell cartridge shall be cycled from not more than 5% rated hydrogen capacity to not less than 95% rated hydrogen capacity and back to not more than 5% rated hydrogen capacity. The rated

charging pressure shall be used for charging and temperatures shall be held within the operating temperature range. The cycling shall be continued for at least 100 cycles.

Following the cycling test, the fuel cell cartridge shall be charged and the water volume displaced by the cartridge shall be measured. The cartridge design is deemed to have passed the hydrogen cycling test if the water volume displaced by the cycled cartridge does not exceed the water volume displaced by an uncycled cartridge charged to 95% rated capacity and pressurized to 75% of its minimum shell burst pressure.

Production leak test

Each fuel cell cartridge shall be tested for leaks at $15^{\circ}C \pm 5^{\circ}C$, while pressurized to its rated charging pressure. There shall be no leakage, determined by using a soap bubble solution or other equivalent means on all possible leak locations.

Each fuel cell cartridge shall be permanently marked with the following information:

- .1 The rated charging pressure in megapascals (MPa);
- .2 The manufacturer's serial number of the fuel cell cartridges or unique identification number; and
- .3 The date of expiry based on the maximum service life (year in four digits; month in two digits).
- 340 Chemical kits, first aid kits and polyester resin kits containing dangerous substances in inner packagings which do not exceed the quantity limits for excepted quantities applicable to individual substances as specified in column 7b of the Dangerous Goods List may be transported in accordance with chapter 3.5. Class 5.2 substances, although not individually authorized as excepted quantities in the Dangerous Goods List, are authorized in such kits and are assigned code E2 (see 3.5.1.2).
- 341 Bulk transport of infectious substances in BK2 bulk containers is only permitted for infectious substances contained in animal material as defined in 1.2.1 (see 4.3.2.4.1).
- 342 Glass inner receptacles (such as ampoules or capsules) intended only for use in sterilization devices, when containing less than 30 mL of ethylene oxide per inner packaging with not more than 300 mL per outer packaging, may be transported in accordance with the provisions in chapter 3.5, irrespective of the indication of "E0" in column 7b of the Dangerous Goods List provided that:
 - .1 After filling, each glass inner receptacle has been determined to be leak tight by placing the glass inner receptacle in a hot water bath at a temperature, and for a period of time, sufficient to ensure that an internal pressure equal to the vapour pressure of ethylene oxide at 55°C is achieved. Any glass inner receptacle showing evidence of leakage, distortion or other defect under this test shall not be transported under the terms of this special provision;
 - .2 In addition to the packaging required by 3.5.2, each glass inner receptacle is placed in a sealed plastics bag compatible with ethylene oxide and capable of containing the contents in the event of breakage or leakage of the glass inner receptacle; and
 - .3 Each glass inner receptacle is protected by a means of preventing puncture of the plastics bag (e.g. sleeves or cushioning) in the event of damage to the packaging (e.g. by crushing).
- 343 This entry applies to crude oil containing hydrogen sulphide in sufficient concentration that vapours evolved from the crude oil can present an inhalation hazard. The packing group assigned shall be determined by the flammability hazard and inhalation hazard, in accordance with the degree of danger presented.
- 344 The provisions of 6.2.4 shall be met.
- 345 This gas contained in open cryogenic receptacles with a maximum capacity of 1 L constructed with glass double walls having the space between the inner and outer wall evacuated (vacuum insulated) is not subject to the provisions of this Code provided each receptacle is transported in an outer packaging with suitable cushioning or absorbent materials to protect it from impact damage.
- 346 Open cryogenic receptacles conforming to the requirements of packing instruction P203 and containing no dangerous goods except for UN 1977, nitrogen, refrigerated liquid, which is fully absorbed in a porous material, are not subject to any other provisions of this Code.
- 347 This entry shall only be used if the results of test series 6(d) of part I of the Manual of Tests and Criteria have demonstrated that any hazardous effects arising from functioning are confined within the package.
- 348 Batteries manufactured after 31 December 2011 shall be marked with the Watt hour rating on the outside case.
- 349 Mixtures of a hypochlorite with an ammonium salt are not to be accepted for transport. UN 1791 hypochlorite solution is a substance of class 8.
- 350 Ammonium bromate and its aqueous solutions and mixtures of a bromate with an ammonium salt are not to be accepted for transport.
- 351 Ammonium chlorate and its aqueous solutions and mixtures of a chlorate with an ammonium salt are not to be accepted for transport.

- 352 Ammonium chlorite and its aqueous solutions and mixtures of a chlorite with an ammonium salt are not to be accepted for transport.
- Ammonium permanganate and its aqueous solutions and mixtures of a permanganate with an ammonium salt are not to be accepted for transport.
- 354 This substance is toxic by inhalation.
- 355 Oxygen cylinders for emergency use transported under this entry may include installed actuating cartridges (cartridges, power device of class 1.4, compatibility group C or S), without changing the classification of class 2.2 provided the total quantity of deflagrating (propellant) explosives does not exceed 3.2 g per oxygen cylinder. The cylinders with the installed actuating cartridges as prepared for transport shall have an effective means of preventing inadvertent activation.
- △ 356 Metal hydride storage systems installed in vehicles, vessels, machinery, engines or aircraft or in completed components or intended to be installed in vehicles, vessels, machinery, engines or aircraft shall be approved by the competent authority before acceptance for transport. The transport document shall include an indication that the package was approved by the competent authority or a copy of the competent authority approval shall accompany each consignment.
 - 357 Petroleum crude oil containing hydrogen sulphide in sufficient concentration that vapours evolved from the crude oil can present an inhalation hazard shall be consigned under the entry UN 3494 PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC.
 - 358 Nitroglycerin solution in alcohol with more than 1% but not more than 5% nitroglycerin may be classified in class 3 and assigned to UN 3064 provided all the requirements of packing instruction P300 are complied with.
 - 359 Nitroglycerin solution in alcohol with more than 1% but not more than 5% nitroglycerin shall be classified in class 1 and assigned to UN 0144 if not all the requirements of packing instruction P300 are complied with.
- △ 360 Vehicles only powered by lithium metal batteries or lithium ion batteries shall be assigned to the entry UN 3171 BATTERY POWERED VEHICLE. Lithium batteries installed in cargo transport units, designed only to provide power external to the transport unit shall be assigned to entry UN 3536 LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT.
 - 361 This entry applies to electric double layer capacitors with an energy storage capacity greater than 0.3 Wh. Capacitors with an energy storage capacity of 0.3 Wh or less are not subject to the provisions of this Code. Energy storage capacity means the energy held by a capacitor, as calculated using the nominal voltage and capacitance. All capacitors to which this entry applies, including capacitors containing an electrolyte that does not meet the classification criteria of any class or division of dangerous goods, shall meet the following conditions:
 - .1 Capacitors not installed in equipment shall be transported in an uncharged state. Capacitors installed in equipment shall be transported either in an uncharged state or protected against short circuit;
 - .2 Each capacitor shall be protected against a potential short circuit hazard in transport as follows:
 - .1 when a capacitor's energy storage capacity is less than or equal to 10 Wh or when the energy storage capacity of each capacitor in a module is less than or equal to 10 Wh, the capacitor or module shall be protected against short circuit or be fitted with a metal strap connecting the terminals; and
 - .2 when the energy storage capacity of a capacitor or a capacitor in a module is more than 10 Wh, the capacitor or module shall be fitted with a metal strap connecting the terminals;
 - .3 Capacitors containing dangerous goods shall be designed to withstand a 95 kPa pressure differential;
 - .4 Capacitors shall be designed and constructed to safely relieve pressure that may build up in use, through a vent or a weak point in the capacitor casing. Any liquid which is released upon venting shall be contained by the packaging or by the equipment in which a capacitor is installed; and
 - .5 Capacitors manufactured after 31 December 2013 shall be marked with the energy storage capacity in Wh.

Capacitors containing an electrolyte not meeting the classification criteria of any class or division of dangerous goods, including when installed in equipment, are not subject to other provisions of this Code.

Capacitors containing an electrolyte meeting the classification criteria of any class or division of dangerous goods, with an energy storage capacity of 10 Wh or less are not subject to other provisions of this Code when they are capable of withstanding a 1.2 m drop test unpackaged on an unyielding surface without loss of contents.

Capacitors containing an electrolyte meeting the classification criteria of any class or division of dangerous goods that are not installed in equipment and with an energy storage capacity of more than 10 Wh are subject to the provisions of this Code.

Capacitors installed in the equipment and containing an electrolyte meeting the classification criteria of any class or division of dangerous goods, are not subject to other provisions of this Code provided the equipment is packaged in a strong outer packaging constructed of suitable material and of adequate strength and design, in relation to the packaging's intended use and in such a manner as to prevent accidental functioning of capacitors during transport. Large robust equipment containing capacitors may be offered for transport unpackaged or on pallets when capacitors are afforded equivalent protection by the equipment in which they are contained.

Note: Capacitors which by design maintain a terminal voltage (e.g. asymmetrical capacitors) do not belong to this entry.

362 This entry applies to liquids, pastes or powders, pressurized with a propellant which meets the definition of a gas in 2.2.1.1 and 2.2.1.2.1 or 2.2.1.2.2.

Note: A chemical under pressure in an aerosol dispenser shall be transported under UN 1950.

The following provisions shall apply:

- .1 the chemical under pressure shall be classified based on the hazard characteristics of the components in the different states:
 - the propellant;
 - the liquid; or
 - the solid.

If one of these components, which can be a pure substance or a mixture, needs to be classified as flammable, the chemical under pressure shall be classified as flammable in class 2.1. Flammable components are flammable liquids and liquid mixtures, flammable solids and solid mixtures or flammable gases and gas mixtures meeting the following criteria:

- .1 a flammable liquid is a liquid having a flashpoint of not more than 93°C;
- .2 a flammable solid is a solid which meets the criteria in 2.4.2.2 of this Code;
- .3 a flammable gas is a gas which meets the criteria in 2.2.2.1 of this Code;
- .2 gases of class 2.3 and gases with a subsidiary hazard of 5.1 shall not be used as a propellant in a chemical under pressure;
- .3 where the liquid or solid components are classified as dangerous goods of class 6.1, packing groups II or III, or class 8, packing groups II or III, the chemical under pressure shall be assigned a subsidiary hazard of class 6.1 or class 8 and the appropriate UN number shall be assigned. Components classified in class 6.1, packing group I, or class 8, packing group I, shall not be used for transport under this proper shipping name;
- 4 in addition, chemicals under pressure with components meeting the properties of: class 1, explosives; class 3, liquid desensitized explosives; class 4.1, self-reactive substances and solid desensitized explosives; class 4.2, substances liable to spontaneous combustion; class 4.3, substances which, in contact with water, emit flammable gases; class 5.1, oxidizing substances; class 5.2, organic peroxides; class 6.2, Infectious substances or class 7, Radioactive material, shall not be used for transport under this proper shipping name;
- 5 substances to which PP86 or TP7 are assigned in column 9 and column 14 of the Dangerous Goods List in chapter 3.2 and therefore require air to be eliminated from the vapour space, shall not be used for transport under this UN number but shall be transported under their respective UN numbers as listed in the Dangerous Goods List of chapter 3.2.
- 363 This entry may only be used when the conditions of this special provision are met. No other provisions of this Code apply, except for special provision 972, chapter 5.4, part 7 and column 16a and 16b of the Dangerous Goods List.
 - .1 This entry applies to engines or machinery, powered by fuels classified as dangerous goods via internal combustion systems or fuel cells (e.g. combustion engines, generators, compressors, turbines, heating units, etc.), except those which are assigned under UN 3166 or UN 3363;
 - .2 Engines or machinery which are empty of liquid or gaseous fuels and which do not contain other dangerous goods, are not subject to this Code.

Note 1: An engine or machinery is considered to be empty of liquid fuel when the liquid fuel tank has been drained and the engine or machinery cannot be operated due to a lack of fuel. Engine or machinery components such as fuel lines, fuel filters and injectors do not need to be cleaned, drained or purged to be considered empty of liquid fuels. In addition, the liquid fuel tank does not need to be cleaned or purged.

Note 2: An engine or machinery is considered to be empty of gaseous fuels when the gaseous fuel tanks are empty of liquid (for liquefied gases), the positive pressure in the tanks does not exceed 2 bar and the fuel shut-off or isolation valve is closed and secured.

- .3 Engines and machinery containing fuels meeting the classification criteria of class 3, shall be consigned under the entries UN No. 3528 ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or UN 3528 ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED or UN 3528 MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED or UN 3528 MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED, as appropriate.
- .4 Engines and machinery containing fuels meeting the classification criteria of class 2.1, shall be consigned under the entries UN 3529 ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or UN 3529 ENGINE, FUEL CELL, FLAMMABLE GAS POWERED or UN 3529 MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED or UN 3529 MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED, as appropriate.

Engines and machinery powered by both a flammable gas and a flammable liquid shall be consigned under the appropriate UN 3529 entry.

- .5 Engines and machinery containing liquid fuels meeting the classification criteria of 2.9.3 for environmentally hazardous substances and not meeting the classification criteria of any other class or division, shall be consigned under the entries UN 3530 ENGINE, INTERNAL COMBUSTION or UN 3530 MACHINERY, INTERNAL COMBUSTION, as appropriate.
- .6 Engines or machinery may contain other dangerous goods than fuels (e.g. batteries, fire extinguishers, compressed gas accumulators or safety devices) required for their functioning or safe operation without being subject to any additional requirements for these other dangerous goods, unless otherwise specified in this Code.
- .7 The engine or machinery, including the means of containment containing dangerous goods, shall be in compliance with the construction requirements specified by the competent authority.
- .8 Any valves or openings (e.g. venting devices) shall be closed during transport.
- .9 The engines or machinery shall be oriented to prevent inadvertent leakage of dangerous goods and secured by means capable of restraining the engines or machinery to prevent any movement during transport which would change the orientation or cause them to be damaged.
- .10 For UN 3528 and UN 3530:
 - where the engine or machinery contains more than 60 L of liquid fuel and has a capacity of not more than 450 L, the labelling requirements of 5.2.2 shall apply;
 - where the engine or machinery contains more than 60 L of liquid fuel and has a capacity of more than 450 L but not more than 3,000 L, it shall be labelled on two opposing sides in accordance with 5.2.2;
 - △ where the engine or machinery contains more than 60 L of liquid fuel and has a capacity of more than 3,000 L, it shall be placarded on two opposing sides. Placards shall correspond to the class indicated in column 3 of the Dangerous Goods List of chapter 3.2 and shall conform to the specifications given in 5.3.1.2.1;
 - in addition to the above requirements, for UN 3530, where the engine or machinery contains more than 60 L of liquid fuel and the capacity does not exceed 3,000 L, the marking requirements of 5.2.1.6 apply; and where the engine or machinery contains more than 60 L of liquid fuel and the capacity exceeds 3,000 L, the marking requirements of 5.3.2.3.2 apply.
- .11 For UN 3529:
 - where the fuel tank of the engine or machinery has a water capacity of not more than 450 L, the labelling requirements of 5.2.2 shall apply;
 - where the fuel tank of the engine or machinery has a water capacity of more than 450 L but not more than 1,000 L, it shall be labelled on two opposing sides in accordance with 5.2.2; and
 - △ where the fuel tank of the engine or machinery has a water capacity of more than 1,000 L, it shall be placarded on two opposing sides. Placards shall correspond to the class indicated in Column 3 of the Dangerous Goods List in Chapter 3.2 and shall conform to the specifications given in 5.3.1.2.1.
- .12 The transport document shall contain the following additional statement "Transport in accordance with special provision 363".
- .13 The requirements specified in packing instruction P005 of 4.1.4.1 shall be met.
- This article may only be transported under the provisions of chapter 3.4 if, as presented for transport, the package is capable of passing the test in accordance with test series 6(d) of part I of the Manual of Tests and Criteria as determined by the competent authority.
- 365 For manufactured instruments and articles containing mercury, see UN 3506.

- 366 Manufactured instruments and articles containing not more than 1 kg of mercury are not subject to the provisions of this Code.
- 367 For the purposes of documentation and package marking:

The proper shipping name "PAINT RELATED MATERIAL" may be used for consignments of packages containing "PAINT" and "PAINT RELATED MATERIAL" in the same package;

The proper shipping name "PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE" may be used for consignments of packages containing "PAINT, CORROSIVE, FLAMMABLE" and "PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE" in the same package;

The proper shipping name "PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE" may be used for consignments of packages containing "PAINT, FLAMMABLE, CORROSIVE" and "PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE" in the same package; and

The proper shipping name "PRINTING INK RELATED MATERIAL" may be used for consignments of packages containing "PRINTING INK" and "PRINTING INK RELATED MATERIAL" in the same package.

368 In the case of non-fissile or fissile-excepted uranium hexafluoride, the material shall be classified under UN 3507 or UN 2978.

369 In accordance with 2.0.3.5, this radioactive material in an excepted package possessing toxic and corrosive properties is classified in class 6.1 with radioactivity and corrosivity subsidiary hazards.

Uranium hexafluoride may be classified under this entry only if the conditions of 2.7.2.4.1.2, 2.7.2.4.1.5, 2.7.2.4.5.2 and, for fissile-excepted material, of 2.7.2.3.5 are met.

In addition to the provisions applicable to the transport of class 6.1 substances with a corrosivity subsidiary hazard, the provisions of 5.1.3.2, 5.1.5.2.2, 5.1.5.4.1.2, 7.1.4.5.9, 7.1.4.5.10, 7.1.4.5.12, and 7.8.4.1 to 7.8.4.6 shall apply.

No class 7 label is required to be displayed.

- ightarrow 370 This entry only applies to ammonium nitrate that meets one of the following criteria:
 - \triangle ammonium nitrate with more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any added substance; or
 - ammonium nitrate with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any added substance, that gives a positive result when tested in accordance with test series 2 (see Manual of Tests and Criteria, part I). See also UN 1942.
 - This entry shall not be used for ammonium nitrate for which a proper shipping name already exists in the Dangerous Goods List of chapter 3.2 including ammonium nitrate mixed with fuel oil (ANFO) or any of the commercial grades of ammonium nitrate.
 - 371 .1 This entry also applies to articles, containing a small pressure receptacle with a release device. Such articles shall comply with the following requirements:
 - .1 the water capacity of the pressure receptacle shall not exceed 0.5 L and the working pressure shall not exceed 25 bar at 15° C;
 - .2 the minimum burst pressure of the pressure receptacle shall be at least four times the pressure of the gas at 15°C;
 - .3 each article shall be manufactured in such a way that unintentional firing or release is avoided under normal conditions of handling, packing, transport and use. This may be fulfilled by an additional locking device linked to the activator;
 - .4 each article shall be manufactured in such a way as to prevent hazardous projections of the pressure receptacle or parts of the pressure receptacle;
 - .5 each pressure receptacle shall be manufactured from material which will not fragment upon rupture;
 - .6 the design type of the article shall be subjected to a fire test. For this test, the provisions of paragraphs 16.6.1.2 except subparagraph (g), 16.6.1.3.1 to 16.6.1.3.6, 16.6.1.3.7 (b) and 16.6.1.3.8 of the Manual of Tests and Criteria shall be applied. It shall be demonstrated that the article relieves its pressure by means of a fire degradable seal or other pressure relief device, in such a way that the pressure receptacle will not fragment and that the article or fragments of the article do not rocket more than 10 m; and
 - .7 the design type of the article shall be subjected to the following test. A stimulating mechanism shall be used to initiate one article in the middle of the packaging. There shall be no hazardous effects outside the package such as disruption of the package, metal fragments or a receptacle which passes through the packaging.
 - .2 The manufacturer shall produce technical documentation of the design type, manufacture as well as the tests and their results. The manufacturer shall apply procedures to ensure that articles produced in series are made of good quality, conform to the design type and are able to

3

meet the requirements in .1. The manufacturer shall provide such information to the competent authority on request.

372 This entry applies to asymmetric capacitors with an energy storage capacity greater than 0.3 Wh. Capacitors with an energy storage capacity of 0.3 Wh or less are not subject to the provisions of this Code.

Energy storage capacity means the energy stored in a capacitor, as calculated according to the following equation:

Wh =
$$\frac{\frac{1}{2}C_{\rm N}(U_{\rm R}^2 - U_{\rm L}^2)}{3,600}$$

using the nominal capacitance (C_N), rated voltage (U_R) and rated lower limit voltage (U_L).

All asymmetric capacitors to which this entry applies shall meet the following conditions:

- .1 capacitors or modules shall be protected against short circuit;
- .2 capacitors shall be designed and constructed to safely relieve pressure that may build up in use, through a vent or a weak point in the capacitor casing. Any liquid which is released upon venting shall be contained by packaging or by equipment in which a capacitor is installed;
- .3 capacitors manufactured after 31 December 2015 shall be marked with the energy storage capacity in Wh;
- .4 capacitors containing an electrolyte meeting the classification criteria of any class or division of dangerous goods shall be designed to withstand a 95 kPa pressure differential;

Capacitors containing an electrolyte not meeting the classification criteria of any class or division of dangerous goods, including when configured in a module or when installed in equipment are not subject to other provisions of this Code. Capacitors containing an electrolyte meeting the classification criteria of any class or division of dangerous goods, with an energy storage capacity of 20 Wh or less, including when configured in a module, are not subject to other provisions of this Code when the capacitors are capable of withstanding a 1.2 m drop test unpackaged on an unyielding surface without loss of contents.

Capacitors containing an electrolyte meeting the classification criteria of any class or division of dangerous goods that are not installed in equipment and with an energy storage capacity of more than 20 Wh are subject to this Code.

Capacitors installed in equipment and containing an electrolyte meeting the classification criteria of any class or division of dangerous goods, are not subject to other provisions of these regulations provided that the equipment is packaged in a strong outer packaging constructed of suitable material, and of adequate strength and design, in relation to the packaging's intended use and in such a manner as to prevent accidental functioning of capacitors during transport. Large robust equipment containing capacitors may be offered for transport unpackaged or on pallets when capacitors are afforded equivalent protection by the equipment in which they are contained.

Note: Notwithstanding the provisions of this special provision, nickel-carbon asymmetric capacitors containing class 8 alkaline electrolytes shall be transported as UN 2795, BATTERIES, WET, FILLED WITH ALKALI electric storage.

373

Neutron radiation detectors containing non-pressurized boron trifluoride gas may be transported under this entry provided that the following conditions are met:

- .1 Each radiation detector shall meet the following conditions:
 - .1 the pressure in each detector shall not exceed 105 kPa absolute at 20°C;
 - .2 the amount of gas shall not exceed 13 g per detector;
 - .3 each detector shall be manufactured under a registered quality assurance programme;
 - Note: The application of ISO 9001:2008 may be considered acceptable for this purpose.
 - .4 each neutron radiation detector shall be of welded metal construction with brazed metal to ceramic feed through assemblies. These detectors shall have a minimum burst pressure of 1,800 kPa as demonstrated by design type qualification testing; and
 - .5 each detector shall be tested to a 1 \times 10⁻¹⁰ cm³/s leak tightness standard before filling.

.2 Radiation detectors transported as individual components shall be transported as follows:

- .1 detectors shall be packed in a sealed intermediate plastics liner with sufficient absorbent or adsorbent material to absorb or adsorb the entire gas contents;
- .2 they shall be packed in strong outer packaging. The completed package shall be capable of withstanding a 1.8 m drop test without leakage of gas contents from detectors; and
- .3 the total amount of gas from all detectors per outer packaging shall not exceed 52 g.
- .3 Completed neutron radiation detection systems containing detectors meeting the conditions of .1 shall be transported as follows:
 - .1 the detectors shall be contained in a strong sealed outer casing;

- .2 the casing shall contain sufficient absorbent or adsorbent material to absorb or adsorb the entire gas contents; and
- .3 the completed systems shall be packed in strong outer packagings capable of withstanding a 1.8 m drop test without leakage unless a system's outer casing affords equivalent protection.

Packing instruction P200 of 4.1.4.1 is not applicable.

The transport document shall include the statement "Transport in accordance with special provision 373".

Neutron radiation detectors containing not more than 1 g of boron trifluoride, including those with solder glass joints, are not subject to this Code provided they meet the requirements in paragraph .1 and are packed in accordance with paragraph .2. Radiation detection systems containing such detectors are not subject to this Code provided they are packed in accordance with paragraph .3.

Neutron radiation detectors shall be stowed in accordance with stowage Category A.

376 Lithium ion cells or batteries and lithium metal cells or batteries identified as being damaged or defective such that they do not conform to the type tested according to the applicable provisions of the Manual of Tests and Criteria shall comply with the requirements of this special provision.

For the purposes of this special provision, these may include, but are not limited to:

- Cells or batteries identified as being defective for safety reasons;
- Cells or batteries that have leaked or vented;
- Cells or batteries that cannot be diagnosed prior to transport; or
- Cells or batteries that have sustained physical or mechanical damage.
- △ Note: In assessing a cell or battery as damaged or defective, an assessment or evaluation shall be performed based on safety criteria from the cell, battery or product manufacturer or by a technical expert with knowledge of the cell's or battery's safety features. An assessment or evaluation may include, but is not limited to, the following criteria:
 - .1 acute hazard, such as gas, fire or electrolyte leaking;
 - .2 the use or misuse of the cell or battery;
 - .3 signs of physical damage, such as deformation to cell or battery casing, or colours on the casing;
 - .4 external and internal short circuit protection, such as voltage or isolation measures;
 - .5 the condition of the cell or battery safety features; or
 - .6 damage to any internal safety components, such as the battery management system.

Cells and batteries shall be transported according to the provisions applicable to UN 3090, UN 3091, UN 3480 and UN 3481, except special provision 230 and as otherwise stated in this special provision.

Cells and batteries shall be packed in accordance with packing instructions P908 of 4.1.4.1 or LP904 of 4.1.4.3, as applicable.

Cells and batteries identified as damaged or defective and liable to rapidly disassemble, dangerously react, produce a flame or a dangerous evolution of heat or a dangerous emission of toxic, corrosive or flammable gases or vapours under normal conditions of transport shall be packed and transported in accordance with packing instruction P911 of 4.1.4.1 or LP906 of 4.1.4.3, as applicable. Alternative packing and/or transport conditions may be authorized by the competent authority.

Packages shall be marked "DAMAGED/DEFECTIVE" in addition to the proper shipping name, as stated in 5.2.1.

The transport document shall include the following statement "Transport in accordance with special provision 376".

If applicable, a copy of the competent authority approval shall accompany the transport.

377 Lithium ion and lithium metal cells and batteries and equipment containing such cells and batteries transported for disposal or recycling, either packed together with or packed without non-lithium batteries, may be packaged in accordance with packing instruction P909 of 4.1.4.1.

These cells and batteries are not subject to the requirements of section 2.9.4.

Packages shall be marked "LITHIUM BATTERIES FOR DISPOSAL" or "LITHIUM BATTERIES FOR RECYCLING".

Identified damaged or defective batteries shall be transported in accordance with special provision 376 and packaged in accordance with P908 of 4.1.4.1 or LP904 of 4.1.4.3, as applicable.

The transport document shall include the following statement: "Transport in accordance with special provision 377".

- 378 Radiation detectors containing this gas in non-refillable pressure receptacles not meeting the requirements of chapter 6.2 and packing instruction P200 of 4.1.4.1 may be transported under this entry provided:
 - .1 The working pressure in each receptacle does not exceed 50 bar;
 - .2 The receptacle capacity does not exceed 12 L;
 - .3 Each receptacle has a minimum burst pressure of at least 3 times the working pressure when a relief device is fitted and at least 4 times the working pressure when no relief device is fitted;
 - .4 Each receptacle is manufactured from material which will not fragment upon rupture;
 - .5 Each detector is manufactured under a registered quality assurance programme; Note: ISO 9001:2008 may be used for this purpose.
 - .6 Detectors are transported in strong outer packagings. The complete package shall be capable of withstanding a 1.2 metre drop test without breakage of the detector or rupture of the outer packaging. Equipment that includes a detector shall be packed in a strong outer packaging unless the detector is afforded equivalent protection by the equipment in which it is contained; and
 - .7 The transport document includes the following statement "Transport in accordance with special provision 378".

Radiation detectors, including detectors in radiation detection systems, are not subject to any other requirements of this Code if the detectors meet the requirements in .1 to .6 above and the capacity of detector receptacles does not exceed 50 ml.

- 379 Anhydrous ammonia adsorbed on a solid or absorbed in a solid contained in ammonia dispensing systems or receptacles intended to form part of such systems are not subject to the other provisions of this Code if the following conditions are observed:
 - .1 The adsorption or absorption presents the following properties:
 - .1 the pressure at a temperature of 20°C in the receptacle is less than 0.6 bar;
 - .2 the pressure at a temperature of 35°C in the receptacle is less than 1 bar;
 - .3 the pressure at a temperature of 85°C in the receptacle is less than 12 bar;
 - .2 The adsorbent or absorbent material shall not have dangerous properties listed in classes 1 to 8;
 - .3 The maximum contents of a receptacle shall be 10 kg of ammonia; and
 - .4 Receptacles containing adsorbed or absorbed ammonia shall meet the following conditions:
 - \bigtriangleup .1 receptacles shall be made of a material compatible with ammonia as specified in ISO 11114-1:2012 + Amd 1:2017;
 - .2 receptacles and their means of closure shall be hermetically sealed and able to contain the generated ammonia;
 - .3 each receptacle shall be able to withstand the pressure generated at 85°C with a volumetric expansion no greater than 0.1%;
 - .4 each receptacle shall be fitted with a device that allows for gas evacuation once pressure exceeds 15 bar without violent rupture, explosion or projection; and
 - .5 each receptacle shall be able to withstand a pressure of 20 bar without leakage when the pressure relief device is deactivated.

When transported in an ammonia dispenser, the receptacles shall be connected to the dispenser in such a way that the assembly is guaranteed to have the same strength as a single receptacle.

The properties of mechanical strength mentioned in this special provision shall be tested using a prototype of a receptacle and/or dispenser filled to nominal capacity, by increasing the temperature until the specified pressures are reached.

The test results shall be documented, shall be traceable and shall be communicated to the relevant authorities upon request.

- 381 Large packagings conforming to the packing group III performance level used in accordance with packing instruction LP02 of 4.1.4.3, as prescribed in the IMDG Code (amendment 37-14), may be used until 31 December 2022.
- 382 Polymeric beads may be made from polystyrene, poly(methyl methacrylate) or other polymeric material. When it can be demonstrated that no flammable vapour, resulting in a flammable atmosphere, is evolved according to test U1 (Test method for substances liable to evolve flammable vapours) of part III, subsection 38.4.4 of the Manual of Tests and Criteria, polymeric beads, expandable, need not be classified under this UN number. This test should only be performed when declassification of a substance is considered.
- Table tennis balls manufactured from celluloid are not subject to this Code where the net mass of each table tennis ball does not exceed 3.0 g and the total net mass of table tennis balls does not exceed 500 g per package.

- 384 The label to be used is Model No. 9A, see 5.2.2.2. However, for placarding of cargo transport units, the placard shall correspond to Model No. 9.
- When substances are stabilized by temperature control, the provisions of 7.3.7 apply. When chemical stabilization is employed, the person offering the packaging, IBC or tank for transport shall ensure that the level of stabilization is sufficient to prevent the substance in the packaging, IBC or tank from dangerous polymerization at a bulk mean temperature of 50°C, or, in the case of a portable tank, 45°C. Where chemical stabilization becomes ineffective at lower temperatures within the anticipated duration of transport, temperature control is required. In making this determination factors to be taken into consideration include, but are not limited to, the capacity and geometry of the packaging, IBC or tank and the effect of any insulation present, the temperature of the substance when offered for transport, the duration of the journey and the ambient temperature conditions typically encountered in the journey (considering also the season of year), the effectiveness and other properties of the stabilizer employed, applicable operational controls imposed by regulation (e.g. requirements to protect from sources of heat, including other cargo transported at a temperature above ambient) and any other relevant factors.
- 387 Lithium batteries in conformity with 2.9.4.6 containing both primary lithium metal cells and rechargeable lithium ion cells shall be assigned to UN 3090 or 3091 as appropriate. When such batteries are transported in accordance with special provision 188, the total lithium content of all lithium metal cells contained in the battery shall not exceed 1.5 g and the total capacity of all lithium ion cells contained in the battery shall not exceed 10 Wh.
- 388 UN 3166 entries apply to vehicles powered by flammable liquid or gas internal combustion engines or fuel cells.

Vehicles powered by a fuel cell engine shall be assigned to the entries UN 3166 VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED or UN 3166 VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED, as appropriate. These entries include hybrid electric vehicles powered by both a fuel cell and an internal combustion engine with wet batteries, sodium batteries, lithium metal batteries or lithium ion batteries, transported with the battery(ies) installed.

Other vehicles which contain an internal combustion engine shall be assigned to the entries UN 3166 VEHICLE, FLAMMABLE GAS POWERED or UN 3166 VEHICLE, FLAMMABLE LIQUID POWERED, as appropriate. These entries include hybrid electric vehicles powered by both an internal combustion engine and wet batteries, sodium batteries, lithium metal batteries or lithium ion batteries, transported with the battery(ies) installed.

If a vehicle is powered by a flammable liquid and a flammable gas internal combustion engine, it shall be assigned to UN 3166 VEHICLE, FLAMMABLE GAS POWERED.

Entry UN 3171 only applies to vehicles powered by wet batteries, sodium batteries, lithium metal batteries or lithium ion batteries and equipment powered by wet batteries or sodium batteries transported with these batteries installed.

For the purpose of this special provision, vehicles are self-propelled apparatus designed to carry one or more persons or goods. Examples of such vehicles are cars, motorcycles, scooters, threeand four-wheeled vehicles or motorcycles, trucks, locomotives, bicycles (pedal cycles with a motor) and other vehicles of this type (e.g. self-balancing vehicles or vehicles not equipped with at least one seating position), wheelchairs, lawn tractors, self-propelled farming and construction equipment, boats and aircraft. This includes vehicles transported in a packaging. In this case some parts of the vehicle may be detached from its frame to fit into the packaging.

△ Examples of equipment are lawnmowers, cleaning machines or model boats and model aircraft. Equipment powered by lithium metal batteries or lithium ion batteries shall be assigned to the entries UN 3091 LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT or UN 3091 LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT or UN 3481 LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT or UN 3481 LITHIUM ION BATTERIES PACKED WITH EQUIPMENT, as appropriate. Lithium ion batteries or lithium metal batteries installed in a cargo transport unit and designed only to provide power external to the cargo transport unit shall be assigned to the entry UN 3536 LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT lithium ion batteries or lithium metal batteries.

Dangerous goods, such as batteries, airbags, fire extinguishers, compressed gas accumulators, safety devices and other integral components of the vehicle that are necessary for the operation of the vehicle or for the safety of its operator or passengers, shall be securely installed in the vehicle and are not otherwise subject to this Code.

389 This entry only applies to lithium ion batteries or lithium metal batteries installed in a cargo transport unit and designed only to provide power external to the cargo transport unit. The lithium batteries shall meet the requirements of 2.9.4.1 to .7 and contain the necessary systems to prevent overcharge and overdischarge between the batteries.

3

The batteries shall be securely attached to the interior structure of the cargo transport unit (e.g. by means of placement in racks, cabinets, etc.) in such a manner as to prevent short circuits, accidental operation, and significant movement relative to the cargo transport unit under the shocks, loadings and vibrations normally incident to transport. Dangerous goods necessary for the safe and proper operation of the cargo transport unit (e.g. fire-extinguishing systems and air-conditioning systems), shall be properly secured to or installed in the cargo transport unit and are not otherwise subject to this Code. Dangerous goods not necessary for the safe and proper operation of the cargo transport within the cargo transport unit.

The batteries inside the cargo transport unit are not subject to marking or labelling requirements. The cargo transport unit shall display the UN number in accordance with 5.3.2.1.2 and be placarded on two opposing sides in accordance with 5.3.1.1.2.

- 0 When a package contains a combination of lithium batteries contained in equipment and lithium batteries packed with equipment, the following requirements apply for the purposes of package marking and documentation:
 - .1 the package shall be marked "UN 3091 Lithium metal batteries packed with equipment", or "UN 3481 Lithium ion batteries packed with equipment", as appropriate. If a package contains both lithium ion batteries and lithium metal batteries packed with and contained in equipment, the package shall be marked as required for both battery types. However, button cell batteries installed in equipment (including circuit boards) need not be considered.
 - .2 the transport document shall indicate "UN 3091 Lithium metal batteries packed with equipment" or "UN 3481 Lithium ion batteries packed with equipment", as appropriate. If a package contains both lithium metal batteries and lithium ion batteries packed with and contained in equipment, then the transport document shall indicate both "UN 3091 Lithium metal batteries packed with equipment" and "UN 3481 Lithium ion batteries packed with equipment"
- 391 Articles containing dangerous goods of class 2.3, or class 4.2, or class 4.3, or class 5.1, or class 5.2 or class 6.1 for substances of inhalation toxicity requiring packing group I and articles containing more than one of the hazards listed in 2.0.3.4.2 to 2.0.3.4.4 shall be transported under conditions approved by the competent authority.
- 392 For the transport of fuel gas containment systems designed and approved to be fitted in motor vehicles containing this gas, the provisions of subsection 4.1.4.1 and chapter 6.2 of this Code need not be applied when transported for disposal, recycling, repair, inspection, maintenance or from where they are manufactured to a vehicle assembly plant, provided the following conditions are met:
 - .1 The fuel gas containment systems shall meet the requirements of the standards or regulations for fuel tanks for vehicles, as applicable. Examples of applicable standards and regulations are:

LPG tanks	
ECE Regulation No. 67	Uniform provisions concerning:
Revision 2	 Approval of specific equipment of vehicles of category M and N using liquefied petroleum gases in their propulsion system;
	II. Approval of vehicles of category M and N fitted with specific equipment for the use of liquefied petroleum gases in their propulsion system with regard to the installation of such equipment
ECE Regulation No. 115	Uniform provisions concerning the approval of:
	I. Specific LPG (liquefied petroleum gases) retrofit systems to be installed in motor vehicles for the use of LPG in their propulsion systems;
	II. Specific CNG (compressed natural gas) retrofit systems to be installed in motor vehicles for the use of CNG in their propulsion system
CNG tanks	
ECE Regulation No. 110	Uniform provisions concerning the approval of: I. Specific components of motor vehicles using compressed natural gas (CNG) and/or liquefied natural gas (LNG) in their propulsion system;
	II. Vehicles with regard to the installation of specific components of an approved type for the use of compressed natural gas (CNG) and/or liquefied natural gas (LNG) in their propulsion system

390

ECE Regulation No. 115	(Uniform provisions concerning the approval of: I. Specific LPG (liquefied petroleum gases) retrofit systems to be installed in motor vehicles for the use of LPG in their propulsion systems;
	II. Specific CNG (compressed natural gas) retrofit systems to be installed in motor vehicles for the use of CNG in their propulsion system)
ISO 11439:2013	Gas cylinders – High pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles
ISO 15500-Series	ISO 15500: Road vehicles – Compressed natural gas (CNG) fuel system components – several parts as applicable
ANSI NGV 2	Compressed natural gas vehicle fuel containers
CSA B51 Part 2: 2014	Boiler, pressure vessel, and pressure piping code Part 2 Requirements for high-pressure cylinders for on board storage of fuels for automotive vehicles
Hydrogen pressure tanks	
Global Technical Regulation (GTR) No. 13	Global technical regulation on hydrogen and fuel cell vehicles (ECE/TRANS/180/Add.13)
ISO/TS 15869:2009	Gaseous hydrogen and hydrogen blends – Land vehicle fuel tanks
Regulation (EC) No.79/2009	Regulation (EC) No. 79/2009 of the European Parliament and of the Council of 14 January 2009 on type approval of hydrogen-powered motor vehicles, and amending Directive 2007/46/EC
Regulation (EU) No. 406/2010	Commission Regulation (EU) No. 406/2010 of 26 April 2010 implementing Regulation (EC) No. 79/2009 of the European Parliament and of the Council on type-approval of hydrogen-powered motor vehicles.
ECE Regulation No. 134	Uniform provisions concerning the approval of motor vehicles and their components with regards to the safety-related performance of hydrogen-fuelled vehicles (HFCV)
CSA B51 Part 2: 2014	Boiler, pressure vessel, and pressure piping code Part 2 Requirements for high-pressure cylinders for on-board storage of fuels for automotive vehicles

Gas tanks designed and constructed in accordance with previous versions of relevant standards or regulations for gas tanks for motor vehicles, which were applicable at the time of the certification of the vehicles for which the gas tanks were designed and constructed may continue to be transported;

.2 The fuel gas containment systems shall be leakproof and shall not exhibit any signs of external damage which may affect their safety;

Note 1: Criteria may be found in standard ISO 11623:2015 Gas cylinders – Composite construction – Periodic inspection and testing (or ISO 19078:2013 Gas cylinders – Inspection of the cylinder installation, and requalification of high pressure cylinders for the on-board storage of natural gas as a fuel for automotive vehicles).

Note 2: If the fuel gas containment systems are not leakproof or are overfilled or if they exhibit damage that could affect their safety (e.g. in case of a safety-related recall), they shall only be carried in salvage pressure receptacles in conformity with this Code.

- .3 If a fuel gas containment system is equipped with two valves or more integrated in line, the two valves shall be closed as to be gastight under normal conditions of transport. If only one valve exists or only one valve works, all openings with the exception of the opening of the pressure relief device shall be closed as to be gastight under normal conditions of transport;
- .4 Fuel gas containment systems shall be transported in such a way as to prevent obstruction of the pressure relief device or any damage to the valves and any other pressurised part of the fuel gas containment systems and unintentional release of the gas under normal conditions of

transport. The fuel gas containment system shall be secured in order to prevent slipping, rolling or vertical movement;

- Valves shall be protected by one of the methods described in 4.1.6.1.8.1 to 4.1.6.1.8.5; .5
- Except for the case of fuel gas containment systems removed for disposal, recycling, repair, .6 inspection or maintenance, they shall be filled with not more than 20% of their nominal filling ratio or nominal working pressure, as applicable;
- .7 Notwithstanding the provisions of chapter 5.2, when fuel gas containment systems are consigned in a handling device, markings and labels may be affixed to the handling device; and
- Notwithstanding the provisions of 5.4.1.5, the information on the total quantity of dangerous goods may be replaced by the following information:
 - the number of fuel gas containment systems; and .1
 - in the case of liquefied gases the total net mass (kg) of gas of each fuel gas containment .2 system and, in the case of compressed gases, the total water capacity (I) of each fuel gas containment system followed by the nominal working pressure.

Examples for information in the transport document:

- Example 1: "UN 1971 natural gas, compressed, 2.1, 1 fuel gas containment system of 50 l in total, 200 bar".
- "UN 1965 hydrocarbon gas mixture, liquefied, n.o.s., 2.1, 3 fuel gas containment Example 2: systems, each of 15 kg net mass of gas".
- The nitrocellulose shall meet the criteria of the Bergmann-Junk test or methyl violet paper test in the 393 Manual of Tests and Criteria Appendix 10. Tests of type 3 (c) need not be applied.
- 394 The nitrocellulose shall meet the criteria of the Bergmann-Junk test or methyl violet paper test in the Manual of Tests and Criteria Appendix 10.
- 395 This entry shall only be used for solid medical waste of category A transported for disposal.
 - 900 The transport of the following substances is prohibited:
 - AMMONIUM HYPOCHLORITE AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition AMMONIUM NITRITES and mixtures of an inorganic nitrite with an ammonium salt CHLORIC ACID, AQUEOUS SOLUTION with more than 10% chloric acid ETHYL NITRITE pure HYDROCYANIC ACID, AQUEOUS SOLUTION (HYDROGEN CYANIDE, AQUEOUS SOLUTION) with more than 20% hydrogen cyanide HYDROGEN CHLORIDE, REFRIGERATED LIQUID HYDROGEN CYANIDE SOLUTION, IN ALCOHOL with more than 45% hydrogen cyanide MERCURY OXYCYANIDE pure METHYL NITRITE PERCHLORIC ACID with more than 72% acid, by mass SILVER PICRATE, dry or wetted with less than 30% water by mass ZINC AMMONIUM NITRITE See also special provisions 349, 350, 351, 352 and 353. 903 HYPOCHLORITE MIXTURES with 10% or less available CHLORINE are not subject to the provisions of this Code. 904 The provisions of this Code, except for the marine pollution aspects, do not apply to these substances if they are completely miscible with water, except when transported in receptacles with a capacity greater than 250 L and in tanks. 905 May only be shipped as an 80% solution in TOLUENE. The pure product is shock-sensitive and decomposes with explosive violence and the possibility of detonation when heated under confinement. Can be ignited by impact.
 - 907 The consignment shall be accompanied by a certificate from a recognized authority stating:
 - moisture content:
 - fat content;
 - details of anti-oxidant treatment for meals older than 6 months (for UN 2216 only);
 - anti-oxidant concentration at the time of shipment, see special provision 308 (for UN 2216 only);
 - packing, number of bags and total mass of the consignment;
 - temperature of fish meal at the time of despatch from the factory;
 - date of production.

912

No weathering/curing is required prior to loading. Fish meal under UN 1374 shall have been weathered for not less than 28 days before shipment.

When fish meal is packed into containers, the containers shall be packed in such a way that the free air space has been restricted to the minimum.

- This entry also covers solutions in water with concentrations above 70%.
- 916 The provisions of this Code do not apply to this substance when:
 - mechanically produced, with a particle size of 53 microns or greater; or
 - chemically produced, with a particle size of 840 microns or greater.
- 917 Scrap with rubber content below 45% or exceeding 840 microns and fully vulcanized hard rubber are not subject to the provisions of this Code.
- 920 Bars, ingots or sticks are not subject to the provisions of this Code.
- 921 Zirconium, dry, 254 microns or thicker is not subject to the provisions of this Code.
- 922 LEAD PHOSPHITE, DIBASIC which is accompanied by the certificate from the shipper stating that the substance, as offered for shipment, has been stabilized in such a way that it does not possess the properties of class 4.1 is not subject to the provisions of this Code.
- 923 The temperature shall be checked regularly.
- 925 The provisions of this Code do not apply to:
 - non-activated carbon blacks of mineral origin;
 - a consignment of carbon if it passes the tests for self-heating substances as reflected in the Manual of Tests and Criteria (see 33.3.1.3.3), and is accompanied by a certificate from a laboratory accredited by the competent authority, stating that the product to be loaded has been correctly sampled by trained staff from that laboratory and that the sample was correctly tested and has passed the test; and
 - carbons made by a steam activation process.
- 926 This substance shall preferably have been weathered for not less than one month before shipment unless a certificate from a person recognized by the competent authority of the country of shipment states a maximum moisture content of 5%.
- 927 *p*-Nitrosodimethylaniline, wetted with more than 50% water is not subject to the provisions of this Code.
- 928 The provisions of this Code shall not apply to:
 - fish meal when acidified and wetted with more than 40% water, by mass, irrespective of other factors;
 - consignments of fish meal which are accompanied by a certificate issued by a recognized competent authority of the country of shipment or other recognized authority stating that the product has no self-heating properties when transported in packaged form; or
 - fish meal manufactured from "white" fish with a moisture content of not more than 12% and a fat content of not more than 5% by mass.
- 929 If satisfied, as a result of tests, that such relaxation is justified, the competent authority may permit:
 - the seed cakes described as "SEED CAKE, containing vegetable oil (a) mechanically expelled seeds, containing more than 10% of oil or more than 20% of oil and moisture combined" to be transported under conditions governing "SEED CAKE, containing vegetable oil (b) solvent extractions and expelled seeds, containing not more than 10% of oil and, when the amount of moisture is higher than 10% not more than 20% of oil and moisture combined", and
 - the seed cakes described as "SEED CAKE, containing vegetable oil (b) solvent extractions and expelled seeds, containing not more than 10% of oil and, when the amount of moisture is higher than 10% not more than 20% of oil and moisture combined" to be transported under conditions governing SEED CAKE, UN 2217.

Certificates from the shipper shall state oil content and moisture content and shall accompany the shipment.

- 930 All pesticides can only be carried under the provisions of this class if accompanied by a certificate supplied by the shipper stating that, when in contact with water, it is not combustible and does not show tendency to autoignition, and that the mixture of gases evolved is not flammable. Otherwise, the provisions of class 4.3 shall be applicable.
- 931 A consignment of this substance which is accompanied by a declaration from the shipper stating that it has no self-heating properties is not subject to the provisions of this Code.
- 932 Requires a certificate from the maker or shipper, stating that the shipment was stored under cover, but in the open air, in the size in which it was packaged, for not less than 3 days prior to shipment.
- 934 Requires the percentage range of calcium carbide impurity to be shown on the shipping documents.

- 935 Substances which do not evolve flammable gases when wet, which are accompanied by a certificate from the shipper stating that the substance, as offered for shipment, does not evolve flammable gases when wet, are not subject to the provisions of this Code.
- 937 The solid hydrated form of this substance is not subject to the provisions of this Code.
- A consignment of this substance that is accompanied by a shipper's certificate stating that it does not contain more than 0.05% maleic anhydride is not subject to the provisions of this Code.
- 942 The concentration and temperature of the solution at the time of loading, its percentage of combustible material and of chlorides as well as the contents of free acid shall be certified.
- 943 Water-activated articles shall bear a subsidiary hazard label of class 4.3.
- 946 Requires certification from the shipper that the substance is not of class 4.2.
- 948 These substances may be transported in bulk in cargo transport units only if their melting point is 75°C or above.

 \otimes

- 952 UN 1942 may be transported in bulk container if approved by the competent authority.
- 954 The provisions of this Code shall not apply to consignments of compressed baled hay with a moisture content of less than 14% shipped in closed cargo transport units and accompanied by a certificate from the shipper stating that the product does not present any class 4.1, UN 1327, hazard in transport and that its moisture content is less than 14%.
- 955 If a viscous substance and its packaging fulfils the provisions of 2.3.2.5, the packing provisions of chapter 4.1, the marking and labelling provisions of chapter 5.2 and the package testing provisions of chapter 6.1 are not applicable.
- 958 This entry also covers articles, such as rags, cotton waste, clothing or sawdust, containing polychlorinated biphenyls, polyhalogenated biphenyls or polyhalogenated terphenyls where no free visible liquid is present.
- △ 959 Waste aerosols or waste gas cartridges authorized for transport under special provision 327 shall only be transported on short international voyages. Long international voyages are authorized only with the approval of the competent authority. Packagings shall be marked and labelled and cargo transport units shall be marked and placarded for appropriate sub-division of class 2 and, if applicable, the subsidiary hazard(s).
 - 960 Not subject to the provisions of this Code but may be subject to provisions governing the transport of dangerous goods by other modes.
 - 961 Vehicles are not subject to the provisions of this Code if any of the following conditions are met:
 - .1 vehicles are stowed on the vehicle, special category and ro-ro spaces or on the weather deck of a ro-ro ship or a cargo space designated by the Administration (flag State) in accordance with SOLAS 74, chapter II-2, regulation 20 as specifically designed and approved for the carriage of vehicles, and there are no signs of leakage from the battery, engine, fuel cell, compressed gas cylinder or accumulator, or fuel tank when applicable. When packed in a cargo transport unit the exception does not apply to container cargo spaces of a ro-ro ship.

In addition, for vehicles powered solely by lithium batteries and hybrid electric vehicles powered by both an internal combustion engine and lithium metal or ion batteries, the lithium batteries shall meet the provisions of 2.9.4, except that 2.9.4.1 and 2.9.4.7 do not apply when pre-production prototype batteries or batteries of a small production run, consisting of not more than 100 batteries, are installed in the vehicle and the vehicle is manufactured and approved according to the provisions applied in the country of manufacture or country of use. Where a lithium battery installed in a vehicle is damaged or defective, the battery shall be removed.

- .2 vehicles powered by a flammable liquid fuel with a flashpoint of 38°C or above, there are no leaks in any portion of the fuel system, the fuel tank(s) contains 450 L of fuel or less and installed batteries are protected from short-circuit;
- .3 vehicles powered by a flammable liquid fuel with a flashpoint less than 38°C, the fuel tank(s) are empty and installed batteries are protected from short circuit. Vehicles are considered to be empty of flammable liquid fuel when the fuel tank has been drained and the vehicles cannot be operated due to a lack of fuel. Engine components such as fuel lines, fuel filters and injectors do not need to be cleaned, drained or purged to be considered empty. The fuel tank does not need to be cleaned or purged;
- .4 vehicles powered by a flammable gas (liquefied or compressed), the fuel tank(s) are empty and the positive pressure in the tank does not exceed 2 bar, the fuel shut-off or isolation valve is closed and secured, and installed batteries are protected from short circuit;
- .5 vehicles solely powered by a wet or dry electric storage battery or a sodium battery, and the battery is protected from short circuit.

- 962 Vehicles, not meeting the conditions of special provision 961 shall be assigned to class 9 and shall meet the following requirements:
 - .1 vehicles shall not show signs of leakage from batteries, engines, fuel cells, compressed gas cylinders or accumulators, or fuel tank(s) when applicable;
 - .2 for flammable liquid powered vehicles the fuel tank(s) containing the flammable liquid shall not be more than one fourth full and in any case the flammable liquid shall not exceed 250 L unless otherwise approved by the competent authority;
 - .3 for flammable gas powered vehicles, the fuel shut-off valve of the fuel tank(s) shall be securely closed;
 - .4 installed batteries shall be protected from damage, short circuit, and accidental activation during transport. Lithium batteries shall meet the provisions of 2.9.4, except that 2.9.4.1 and 2.9.4.7 do not apply when pre-production prototype batteries or batteries of a small production run, consisting of not more than 100 batteries, are installed in the vehicle and the vehicle is manufactured and approved according to the provisions applied in the country of manufacture or country of use. Where a lithium battery installed in a vehicle is damaged or defective, the battery shall be removed and transported according to SP 376, unless otherwise approved by the competent Authority.

The provisions of this Code relevant to marking, labelling, placarding and marine pollutants shall not apply.

963 Nickel-metal hydride cells or batteries packed with or contained in equipment and nickel-metal hydride button cells are not subject to the provisions of this Code.

All other nickel-metal hydride cells or batteries shall be securely packed and protected from short circuit. They are not subject to other provisions of this Code provided that they are loaded in a cargo transport unit in a total quantity of less than 100 kg gross mass. When loaded in a cargo transport unit in a total quantity of 100 kg gross mass or more, they are not subject to other provisions of this Code except those of 5.4.1, 5.4.3 and columns 16a and 16b of the Dangerous Goods List in chapter 3.2.

- 964 This substance is not subject to the provisions of this Code when transported in non-friable prills or granules form and if it passes the test for oxidizing solid substances as reflected in the Manual of Tests and Criteria (see 34.4.1) and is accompanied by a certificate from a laboratory accredited by a competent authority, stating that the product has been correctly sampled by trained staff from the laboratory and that the sample was correctly tested and has passed the test.
- 965 .1 When transported in cargo transport units, the cargo transport units shall provide an adequate exchange of air in the unit (e.g. by using a ventilated container, open-top container or container in one door off operation) to prevent the build-up of an explosive atmosphere. Alternatively, these entries shall be transported under temperature control in refrigerated cargo transport units that comply with the provisions of 7.3.7.6. When cargo transport units with venting devices are used, these devices shall be kept clear and operable. When mechanical devices are used for ventilation, they shall be explosion-proof to prevent ignition of flammable vapours from the substances.
 - .2 The provisions of .1 do not apply if:
 - .1 the substance is packed in hermetically sealed packagings or IBCs, which conform to packing group II performance level for liquid dangerous goods according to the provisions of 6.1 or 6.5, respectively; and
 - .2 the marked hydraulic test pressure exceeds 1.5 times the total gauge pressure in the packagings or IBCs determined at 55°C for the respective filling goods according to 4.1.1.10.1.
 - .3 Where the substance is loaded in closed cargo transport units, the provisions of 7.3.6.1 shall be met.
 - .4 Cargo transport units shall be marked with a warning mark including the words "CAUTION MAY CONTAIN FLAMMABLE VAPOUR" with lettering not less than 25 mm high. This mark shall be affixed at each access point in a location where it will be easily seen by persons prior to opening or entering the cargo transport unit and shall remain on the cargo transport unit until the following provisions are met:
 - .1 the cargo transport unit has been completely ventilated to remove any hazardous concentration of vapour or gas;
 - .2 the immediate vicinity of the cargo transport unit is clear of any source of ignition; and
 - .3 the goods have been unloaded.
- 966 Sheeted bulk containers (BK1) are only permitted in accordance with 4.3.3.
- 967 Flexible bulk containers (BK3) are only permitted in accordance with 4.3.4.

- 968 This entry shall not be used for sea transport. Discarded packaging shall meet the requirements of 4.1.1.11.
- 969 Substances classified in accordance to 2.9.3 are subject to the provisions for marine pollutants. Substances which are transported under UN 3077 and UN 3082 but which do not meet the criteria of 2.9.3 (see 2.9.2.2) are not subject to the provisions for marine pollutants. However for substances that are identified as marine pollutants in this Code (see Index) but which no longer meet the criteria of 2.9.3, the provisions of 2.10.2.6 apply.
- 971 Battery powered equipment may only be transported provided that the battery shows no sign of leakage and is protected from short-circuit. In this case, no other provisions of this Code apply.
- 272 Lithium batteries shall meet the provisions of 2.9.4, except that 2.9.4.1 and 2.9.4.7 do not apply when pre-production prototype batteries or batteries of a small production run, consisting of not more than 100 batteries, are installed in the engine or machinery. Where a lithium battery installed in an engine or machinery is damaged or defective, the battery shall be removed.
- 973 Packages, with the exception of bales, shall also display the proper shipping name and the UN number of the substance that they contain in accordance with 5.2.1. In any case, the packages, including bales, are exempt from class marking provided that they are loaded in a cargo transport unit and that they contain goods to which only one UN number has been assigned. The cargo transport units in which the packages, including bales, are loaded shall display any relevant labels, placards and marks in accordance with chapter 5.3.
- 974 These substances may be transported in IMO type 9 tanks.
- 975 MEDICAL WASTE, CATEGORY A, AFFECTING HUMANS, solid or MEDICAL WASTE, CATEGORY A, AFFECTING ANIMALS only, solid shall only be transported on short international voyages. Long international voyages are authorized only with the approval of the competent authorities of the port State of departure, port State of arrival and flag State.
- 976 The transport of this substance shall be prohibited except with the approval of the competent authorities of the port State of departure, port State of arrival and flag State.

Chapter 3.4

Dangerous goods packed in limited quantities

3.4.1 General

- **3.4.1.1** This chapter provides the provisions applicable to the transport of dangerous goods of certain classes packed in limited quantities. The applicable quantity limit for the inner packaging or article is specified for each substance in column 7a of the Dangerous Goods List of chapter 3.2. In addition, the quantity "0" has been indicated in this column for each entry not permitted to be transported in accordance with this chapter.
- **3.4.1.2** Limited quantities of dangerous goods packed in such limited quantities, meeting the provisions of this chapter, are not subject to any other provisions of this Code except the relevant provisions of:
 - **.1** Part 1, chapters 1.1, 1.2 and 1.3;
 - .2 Part 2;
 - .3 Part 3, chapters 3.1, 3.2, 3.3;
 - .4 Part 4, 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8;
 - .5 Part 5, 5.1.1 except 5.1.1.6, 5.1.2.3, 5.2.1.7, 5.2.1.9, 5.3.2.4, and chapter 5.4;
 - .6 Part 6, construction requirements of 6.1.4, 6.2.1.2 and 6.2.4;
 - .7 Part 7, 7.1.3.2, 7.6.3.1 and 7.3 except 7.3.3.15 and 7.3.4.1.

3.4.2 Packing

- 3.4.2.1 Dangerous goods shall be packed only in inner packagings placed in suitable outer packagings. Intermediate packagings may be used. In addition, for articles of division 1.4, compatibility group S, the provisions of section 4.1.5 shall be fully complied with. The use of inner packagings is not necessary for the transport of articles such as aerosols or "receptacles, small, containing gas". The total gross mass of the package shall not exceed 30 kg.
- **3.4.2.2** Except for articles of division 1.4, compatibility group S, shrink-wrapped or stretch-wrapped trays meeting the conditions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8 are acceptable as outer packagings for articles or inner packagings containing dangerous goods transported in accordance with this chapter. Inner packagings that are liable to break or be easily punctured, such as those made of glass, porcelain, stoneware or certain plastics, shall be placed in suitable intermediate packagings meeting the provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8, and be so designed that they meet the construction requirements of 6.1.4. The total gross mass of the package shall not exceed 20 kg.
- **3.4.2.3** Liquid goods of class 8, packing group II in glass, porcelain or stoneware inner packagings shall be enclosed in a compatible and rigid intermediate packaging.

3.4.3 Stowage

Dangerous goods packed in limited quantity are allocated stowage category A as defined in 7.1.3.2. The other stowage provisions indicated in column 16a of the Dangerous Goods List are not applicable.

3.4.4 Segregation

- 3.4.4.1 Different dangerous substances in limited quantities may be packed in the same outer packaging, provided:
 - .1 the substances comply with the provisions of 7.2.6.1; and
 - .2 the segregation provisions of chapter 7.2, including the segregation provisions in column 16b of the Dangerous Goods List, are taken into account. However, notwithstanding the individual provisions specified in the Dangerous Goods List, substances in packing group III within the same class may be packed together subject to compliance with 3.4.4.1.1 of the IMDG Code. The following statement shall be included in the transport document: "Transport in accordance with 3.4.4.1.2 of the IMDG Code" (see 5.4.1.5.2.2).

3 The segregation provisions of chapter 7.2 to 7.7 including the segregation provisions in column 16b of the Dangerous Goods List are not applicable for packagings containing dangerous goods in limited quantities or in relation to other dangerous goods. However, articles of division 1.4, compatibility group S shall not

3.4.5 Marking and placarding

compatibility groups A and L.

3.4.4.2

3.4.5.1 Except for air transport, packages containing dangerous goods in limited quantities shall bear the mark shown below:

be stowed in the same compartment or hold, or cargo transport unit with dangerous goods of class 1 of



Mark for packages containing limited quantities

The mark shall be readily visible, legible and able to withstand open weather exposure without a substantial reduction in effectiveness. The mark shall be in the form of a square set at an angle of 45° (diamond-shaped). The top and bottom portions and the surrounding line shall be black. The centre area shall be white or a suitable contrasting background. The minimum dimensions shall be 100 mm \times 100 mm and the minimum width of the line forming the diamond shall be 2 mm. Where dimensions are not specified, all features shall be in approximate proportion to those shown. If the size of the package so requires, the minimum outer dimensions shown above may be reduced to be not less than 50 mm imes 50 mm provided the mark remains clearly visible. The minimum width of the line forming the diamond may be reduced to a minimum of 1 mm.

3.4.5.2 Packages containing dangerous goods packed in conformity with the provisions of part 3, chapter 4 of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air may bear the mark shown below to certify conformity with these provisions:



Mark for packages containing limited quantities conforming to part 3, chapter 4 of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by Air

The mark shall be readily visible, legible and able to withstand open weather exposure without a substantial reduction in effectiveness. The mark shall be in the form of a square set at an angle of 45° (diamond-shaped). The top and bottom portions and the surrounding line shall be black. The centre area shall be white or a suitable contrasting background. The minimum dimensions shall be 100 mm imes 100 mm and the minimum width of the line forming the diamond shall be 2 mm. The symbol "Y" shall be placed in the centre of the mark and shall be clearly visible. Where dimensions are not specified, all features shall be in approximate proportion to those shown. If the size of the package so requires, the minimum outer dimensions shown

above may be reduced to be not less than 50 mm \times 50 mm provided the mark remains clearly visible. The minimum width of the line forming the diamond may be reduced to a minimum of 1 mm. The symbol "Y" shall remain in approximate proportion to that shown above.

3.4.5.3 Multimodal recognition of marks

- **3.4.5.3.1** Packages containing dangerous goods bearing the mark shown in 3.4.5.2 with or without the additional labels and marks for air transport shall be deemed to meet the provisions of section 3.4.2 and need not bear the mark shown in 3.4.5.1.
- **3.4.5.3.2** Packages containing dangerous goods in limited quantities bearing the mark shown in 3.4.5.1 and conforming with the provisions of the ICAO *Technical Instructions for the Safe Transport of Dangerous Goods by Air,* including all necessary marks and labels specified in parts 5 and 6, shall be deemed to meet the provisions of section 3.4.1 as appropriate and of section 3.4.2.
- **3.4.5.4** When packages containing dangerous goods packed in limited quantities are placed in an overpack or in a unit load, the overpack or the unit load shall be marked with the mark required by this chapter unless the marks representative of all dangerous goods in the overpack or the unit load are visible. In addition, an overpack shall be marked with the word "OVERPACK" unless marks representative of all dangerous goods, as required by this chapter, in the overpack are visible. The lettering of the "OVERPACK" mark shall be at least 12 mm high. The other provisions of 5.1.2.1 apply only if other dangerous goods which are not packed in limited quantities are contained in the overpack or in a unit load and only in relation to these other dangerous goods.

3.4.5.5 Placarding and marking of cargo transport units

- **3.4.5.5.1** Cargo transport units containing dangerous goods packed in limited quantities with no other dangerous goods shall not be placarded nor marked according to 5.3.2.0 and 5.3.2.1. However, they shall be suitably marked on the exterior with the mark in 3.4.5.5.4.
- **3.4.5.5.2** Cargo transport units containing dangerous goods and dangerous goods packed in limited quantities shall be placarded and marked according to the provisions applicable to the dangerous goods which are not packed in limited quantities. However, if no placard or mark is required for the dangerous goods not packed in limited quantities, the cargo transport units shall be marked with the mark in 3.4.5.5.4.
- 3.4.5.5.3 [Reserved]
- 3.4.5.5.4 When required in 3.4.5.5.1 or 3.4.5.5.2, the following mark shall be affixed on cargo transport units:



The mark shall be readily visible, legible and be such that this information will still be identifiable on cargo transport units surviving at least three months' immersion in the sea. In considering suitable marking methods, account shall be taken of ease with which the surface of the cargo transport unit can be marked. The top and bottom portions and the surrounding line shall be black. The centre area shall be white or a suitable contrasting background. The minimum dimensions shall be of 250 mm \times 250 mm in locations indicated in 5.3.1.1.4.1.

3.4.6 Documentation

3.4.6.1 In addition to the provisions for documentation specified in chapter 5.4, the words "limited quantity" or "LTD QTY" shall be included on the dangerous goods transport document together with the description of the shipment.

Chapter 3.5

Dangerous goods packed in excepted quantities

3.5.1 Excepted quantities

3.5.1.1 Excepted quantities of dangerous goods of certain classes, other than articles, meeting the provisions of this chapter, are not subject to any other provisions of this Code except for:

- .1 The training provisions in chapter 1.3;
- .2 The classification procedures and packing group criteria in Part 2, Classification;
- .3 The packaging provisions of 4.1.1.1, 4.1.1.2, 4.1.1.4, 4.1.1.4.1 and 4.1.1.6 in Part 4; and
- .4 The provisions for documentation specified in chapter 5.4.

Note: In the case of radioactive material, the provisions for radioactive material in excepted packages in 1.5.1.5 apply.

3.5.1.2 Dangerous goods which may be carried as excepted quantities in accordance with the provisions of this chapter are shown in column 7b of the Dangerous Goods List by means of an alphanumeric code as follows:

Code	Maximum net quantity per inner packaging (in grams for solids and mL for liquids and gases)	Maximum net quantity per outer packaging (in grams for solids and mL for liquids and gases, or sum of grams and mL in the case of mixed packaging)
E0	Not permitted as	excepted quantity
E1	30	1,000
E2	30	500
E3	30	300
E4	1	500
E5	1	300

For gases, the volume indicated for inner packagings refers to the water capacity of the inner receptacle and the volume indicated for outer packagings refers to the combined water capacity of all inner packagings within a single outer packaging.

- **3.5.1.3** Where dangerous goods in excepted quantities for which different codes are assigned are packaged together, the total quantity per outer packaging shall be limited to that corresponding to the most restrictive code.
- **3.5.1.4** Excepted quantities of dangerous goods assigned to codes E1, E2, E4 and E5 are not subject to the provisions of this Code provided that:
 - .1 The maximum net quantity of material per inner packaging is limited to 1 mL for liquids and gases and 1 g for solids;
 - .2 The provisions of 3.5.2 are met, except that an intermediate packaging is not required if the inner packagings are securely packed in an outer packaging with cushioning material in such a way that, under normal conditions of transport, they cannot break, be punctured, or leak their contents; and for liquid dangerous goods, the outer packaging contains sufficient absorbent material to absorb the entire contents of the inner packagings;
 - .3 The provisions of 3.5.3 are complied with; and
 - .4 The maximum net quantity of dangerous goods per outer packaging does not exceed 100 g for solids or 100 mL for liquids and gases.

3.5.2 Packagings

3.5.2.1 Packagings used for the transport of dangerous goods in excepted quantities shall be in compliance with the following:

- .1 There shall be an inner packaging and each inner packaging shall be constructed of plastic (when used for liquid dangerous goods it shall have a thickness of not less than 0.2 mm), or of glass, porcelain, stoneware, earthenware or metal (see also 4.1.1.2) and the closure of each inner packaging shall be held securely in place with wire, tape or other positive means; any receptacle having a neck with moulded screw threads shall have a leakproof threaded-type cap. The closure shall be resistant to the contents;
- .2 Each inner packaging shall be securely packed in an intermediate packaging with cushioning material in such a way that, under normal conditions of transport, they cannot break, be punctured or leak their contents. For liquid dangerous goods, the intermediate or outer packaging shall contain sufficient absorbent material to absorb the entire contents of the inner packagings. When placed in the intermediate packaging, the absorbent material may be the cushioning material. Dangerous goods shall not react dangerously with cushioning, absorbent material and packaging material or reduce the integrity or function of the materials. Regardless of its orientation, the package shall completely contain the contents in case of breakage or leakage;
- .3 The intermediate packaging shall be securely packed in a strong, rigid outer packaging (wooden, fibreboard or other equally strong material);
- .4 Each package type shall be in compliance with the provisions in 3.5.3;
- .5 Each package shall be of such a size that there is adequate space to apply all necessary marks; and
- .6 Overpacks may be used and may also contain packages of dangerous goods or goods not subject to the provisions of this Code.

3.5.3 Tests for packages

- **3.5.3.1** The complete package as prepared for transport, with inner packagings filled to not less than 95% of their capacity for solids or 98% for liquids, shall be capable of withstanding, as demonstrated by testing which is appropriately documented, without breakage or leakage of any inner packaging and without significant reduction in effectiveness:
 - .1 Drops onto a rigid, non-resilient flat and horizontal surface from a height of 1.8 m:
 - (i) Where the sample is in the shape of a box, it shall be dropped in each of the following orientations:
 - flat on the base;
 - flat on the top;
 - flat on the longest side;
 - flat on the shortest side;
 - on a corner
 - (ii) Where the sample is in the shape of a drum, it shall be dropped in each of the following orientations:
 - diagonally on the top chime, with the centre of gravity directly above the point of impact;
 - diagonally on the base chime;
 - flat on the side.

Note: Each of the above drops may be performed on different but identical packages.

- .2 A force applied to the top surface for a duration of 24 h, equivalent to the total weight of identical packages if stacked to a height of 3 m (including the sample).
- **3.5.3.2** For the purposes of testing, the substances to be transported in the packaging may be replaced by other substances except where this would invalidate the results of the tests. For solids, when another substance is used, it shall have the same physical characteristics (mass, grain size, etc.) as the substance to be carried. In the drop tests for liquids, when another substance is used, its relative density (specific gravity) and viscosity shall be similar to those of the substance to be transported.

3.5.4 Marking of packages

3.5.4.1 Packages containing excepted quantities of dangerous goods prepared in accordance with this chapter shall be durably and legibly marked with the mark shown below. The primary hazard class of each of the dangerous goods contained in the package shall be shown in the mark. Where the name of the consignor or consignee is not shown elsewhere on the package, this information shall be included within the mark.

Chapter 3.5 - Dangerous goods packed in excepted quantities



Excepted quantities mark

* The class or, when assigned, the division number(s) shall be shown in this location. ** The name of the consignor or of the consignee shall be shown in this location if not shown elsewhere on the package.

The mark shall be in the form of a square. The hatching and symbol shall be of the same colour, black or red, on white or suitable contrasting background. The minimum dimensions shall be 100 mm \times 100 mm. Where dimensions are not specified, all features shall be in approximate proportion to those shown.

3.5.4.3 When packages containing dangerous goods packed in excepted quantities are placed in an overpack or in a unit load, the overpack or the unit load shall be marked with the mark required by this chapter unless the marks representative of all dangerous goods in the overpack or the unit load are visible. In addition, an overpack shall be marked with the word "OVERPACK" unless marks representative of all dangerous goods, as required by this chapter, in the overpack are visible. The lettering of the "OVERPACK" mark shall be at least 12 mm high. The other provisions of 5.1.2.1 apply only if other dangerous goods which are not packed in excepted quantities are contained in the overpack or in a unit load and only in relation to these other dangerous goods.

3.5.5 Maximum number of packages in any cargo transport unit

3.5.5.1 The number of packages containing dangerous goods packed in excepted quantities in any cargo transport unit shall not exceed 1,000.

3.5.6 Documentation

△ 3.5.6.1 In addition to the provisions for documentation specified in chapter 5.4, the words "dangerous goods in excepted quantities" and the number of packages shall be included on the dangerous goods transport document together with the description of the shipment.

3.5.7 Stowage

3.5.7.1 Dangerous goods packed in excepted quantity are allocated stowage category A as defined in 7.1.3.2. The other stowage provisions indicated in column 16a of the Dangerous Goods List are not applicable.

3.5.8 Segregation

- **3.5.8.1** The segregation provisions of chapters 7.2 to 7.7, including the segregation provisions in column 16b of the Dangerous Goods List, are not applicable for packagings containing dangerous goods packed in excepted quantities or in relation to other dangerous goods.
- **3.5.8.2** The segregation provisions of chapters 7.2 to 7.7, including the segregation provisions in column 16b of the Dangerous Goods List, are not applicable for different dangerous goods in excepted quantities in the same outer packaging provided that they do not react dangerously with each other (see 4.1.1.6).

APPENDICES

Appendix A

List of generic and N.O.S. proper shipping names

Substances or articles not mentioned specifically by name in the Dangerous Goods List in chapter 3.2 shall be classified in accordance with 3.1.1.2. Thus the name in the Dangerous Goods List which most appropriately describes the substance or article shall be used as the proper shipping name. The main generic entries and all the N.O.S. entries given in the Dangerous Goods List are listed below. This proper shipping name shall be supplemented by the technical name when special provision 274 or 318 has been assigned to the entry in column 6 of the Dangerous Goods List. For marine pollutants, see also 3.1.2.9.

In this list, general and N.O.S. names are grouped according to their hazard class or division. Within each hazard class or division, the names have been placed into three groups as follows:

- specific entries covering a group of substances or articles of a particular chemical or technical nature;
- pesticide entries, for class 3 and class 6.1;
- general entries covering a group of substances or articles having one or more general dangerous properties.

THE MOST SPECIFIC APPLICABLE NAME SHALL ALWAYS BE USED.

Class or division	Subsidiary hazard	UN number	Proper shipping name
			CLASS 1
1		0190	SAMPLES, EXPLOSIVE, other than initiating explosive
			Division 1.1
1.1A		0473	SUBSTANCES, EXPLOSIVE, N.O.S.
1.1B		0461	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.
1.1C		0462	ARTICLES, EXPLOSIVE, N.O.S.
1.1C		0474	SUBSTANCES, EXPLOSIVE, N.O.S.
1.1C		0497	PROPELLANT, LIQUID
1.1C		0498	PROPELLANT, SOLID
1.1D		0463	ARTICLES, EXPLOSIVE, N.O.S.
1.1D		0475	SUBSTANCES, EXPLOSIVE, N.O.S.
1.1E		0464	ARTICLES, EXPLOSIVE, N.O.S.
1.1F		0465	ARTICLES, EXPLOSIVE, N.O.S.
1.1G		0476	SUBSTANCES, EXPLOSIVE, N.O.S.
1.1L		0354	ARTICLES, EXPLOSIVE, N.O.S.
1.1L		0357	SUBSTANCES, EXPLOSIVE, N.O.S.
			Division 1.2
1.2B		0382	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.
1.2C		0466	ARTICLES, EXPLOSIVE, N.O.S.
1.2D		0467	ARTICLES, EXPLOSIVE, N.O.S.
1.2E		0468	ARTICLES, EXPLOSIVE, N.O.S.
1.2F		0469	ARTICLES, EXPLOSIVE, N.O.S.
1.2K	6.1	0020	AMMUNITION, TOXIC with burster, expelling charge or propelling charge
1.2L	4.3	0248	CONTRIVANCES, WATER-ACTIVATED with burster, expelling charge
			or propelling charge
1.2L		0355	ARTICLES, EXPLOSIVE, N.O.S.
1.2L		0358	SUBSTANCES, EXPLOSIVE, N.O.S.
1.20		0122	
1.30		0132	ADTICLES EVELOSIVE N.O.S.
1.30		0470	SUBSTANCES EVELOSIVE NOS
1.30		0477	DECODELLANT LICIUD
1.30		0495	
1.30		0499	CURSTANCES EVELOSIVE N.O.S
1.30	61	0470	SUBSTANCES, EXPLOSIVE, N.O.S.
1.01	0.1	0240	
1.5	4.5	0249	or propelling charge
1.31		0356	ABTICLES, EXPLOSIVE, N.O.S.
1.3L		0359	SUBSTANCES. EXPLOSIVE. N.O.S.
			Division 1.4
1.4B		0350	ARTICLES, EXPLOSIVE, N.O.S.
1.4B		0383	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.
1.4C		0351	ARTICLES, EXPLOSIVE, N.O.S.
1.4C		0479	SUBSTANCES, EXPLOSIVE, N.O.S.
1.4C		0501	PROPELLANT, SOLID
1.4D		0352	ARTICLES, EXPLOSIVE, N.O.S.
1.4D		0480	SUBSTANCES, EXPLOSIVE, N.O.S.
1.4E		0471	ARTICLES, EXPLOSIVE, N.O.S.
1.4F		0472	ARTICLES, EXPLOSIVE, N.O.S.
1.4G		0353	ARTICLES, EXPLOSIVE, N.O.S.
1.4G		0485	SUBSTANCES, EXPLOSIVE, N.O.S.
1.4S		0349	ARTICLES, EXPLOSIVE, N.O.S.
1.4S		0384	COMPONENTS, EXPLOSIVE TRAIN, N.O.S.
1.4S		0481	SUBSTANCES, EXPLOSIVE, N.O.S.
-		-	Division 1.5
1.5D		0482	SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE (SUBSTANCES, EVI), N.O.S.
			Division 1.6
1.6N		0486	ARTICLES, EXPLOSIVE, EXTREMELY INSENSITIVE (ARTICLES, EEI)

Class or division	Subsidiary hazard	UN number	Proper shipping name
			CLASS 2
			Class 2.1
			Specific entries
2.1		1964	HYDROCARBON GAS MIXTURE, COMPRESSED, N.O.S.
2.1		1965	HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S.
2.1		3354	INSECTICIDE GAS, FLAMMABLE, N.O.S.
			General entries
2.1		1954	COMPRESSED GAS, FLAMMABLE, N.O.S.
2.1		3161	LIQUEFIED GAS, FLAMMABLE, N.O.S.
2.1		3167	GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S., not refrigerated liquid
2.1		3312	GAS, REFRIGERATED LIQUID, FLAMMABLE, N.O.S.
2.1		3501	CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.
2.1		3510	ADSORBED GAS, FLAMMABLE, N.O.S.
2.1	See 2.0.6.6	3537	ARTICLES CONTAINING FLAMMABLE GAS, N.O.S.
2.1	6.1	3504	CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S.
2.1	8	3505	CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S.
			Class 2.2
			Specific entries
2.2		1078	REFRIGERANT GAS, N.O.S.
2.2		1968	INSECTICIDE GAS, N.O.S.
		1050	
2.2		1956	COMPRESSED GAS, N.O.S.
2.2		3163	LIQUEFIED GAS, N.O.S.
2.2		3158	GAS, REFRIGERATED LIQUID, N.O.S.
2.2		3500	CHEMICAL UNDER PRESSURE, N.O.S.
2.2	See 0.0.6.6	3511	ADSORBED GAS, N.O.S.
2.2	See 2.0.6.6	3538	ARTICLES CONTAINING NON-FLAMMABLE, NON-TOXIC GAS, N.O.S.
2.2	5.1	2157	
2.2	5.1	3311	GAS REERIGERATED LIQUID OVIDIZING NOS
2.2	5.1	3513	ADSOBBED GAS OXIDIZING NOS
2.2	61	3502	CHEMICAL LINDER PRESSURE TOXIC N.O.S.
2.2	8	3503	CHEMICAL UNDER PRESSURE, COBROSIVE, N.O.S.
			Class 2.3
			Specific entries
2.3		1967	INSECTICIDE GAS, TOXIC, N.O.S.
2.3	2.1	3355	INSECTICIDE GAS, TOXIC, FLAMMABLE, N.O.S.
			General entries
2.3		1955	COMPRESSED GAS, TOXIC, N.O.S.
2.3		3162	LIQUEFIED GAS, TOXIC, N.O.S.
2.3		3169	GAS SAMPLE, NON-PRESSURIZED, TOXIC, N.O.S., not refrigerated liquid
2.3		3512	ADSORBED GAS, TOXIC, N.O.S.
2.3	See 2.0.6.6	3539	ARTICLES CONTAINING TOXIC GAS, N.O.S.
2.3	2.1	1953	COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S.
2.3	2.1	3160	LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S.
2.3	2.1	3168	GAS SAMPLE, NON-PRESSURIZED, TOXIC, FLAMMABLE, N.O.S., not refrigerated
0.0	0.1	2514	
2.3	2.1	3305	COMPRESSED GAS TOYIC ELAMMARI E COPPOSIVE NOS
2.0	2.1 + 0	3300	LIQUEFIED GAS, TOXIC, FLANMARI E CORROSIVE, N.O.S.
2.0	2.1 + 0	3517	
2.0	2.1 + 0 5 1	3303	COMPRESSED GAS TOXIC OVIDIZING NOS
2.0	51	3307	LIQUEFIED GAS TOXIC OXIDIZING NOS
2.0	51	3515	ADSORBED GAS TOXIC, OXIDIZING, N.O.S.
2.3	5.1 + 8	3306	COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.

Class or division	Subsidiary hazard	UN number	Proper shipping name
			CLASS 2 (continued)
			Class 2.3 (continued)
2.3	5.1 + 8	3310	LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.
2.3	5.1 + 8	3518	ADSORBED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.
2.3	8	3304	COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.
2.3	8	3308	LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S.
2.3	8	3516	ADSORBED GAS, TOXIC, CORROSIVE, N.O.S.

Class or division	Subsidiary hazard	UN number	Proper shipping name
			CLASS 3
			Specific entries
3		1224	KETONES, LIQUID, N.O.S.
3		1268	PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.
3		1987	ALCOHOLS, N.O.S.
3		1989	ALDEHYDES, N.O.S.
3		2319	TERPENE HYDROCARBONS, N.O.S.
3		3271	ETHERS, N.O.S.
3		3272	ESTERS, N.O.S.
3		3295	
3		3336	MERCAPTANS, LIQUID, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID,
			FLAMMABLE, N.O.S.
3		3343	NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, FLAMMABLE, N.O.S. with not more than 30% nitroglycerin, by mass
3		3357	NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, N.O.S. with not more than
		0070	30% nitrogiycerin, by mass
3		3379	DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.
3	6.1	1228	LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
3	6.1	1986	ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.
3	6.1	1988	ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.
3	6.1	2478	ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION,
2	61	20/0	MEDICINE LIQUID ELAMMADI E TOVIC N.O.S.
2	6.1	2072	NITOINE, EIGOID, LEANINADEL, TOXIC, N.O.S.
2	0.1	0722	AMINES ELAMMARIE CORROSIVE NOS OF ROLVAMINES ELAMMARIE
3	0	2133	CORROSIVE, N.O.S.
3	8	2985	CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.
3	8	3274	ALCOHOLATES SOLUTION, N.O.S. in alcohol
			Pesticides
3	6.1	2758	CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint < 23°C
3	6.1	2760	ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint < 23°C
3	6.1	2762	ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint < 23°C
3	6.1	2764	TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint < 23°C
3	6.1	2772	THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint $<23^\circ\text{C}$
3	6.1	2776	COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint $< 23^{\circ}$ C
3	6.1	2778	MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint $< 23^{\circ}$ C
3	6.1	2780	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC
3	6.1	2782	BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABI F, TOXIC flashpoint < 23°C
3	61	2784	ORGANOPHOSPHORUS PESTICIDE LIQUID ELAMMARI E TOXIC flashpoint $< 23^{\circ}$ C
3	61	2787	OBCANOTIN PESTICIDE O D ELAMMABLE TOYIC flashpoint < 23°C
3	61	2021	PESTICIDE LIQUID ELAMMABLE TOYIC NOS flashpoint $< 23^{\circ}$ C
2	6.1	2021	COLIMADINI DEDIVATIVE DESTICIDE LIQUID, ELAMMADI E TOVIC flooppoint < 23°C
2	0.1	2246	COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMINIABLE, TOXIC HASHPOINT < 23 C
	0.1	3340	flashpoint < 23°C
3	6.1	3350	PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint $<$ 23°C
			General entries
3		1993	FLAMMABLE LIQUID, N.O.S.
3		3256	ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flashpoint above
2	See 2.0 6.6	2510	
2	6 1	1002	FLAMMARI E LIQUID, NOS
2	61 0	3286	
2	0.1 + 0 Q	2024	FLAMMABLE LIQUID, CORROSIVE N.O.S.
5	0	2024	

CLASS 4	
Class 4 1	
013554.1	
4.1 1353 FIBRES OF FABRICS IMPREGNALED WITH WEAKLY	NITRATED
41 3089 METAL POWDER ELAMMABLE NO.S	
4.1 3182 METAL HYDRIDES, FLAMMABLE, N.O.S.	
4.1 3221 SELF-REACTIVE LIQUID TYPE B	
4.1 3222 SELF-REACTIVE SOLID TYPE B	
4.1 3223 SELF-REACTIVE LIQUID TYPE C	
4.1 3224 SELF-REACTIVE SOLID TYPE C	
4.1 3225 SELF-REACTIVE LIQUID TYPE D	
4.1 3226 SELF-REACTIVE SOLID TYPE D	
4.1 3227 SELF-REACTIVE LIQUID TYPE E	
4.1 3228 SELF-REACTIVE SOLID TYPE E	
4.1 3229 SELF-REACTIVE LIQUID TYPE F	
4.1 3230 SELF-REACTIVE SOLID TYPE F	
4.1 3231 SELF-REACTIVE LIQUID TYPE B, TEMPERATURE C	CONTROLLED
4.1 3232 SELF-REACTIVE SOLID TYPE B, TEMPERATURE CO	ONTROLLED
4.1 3233 SELF-REACTIVE LIQUID TYPE C, TEMPERATURE C	CONTROLLED
4.1 3234 SELF-REACTIVE SOLID TYPE C, TEMPERATURE CO	ONTROLLED
4.1 3235 SELF-REACTIVE LIQUID TYPE D, TEMPERATURE C	CONTROLLED
4.1 3236 SELF-REACTIVE SOLID TYPE D, TEMPERATURE CO	ONTROLLED
4.1 3237 SELF-REACTIVE LIQUID TYPE E, TEMPERATURE C	
4.1 3238 SELF-REACTIVE SOLID TYPE E, TEMPERATURE CO	
4.1 3239 SELF-REACTIVE LIQUID TYPE F, TEMPERATURE C	
4.1 3240 SELF-REACTIVE SOLID TYPE F, TEMPERATURE GC	
4.1 3319 NITROGLYCERIN MIXTORE, DESENSITIZED, SOLID	, N.O.S. with more than 2%
4.1 3344 PENTAERYTHRITE TETRANITRATE (PENTAERYTHF MIXTURE, DESENSITIZED, SOLID, N.O.S. with mo	RITOL TETRANITRATE; PETN) ore than 10% but not more than
4.1 3380 DESENSITIZED EXPLOSIVE SOUD N.O.S	
4.1 3531 POLYMERIZING SUBSTANCE SOLID STABILIZED	NOS
4.1 3532 POLYMERIZING SUBSTANCE, LIQUID, STABILIZED,	N.O.S.
4.1 3533 POLYMERIZING SUBSTANCE, SOLID, TEMPERATU	RE CONTROLLED, N.O.S.
4.1 3534 POLYMERIZING SUBSTANCE, LIQUID, TEMPERATU	JRE CONTROLLED, N.O.S.
General entries	
4.1 1325 FLAMMABLE SOLID, ORGANIC, N.O.S.	
4.1 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	
4.1 3176 FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S.	
4.1 3178 FLAMMABLE SOLID, INORGANIC, N.O.S.	
4.1 3181 METAL SALTS OF ORGANIC COMPOUNDS, FLAMM	MABLE, N.O.S.
4.1 See 2.0.6.6 3541 ARTICLES CONTAINING FLAMMABLE SOLID, N.O.S	S.
4.1 5.1 3097 FLAMMABLE SOLID, OXIDIZING, N.O.S.	
4.1 6.1 2926 FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	
4.1 6.1 3179 FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	
4.1 8 2925 FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S	S.
4.1 8 3180 FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.	0.5.
UidSS 4.2	
4.2 1373 FIBRES or FABRICS ANIMAL or VEGETARI F or SVI	NTHETIC, N.O.S. with oil
4.2 1378 METAL CATALYST WETTED with a visible excess of	liquid
4,2 1383 PYROPHORIC METAL N.O.S. or PYROPHORIC ALL	_OY. N.O.S.
4.2 2006 PLASTICS. NITROCELLULOSE-BASED. SELF-HEAT	ING, N.O.S.
4.2 2881 METAL CATALYST, DRY	
4.2 3189 METAL POWDER, SELF-HEATING, N.O.S.	

Class or division	Subsidiary hazard	UN number	Proper shipping name
			CLASS 4 (continued)
			Class 4.2 (continued)
			Specific entries (continued)
4.2		3205	ALKALINE EARTH METAL ALCOHOLATES, N.O.S.
4.2		3313	ORGANIC PIGMENTS, SELF-HEATING
4.2		3342	XANTHATES
4.2		3391	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC
4.2		3392	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC
4.2		3400	ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING
4.2	4.3	3393	ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE
4.2	4.3	3394	ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE
4.2	8	3206	ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.
			General entries
4.2		2845	PYROPHORIC LIQUID, ORGANIC, N.O.S.
4.2		2846	PYROPHORIC SOLID, ORGANIC, N.O.S.
4.2		3088	SELF-HEATING SOLID, ORGANIC, N.O.S.
4.2		3183	SELF-HEATING LIQUID, ORGANIC, N.O.S.
4.2		3186	SELF-HEATING LIQUID, INORGANIC, N.O.S.
4.2		3190	SELF-HEATING SOLID, INORGANIC, N.O.S.
4.2		3194	PYROPHORIC LIQUID, INORGANIC, N.O.S.
4.2		3200	PYROPHORIC SOLID, INORGANIC, N.O.S.
4.2	See 2.0.6.6	3542	ARTICLES CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S.
4.2	5.1	3127	SELF-HEATING SOLID, OXIDIZING, N.O.S.
4.2	6.1	3128	SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.
4.2	6.1	3184	SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.
4.2	6.1	3187	SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.
4.2	6.1	3191	SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.
4.2	8	3126	SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.
4.2	8	3185	SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.
4.2	8	3188	SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.
4.2	8	3192	SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.
			Class 4.3
			Specific entries
4.3		1389	ALKALI METAL AMALGAM, LIQUID
4.3		1390	ALKALI METAL AMIDES
4.3		1391	ALKALI METAL DISPERSION or ALKALINE EARTH METAL DISPERSION
4.3		1392	ALKALINE EARTH METAL AMALGAM, LIQUID
4.3		1393	ALKALINE EARTH METAL ALLOY, N.O.S.
4.3		1409	METAL HYDRIDES, WATER-REACTIVE, N.O.S.
4.3		1421	ALKALI METAL ALLOY, LIQUID, N.O.S.
4.3		3208	METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.
4.3		3395	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE
4.3		3398	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE
4.3		3401	ALKALI METAL AMALGAM, SOLID
4.3		3402	ALKALINE EARTH METAL AMALGAM, SOLID
4.3	3	3399	ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE
4.3	3	3482	ALKALI METAL DISPERSION, FLAMMABLE or ALKALINE EARTH METAL DISPERSION, FLAMMABLE
4.3	3 + 8	2988	CHLOROSILANES, WATER-REACTIVE, FLAMMABLE, CORROSIVE, N.O.S.
4.3	4.1	3396	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE
4.3	4.2	3209	METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.
4.3	4.2	3397	ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING
			General entries
4.3		3148	WATER-REACTIVE LIQUID IN O.S.
4.3		2813	WATER-REACTIVE SOLID NOS
- 1 .0		2010	WALLANDINE COLD, N.C.C.

Class or division	Subsidiary hazard	UN number	Proper shipping name
			CLASS 4 (continued)
			Class 4.3 (continued)
4.3	See 2.0.6.6	3543	ARTICLES CONTAINING A SUBSTANCE WHICH IN CONTACT WITH WATER EMITS FLAMMABLE GASES, N.O.S.
4.3	4.1	3132	WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.
4.3	4.2	3135	WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.
4.3	5.1	3133	WATER-REACTIVE SOLID, OXIDIZING, N.O.S.
4.3	6.1	3130	WATER-REACTIVE LIQUID, TOXIC, N.O.S.
4.3	6.1	3134	WATER-REACTIVE SOLID, TOXIC, N.O.S.
4.3	8	3129	WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.
4.3	8	3131	WATER-REACTIVE SOLID, CORROSIVE, N.O.S.

Cla div	ass or vision	Subsidiary hazard	UN number	Proper shipping name
				CLASS 5
				Class 5.1
				Specific entries
	5.1		1450	BROMATES, INORGANIC, N.O.S.
	5.1		1461	CHLORATES, INORGANIC, N.O.S.
	5.1		1462	CHLORITES, INORGANIC, N.O.S.
	5.1		1477	NITRATES, INORGANIC, N.O.S.
	5.1		1481	PERCHLORATES, INORGANIC, N.O.S.
	5.1		1482	PERMANGANATES, INORGANIC, N.O.S.
	5.1		1483	PEROXIDES, INORGANIC, N.O.S.
	5.1		2627	NITRITES, INORGANIC, N.O.S.
	5.1		3210	CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
	5.1		3211	PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
	5.1		3212	HYPOCHLORITES, INORGANIC, N.O.S.
	5.1		3213	BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
	5.1		3214	PERMANGANATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
	5.1		3215	PERSULPHATES, INORGANIC, N.O.S.
	5.1		3216	PERSULPHATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
	5.1		3218	NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
	5.1		3219	NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
	F 4		1470	
	5.1		1479	OXIDIZING SOLID, N.O.S.
	5.I		3139	OXIDIZING LIQUID, N.U.S.
	5.I	See 2.0.0.0	3044	ARTICLES CONTAINING UXIDIZING SUBSTAINCE, N.O.S.
	5.I	4.1	3137	OXIDIZING SOLID, FLAMIMABLE, N.U.S.
	5.1	4.2	3100	OXIDIZING SOLID, SELF-REATING, N.O.S.
	5.1	4.5	2097	
	5.1	61	3007	
	5.1	8	3085	OXIDIZING SOLID COBBOSIVE N.O.S.
	51	8	3098	OXIDIZING LIQUID, COBROSIVE, N.O.S.
	0.1		0000	Class 5.2
				Specific entries
	5.2		3101	ORGANIC PEROXIDE TYPE B. LIQUID
	5.2		3102	ORGANIC PEROXIDE TYPE B. SOLID
	5.2		3103	ORGANIC PEROXIDE TYPE C. LIQUID
	5.2		3104	ORGANIC PEROXIDE TYPE C, SOLID
	5.2		3105	ORGANIC PEROXIDE TYPE D, LIQUID
	5.2		3106	ORGANIC PEROXIDE TYPE D, SOLID
	5.2		3107	ORGANIC PEROXIDE TYPE E, LIQUID
	5.2		3108	ORGANIC PEROXIDE TYPE E, SOLID
	5.2		3109	ORGANIC PEROXIDE TYPE F, LIQUID
	5.2		3110	ORGANIC PEROXIDE TYPE F, SOLID
	5.2		3111	ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED
	5.2		3112	ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED
	5.2		3113	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED
	5.2		3114	ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED
	5.2		3115	ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED
	5.2		3116	ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED
	5.2		3117	ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED
	5.2		3118	ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED
	5.2		3119	ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED
	5.2		3120	ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED
				General entries
	5.2	See 2.0.6.6	3545	ARTICLES CONTAINING ORGANIC PEROXIDE, N.O.S.

Class or division	Subsidiary hazard	UN number	Proper shipping name						
			CLASS 6						
			Class 6.1						
6.1		1544	ALKALOIDS, SOLID, N.O.S. or ALKALOID SALLS, SOLID, N.O.S.						
6.1		1549	ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.						
6.1		1556	ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.						
6.1		1557	ARSENIC COMPOUND, SOLID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.						
6.1		1564	BARIUM COMPOUND, N.O.S.						
6.1		1566	BERYLLIUM COMPOUND, N.O.S.						
6.1		1583	CHLOROPICRIN MIXTURE, N.O.S.						
6.1		1588	CYANIDES, INORGANIC, SOLID, N.O.S.						
6.1		1601	DISINFECTANT, SOLID, TOXIC, N.O.S.						
6.1		1602	DYE, LIQUID, TOXIC, N.O.S. or DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.						
6.1		1655	NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.						
6.1		1693	TEAR GAS SUBSTANCE, LIQUID, N.O.S.						
6.1		1707	THALLIUM COMPOUND, N.O.S.						
6.1		1851	MEDICINE, LIQUID, TOXIC, N.O.S.						
6.1		1935	CYANIDE SOLUTION, N.O.S.						
6.1		2024	MERCURY COMPOUND, LIQUID, N.O.S.						
6.1		2025	MERCURY COMPOUND, SOLID, N.O.S.						
6.1		2026	PHENYLMERCURIC COMPOUND, N.O.S.						
0.1		2206	ISOCTANATES, TOXIC, N.O.S. OF ISOCTANATE SOLUTION, TOXIC, N.O.S.						
0.1		2291	LEAD COMPOUND, SOLUBLE, N.O.S.						
6.1		2370							
6.1		2856	ELLOBOSILICATES NOS						
6.1		2000	ALKALOIDS LIQUID NO Sor ALKALOIDS SALTS LIQUID NO S						
6.1		3141	ANTIMONY COMPOLIND INORGANIC LIQUID N.O.S.						
61		3142	DISINFECTANT LIQUID TOXIC NOS						
6.1		3143	DYE. SOLID. TOXIC. N.O.S. or DYE INTERMEDIATE. SOLID. TOXIC. N.O.S.						
6.1		3144	NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.						
6.1		3146	ORGANOTIN COMPOUND, SOLID, N.O.S.						
6.1		3249	MEDICINE, SOLID, TOXIC, N.O.S.						
6.1		3276	NITRILES, TOXIC, LIQUID, N.O.S.						
6.1		3278	ORGANOPHOSPHORUS COMPOUND, TOXIC, LIQUID, N.O.S.						
6.1		3280	ORGANOARSENIC COMPOUND, LIQUID, N.O.S.						
6.1		3281	METAL CARBONYLS, LIQUID, N.O.S. with LC ₅₀						
6.1		3282	ORGANOMETALLIC COMPOUND, TOXIC, LIQUID, N.O.S. with LC50						
6.1		3283	SELENIUM COMPOUND, SOLID, N.O.S. with LC ₅₀						
6.1		3284	TELLURIUM COMPOUND, N.O.S. with LC ₅₀						
6.1		3285	VANADIUM COMPOUND, N.O.S.						
6.1		3439	NITRILES, TOXIC, SOLID, N.O.S.						
6.1		3440	SELENIUM COMPOUND, LIQUID, N.O.S.						
6.1		3448	TEAR GAS SUBSTANCE, SOLID, N.O.S.						
6.1		3464	ORGANOPHOSPHORUS COMPOUND, TOXIC, SOLID, N.O.S.						
6.1		3465	ORGANOARSENIC COMPOUND, SOLID, N.O.S.						
6.1		3466	METAL CARBONYLS, SOLID, N.O.S.						
6.1		3467	ORGANOMETALLIC COMPOUND, TOXIC, SOLID, N.O.S.						
6.1	3	3071	MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S. or MERCAPTAN MIXTURE, LIQUID, TOXIC, FLAMMABLE, N.O.S.						
6.1	3	3080	ISOCYANATES, TOXIC, FLAMMABLE, N.O.S or ISOCYANATE SOLUTION, TOXIC, FLAMMABLE, N.O.S.						
6.1	3	3275	NITRILES, TOXIC, FLAMMABLE, N.O.S.						
6.1	3	3279	ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.						
6.1	3 + 8	2742	CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.						
	Class or division	Subsidiary hazard	UN number	Proper shipping name					
-----	-------------------	----------------------	------------------------------------	--	--	--	--	--	--
				CLASS 6 (continued)					
				Class 6.1 (continued)					
				Specific entries (continued)					
6.1		3 + 8	3362	CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.					
	6.1	8	3277	CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.					
	6.1	8	3361	CHLOROSILANES, TOXIC, CORROSIVE, N.O.S.					
				Desticides					
	6.1		0500						
	0.1		2388	PESTICIDE, SOLID, TOXIC, N.U.S.					
	0.1		2757						
	6.1		2759						
	61		2701						
	61		2703						
	61		2775	COPPER BASED PESTICIDE, SOLID, TOXIC					
	6.1		2777	MERCUBY BASED PESTICIDE, SOLID, TOXIC					
	61		2779						
	6.1		2781	BIPYRIDILIUM PESTICIDE, SOLID. TOXIC					
	6.1		2783	ORGANOPHOSPHORUS PESTICIDE. SOLID. TOXIC					
	6.1		2786	ORGANOTIN PESTICIDE, SOLID, TOXIC					
	6.1		3027	COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC					
	6.1		3345	PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC					
	6.1	6.1 3349		PYRETHROID PESTICIDE, SOLID, TOXIC					
				(b) Liquid					
6.1			2902	PESTICIDE, LIQUID TOXIC, N.O.S.					
6.1			2992	CARBAMATE PESTICIDE, LIQUID, TOXIC					
	6.1		ARSENICAL PESTICIDE, LIQUID, TOXIC						
	6.1		2996	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC					
	6.1		2998						
	6.1		3006						
	6.1		3010	COPPER BASED PESTICIDE, LIQUID, TOXIC					
	6.1		3012	MERCURY BASED PESTICIDE, LIQUID, TOXIC					
	6.1		3014						
	6.1		3010						
	6.1		3010						
	61		3020						
	61		33/8						
	61		3352	PYRETHROID PESTICIDE, LIQUID TOXIC					
	6.1	3	2903	PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S., flashpoint > 23°C					
	6.1	3	2991	CARBAMATE PESTICIDE, LIQUID. TOXIC. FLAMMABI F. flashpoint > 23°C					
	6.1	3	2993	ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint > 23°C					
	6.1	3	2995	ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint > 23°C					
	6.1	3	2997	TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint > 23°C					
	6.1	3	3005	THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint > 23°C					
	6.1	3	3009	COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint > 23°C					
	6.1	3	3011	MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint $> 23^{\circ}$ C					
	6.1	3	3013	SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE					
				flashpoint \geq 23°C					
	6.1	3	3015	BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint \geq 23°C					
	6.1	3	3017	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint \geq 23°C					
	6.1	3	3019	ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint \geq 23°C					
	6.1	3	3025	COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE					
	6.1	3	3347	tlashpoint ≥ 23°C PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE					
	61	Q	3251						
	0.1	5	0001	The minor restroide, Equid, TONO, realignment as input ≥ 23 G					

Class or division	Subsidiary hazard	UN number	r Proper shipping name	
			CLASS 6 (continued)	
			Class 6.1 (continued)	
			General entries	
6.1		2810	TOXIC LIQUID, ORGANIC, N.O.S.	
6.1		2811	TOXIC SOLID, ORGANIC, N.O.S.	
6.1		3172	TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	
6.1		3243	SOLIDS CONTAINING TOXIC LIQUID, N.O.S.	
6.1		3287	TOXIC LIQUID, INORGANIC, N.O.S.	
6.1		3288	TOXIC SOLID, INORGANIC, N.O.S.	
6.1		3315	CHEMICAL SAMPLE, TOXIC	
0.1		3301	200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	
6.1		3382	TOXIC BY INHALATION LIQUID, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	
6.1		3462	TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	
6.1	See 2.0.6.6	3546	ARTICLES CONTAINING TOXIC SUBSTANCE, N.O.S.	
6.1	3	2929	TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.	
6.1	3	3383	TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	
6.1	3	3384	TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC ₅₀ lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 L Cro	
6.1	3 + 8	3488	TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 L C ₅₀	
6.1	3 + 8	3489	TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC ₅₀ lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater	
61	4.1	2020	TOYIC SOLID ELAMMARI E OPCANIC NOS	
61	4.1	2535	TOXIC SOLID, FLAMMABLE, ONGANIC, N.O.S.	
61	4.2	3124	TOXIC SOLID, FEATING NOS	
6.1	4.3	3123	TOXIC LIQUID. WATER-REACTIVE. N.O.S.	
6.1	4.3	3125	TOXIC SOLID, WATER-REACTIVE, N.O.S.	
6.1	4.3	3385	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC ₅₀ lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	
6.1	4.3	3386	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC ₅₀ lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	
6.1	4.3 + 3	3490	TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater	
61	12.2	3/01		
0.1	4.5 + 5	0491	LC_{50} lower than or equal to 10 L C_{50} mL/m ³ and saturated vapour concentration greater than or equal to 10 L C_{50}	
6.1	5.1	3122	TOXIC LIQUID, OXIDIZING, N.O.S.	
6.1	5.1	3086	TOXIC SOLID, OXIDIZING, N.O.S.	
6.1	5.1	3387	TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC ₅₀ lower than or equal to 200 ml /m ³ and saturated vapour concentration greater than or equal	
			to 500 LC_{50}	
6.1	5.1	3388	TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC ₅₀ lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	
6.1	8	2927	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	
6.1	8	2928	TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	
6.1	8	3289	TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	
6.1	8	3290	TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	
6.1	8	3389	TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	
6.1	8	3390	TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. with an LC ₅₀ lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC ₅₀	

Class or division	Subsidiary hazard	UN number	Proper shipping name
			CLASS 6 (continued)
			Class 6.2
			Specific entries
6.2		3291	CLINICAL WASTE, UNSPECIFIED, N.O.S. or (BIO)MEDICAL WASTE, N.O.S. or REGULATED MEDICAL WASTE, N.O.S.
6.2		3373	BIOLOGICAL SUBSTANCE, CATEGORY B
6.2		3549	MEDICAL WASTE, CATEGORY A, AFFECTING HUMANS, solid
6.2 35		3549	MEDICAL WASTE, CATEGORY A, AFFECTING ANIMALS only, solid
			General entries
6.2		2814	INFECTIOUS SUBSTANCE, AFFECTING HUMANS
6.2		2900	INFECTIOUS SUBSTANCE, AFFECTING ANIMALS only

Class or division	Subsidiary hazard	UN number	r Proper shipping name			
			CLASS 7			
			General entries			
7		2908	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – EMPTY PACKAGING			
7		2909	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM NATURAL URANIUM or DEPLETED URANIUM or NATURAL THORIUM			
7		2910	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – LIMITED QUANTITY OF MATERIAL			
7		2911	RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – INSTRUMENTS or ARTICLES			
7		2912	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-I) non fissile or fissile-excepted			
7		2913	RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II) non fissile or fissile-excepted			
7		2915	RADIOACTIVE MATERIAL, TYPE A PACKAGE, non-special form, non fissile or fissile-excepted			
7		2916	RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE non fissile or fissile-excepted			
7		2917	RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE non fissile or fissile-excepted			
7		2919	RADIOACTIVE MATERIAL, TRANSPORTED UNDER SPECIAL ARRANGEMENT non fissile or fissile-excepted			
7		3321	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), non fissile or fissile-excepted			
7		3322	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III), non fissile or fissile-excepted			
7		3323	RADIOACTIVE MATERIAL, TYPE C PACKAGE non fissile or fissile-excepted			
7		3324	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), FISSILE			
7		3325	RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III), FISSILE			
7		3326	RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II), FISSILE			
7		3327	RADIOACTIVE MATERIAL, TYPE A PACKAGE, FISSILE non-special form			
7		3328	RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE, FISSILE			
7		3329	RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, FISSILE			
7		3330	RADIOACTIVE MATERIAL, TYPE C PACKAGE, FISSILE			
7		3331	RADIOACTIVE MATERIAL, TRANSPORTED UNDER SPECIAL ARRANGEMENT, FISSILE			
7		3332	RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM non fissile or fissile-excepted			
7		3333	RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, FISSILE			

Class or	Subsidiary	UN	Proper shipping name					
division	hazard	number						
			CLASS 8					
			Specific entries					
8 1719		1719	CAUSTIC ALKALI LIQUID, N.O.S.					
8		1740	HYDROGENDIFLUORIDES, SOLID, N.O.S.					
8		1903	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.					
8		2430	ALKYLPHENOLS, SOLID, N.O.S. (including C ₂ -C ₁₂ homologues)					
8		2693	BISULPHITES, AQUEOUS SOLUTION, N.O.S.					
8		2735	AMINES, LIQUID, CORROSIVE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, N.O.S.					
8		2801	DYE, LIQUID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.					
8		2837	BISULPHATES, AQUEOUS SOLUTION					
8		2987	CHLOROSILANES, CORROSIVE, N.O.S.					
8		3145	ALKYLPHENOLS, LIQUID, N.O.S. (including C2-C12 homologues)					
8		3147	DYE, SOLID, CORROSIVE, N.O.S. or DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.					
8		3259	AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.					
8	3	2734	AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S. or POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.					
8	3	2986	CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.					
8	6.1	3471	HYDROGENDIFLUORIDES SOLUTION, N.O.S.					
			General entries					
8		1759	CORROSIVE SOLID, N.O.S.					
8		1760	CORROSIVE LIQUID, N.O.S.					
8		3244	SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.					
8		3260	CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.					
8		3261	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.					
8		3262	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.					
8		3263	CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.					
8		3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.					
8		3265	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.					
8		3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.					
8		3267	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.					
8	See 2.0.6.6	3547	ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.					
8	3	2920	CORROSIVE LIQUID, FLAMMABLE, N.O.S.					
8	4.1	2921	CORROSIVE SOLID, FLAMMABLE, N.O.S.					
8	4.2	3095	CORROSIVE SOLID, SELF-HEATING, N.O.S.					
8	4.2	3301	CORROSIVE LIQUID, SELF-HEATING, N.O.S.					
8	4.3	3094	CORROSIVE LIQUID, WATER-REACTIVE, N.O.S.					
8	4.3	3096	CORROSIVE SOLID, WATER-REACTIVE, N.O.S.					
8	5.1	3084	CORROSIVE SOLID, OXIDIZING, N.O.S.					
8	5.1	3093	CORROSIVE LIQUID, OXIDIZING, N.O.S.					
8	6.1	2922	CORROSIVE LIQUID, TOXIC, N.O.S.					
8	6.1	2923	CORROSIVE SOLID, TOXIC, N.O.S.					

Class or division	Subsidiary hazard	UN number	Proper shipping name	
			CLASS 9	
			General entries	
9		3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
9		3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	
9	3245 GENETICALLY MODIFIED MICROORGANISMS or GENETICALLY MODIFIED ORGANISMS			
9		3257	ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below its flashpoint (including molten metals, molten salts, etc.)	
9		3258	ELEVATED TEMPERATURE SOLID, N.O.S., at or above 240°C	
see SP960		3334	AVIATION REGULATED LIQUID, N.O.S.	
see SP960		3335	AVIATION REGULATED SOLID, N.O.S.	
9	See 2.0.6.6	3548	ARTICLES CONTAINING MISCELLANEOUS DANGEROUS GOODS, N.O.S.	

Appendix B

Glossary of terms

Note: The provisions of this appendix are not mandatory.

Caution: The explanations in this glossary are for information only and are not to be used for purposes of hazard classification.

Ammunition

AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge

AMMUNITION, INCENDIARY

AMMUNITION, PRACTICE

AMMUNITION, PROOF

AMMUNITION, SMOKE

Generic term related mainly to articles of military application consisting of all kind of bombs, grenades, rockets, mines, projectiles and other similar devices or contrivances.

Ammunition designed to produce a single source of intense light for lighting up an area. The term includes illuminating cartridges, grenades and projectiles; and illuminating and target identification bombs. The term excludes the following articles which are listed separately: CARTRIDGES, SIGNAL; SIGNAL DEVICES, HAND; SIGNALS, DISTRESS; FLARES, AERIAL and FLARES, SURFACE.

Ammunition containing incendiary substances which may be a solid, liquid or gel including white phosphorus. Except when the composition is an explosive *per se*, it also contains one or more of the following: a propelling charge with primer and igniter charge; a fuze with burster or expelling charge. The term includes:

AMMUNITION, INCENDIARY, liquid or gel, with burster, expelling charge or propelling charge;

AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge;

AMMUNITION, INCENDIARY, WHITE PHOSPHORUS with burster, expelling charge or propelling charge.

Ammunition without a main bursting charge, containing a burster or expelling charge. Normally it also contains a fuze and a propelling charge. The term excludes the following articles which are listed separately: GRENADES, PRACTICE.

Ammunition containing pyrotechnic substances, used to test the performance or strength of new ammunition, weapon component or assemblies.

Ammunition containing a smoke-producing substance such as chlorosulphonic acid mixture, titanium tetrachloride or white phosphorus; or smoke-producing pyrotechnic composition based on hexachloroethane or red phosphorus. Except when the substance is an explosive *per se*, the ammunition also contains one or more of the following: a propelling charge with primer and igniter charge; a fuze with burster or expelling charge. The term includes grenades, smoke but excludes SIGNALS, SMOKE which are listed separately. The term includes:

AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge;

AMMUNITION, SMOKE, WHITE PHOSPHORUS with burster, expelling charge or propelling charge.

AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge

AMMUNITION, TOXIC with burster, expelling charge or propelling charge

ARTICLES, EXPLOSIVE, EXTREMELY INSENSITIVE (ARTICLES, EEI)

ARTICLES, PYROPHORIC

ARTICLES, PYROTECHNIC for technical purposes

Auxiliary explosive component, isolated

BLACK POWDER (GUNPOWDER)

Bombs

BOOSTERS

BURSTERS, explosive

Cartridges, blank

CARTRIDGES, FLASH

Ammunition containing tear-producing substance. It also contains one or more of the following: a pyrotechnic substance; a propelling charge with primer and igniter charge; a fuze with burster or expelling charge.

Ammunition containing toxic agent. It also contains one or more of the following: a pyrotechnic substance; a propelling charge with primer and igniter charge; a fuze with burster or expelling charge.

Articles that predominantly contain extremely insensitive substances and which demonstrate a negligible probability of accidental initiation or propagation (under normal conditions of transport) and which have passed test series 7.

Articles which contain a pyrophoric substance (capable of spontaneous ignition when exposed to air) and an explosive substance or component. The term excludes articles containing white phosphorus.

Articles which contain pyrotechnic substances and are used for technical purposes such as heat generation, gas generation, theatrical effects, etc. The term excludes the following articles which are listed separately: all ammunition; CARTRIDGES, SIGNAL; CUTTERS, CABLE, EXPLOSIVE; FIREWORKS; FLARES, AERIAL; FLARES, SURFACE; RELEASE DEVICES, EXPLOSIVE; RIVETS, EXPLOSIVE; SIGNAL DEVICES, HAND; SIGNALS, DISTRESS; SIGNALS, RAILWAY TRACK, EXPLOSIVE; SIGNALS, SMOKE.

An "isolated auxiliary explosive component" is a small device that explosively performs an operation related to the article's functioning, other than its main explosive load's performance. Functioning of the component does not cause any reaction of the main explosive loads contained within the article.

Substance consisting of an intimate mixture of charcoal or other carbon and either potassium nitrate or sodium nitrate, with or without sulphur. It may be meal, granular, compressed or pelletized.

Explosive articles which are dropped from aircraft. They may contain a flammable liquid with bursting charge, a photo-flash composition or a bursting charge. The term excludes torpedoes (aerial) and includes:

BOMBS, PHOTO-FLASH;

BOMBS with bursting charge;

BOMBS WITH FLAMMABLE LIQUID with bursting charge.

Articles consisting of a charge of detonating explosive with or without means of initiation. They are used to increase the initiating power of detonators or detonating cord.

Articles consisting of a small charge of explosive used to open projectiles or other ammunition in order to disperse their contents.

Articles which consist of a cartridge case with a centre or rim fire primer and a confined charge of smokeless or black powder but no projectile. Used for training, saluting or in starter pistols, tools, etc.

Articles consisting of a casing, a primer and flash powder, all assembled in one piece ready for firing.

	Cartridges for Weapons	.1	Fixed (assembled) or semi-fixed (partially-assembled) ammunition designed to be fired from weapons. Each cartridge includes all the components necessary to function the weapon once. The proper shipping name shall be used for small arms cartridges that cannot be described as "cartridges, small arms". Separate loading ammunition is included under this proper shipping name when the propelling charge and projectile are packed together (see also "Cartridges, blank").				
		.2	Incendiary, smoke, toxic and tear-producing cartridges are described in this Glossary under AMMUNITION, INCENDIARY etc.				
	CARTRIDGES FOR WEAPONS, INERT PROJECTILE	Amm charg trace provie prope	unition consisting of a projectile without bursting the but with a propelling charge. The presence of a r can be disregarded for classification purposes ded that the predominant hazard is that of the elling charge.				
	CARTRIDGES, OIL WELL	Articles consisting of a casing of thin fibre, metal or other material containing only propellant which projects a hardened projectile. The term excludes the following articles which are listed separately: CHARGES, SHAPED.					
	CARTRIDGES, POWER DEVICE		Articles designed to accomplish mechanical actions. They consist of a casing with a charge of deflagrating explosive and a means of ignition. The gaseous products of the deflagration produce inflation, or linear or rotary motion, or activate diaphragms, valves or switches or project fastening devices or extinguishing agents.				
	CARTRIDGES, SIGNAL		Articles designed to fire coloured flares or other signals from signal pistols, etc.				
	CARTRIDGES, SMALL ARMS	Amm centre charg in we cartri The te listed small FOR	unition consisting of a cartridge case fitted with a e or rim fire primer and containing both a propelling le and a solid projectile. They are designed to be fired apons of calibre not larger than 19.1 mm. Shotgun dges of any calibre are included in this description. erm excludes: CARTRIDGES, SMALL ARMS, BLANK separately in the Dangerous Goods List; and some arms cartridges which are listed under CARTRIDGES WEAPONS, INERT PROJECTILE.				
	CASES, CARTRIDGE, EMPTY, WITH PRIMER	Articl plasti explo	es consisting of a cartridge case made from metal, cs or other non-flammable material, in which the only sive component is the primer.				
	CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER	Articl entire	es consisting of cartridge cases made partly or ly from nitrocellulose.				
	Charges, bursting CHARGES, DEMOLITION CHARGES, DEPTH		Articles consisting of a charge of detonating explosive such as hexolite, octolite or plastics bonded explosive designed to produce effect by blast or fragmentation.				
			Articles containing a charge of a detonating explosive in a casing of fibreboard, plastics, metal or other material The term excludes the following articles which are listed separately: bombs, mines, etc.				
			es consisting of a charge of detonating explosive ined in a drum or projectile. They are designed to late under water.				
	Charges, expelling	A cha paylo	arge of deflagrating explosive designed to eject the ad from the parent articles without damage.				

CHARGES, EXPLOSIVE, COMMERCIAL Articles consisting of a charge of detonating explosive without detonator without means of initiation, used for explosive welding, jointing, forming and other metallurgical processes. CHARGES, PROPELLING Articles consisting of a propellant charge in any physical form, with or without a casing, for use as a component of rocket motors or for reducing the drag of projectiles. CHARGES, PROPELLING FOR CANNON Articles consisting of a propellant charge in any physical form, with or without a casing, for use in a cannon. CHARGES, SHAPED, without detonator Articles consisting of a casing containing a charge of detonating explosive with a cavity lined with rigid material, without means of initiation. They are designed to produce a powerful, penetrating jet effect. CHARGES, SHAPED, FLEXIBLE, LINEAR Articles consisting of a V-shaped core of a detonating explosive clad by a flexible metal sheath. CHARGES, SUPPLEMENTARY, EXPLOSIVE Articles consisting of a small removable booster used in the cavity of a projectile between the fuze and the bursting charge. COMPONENTS, EXPLOSIVE TRAIN, N.O.S. Articles containing an explosive designed to transmit the detonation or deflagration within an explosive train. CONTRIVANCES, WATER-ACTIVATED with Articles whose functioning depends upon physicochemical reaction of their contents with water. burster, expelling charge or propelling charge CORD, DETONATING, flexible Article consisting of a core of detonating explosive enclosed in spun fabric, with plastics or other covering unless the spun fabric is sift-proof. CORD (FUSE), DETONATING, metal clad Article consisting of a core of detonating explosive clad by a soft metal tube with or without protective covering. When the core contains a sufficiently small quantity of explosive, the words "MILD EFFECT" are added. CORD, IGNITER Article consisting of textile yarns covered with black powder or another fast-burning pyrotechnic composition and of a flexible protective covering; or it consists of a core

CUTTERS, CABLE, EXPLOSIVE

DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting

 \triangle Detonators

Article consisting of textile yarns covered with black powder or another fast-burning pyrotechnic composition and of a flexible protective covering; or it consists of a core of black powder surrounded by a flexible woven fabric. It burns progressively along its length with an external flame and is used to transmit ignition from a device to a charge or primer.

Articles consisting of a knife-edged device which is driven by a small charge of deflagrating explosive into an anvil.

Non-electric detonators assembled with and activated by such means as safety fuse, shock tube, flash tube or detonating cord. They may be of instantaneous design or incorporate delay elements. Detonating relays incorporating detonating cord are included. Other detonating relays are included in "Detonators, non-electric".

Articles consisting of a small metal or plastics tube containing explosives such as lead azide, PETN or combinations of explosives. They are designed to start a detonation train. They may be constructed to detonate instantaneously, or may contain a delay element. The term includes:

DETONATORS FOR AMMUNITION and

DETONATORS for blasting, ELECTRIC, NON-ELECTRIC, and ELECTRONIC programmable.

Detonating relays without flexible detonating cord are included.

DETONATORS, ELECTRONIC programmable for blasting	Detonators with enhanced safety and security features, utilizing electronic components to transmit a firing signal with validated commands and secure communications. Detonators of this type cannot be initiated by other means.			
Entire load and total contents	The phrases "entire load" and "total contents" mean such a substantial proportion that the practical hazard shall be assessed by assuming simultaneous explosion of the whole of the explosive content of the load or package.			
Explode	The verb used to indicate those explosive effects capable of endangering life and property through blast, heat and projection of missiles. It encompasses both deflagration and detonation.			
Explosion of the total contents	The phrase "explosion of the total contents" is used in testing a single article or package or a small stack of articles or packages.			
Explosive, blasting	Detonating explosive substances used in mining, construction and similar tasks. Blasting explosives are assigned to one of five types. In addition to the ingredients listed, blasting explosives may also contain inert components such as kieselguhr, and minor ingredients such as colouring agents and stabilizers.			
EXPLOSIVE, BLASTING, TYPE A	Substances consisting of liquid organic nitrates such as nitroglycerin or a mixture of such ingredients with one or more of the following: nitrocellulose; ammonium nitrate or other inorganic nitrates; aromatic nitro-derivatives, or combustible materials, such as wood-meal and aluminium powder. Such explosives shall be in powdery, gelatinous or elastic form.			
	The term includes dynamite gelatine, blasting and gelatine dynamites.			
EXPLOSIVE, BLASTING, TYPE B	Substances consisting of (a) a mixture of ammonium nitrate or other inorganic nitrates with an explosive such as trinitrotoluene, with or without other substances such as wood-meal and aluminium powder, or (b) a mixture of ammonium nitrate or other inorganic nitrates with other combustible substances which are not explosive ingredients. Such explosives shall not contain nitroglycerin, similar liquid organic nitrates, or chlorates.			
EXPLOSIVE, BLASTING, TYPE C	Substances consisting of a mixture of either potassium or sodium chlorate or potassium, sodium or ammonium perchlorate with organic nitro-derivatives or combustible materials such as wood-meal or aluminium powder or a hydrocarbon. Such explosives shall not contain nitroglycerin or similar liquid organic nitrates.			
EXPLOSIVE, BLASTING, TYPE D	Substances consisting of a mixture of organic nitrated compounds and combustible materials such as hydrocarbons and aluminium powder. Such explosives shall not contain nitroglycerin, similar liquid organic nitrates, chlorates or ammonium nitrate. The term generally includes plastic explosives.			
EXPLOSIVE, BLASTING, TYPE E	Substances consisting of water as an essential ingredient and high proportions of ammonium nitrate or other oxidizers, some or all of which are in solution. The other constituents may include nitro-derivatives such as trinitrotoluene, hydrocarbons or aluminium powder.			
	The term includes explosives, emulsion; explosives slurry and explosives, water gel.			

APPENDIX B

Explosive, deflagrating A substance, e.g. propellant, which reacts by deflagration rather than detonation when ignited and used in its normal manner. Explosive, detonating A substance which reacts by detonation rather than deflagration when initiated and used in its normal manner. Explosive, extremely insensitive A substance which has demonstrated through tests that substance (EIS) it is so insensitive that there is very little probability of accidental initiation. Explosive, primary Explosive substance manufactured with a view to producing a practical effect by explosion which is very sensitive to heat, impact or friction and which, even in very small quantities, either detonates or burns very rapidly. It is able to transmit detonation (in the case of initiating explosive) or deflagration to secondary explosives close to it. The main primary explosives are mercury fulminate, lead azide and lead styphnate. Explosive, secondary Explosive substance which is relatively insensitive (when compared to primary explosives), which is usually initiated by primary explosives with or without the aid of boosters or supplementary charges. Such an explosive may react as a deflagrating or as a detonating explosive. **FIREWORKS** Pyrotechnic articles designed for entertainment. Flares Articles containing pyrotechnic substances which are designed for use to illuminate, identify, signal or warn. The term includes: FLARES, AERIAL; FLARES, SURFACE. FLASH POWDER Pyrotechnic substance which, when ignited, produces an intense light. FRACTURING DEVICES, EXPLOSIVE for oil Articles consisting of a charge of detonating explosive contained in a casing without means of initiation. They are wells, without detonator used to fracture the rock around a drill shaft to assist the flow of crude oil from the rock. Fuse/Fuze Although these two words have a common origin (French fusée, fusil) and are sometimes considered to be different spellings, it is useful to maintain the convention that fuse refers to a cord-like igniting device whereas fuze refers to a device used in ammunition which incorporates mechanical, electrical, chemical or hydrostatic components to initiate a train by deflagration or detonation. FUSE, IGNITER, tubular, metal clad Article consisting of a metal tube with a core of deflagrating explosive. FUSE, INSTANTANEOUS, NON-DETONATING Article consisting of cotton yarns impregnated with fine (QUICKMATCH) black powder (Quickmatch). It burns with an external flame and is used in ignition trains for fireworks, etc. FUSE, SAFETY Article consisting of a core of fine-grained black powder surrounded by a flexible woven fabric with one or more protective outer coverings. When ignited, it burns at a predetermined rate without any external explosive effect. Fuzes Articles designed to start a detonation or a deflagration in ammunition. They incorporate mechanical, electrical, chemical or hydrostatic components and generally protective features. The term includes: FUZES, DETONATING; FUZES, DETONATING with protective features; FUZES, IGNITING.

GRENADES, hand or rifle

IGNITERS

Ignition, means of

Initiation, means of

JET PERFORATING GUNS, CHARGED, oil well, without detonator

LIGHTERS, FUSE

Mass explosion

Articles which are designed to be thrown by hand or to be projected by a rifle. The term includes:

GRENADES, hand or rifle, with bursting charge; GRENADES, PRACTICE, hand or rifle.

The term excludes grenades, smoke which are listed under AMMUNITION, SMOKE.

Articles containing one or more explosive substances used to start deflagration in an explosive train. They may be actuated chemically, electrically or mechanically. This term excludes the following articles which are listed separately: CORD, IGNITER; FUSE, IGNITER; FUSE, NON-DETONATING; FUZES, IGNITING; LIGHTERS, FUSE; PRIMERS, CAP TYPE; PRIMERS, TUBULAR.

A general term used in connection with the method employed to ignite a deflagrating train of explosive or pyrotechnic substances (for example: a primer for a propelling charge; an igniter for a rocket motor; an igniting fuze).

A device intended to cause the detonation of an explosive (for example: detonator; detonator for ammunition; detonating fuze).

.1

- The term "with its own means of initiation" means 2 that the contrivance has its normal initiating device assembled to it and this device is considered to present a significant risk during transport but not one great enough to be unacceptable. The term does not apply, however, to a contrivance packed together with its means of initiation provided the device is packaged so as to eliminate the risk of causing detonation of the contrivance in the event of accidental functioning of the initiating device. The means of initiating can even be assembled to the contrivance provided there are protective features such that the device is very unlikely to cause detonation of the contrivance in conditions which are associated with transport.
- .3 For the purposes of classification any means of initiation without two effective protective features shall be regarded as compatibility group B; an article with its own means of initiation, without two effective protective features, would be compatibility group F. On the other hand a means of initiation which itself possesses two effective protective features would be compatibility group D; and an article with a means of initiation which possesses two effective protective features would be compatibility group D or E. Means of initiation adjudged as having two effective protective features shall have been approved by the competent national authority. A common and effective way of achieving the necessary degree of protection is to use a means of initiation which incorporates two or more independent safety features.

Articles consisting of a steel tube or metallic strip, into which are inserted shaped charges connected by detonating cord, without means of initiation.

Articles of various design actuated by friction, percussion or electricity and used to ignite safety fuse.

Explosion which affects almost the entire load virtually instantaneously.

MINES	Articles consisting normally of metal or composition receptacles and a bursting charge. They are designed to be operated by the passage of ships, vehicles or personnel. The term includes "Bangalore torpedoes".
OXYGEN GENERATORS, CHEMICAL	Oxygen generators, chemical, are devices containing chemicals which upon activation release oxygen as a product of chemical reaction. Chemical oxygen generators are used for the generation of oxygen for respiratory support, e.g. in aircraft, submarines, spacecraft, bomb shelters and breathing apparatus. Oxidizing salts such as chlorates and perchlorates of lithium, sodium and potassium, which are used in chemical oxygen generators, evolve oxygen when heated. These salts are mixed (compounded) with a fuel, usually iron powder, to form a chlorate candle, which produces oxygen by continuous reaction. The fuel is used to generate heat by oxidation. Once the reaction begins, oxygen is released from the hot salt by thermal decomposition (a thermal shield is used around the generator). A portion of the oxygen reacts with the fuel to produce more heat which produces more oxygen, and so on. Initiation of the reaction can be achieved by a percussion device, friction device or electric wire.
POWDER CAKE (POWDER PASTE), WETTED	Substance consisting of nitrocellulose impregnated with not more than 60% of nitroglycerin or other liquid organic nitrates or a mixture of these.
POWDER, SMOKELESS	Substance based on nitrocellulose used as propellant. The term includes propellants with a single base (nitrocellulose (NC) alone), those with a double base (such as NC and nitroglycerin (NG)) and those with a triple base (such as NC/NG/nitroguanidine). Cast, pressed or bag-charges of smokeless powder are listed under "CHARGES, PROPELLING" or "CHARGES, PROPELLING FOR CANNON".
PRIMERS, CAP TYPE	Articles consisting of a metal or plastics cap containing a small amount of primary explosive mixture that is readily ignited by impact. They serve as igniting elements in small arms cartridges, and in percussion primers for propelling charges.
PRIMERS, TUBULAR	Articles consisting of a primer for ignition and an auxiliary charge of deflagrating explosive such as black powder used to ignite the propelling charge in a cartridge case for cannon, etc.
PROJECTILES	Articles such as a shell or bullet which are projected from a cannon or other artillery gun, rifle or other small arm. They may be inert, with or without tracer, or may contain a burster or expelling charge or a bursting charge. The term includes: PROJECTILES, inert, with tracer; PROJECTILES with burster or expelling charge; PROJECTILES with bursting charge.
PROPELLANTS	Deflagrating explosive used for propulsion or for reducing the drag of projectiles.
PROPELLANTS, LIQUID	Substances consisting of a deflagrating liquid explosive, used for propulsion.
PROPELLANTS, SOLID	Substances consisting of a deflagrating solid explosive, used for propulsion.

RELEASE DEVICES, EXPLOSIVE	Articles consisting of a small charge of explosive with means of initiation. They sever rods or links to release equipment quickly.				
ROCKET MOTORS	Articles consisting of a solid, liquid or hypergolic fuel contained in a cylinder fitted with one or more nozzles. They are designed to propel a rocket or a guided missile. The term includes:				
	ROCKET MOTORS;				
	ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge;				
	ROCKET MOTORS, LIQUID FUELLED.				
ROCKETS	Articles consisting of a rocket motor and a payload which may be an explosive warhead or other device. The term includes guided missiles and:				
	ROCKETS, LINE-THROWING;				
	ROCKETS, LIQUID FUELLED with bursting charge;				
	ROCKETS with bursting charge;				
	ROCKETS with expelling charge;				
	ROCKETS with inert head.				
SAFETY DEVICES, electrically initiated	Articles which contain pyrotechnic substances or dangerous goods of other classes and are used in vehicles, vessels or aircraft to enhance safety to persons. Examples are air bag inflators, air bag modules, seat-belt pretensioners and pyromechanical devices. These pyromechanical devices are assembled components for tasks such as but not limited to separation, locking, or release-and-drive or occupant restraint. The term includes "SAFETY DEVICES, PYROTECHNIC".				
SIGNALS	Articles containing pyrotechnic substances designed to produce signals by means of sound, flame or smoke or any combinations thereof. The term includes:				
	SIGNAL DEVICES, HAND;				
	SIGNALS, DISTRESS, ship;				
	SIGNALS, RAILWAY TRACK, EXPLOSIVE;				
	Articles consisting of a charge of detensiting explosive				
Sounding Devices, EXPLOSIVE	They are dropped from ships and function when they reach a predetermined depth or the sea bed.				
STABILIZED	Stabilized means that the substance is in a condition that precludes uncontrolled reaction. This may be achieved by methods such as the addition of an inhibiting chemical, degassing the substance to remove dissolved oxygen and inerting the air space in the package, or maintaining the substance under temperature control.				
SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE (SUBSTANCES, EVI), N.O.S.	Substances which present a mass explosion hazard but which are so insensitive that there is very little probability of initiation, or of transition from burning to detonation (under normal conditions of transport) and which have passed test series 5.				

TORPEDOES Articles containing an explosive or non-explosive propulsion system and designed to be propelled through water. They may contain an inert head or a warhead. The term includes: TORPEDOES, LIQUID FUELLED with inert head; TORPEDOES, LIQUID FUELLED with or without bursting charge; TORPEDOES with bursting charge. TRACERS FOR AMMUNITION Sealed articles containing pyrotechnic substances, designed to reveal the trajectory of a projectile. Warheads Articles consisting of detonating explosives. They are designed to be fitted to a rocket, guided missile or torpedo. They may contain a burster or expelling charge or bursting charge. The term includes: WARHEADS, ROCKET with burster or expelling charge; WARHEADS, ROCKET with bursting charge; WARHEADS, TORPEDO with bursting charge.

INDEX



Index

In this index, the word "see", after the name in the substance, material or article column, means that it is a synonym and for details regarding the transport provisions reference shall be made to the entry in the Dangerous Goods List (chapter 3.2) which is relevant to the UN number/proper shipping name stated against the synonym.

Method of indexing

Substances, materials and articles have been listed in the alphabetical order of their names. For the purpose of determining the alphabetical order, numbers and roman numerals (I), (II) etc. and the prefixes listed below have been disregarded, although they form an integral part of the name:

Nn- or normalsec- or secondarytert- or tertiaryo- or or thom- or metap- or parasymunscistransd- α - or alpha- β - or beta- γ - or gamma-

Note 1

Certain marine pollutants are identified only in the index. These marine pollutants have not been assigned to an N.O.S. or generic entry. These marine pollutants may possess properties of classes 1 to 8 and should be classified accordingly. A substance which does not fall within the criteria of these classes should be offered for transport as an ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S., UN 3077, or as an ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., UN 3082, under these entries in class 9.



Substance, material or article	MP	Class	UN No.
ACETAL	-	3	1088
ACETALDEHYDE	-	3	1089
ACETALDEHYDE AMMONIA	-	9	1841
Acetaldehyde diethyl acetal, see	_	3	1088
ACETALDEHYDE OXIME	-	3	2332
Acetaldol, see	_	6.1	2839
beta-Acetaldoxime, see	-	3	2332
ACETIC ACID, GLACIAL	-	8	2789
ACETIC ACID SOLUTION more than 10% and less than 50% acid, by mass	-	8	2790
ACETIC ACID SOLUTION not less than 50% but no more than 80% acid, by mass	-	8	2790
ACETIC ACID SOLUTION more than 80% acid, by mass	-	8	2789
Acetic aldehyde, see	_	3	1089
ACETIC ANHYDRIDE	-	8	1715
Acetic oxide, see	-	8	1715
Acetoin, see	-	3	2621
ACETONE	-	3	1090
ACETONE CYANOHYDRIN, STABILIZED	Р	6.1	1541
Acetone hexafluoride, see	-	2.3	2420
ACETONE OILS	-	3	1091
Acetone-pyrogallol copolymer 2-diazo-1-naphthol-5-sulphonate, see	-	4.1	3228
ACETONITRILE	-	3	1648
3-Acetoxypropene, see	-	3	2333
Acetylacetone, see	-	3	2310
Acetyl acetone peroxide (concentration \leq 32%, as a paste), see	-	5.2	3106
Acetyl acetone peroxide (concentration ${\leq}42\%$, with diluent Type A, and water, available oxygen ${\leq}4.7\%$), see	-	5.2	3105
ACETYL BROMIDE	-	8	1716
ACETYL CHLORIDE	-	3	1717
Acetyl cyclohexanesulphonyl peroxide (concentration \leq 32%, with diluent Type B), see	-	5.2	3115
Acetyl cyclohexanesulphonyl peroxide (concentration \leq 82%, with water), see	-	5.2	3112
Acetylene dichloride, see	-	3	1150
ACETYLENE, DISSOLVED	-	2.1	1001
Acetylene, ethylene and propylene mixtures, refrigerated liquid, see	-	2.1	3138
ACETYLENE, SOLVENT FREE	-	2.1	3374
Acetylene tetrabromide, see	Р	6.1	2504
Acetylene tetrachloride, see	Р	6.1	1702
ACETYL IODIDE	-	8	1898
Acetyl ketene, stabilized, see	-	6.1	2521
ACETYL METHYL CARBINOL	_	3	2621
Acid butyl phosphate, see	-	8	1718
Acid mixture, hydrofluoric and sulphuric, see	_	8	1786

Substance, material or article	MP	Class	UN No.
Acid mixture, nitrating acid, see	-	8	1796
Acid mixture, spent, nitrating acid, see	-	8	1826
Acraldehyde, stabilized, see	Р	6.1	1092
ACRIDINE	-	6.1	2713
Acroleic acid, stabilized, see	Р	8	2218
Acrolein diethyl acetal, see	_	3	2374
ACROLEIN DIMER, STABILIZED	-	3	2607
ACROLEIN, STABILIZED	Р	6.1	1092
ACRYLAMIDE, SOLID	-	6.1	2074
ACRYLAMIDE SOLUTION	-	6.1	3426
Acrylic acid isobutyl ester, stabilized, see	-	3	2527
ACRYLIC ACID, STABILIZED	Р	8	2218
Acrylic aldehyde, stabilized, see	Р	6.1	1092
ACRYLONITRILE, STABILIZED	-	3	1093
Actinolite, see	-	9	2212
Activated carbon, see	-	4.2	1362
Activated charcoal, see	-	4.2	1362
ADHESIVES containing flammable liquid	-	3	1133
ADIPONITRILE	-	6.1	2205
ADSORBED GAS, FLAMMABLE, N.O.S.	-	2.1	3510
ADSORBED GAS, N.O.S.	-	2.2	3511
ADSORBED GAS, OXIDIZING, N.O.S.	-	2.2	3513
ADSORBED GAS, TOXIC, CORROSIVE, N.O.S.	-	2.3	3516
ADSORBED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.	-	2.3	3517
ADSORBED GAS, TOXIC, FLAMMABLE, N.O.S.	-	2.3	3514
ADSORBED GAS, TOXIC, N.O.S.	-	2.3	3512
ADSORBED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	-	2.3	3518
ADSORBED GAS, TOXIC, OXIDIZING, N.O.S.	-	2.3	3515
Aeroplane flares, see FLARES, AERIAL	-	-	-
AEROSOLS	-	2	1950
AGENT, BLASTING, TYPE B	-	1.5D	0331
AGENT, BLASTING, TYPE E	-	1.5D	0332
Air bag inflators, see	-	1.4G	0503
Air bag inflators, see	-	9	3268
Air bag modules, see	-	1.4G	0503
Air bag modules, see	-	9	3268
AIR, COMPRESSED	-	2.2	1002
AIRCRAFT HYDRAULIC POWER UNIT FUEL TANK (containing a mixture of anhydrous hydrazine and methylhydrazine)	-	3	3165
AIR, REFRIGERATED LIQUID	-	2.2	1003
ALCOHOLATES SOLUTION, N.O.S. in alcohol	_	3	3274
Alcohol C ₁₂ -C ₁₆ poly(1-6)ethoxylate, see	Р	9	3082
Alcohol C_6-C_{17} (secondary) poly(3–6)ethoxylate, see	Р	9	3082

Substance, material or article	MP	Class	UN No.
ALCOHOLIC BEVERAGES, with more than 24% but not more than 70% alcohol by volume	-	3	3065
ALCOHOLIC BEVERAGES, with more than 70% alcohol by volume	-	3	3065
ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.	-	3	1986
ALCOHOLS, N.O.S.	-	3	1987
ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.	-	3	1988
ALDEHYDES, N.O.S.	-	3	1989
Aldicarb, see CARBAMATE PESTICIDE	Р	-	-
ALDOL	-	6.1	2839
Aldrin, see ORGANOCHLORINE PESTICIDE	Р	-	-
ALKALI METAL ALCOHOLATES, SELF-HEATING, CORROSIVE, N.O.S.	- ^	4.2	3206
ALKALI METAL ALLOY, LIQUID, N.O.S.	-	4.3	1421
ALKALI METAL AMALGAM, LIQUID	_	4.3	1389
ALKALI METAL AMALGAM, SOLID	-	4.3	3401
ALKALI METAL AMIDE		4.3	1390
ALKALI METAL DISPERSION	-	4.3	1391
ALKALI METAL DISPERSION, FLAMMABLE	_	4.3	3482
Alkaline caustic liquid, N.O.S., see	-	8	1719
ALKALINE EARTH METAL ALCOHOLATES, N.O.S.	_	4.2	3205
ALKALINE EARTH METAL ALLOY, N.O.S.	-	4.3	1393
ALKALINE EARTH METAL AMALGAM, LIQUID	-	4.3	1392
ALKALINE EARTH METAL AMALGAM, SOLID	-	4.3	3402
ALKALINE EARTH METAL DISPERSION	-	4.3	1391
ALKALINE EARTH METAL DISPERSION, FLAMMABLE	_	4.3	3482
ALKALOIDS, LIQUID, N.O.S.	-	6.1	3140
ALKALOIDS SALTS, LIQUID, N.O.S.	-	6.1	3140
ALKALOIDS SALTS, SOLID, N.O.S.	-	6.1	1544
ALKALOIDS, SOLID, N.O.S.	-	6.1	1544
Alkyl benzenesulphonates, branched and straight-chain (excluding $C_{11}-C_{13}$ branched and straight-chain homologues), see	Р	9	3082
Alkyl(C ₁₂ -C ₁₄)dimethylamine, see Note 1	Р	-	-
Alkyl (C_7-C_9) nitrates, see Note 1	Р	-	-
ALKYLPHENOLS, LIQUID, N.O.S. (including C2-C12 homologues)	-	8	3145
ALKYLPHENOLS, SOLID, N.O.S. (including C ₂ -C ₁₂ homologues)	-	8	2430
ALKYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid	-	8	2584
ALKYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid	-	8	2586
ALKYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid	-	8	2583
ALKYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid	-	8	2585
ALKYLSULPHURIC ACIDS	-	8	2571
Allene, stabilized, see	-	2.1	2200
ALLYL ACETATE	-	3	2333

Substance, material or article	MP	Class	UN No.
ALLYL ALCOHOL	Р	6.1	1098
ALLYLAMINE	-	6.1	2334
ALLYL BROMIDE	Р	3	1099
ALLYL CHLORIDE	-	3	1100
Allyl chlorocarbonate, see	-	6.1	1722
ALLYL CHLOROFORMATE	-	6.1	1722
ALLYL ETHYL ETHER	-	3	2335
ALLYL FORMATE	-	3	2336
ALLYL GLYCIDYL ETHER	-	3	2219
ALLYL IODIDE	-	3	1723
ALLYL ISOTHIOCYANATE, STABILIZED	-	6.1	1545
Allyl mustard oil, stabilized, see	-	6.1	1545
ALLYLTRICHLOROSILANE, STABILIZED	-	8	1724
Aluminium alkyls, see	-	4.2	3394
Aluminium alkyl halides, liquid, see	-	4.2	3394
Aluminium alkyl halides, solid, see	-	4.2	3393
Aluminium alkyl hydrides, see	-	4.2	3394
ALUMINIUM BOROHYDRIDE	-	4.2	2870
ALUMINIUM BOROHYDRIDE IN DEVICES	-	4.2	2870
ALUMINIUM BROMIDE, ANHYDROUS	-	8	1725
ALUMINIUM BROMIDE SOLUTION		8	2580
ALUMINIUM CARBIDE	-	4.3	1394
ALUMINIUM CHLORIDE, ANHYDROUS	-	8	1726
ALUMINIUM CHLORIDE SOLUTION	-	8	2581
Aluminium dross, see	-	4.3	3170
ALUMINIUM FERROSILICON POWDER	-	4.3	1395
ALUMINIUM HYDRIDE	-	4.3	2463
ALUMINIUM NITRATE	-	5.1	1438
ALUMINIUM PHOSPHIDE	-	4.3	1397
ALUMINIUM PHOSPHIDE PESTICIDE	-	6.1	3048
ALUMINIUM POWDER, COATED	-	4.1	1309
Aluminium powder, pyrophoric, see	-	4.2	1383
ALUMINIUM POWDER, UNCOATED	-	4.3	1396
ALUMINIUM REMELTING BY-PRODUCTS	-	4.3	3170
Aluminium residues, see	-	4.3	3170
ALUMINIUM RESINATE	-	4.1	2715
ALUMINIUM SILICON POWDER, UNCOATED	-	4.3	1398
Aluminium skimmings, see	-	4.3	3170
ALUMINIUM SMELTING BY-PRODUCTS	-	4.3	3170
Amatols, see EXPLOSIVE, BLASTING, TYPE B	-	-	-
AMINES, FLAMMABLE, CORROSIVE, N.O.S.	-	3	2733
AMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	-	8	2734
AMINES, LIQUID, CORROSIVE, N.O.S.	_	8	2735

Index

Substance, material or article	MP	Class	UN No.
AMINES, SOLID, CORROSIVE, N.O.S.	-	8	3259
1-Amino-3-aminomethyl-3,5,5-trimethylcyclohexane, see	-	8	2289
ortho-Aminoanisole, see	-	6.1	2431
Aminobenzene, see	Р	6.1	1547
2-Aminobenzotrifluoride, see	-	6.1	2942
3-Aminobenzotrifluoride, see	-	6.1	2948
1-Aminobutane, see	-	3	1125
Aminocarb, see CARBAMATE PESTICIDE	Р	-	-
2-AMINO-4-CHLOROPHENOL	-	6.1	2673
Aminocyclohexane, see	-	8	2357
2-AMINO-5-DIETHYLAMINOPENTANE	-	6.1	2946
Aminodimethylbenzenes, liquid, see	-	6.1	1711
Aminodimethylbenzenes, solid, see	-	6.1	3452
2-AMINO-4,6-DINITROPHENOL, WETTED with not less than 20% water by mass	-	4.1	3317
Aminoethane, see	-	2.1	1036
Aminoethane, aqueous solution, see	-	3	2270
1-Aminoethanol, see	-	9	1841
2-Aminoethanol, see	-	8	2491
2-(2-AMINOETHOXY)ETHANOL	-	8	3055
<i>N</i> -AMINOETHYLPIPERAZINE	-	8	2815
Aminomethane, anhydrous, see	-	2.1	1061
Aminomethane, aqueous solution, see	-	3	1235
1-Amino-2-methylpropane, see	-	3	1214
3-Aminomethyl-3,5,5-trimethylcyclohexylamine, see	-	8	2289
1-Amino-2-nitrobenzene, see	-	6.1	1661
1-Amino-3-nitrobenzene, see	-	6.1	1661
1-Amino-4-nitrobenzene, see	-	6.1	1661
Aminophenetoles, see	-	6.1	2311
AMINOPHENOLS (o-, m-, p-)	-	6.1	2512
1-Aminopropane, see	-	3	1277
2-Aminopropane, see	-	3	1221
3-Aminopropene, see	-	6.1	2334
AMINOPYRIDINES (o-, m-, p-)	-	6.1	2671
Aminosulphonic acid, see	-	8	2967
AMMONIA, ANHYDROUS	Р	2.3	1005
AMMONIA SOLUTION relative density between 0.880 and 0.957 at 15°C in water, with more than 10% but not more than 35% ammonia, by mass	Р	8	2672
AMMONIA SOLUTION relative density less than 0.880 at 15°C in water, with more than 35% but not more than 50% ammonia	Р	2.2	2073
AMMONIA SOLUTION relative density less than 0.880 at 15°C in water, with more than 50% ammonia	Р	2.3	3318
Ammonium acid fluoride, solid, see	-	8	1727
Ammonium acid fluoride solution, see	-	8	2817

Substance, material or article	MP	Class	UN No.
AMMONIUM ARSENATE	-	6.1	1546
Ammonium bichromate, see	-	5.1	1439
Ammonium bifluoride, solid, see	-	8	1727
Ammonium bifluoride solution, see	-	8	2817
Ammonium bisulphate, see	-	8	2506
Ammonium bisulphite solution, see	-	8	2693
Ammonium bromate (transport prohibited)	-	-	-
Ammonium bromate solution (transport prohibited)	-	-	_
Ammonium chlorate (transport prohibited)	-	-	-
Ammonium chlorate solution (transport prohibited)	-	-	_
Ammonium chlorite (transport prohibited)	-	-	-
AMMONIUM DICHROMATE	-	5.1	1439
AMMONIUM DINITRO-0-CRESOLATE, SOLID	Р	6.1	1843
AMMONIUM DINITRO-0-CRESOLATE SOLUTION	Р	6.1	3424
AMMONIUM FLUORIDE	-	6.1	2505
AMMONIUM FLUOROSILICATE	-	6.1	2854
Ammonium hexafluorosilicate, see	-	6.1	2854
AMMONIUM HYDROGENDIFLUORIDE, SOLID	-	8	1727
AMMONIUM HYDROGENDIFLUORIDE SOLUTION	-	8	2817
AMMONIUM HYDROGEN SULPHATE	-	8	2506
Ammonium hypochlorite (transport prohibited)	-	-	-
AMMONIUM METAVANADATE	-	6.1	2859
AMMONIUM NITRATE BASED FERTILIZER	-	5.1	2067
AMMONIUM NITRATE BASED FERTILIZER	-	9	2071
AMMONIUM NITRATE EMULSION intermediate for blasting explosives	-	5.1	3375
AMMONIUM NITRATE GEL intermediate for blasting explosives	-	5.1	3375
AMMONIUM NITRATE liable to self-heating sufficient to initiate decomposition (transport prohibited)	-	-	-
AMMONIUM NITRATE, LIQUID (hot concentrated solution)	-	5.1	2426
AMMONIUM NITRATE SUSPENSION intermediate for blasting explosives	-	5.1	3375
AMMONIUM NITRATE	-	1.1D	0222
AMMONIUM NITRATE with not more than 0.2% combustible substances, including any organic substance calculated as carbon, to the exclusion of any other added substance	-	5.1	1942
Ammonium nitrite (transport prohibited)	-	_	-
AMMONIUM PERCHLORATE	-	1.1D	0402
AMMONIUM PERCHLORATE	-	5.1	1442
Ammonium permanganate (transport prohibited)	-	-	-
Ammonium permanganate solution (transport prohibited)	-	_	-
AMMONIUM PERSULPHATE	-	5.1	1444
AMMONIUM PICRATE dry or wetted with less than 10% water, by mass	_	1.1D	0004
AMMONIUM PICRATE, WETTED with not less than 10% water,	-	4.1	1310

Substance, material or article	MP	Class	UN No.
AMMONIUM POLYSULPHIDE SOLUTION	_	8	2818
AMMONIUM POLYVANADATE	-	6.1	2861
Ammonium silicofluoride, see	-	6.1	2854
AMMONIUM SULPHIDE SOLUTION	-	8	2683
Ammonium vanadate, see	-	6.1	2859
Ammunition, blank, see CARTRIDGES FOR WEAPONS, BLANK	-	-	_
Ammunition, fixed, semi-fixed or separate loading, see CARTRIDGES FOR WEAPONS, with bursting charge	-	-	-
AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	-	1.2G	0171
AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	-	1.3G	0254
AMMUNITION, ILLUMINATING with or without burster, expelling charge or propelling charge	-	1.4G	0297
AMMUNITION, INCENDIARY liquid or gel, with burster, expelling charge or propelling charge	-	1.3J	0247
Ammunition, incendiary (water-activated contrivances) with burster, expelling charge or propelling charge, see CONTRIVANCES, WATER-ACTIVATED	-	-	-
AMMUNITION, INCENDIARY, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	-	1.2H	0243
AMMUNITION, INCENDIARY, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	-	1.3H	0244
AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge	-	1.2G	0009
AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge	-	1.3G	0010
AMMUNITION, INCENDIARY with or without burster, expelling charge or propelling charge	-	1.4G	0300
Ammunition, industrial, see CARTRIDGES, OIL WELL and CARTRIDGES, POWER DEVICE	-	-	-
Ammunition, lachrymatory, see AMMUNITION, TEAR-PRODUCING	-	-	-
AMMUNITION, PRACTICE	-	1.3G	0488
AMMUNITION, PRACTICE	-	1.4G	0362
AMMUNITION, PROOF	-	1.4G	0363
Ammunition, smoke (water-activated contrivances), see CONTRIVANCES, WATER-ACTIVATED	-	-	-
AMMUNITION, SMOKE, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	-	1.2H	0245
AMMUNITION, SMOKE, WHITE PHOSPHORUS with burster, expelling charge or propelling charge	-	1.3H	0246
AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	-	1.2G	0015
AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	-	1.3G	0016
AMMUNITION, SMOKE with or without burster, expelling charge or propelling charge	-	1.4G	0303
Ammunition, sporting, see CARTRIDGES FOR WEAPONS, INERT PROJECTILE	-	-	-

Substance, material or article	MP	Class	UN No.
AMMUNITION, TEAR-PRODUCING, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	-	6.1	2017
AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge	-	1.2G	0018
AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge	-	1.3G	0019
AMMUNITION, TEAR-PRODUCING with burster, expelling charge or propelling charge	-	1.4G	0301
AMMUNITION, TOXIC, NON-EXPLOSIVE without burster or expelling charge, non-fuzed	-	6.1	2016
AMMUNITION, TOXIC with burster, expelling charge or propelling charge	-	1.2K	0020
AMMUNITION, TOXIC with burster, expelling charge or propelling charge	-	1.3K	0021
Amorces, see FIREWORKS	-	-	-
Amosite, see	-	9	2212
Amphibole asbestos, see	-	9	2212
AMYL ACETATES	-	3	1104
AMYL ACID PHOSPHATE	- /	8	2819
Amyl alcohols, see	-	3	1105
Amyl aldehyde, see	-	3	2058
AMYLAMINE	-	3	1106
<i>n</i> -Amylbenzene, see Note 1	Р	-	-
secondary-Amyl bromide, see	-	3	2343
AMYL BUTYRATES	-	3	2620
Amyl carbinol, see	-	3	2282
AMYL CHLORIDE	-	3	1107
<i>n</i> -AMYLENE	-	3	1108
AMYL FORMATES	-	3	1109
<i>tert</i> -Amyl hydroperoxide (concentration ≤88%, with diluent Type A and water), see	-	5.2	3107
normal-Amyl mercaptan, see	-	3	1111
AMYL MERCAPTAN	-	3	1111
n-AMYL METHYL KETONE	-	3	1110
AMYL NITRATE	-	3	1112
AMYL NITRITE	-	3	1113
normal-Amyl nitrite, see	-	3	1113
<i>tert</i> -Amyl peroxy-2-ethylhexanoate (concentration \leq 100%), see	-	5.2	3115
<i>tert</i> -Amyl peroxy-2-ethylhexyl carbonate (concentration \leq 100%), see	_	5.2	3105
<i>tert</i> -Amyl peroxy-3,5,5-trimethylhexanoate (concentration ≤ 100%), see	-	5.2	3105
tert-Amyl peroxyacetate (concentration \leq 62%, with diluent Type A), see	-	5.2	3105
tert-Amyl peroxybenzoate (concentration \leq 100%), see	-	5.2	3103
<i>tert</i> -Amyl peroxyisopropyl carbonate (concentration \leq 77%, with diluent Type A). see	-	5.2	3103

Substance material or article	MP	Class	UN No
tert-Amyl peroxyneodecanoate (concentration $< 47\%$.	_	5.2	3119
with diluent Type A), see		0.2	0110
tert-Amyl peroxyneodecanoate (concentration \leq 77%, with diluent Type B), see	-	5.2	3115
tert-Amyl peroxypivalate (concentration \leq 77%, with diluent Type B), see	-	5.2	3113
AMYLTRICHLOROSILANE	-	8	1728
ANILINE	Р	6.1	1547
Aniline chloride, see	-	6.1	1548
ANILINE HYDROCHLORIDE	-	6.1	1548
Aniline oil, see	Р	6.1	1547
Aniline salt, see	-	6.1	1548
Animal fabrics, oily, see	-	4.2	1373
Animal fibres, burnt, see	-	4.2	1372
Animal fibres, damp, see	-	4.2	1372
Animal fibres, oily, see	-	4.2	1373
Animal fibres, wet, see	-	4.2	1372
ANISIDINES	-	6.1	2431
ANISOLE	-	3	2222
ANISOYL CHLORIDE	-	8	1729
Anthophyllite, see	-	9	2212
ANTIMONY CHLORIDE	-	8	1733
Antimony chloride, solid, see	-	8	1733
ANTIMONY COMPOUND, INORGANIC, LIQUID, N.O.S.	-	6.1	3141
ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.	-	6.1	1549
Antimony hydride, see	-	2.3	2676
ANTIMONY LACTATE	-	6.1	1550
Antimony(III) lactate, see	-	6.1	1550
ANTIMONY PENTACHLORIDE, LIQUID	-	8	1730
ANTIMONY PENTACHLORIDE SOLUTION	-	8	1731
ANTIMONY PENTAFLUORIDE	-	8	1732
Antimony perchloride, liquid, see	-	8	1730
Antimony perchloride solution, see	-	8	1731
ANTIMONY POTASSIUM TARTRATE	-	6.1	1551
ANTIMONY POWDER	-	6.1	2871
ANTIMONY TRICHLORIDE	-	8	1733
Antimony trihydride, see	-	2.3	2676
A.n.t.u, see also PESTICIDE, N.O.S.	-	6.1	1651
Aqua regia, see	-	8	1798
ARGON, COMPRESSED	-	2.2	1006
ARGON, REFRIGERATED LIQUID	-	2.2	1951
Arsenates, liquid, n.o.s., inorganic, see	-	6.1	1556
Arsenates, solid, n.o.s., inorganic, see	-	6.1	1557
ARSENIC	_	6.1	1558

Substance, material or article	MP	Class	UN No.
ARSENIC ACID, LIQUID	-	6.1	1553
ARSENIC ACID, SOLID	_	6.1	1554
ARSENICAL DUST	-	6.1	1562
Arsenical flue dust, see	_	6.1	1562
ARSENICAL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2760
ARSENICAL PESTICIDE, LIQUID, TOXIC	_	6.1	2994
ARSENICAL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	2993
ARSENICAL PESTICIDE, SOLID, TOXIC	-	6.1	2759
ARSENIC BROMIDE	-	6.1	1555
Arsenic(III) bromide, see	-	6.1	1555
Arsenic chloride, see	_	6.1	1560
ARSENIC COMPOUND, LIQUID, N.O.S. inorganic, including: Arsenates, n.o.s., Arsenites, n.o.s., and Arsenic sulphides, n.o.s.	-	6.1	1556
ARSENIC COMPOUND, SOLID, N.O.S. inorganic, including: Arsenates, n.o.s.; Arsenites, n.o.s.; and Arsenic sulphides, n.o.s.	-	6.1	1557
Arsenic compounds (pesticides), see ARSENICAL PESTICIDE	-	-	-
Arsenic hydride, see	-	2.3	2188
Arsenic(III) oxide, see	-	6.1	1561
Arsenic(V) oxide, see	-	6.1	1559
ARSENIC PENTOXIDE		6.1	1559
Arsenic sulphides, liquid, n.o.s., inorganic, see	-	6.1	1556
Arsenic sulphides, solid, n.o.s., inorganic, see	_	6.1	1557
Arsenic tribromide, see	-	6.1	1555
ARSENIC TRICHLORIDE	_	6.1	1560
ARSENIC TRIOXIDE	-	6.1	1561
Arsenious chloride, see	-	6.1	1560
Arsenites, liquid, n.o.s., inorganic, see	-	6.1	1556
Arsenites, solid, n.o.s., inorganic, see	_	6.1	1557
Arsenous bromide, see	-	6.1	1555
Arsenous chloride, see	_	6.1	1560
ARSINE	-	2.3	2188
ARSINE, ADSORBED	_	2.3	3522
ARTICLES CONTAINING FLAMMABLE GAS, N.O.S.	-	2.1	3537
ARTICLES CONTAINING NON-FLAMMABLE, NON-TOXIC GAS, N.O.S.	-	2.2	3538
ARTICLES CONTAINING TOXIC GAS, N.O.S.	-	2.3	3539
ARTICLES CONTAINING FLAMMABLE LIQUID, N.O.S.	_	3	3540
ARTICLES CONTAINING FLAMMABLE SOLID, N.O.S.	-	4.1	3541
ARTICLES CONTAINING A SUBSTANCE LIABLE TO SPONTANEOUS COMBUSTION, N.O.S.	_	4.2	3542
ARTICLES CONTAINING A SUBSTANCE WHICH IN CONTACT WITH WATER EMITS FLAMMABLE GASES, N.O.S.	-	4.3	3543
ARTICLES CONTAINING OXIDIZING SUBSTANCE, N.O.S.	_	5.1	3544

Substance, material or article	MP	Class	UN No.
ARTICLES CONTAINING ORGANIC PEROXIDE, N.O.S.	_	5.2	3545
ARTICLES CONTAINING TOXIC SUBSTANCE, N.O.S.	_	6.1	3546
ARTICLES CONTAINING CORROSIVE SUBSTANCE, N.O.S.	_	8	3547
ARTICLES CONTAINING MISCELLANEOUS DANGEROUS GOODS, N.O.S.	-	9	3548
ARTICLES, EEI	-	1.6N	0486
ARTICLES, EXPLOSIVE, EXTREMELY INSENSITIVE	-	1.6N	0486
ARTICLES, EXPLOSIVE, N.O.S.	-	1.1C	0462
ARTICLES, EXPLOSIVE, N.O.S.	-	1.1D	0463
ARTICLES, EXPLOSIVE, N.O.S.	-	1.1E	0464
ARTICLES, EXPLOSIVE, N.O.S.	-	1.1F	0465
ARTICLES, EXPLOSIVE, N.O.S.	-	1.1L	0354
ARTICLES, EXPLOSIVE, N.O.S.	-	1.2C	0466
ARTICLES, EXPLOSIVE, N.O.S.	-	1.2D	0467
ARTICLES, EXPLOSIVE, N.O.S.	_	1.2E	0468
ARTICLES, EXPLOSIVE, N.O.S.	-	1.2F	0469
ARTICLES, EXPLOSIVE, N.O.S.	-	1.2L	0355
ARTICLES, EXPLOSIVE, N.O.S.	-	1.3C	0470
ARTICLES, EXPLOSIVE, N.O.S.	_	1.3L	0356
ARTICLES, EXPLOSIVE, N.O.S.	-	1.4B	0350
ARTICLES, EXPLOSIVE, N.O.S.	-	1.4C	0351
ARTICLES, EXPLOSIVE, N.O.S.	-	1.4D	0352
ARTICLES, EXPLOSIVE, N.O.S.	-	1.4E	0471
ARTICLES, EXPLOSIVE, N.O.S.	-	1.4F	0472
ARTICLES, EXPLOSIVE, N.O.S.	-	1.4G	0353
ARTICLES, EXPLOSIVE, N.O.S.	-	1.4S	0349
ARTICLES, PRESSURIZED, HYDRAULIC (containing non-flammable gas)	-	2.2	3164
ARTICLES, PRESSURIZED, PNEUMATIC (containing non-flammable gas)	-	2.2	3164
ARTICLES, PYROPHORIC	-	1.2L	0380
ARTICLES, PYROTECHNIC for technical purposes	-	1.1G	0428
ARTICLES, PYROTECHNIC for technical purposes	-	1.2G	0429
ARTICLES, PYROTECHNIC for technical purposes	-	1.3G	0430
ARTICLES, PYROTECHNIC for technical purposes	-	1.4G	0431
ARTICLES, PYROTECHNIC for technical purposes	-	1.4S	0432
ARYLSULPHONIC ACIDS, LIQUID with more than 5% free sulphuric acid	-	8	2584
ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid	-	8	2586
ARYLSULPHONIC ACIDS, SOLID with more than 5% free sulphuric acid	-	8	2583
ARYLSULPHONIC ACIDS, SOLID with not more than 5% free sulphuric acid	-	8	2585
ASBESTOS, AMPHIBOLE	-	9	2212

Substance, material or article	MP	Class	UN No.
ASBESTOS, CHRYSOTILE	-	9	2590
Asphalt, see	-	3	1999
AVIATION REGULATED LIQUID, N.O.S.	-	9	3334
AVIATION REGULATED SOLID, N.O.S.	-	9	3335
Azinphos-ethyl, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Azinphos-methyl, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Aziridine, stabilized, see	-	6.1	1185
AZODICARBONAMIDE	-	4.1	3242
Azodicarbonamide formulation Type B (concentration < 100%, temperature controlled), see	-	4.1	3232
Azodicarbonamide formulation Type C (concentration $<$ 100%), see	-	4.1	3224
Azodicarbonamide formulation Type C (concentration < 100%, temperature controlled), see	-	4.1	3234
Azodicarbonamide formulation Type D (concentration $<$ 100%), see	-	4.1	3226
Azodicarbonamide formulation Type D (concentration < 100%, temperature controlled), see	-	4.1	3236
2,2'-Azodi(2,4-dimethyl-4-methoxyvaleronitrile) (concentration 100%), see	-	4.1	3236
2,2'-Azodi(2,4-dimethylvaleronitrile) (concentration 100%), see	-	4.1	3236
2,2'-Azodi(ethyl 2-methylpropionate) (concentration 100%), see	-	4.1	3235
1,1'-Azodi(hexahydrobenzonitrile) (concentration 100%), see	-	4.1	3226
2,2'-Azodi(isobutyronitrile), as a water-based paste (concentration \leq 50%), see	-	4.1	3224
2,2'-Azodi(isobutyronitrile) (concentration 100%), see	-	4.1	3234
2,2'-Azodi(2-methylbutyronitrile) (concentration 100%), see	-	4.1	3236
Bag charges, see CHARGES, PROPELLING, FOR CANNON	-	-	-
Ballistite, see POWDER, SMOKELESS	-	-	-
Bangalore torpedoes, see MINES, WITH BURSTING CHARGE	-	-	-
BARIUM	-	4.3	1400
Barium alloys, non-pyrophoric, see	-	4.3	1393
BARIUM ALLOYS, PYROPHORIC	-	4.2	1854
Barium amalgams, liquid, see	-	4.3	1392
Barium amalgams, solid, see	-	4.3	3402
BARIUM AZIDE, dry or wetted with less than 50% water, by mass	-	1.1A	0224
BARIUM AZIDE, WETTED with not less than 50% water, by mass	-	4.1	1571
BARIUM BROMATE	-	5.1	2719
BARIUM CHLORATE, SOLID	-	5.1	1445
BARIUM CHLORATE SOLUTION	-	5.1	3405
BARIUM COMPOUND, N.O.S.	-	6.1	1564
BARIUM CYANIDE	Р	6.1	1565
Barium dispersions, see	-	4.3	1391
BARIUM HYPOCHLORITE with more than 22% available chlorine	-	5.1	2741
Barium monoxide, see	-	6.1	1884

Substance, material or article	MP	Class	UN No.
BARIUM NITRATE	_	5.1	1446
BARIUM OXIDE	-	6.1	1884
BARIUM PERCHLORATE, SOLID	-	5.1	1447
BARIUM PERCHLORATE SOLUTION	-	5.1	3406
BARIUM PERMANGANATE	-	5.1	1448
BARIUM PEROXIDE	-	5.1	1449
Barium powder, pyrophoric, see	-	4.2	1383
Batteries, containing lithium, see	-	9	3090
BATTERIES, CONTAINING SODIUM	-	4.3	3292
BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE, SOLID electric storage	-	8	3028
BATTERIES, NICKEL-METAL HYDRIDE	-	9	3496
BATTERIES, WET, FILLED WITH ACID electric storage	-	8	2794
BATTERIES, WET, FILLED WITH ALKALI electric storage	-	8	2795
BATTERIES, WET, NON-SPILLABLE electric storage	-	8	2800
Battery acid, see	-	8	2796
BATTERY FLUID, ACID	-	8	2796
BATTERY FLUID, ALKALI	-	8	2797
Battery, lithium, see	-	9	3090
BATTERY-POWERED EQUIPMENT	_	9	3171
BATTERY-POWERED VEHICLE	-	9	3171
Bendiocarb, see CARBAMATE PESTICIDE	Р	-	-
Benfuracarb, see CARBAMATE PESTICIDE	-	-	-
Benomyl, see Note 1	Р	-	-
Benquinox, see PESTICIDE, N.O.S.	Р	-	-
Benzal chloride, see	-	6.1	1886
BENZALDEHYDE	-	9	1990
BENZENE	-	3	1114
1,3-Benzenediol, see	_	6.1	2876
Benzene-1,3-disulphonyl hydrazide, as a paste (concentration 52%), see	-	4.1	3226
Benzene phosphorus dichloride, see	-	8	2798
Benzene phosphorus thiochloride, see	-	8	2799
BENZENESULPHONYL CHLORIDE	-	8	2225
Benzene sulphonylhydrazide (concentration 100%), see	-	4.1	3226
Benzenethiol, see	-	6.1	2337
Benzhydryl bromide, see	-	8	1770
BENZIDINE	-	6.1	1885
Benzol, see	-	3	1114
Benzolene, see	-	3	1268
BENZONITRILE	-	6.1	2224
BENZOQUINONE	-	6.1	2587
Benzosulphochloride, see	-	8	2225
BENZOTRICHLORIDE	-	8	2226

Substance, material or article	MP	Class	UN No.
BENZOTRIFLUORIDE	_	3	2338
BENZOYL CHLORIDE	-	8	1736
BENZYL BROMIDE	-	6.1	1737
BENZYL CHLORIDE	-	6.1	1738
Benzyl chlorocarbonate, see	Р	8	1739
BENZYL CHLOROFORMATE	Р	8	1739
Benzyl cyanide, see	_	6.1	2470
Benzyl dichloride, see	-	6.1	1886
BENZYLDIMETHYLAMINE	-	8	2619
4-(Benzyl(ethyl)amino)-3-ethoxybenzenediazonium zinc chloride (concentration 100%), see	-	4.1	3226
BENZYLIDENE CHLORIDE	-	6.1	1886
BENZYL IODIDE	-	6.1	2653
4-(Benzyl(methyl)amino)-3-ethoxybenzenediazonium zinc chloride (concentration 100%), see	-	4.1	3236
BERYLLIUM COMPOUND, N.O.S.	-	6.1	1566
BERYLLIUM NITRATE	-	5.1	2464
BERYLLIUM POWDER	-	6.1	1567
gamma-Bhc, see ORGANOCHLORINE PESTICIDE	Р	-	_
BHUSA	-	4.1	1327
Bichloroacetic acid, see	-	8	1764
BICYCLO[2.2.1]HEPTA-2,5-DIENE, STABILIZED	-	3	2251
Bifluorides, N.O.S., see	-	8	1740
Binapacryl, see SUBSTITUTED NITROPHENOL PESTICIDE	Р	-	-
BIOLOGICAL SUBSTANCE, CATEGORY B	-	6.2	3373
BIOMEDICAL WASTE, N.O.S.	-	6.2	3291
(BIO)MEDICAL WASTE, N.O.S.	-	6.2	3291
BIPYRIDILIUM PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2782
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC	-	6.1	3016
BIPYRIDILIUM PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	3015
BIPYRIDILIUM PESTICIDE, SOLID, TOXIC	-	6.1	2781
Bis-, see Di-	-	-	-
N,N-Bis(2-hydroxyethyl)oleamide (loa), see Note 1	Р	-	-
BISULPHATES, AQUEOUS SOLUTION	-	8	2837
BISULPHITES, AQUEOUS SOLUTION, N.O.S.	-	8	2693
Bitumen, see	-	3	1999
BLACK POWDER, COMPRESSED	-	1.1D	0028
BLACK POWDER granular, or as a meal	-	1.1D	0027
BLACK POWDER IN PELLETS	_	1.1D	0028
Blasticidin-S-3, see PESTICIDE, N.O.S.	-	-	-
Bleaching powder, see	Р	5.1	2208
Bleach liquor, see	-	8	1791

Substance, material or article	MP	Class	UN No.
Bombs, illuminating, see AMMUNITION, ILLUMINATING	_	_	-
BOMBS, PHOTO-FLASH	-	1.1D	0038
BOMBS, PHOTO-FLASH	-	1.1F	0037
BOMBS, PHOTO-FLASH	-	1.2G	0039
BOMBS, PHOTO-FLASH	-	1.3G	0299
BOMBS, SMOKE, NON-EXPLOSIVE with corrosive liquid, without initiating device	-	8	2028
Bombs, target identification, see AMMUNITION, ILLUMINATING	-	-	-
BOMBS with bursting charge	-	1.1D	0034
BOMBS with bursting charge	-	1.1F	0033
BOMBS with bursting charge	-	1.2D	0035
BOMBS with bursting charge	-	1.2F	0291
BOMBS WITH FLAMMABLE LIQUID with bursting charge	-	1.1J	0399
BOMBS WITH FLAMMABLE LIQUID with bursting charge	-	1.2J	0400
BOOSTERS WITH DETONATOR	-	1.1B	0225
BOOSTERS WITH DETONATOR	-	1.2B	0268
BOOSTERS without detonator	-	1.1D	0042
BOOSTERS without detonator	-	1.2D	0283
Borate and chlorate mixture, see	-	5.1	1458
BORNEOL	-	4.1	1312
Bornyl alcohol, see	-	4.1	1312
Boroethane, compressed, see	-	2.3	1911
Boron bromide, see	-	8	2692
Boron fluoride, compressed, see	-	2.3	1008
BORON TRIBROMIDE	-	8	2692
BORON TRICHLORIDE	-	2.3	1741
BORON TRIFLUORIDE	-	2.3	1008
BORON TRIFLUORIDE ACETIC ACID COMPLEX, LIQUID	-	8	1742
BORON TRIFLUORIDE ACETIC ACID COMPLEX, SOLID	-	8	3419
BORON TRIFLUORIDE, ADSORBED	-	2.3	3519
BORON TRIFLUORIDE DIETHYL ETHERATE	-	8	2604
BORON TRIFLUORIDE DIHYDRATE	-	8	2851
BORON TRIFLUORIDE DIMETHYL ETHERATE	-	4.3	2965
BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, LIQUID	-	8	1743
BORON TRIFLUORIDE PROPIONIC ACID COMPLEX, SOLID	-	8	3420
Brodifacoum, see COUMARIN DERIVATIVE PESTICIDE	Р	-	_
BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	-	5.1	3213
BROMATES, INORGANIC, N.O.S.	-	5.1	1450
BROMINE	-	8	1744
BROMINE CHLORIDE	-	2.3	2901
Bromine cyanide, see	Р	6.1	1889
BROMINE PENTAFLUORIDE	-	5.1	1745
BROMINE SOLUTION	-	8	1744

Substance, material or article	MP	Class	UN No.
BROMINE TRIFLUORIDE	-	5.1	1746
BROMOACETIC ACID, SOLID	-	8	3425
BROMOACETIC ACID SOLUTION	-	8	1938
BROMOACETONE	Р	6.1	1569
omega-Bromoacetone, see	-	6.1	2645
BROMOACETYL BROMIDE	-	8	2513
Bromoallylene, see	Р	3	1099
BROMOBENZENE	Р	3	2514
BROMOBENZYL CYANIDES, LIQUID	-	6.1	1694
BROMOBENZYL CYANIDES, SOLID	-	6.1	3449
1-BROMOBUTANE	-	3	1126
2-BROMOBUTANE	-	3	2339
Bromochlorodifluoromethane, see	-	2.2	1974
BROMOCHLOROMETHANE	-	6.1	1887
1-BROMO-3-CHLOROPROPANE	-	6.1	2688
Bromocyane, see	Р	6.1	1889
Bromodiphenylmethane, see	-	8	1770
1-Bromo-2,3-epoxypropane, see	Р	6.1	2558
Bromoethane, see	-	6.1	1891
2-BROMOETHYL ETHYL ETHER	-	3	2340
BROMOFORM	Р	6.1	2515
Bromomethane, see	-	2.3	1062
1-BROMO-3-METHYLBUTANE	-	3	2341
BROMOMETHYLPROPANES	-	3	2342
Bromonitrobenzenes, liquid, see	-	6.1	2732
Bromonitrobenzenes, solid, see	-	6.1	3459
2-BROMO-2-NITROPROPANE-1,3-DIOL	-	4.1	3241
2-BROMOPENTANE	-	3	2343
Bromophos-ethyl, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
BROMOPROPANES	-	3	2344
3-Bromopropene, see	Р	3	1099
3-BROMOPROPYNE	-	3	2345
3-Bromo-1-propyne, see	-	3	2345
alpha-Bromotoluene, see	-	6.1	1737
BROMOTRIFLUOROETHYLENE	-	2.1	2419
BROMOTRIFLUOROMETHANE	-	2.2	1009
Bromoxynil, see PESTICIDE, N.O.S.	Р	-	-
Bronopol, see	-	4.1	3241
BRUCINE	-	6.1	1570
BURSTERS explosive	-	1.1D	0043
But-1-yne, stabilized, see	-	2.1	2452
BUTADIENES AND HYDROCARBON MIXTURE, STABILIZED containing more than 40% butadienes, stabilized	-	2.1	1010
Substance, material or article	MP	Class	UN No.
--	----	-------	--------
BUTADIENES, STABILIZED	_	2.1	1010
Butanal, see	-	3	1129
Butanal oxime, see	-	3	2840
BUTANE	-	2.1	1011
BUTANEDIONE	-	3	2346
Butane-1-thiol, see	-	3	2347
Butanoic acid, see	-	8	2820
Butanoic anhydride, see	-	8	2739
Butan-2-ol, see	-	3	1120
1-Butanol, see	-	3	1120
Butanol, secondary, see	-	3	1120
Butanol, tertiary, see	-	3	1120
3-Butanolal, see	-	6.1	2839
BUTANOLS	-	3	1120
2-Butanone, see	-	3	1193
Butanoyl chloride, see	-	3	2353
2-Butenal, stabilized, see	Р	6.1	1143
Butene, see	-	2.1	1012
But-1-ene-3-one, stabilized, see	-	6.1	1251
1,2-Butene oxide, stabilized, see	-	3	3022
2-Butenoic acid, liquid, see	-	8	3472
2-Butenoic acid, solid, see	-	8	2823
2-Buten-1-ol, see	-	3	2614
Butocarboxim, see CARBAMATE PESTICIDE	-	-	-
BUTYL ACETATES	-	3	1123
Butyl acetate, secondary, see	-	3	1123
BUTYL ACID PHOSPHATE	-	8	1718
BUTYL ACRYLATES, STABILIZED	-	3	2348
Butyl alcohols, see	-	3	1120
Butyl aldehyde, see	-	3	1129
<i>n</i> -BUTYLAMINE	-	3	1125
N-BUTYLANILINE	-	6.1	2738
BUTYLBENZENES	Р	3	2709
Butyl benzyl phthalate, see	Р	9	3082
n-Butyl bromide, see	-	3	1126
secondary-Butyl bromide, see	-	3	2339
tertiary-Butyl bromide, see	-	3	2342
Butyl butyrate, see	-	3	3272
n-Butyl chloride, see	-	3	1127
secondary-Butyl chloride, see	-	3	1127
tertiary-Butyl chloride, see	-	3	1127
n-BUTYL CHLOROFORMATE	-	6.1	2743
tert-Butyl cumyl peroxide (concentration > 42-100%), see	_	5.2	3109

Substance, material or article	MP	Class	UN No.
tert-Butyl cumyl peroxide (concentration \leq 52%, with inert solid), see	-	5.2	3108
tert-BUTYLCYCLOHEXYL CHLOROFORMATE	-	6.1	2747
N ² -tert-Butyl-N ⁴ -cyclopropyl-6-methylthio-1,3,5-triazine-2,4-diamine, see	Р	9	3077
<i>n</i> -Butyl 4,4-di-(<i>tert</i> -butylperoxy)valerate (concentration \leq 52%, with inert solid), see	-	5.2	3108
<i>n</i> -Butyl 4,4-di-(<i>tert</i> -butylperoxy)valerate (concentration > 52–100%), see	-	5.2	3103
BUTYLENE	-	2.1	1012
1,2-BUTYLENE OXIDE, STABILIZED	-	3	3022
Butyl ethers, see	-	3	1149
Butyl ethyl ether, see	-	3	1179
n-BUTYL FORMATE	-	3	1128
tert-Butyl hydroperoxide (concentration \leq 72%, with water), see	-	5.2	3109
tert-Butyl hydroperoxide (concentration \leq 79%, with water), see	-	5.2	3107
tert-Butyl hydroperoxide (concentration > 79-90%, with water), see	-	5.2	3103
tert-Butyl hydroperoxide (concentration \leq 80%, with diluent Type A), see	-	5.2	3105
<i>tert</i> -Butyl hydroperoxide (concentration < 82%) + di- <i>tert</i> -butyl peroxide (concentration > 9%), with water, see	-	5.2	3103
tert-BUTYL HYPOCHLORITE	-	4.2	3255
N-n-BUTYLIMIDAZOLE	-	6.1	2690
N, n-Butyliminazole, see	-	6.1	2690
secondary-Butyl iodide, see	-	3	2390
tertiary-Butyl iodide, see	-	3	2391
tert-BUTYL ISOCYANATE	-	6.1	2484
n-BUTYL ISOCYANATE	-	6.1	2485
BUTYL MERCAPTAN	-	3	2347
n-BUTYL METHACRYLATE, STABILIZED	-	3	2227
Butyl 2-methylacrylate, stabilized, see	-	3	2227
BUTYL METHYL ETHER	-	3	2350
<i>tert</i> -Butyl monoperoxymaleate (concentration \leq 52%, as a paste), see	-	5.2	3108
tert-Butyl monoperoxymaleate (concentration \leq 52%, with diluent Type A), see	-	5.2	3103
tert-Butyl monoperoxymaleate (concentration \leq 52%, with inert solid), see	-	5.2	3108
tert-Butyl monoperoxymaleate (concentration > 52–100%), see	-	5.2	3102
BUTYL NITRITES	-	3	2351
<i>tert</i> -Butyl peroxyacetate (concentration ≤32%, with diluent Type B), <i>see</i>	-	5.2	3109
<i>tert</i> -Butyl peroxyacetate (concentration > 32–52%, with diluent Type A), see	-	5.2	3103
<i>tert</i> -Butyl peroxyacetate (concentration > 52–77%, with diluent Type A), see	-	5.2	3101
<i>tert</i> -Butyl peroxybenzoate (concentration \leq 52%, with inert solid), see	-	5.2	3106

Substance, material or article	MP	Class	UN No.
<i>tert</i> -Butyl peroxybenzoate (concentration > 52–77%, with diluent Type A), <i>see</i>	-	5.2	3105
<i>tert</i> -Butyl peroxybenzoate (concentration >77–100%, with diluent Type A), see	-	5.2	3103
tert-Butyl peroxybutyl fumarate (concentration ${\leq}52\%$, with diluent Type A), see	-	5.2	3105
tert-Butyl peroxycrotonate (concentration ${\leq}77\%$, with diluent Type A), see	-	5.2	3105
tert-Butyl peroxydiethylacetate (concentration \leq 100%), see	-	5.2	3113
tert-Butyl peroxy-2-ethylhexanoate (concentration \leq 12%) + 2,2-di-(tert-butylperoxy)butane (concentration \leq 14%), with diluent Type A and inert solid, see	-	5.2	3106
tert-Butyl peroxy-2-ethylhexanoate (concentration \leq 31%) + 2,2-di-(tert-butylperoxy)butane (concentration \leq 36%), with diluent Type B, see	-	5.2	3115
tert-Butyl peroxy-2-ethylhexanoate (concentration ${\leq}$ 32%, with diluent Type B), see	-	5.2	3119
<i>tert</i> -Butyl peroxy-2-ethylhexanoate (concentration > 32–52%, with diluent Type B), see	-	5.2	3117
tert-Butyl peroxy-2-ethylhexanoate (concentration ${\leq}$ 52%, with inert solid), see	-	5.2	3118
tert-Butyl peroxy-2-ethylhexanoate (concentration > 52-100%), see	-	5.2	3113
tert-Butyl peroxy-2-ethylhexylcarbonate (concentration \leq 100%), see	-	5.2	3105
tert-Butyl peroxy isobutyrate (concentration \leq 52%, with diluent Type B), see	-	5.2	3115
<i>tert</i> -Butyl peroxyisobutyrate (concentration > 52–77%, with diluent Type B), see	-	5.2	3111
tert-Butyl peroxy isopropyl carbonate (concentration ${\leq}77\%$, with diluent Type A), see	-	5.2	3103
1-(2- <i>tert</i> -Butylperoxyisopropyl)-3-isopropenylbenzene (concentration \leq 42%, with inert solid), see	-	5.2	3108
1-(2- <i>tert</i> -Butylperoxy isopropyl)-3-isopropenylbenzene (concentration \leq 77%, with diluent Type A), see	-	5.2	3105
tert-Butyl peroxy-2-methylbenzoate (concentration \leq 100%), see	-	5.2	3103
tert-Butyl peroxyneodecanoate (concentration \leq 32%, with diluent Type A), see	-	5.2	3119
tert-Butyl peroxyneodecanoate (concentration ${\leq}$ 42%, as a stable dispersion in water (frozen)), see	-	5.2	3118
tert-Butyl peroxyneodecanoate (concentration ${\leq}52\%$, as a stable dispersion in water), see	-	5.2	3119
tert-Butyl peroxyneodecanoate (concentration ${\leq}77\%$, with diluent Type B), see	-	5.2	3115
tert-Butyl peroxyneodecanoate (concentration > 77–100%), see	-	5.2	3115
<i>tert</i> -Butyl peroxyneoheptanoate (concentration \leq 42%, as a stable dispersion in water), see	-	5.2	3117
tert-Butyl peroxyneoheptanoate (concentration \leq 77%, with diluent Type A), see	-	5.2	3115
tert-Butyl peroxypivalate (concentration \leq 27%, with diluent Type B), see	-	5.2	3119

Substance, material or article	MP	Class	UN No.
<i>tert</i> -Butyl peroxypivalate (concentration >27–67%, with diluent Type B), <i>see</i>	-	5.2	3115
<i>tert</i> -Butyl peroxypivalate (concentration > 67–77%, with diluent Type A), <i>see</i>	-	5.2	3113
tert-Butyl peroxystearylcarbonate (concentration \leq 100%), see	-	5.2	3106
tert-Butyl peroxy-3,5,5-trimethylhexanoate (concentration \leq 37%, with diluent Type B), see	-	5.2	3109
<i>tert</i> -Butyl peroxy-3,5,5-trimethylhexanoate (concentration > 37–100%), see	-	5.2	3105
tert-Butyl peroxy-3,5,5-trimethylhexanoate (concentration ${\leq}$ 42%, with inert solid), see	-	5.2	3106
Butylphenols, liquid, N.O.S., see	-	8	3145
Butylphenols, solid, N.O.S., see	-	8	2430
Butylphosphoric acid, see	-	8	1718
BUTYL PROPIONATES	-	3	1914
Butyl thioalcohols, see	-	3	2347
BUTYLTOLUENES	-	6.1	2667
BUTYLTRICHLOROSILANE	_	8	1747
5-tert-BUTYL-2,4,6-TRINITRO-m-XYLENE	-	4.1	2956
BUTYL VINYL ETHER, STABILIZED	-	3	2352
1-Butyne, stabilized, see	-	2.1	2452
2-Butyne, see	-	3	1144
1,4-BUTYNEDIOL	-	6.1	2716
2-Butyne-1,4-diol, see	-	6.1	2716
BUTYRALDEHYDE	-	3	1129
BUTYRALDOXIME	-	3	2840
BUTYRIC ACID	-	8	2820
BUTYRIC ANHYDRIDE	-	8	2739
Butyrone, see	-	3	2710
BUTYRONITRILE	-	3	2411
Butyroyl chloride, see	-	3	2353
BUTYRYL CHLORIDE	-	3	2353
Cable cutters, explosive, see	-	1.4S	0070
CACODYLIC ACID	-	6.1	1572
CADMIUM COMPOUND	-	6.1	2570
Cadmium selenide, see	-	6.1	2570
Cadmium sulphide, see	Р	6.1	2570
CAESIUM	-	4.3	1407
Caesium alloy, liquid, see	-	4.3	1421
Caesium amalgams, liquid, see	-	4.3	1389
Caesium amalgams, solid, see	-	4.3	3401
Caesium amide, see	-	4.3	1390
Caesium dispersions, see	-	4.3	1391
CAESIUM HYDROXIDE	-	8	2682

Substance, material or article	MP	Class	UN No.
CAESIUM HYDROXIDE SOLUTION	_	8	2681
CAESIUM NITRATE	-	5.1	1451
Caesium powder, pyrophoric, see	-	4.2	1383
Caffeine, see	-	6.1	1544
Cajeputene, see	Р	3	2052
CALCIUM	-	4.3	1401
Calcium alloy, non-pyrophoric, solid, see	-	4.3	1393
CALCIUM ALLOYS, PYROPHORIC	-	4.2	1855
Calcium amalgams, liquid, see	-	4.3	1389
Calcium amalgams, solid, see	-	4.3	3402
CALCIUM ARSENATE	Р	6.1	1573
CALCIUM ARSENATE AND CALCIUM ARSENITE MIXTURE, SOLID	Р	6.1	1574
Calcium bisulphite solution, see	-	8	2693
CALCIUM CARBIDE	-	4.3	1402
CALCIUM CHLORATE	_	5.1	1452
CALCIUM CHLORATE, AQUEOUS SOLUTION	-	5.1	2429
CALCIUM CHLORITE	-	5.1	1453
CALCIUM CYANAMIDE with more than 0.1% calcium carbide	-	4.3	1403
CALCIUM CYANIDE	Р	6.1	1575
Calcium dispersions, see	-	4.3	1391
CALCIUM DITHIONITE	-	4.2	1923
CALCIUM HYDRIDE	-	4.3	1404
Calcium hydrogen sulphite solution, see	-	8	2693
CALCIUM HYDROSULPHITE	-	4.2	1923
CALCIUM HYPOCHLORITE, DRY with more than 39% available chlorine (8.8% available oxygen)	Р	5.1	1748
CALCIUM HYPOCHLORITE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	Р	5.1	3485
CALCIUM HYPOCHLORITE, HYDRATED with not less than 5.5% but not more than 16% water	Р	5.1	2880
CALCIUM HYPOCHLORITE, HYDRATED MIXTURE, CORROSIVE with not less than 5.5% but not more than 16% water	Р	5.1	3487
CALCIUM HYPOCHLORITE, HYDRATED, CORROSIVE with not less than 5.5% but not more than 16% water	Р	5.1	3487
CALCIUM HYPOCHLORITE, HYDRATED MIXTURE with not less than 5.5% but not more than 16% water	Р	5.1	2880
CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 10% but not more than 39% available chlorine	Р	5.1	3486
CALCIUM HYPOCHLORITE MIXTURE, DRY, CORROSIVE with more than 39% available chlorine (8.8% available oxygen)	Р	5.1	3485
CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 10% but not more than 39% available chlorine	Р	5.1	2208
CALCIUM HYPOCHLORITE MIXTURE, DRY with more than 39% available chlorine (8.8% available oxygen)	Р	5.1	1748
CALCIUM MANGANESE SILICON	-	4.3	2844
Calcium naphthenate in solution, see	Р	9	3082

Substance, material or article	MP	Class	UN No.
CALCIUM NITRATE	-	5.1	1454
CALCIUM OXIDE	-	8	1910
CALCIUM PERCHLORATE	-	5.1	1455
CALCIUM PERMANGANATE	-	5.1	1456
CALCIUM PEROXIDE	-	5.1	1457
CALCIUM PHOSPHIDE	-	4.3	1360
CALCIUM, PYROPHORIC	-	4.2	1855
CALCIUM RESINATE	-	4.1	1313
CALCIUM RESINATE, FUSED	-	4.1	1314
Calcium selenate, see	-	6.1	2630
CALCIUM SILICIDE	-	4.3	1405
Calcium silicon, see	-	4.3	1405
Calcium superoxide, see	-	5.1	1457
2-Camphanol, see	-	4.1	1312
2-Camphanone, see		4.1	2717
Camphechlor, see ORGANOCHLORINE PESTICIDE	Р	-	-
CAMPHOR OIL	-	3	1130
CAMPHOR, synthetic	-	4.1	2717
CAPACITOR, ASYMMETRIC (with an energy storage capacity greater than 0.3 Wh)	-	9	3508
CAPACITOR, ELECTRIC DOUBLE LAYER (with an energy storage capacity greater than 0.3 Wh)	-	9	3499
CAPROIC ACID	-	8	2829
Caproic aldehyde, see	-	3	1207
Caprylyl chloride, see	-	8	3265
CARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2758
CARBAMATE PESTICIDE, LIQUID, TOXIC	-	6.1	2992
CARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	2991
CARBAMATE PESTICIDE, SOLID, TOXIC	-	6.1	2757
Carbanil, see	-	6.1	2487
Carbaryl, see CARBAMATE PESTICIDE	Р	-	-
Carbendazim, see Note 1	Р	-	-
Carbofuran, see CARBAMATE PESTICIDE	Р	-	-
Carbolic acid, molten, see	-	6.1	2312
Carbolic acid, solid, see	-	6.1	1671
Carbolic acid solution, see	-	6.1	2821
CARBON, ACTIVATED	-	4.2	1362
CARBON animal origin	-	4.2	1361
Carbon bisulphide, see	-	3	1131
Carbon black, see	-	4.2	1361
CARBON DIOXIDE	_	2.2	1013
Carbon dioxide and ethylene oxide mixture, see ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE	-	-	-

Substance, material or article	MP	Class	UN No.
CARBON DIOXIDE, REFRIGERATED LIQUID	_	2.2	2187
CARBON DIOXIDE, SOLID	-	9	1845
CARBON DISULPHIDE	-	3	1131
Carbonic anhydride, see	-	2.2	1013
Carbonic anhydride, refrigerated liquid, see	-	2.2	2187
Carbonic anhydride, solid, see	-	9	1845
CARBON MONOXIDE, COMPRESSED	-	2.3	1016
Carbon oxisulphide, see	-	2.3	2204
Carbon oxyfluoride, see	-	2.3	2417
Carbon oxyfluoride, compressed, see	-	2.3	2417
Carbon oxysulphide, see	-	2.3	2204
Carbon paper, see	-	4.2	1379
CARBON TETRABROMIDE	Р	6.1	2516
CARBON TETRACHLORIDE	Р	6.1	1846
CARBON vegetable origin	-	4.2	1361
Carbonyl chloride, see	-	2.3	1076
CARBONYL FLUORIDE	-	2.3	2417
CARBONYL SULPHIDE	-	2.3	2204
Carbophenothion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Cargo transport unit under fumigation, see	-	9	3359
Cartap hydrochloride, see CARBAMATE PESTICIDE	Р	-	-
Cartridge cases, see CASES, CARTRIDGE	-	-	-
Cartridges, actuating, for fire extinguisher or apparatus valve, see CARTRIDGES, POWER DEVICE	-	_	-
Cartridges, explosive, see	-	1.1D	0048
CARTRIDGES, FLASH	-	1.1G	0049
CARTRIDGES, FLASH	-	1.3G	0050
CARTRIDGES FOR TOOLS, BLANK	-	1.4S	0014
CARTRIDGES FOR WEAPONS, BLANK	-	1.1C	0326
CARTRIDGES FOR WEAPONS, BLANK	-	1.2C	0413
CARTRIDGES FOR WEAPONS, BLANK	-	1.3C	0327
CARTRIDGES FOR WEAPONS, BLANK	-	1.4C	0338
CARTRIDGES FOR WEAPONS, BLANK	-	1.4S	0014
CARTRIDGES FOR WEAPONS, INERT PROJECTILE	-	1.2C	0328
CARTRIDGES FOR WEAPONS, INERT PROJECTILE	-	1.3C	0417
CARTRIDGES FOR WEAPONS, INERT PROJECTILE	-	1.4C	0339
CARTRIDGES FOR WEAPONS, INERT PROJECTILE	-	1.4S	0012
CARTRIDGES FOR WEAPONS with bursting charge	-	1.1E	0006
CARTRIDGES FOR WEAPONS with bursting charge	-	1.1F	0005
CARTRIDGES FOR WEAPONS with bursting charge	_	1.2E	0321
CARTRIDGES FOR WEAPONS with bursting charge	-	1.2F	0007
CARTRIDGES FOR WEAPONS with bursting charge	-	1.4E	0412
CARTRIDGES FOR WEAPONS with bursting charge	-	1.4F	0348

Substance, material or article	MP	Class	UN No.
Cartridges, illuminating, see AMMUNITION, ILLUMINATING	_	_	-
CARTRIDGES, OIL WELL	-	1.3C	0277
CARTRIDGES, OIL WELL	-	1.4C	0278
CARTRIDGES, POWER DEVICE	-	1.2C	0381
CARTRIDGES, POWER DEVICE	-	1.3C	0275
CARTRIDGES, POWER DEVICE	-	1.4C	0276
CARTRIDGES, POWER DEVICE	-	1.4S	0323
CARTRIDGES, SIGNAL	-	1.3G	0054
CARTRIDGES, SIGNAL	-	1.4G	0312
CARTRIDGES, SIGNAL	-	1.4S	0405
CARTRIDGES, SMALL ARMS	-	1.3C	0417
CARTRIDGES, SMALL ARMS	-	1.4C	0339
CARTRIDGES, SMALL ARMS	-	1.4S	0012
CARTRIDGES, SMALL ARMS, BLANK	-	1.3C	0327
CARTRIDGES, SMALL ARMS, BLANK	-	1.4C	0338
CARTRIDGES, SMALL ARMS, BLANK	-	1.4S	0014
Cartridges, starter, jet engine, see CARTRIDGES, POWER DEVICE		-	-
CASES, CARTRIDGE, EMPTY, WITH PRIMER	-	1.4C	0379
CASES, CARTRIDGE, EMPTY, WITH PRIMER	-	1.4S	0055
CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER	-	1.3C	0447
CASES, COMBUSTIBLE, EMPTY, WITHOUT PRIMER	-	1.4C	0446
Casinghead gasoline, see	Р	3	1203
CASTOR BEANS	-	9	2969
CASTOR FLAKE	-	9	2969
CASTOR MEAL	-	9	2969
CASTOR POMACE	-	9	2969
CAUSTIC ALKALI LIQUID, N.O.S.	-	8	1719
Caustic potash solution, see	-	8	1814
Caustic potash, solid, see	-	8	1813
Caustic soda liquor, see	-	8	1824
Caustic soda, solid, see	-	8	1823
Caustic soda solution, see	-	8	1824
CELLS, CONTAINING SODIUM	-	4.3	3292
CELLULOID in block, rods, rolls, sheets, tubes, etc., except scrap	-	4.1	2000
CELLULOID, SCRAP	-	4.2	2002
Cellulose nitrate solution, see	-	3	2059
Cellulose nitrate with alcohol, see	-	4.1	2556
Cellulose nitrate with plasticizing substance, see	-	4.1	2557
Cellulose nitrate with water, see	-	4.1	2555
Cement, liquid, see	-	3	1133
CERIUM gritty powder	_	4.3	3078
CERIUM ingots	-	4.1	1333
Cerium powder, pyrophoric, see	_	4.2	1383

Substance, material or article	MP	Class	UN No.
CERIUM rods	-	4.1	1333
CERIUM slabs	-	4.1	1333
CERIUM turnings	-	4.3	3078
Cer Mischmetall, see	-	4.1	1323
Cesium, see CAESIUM	-	-	-
Charcoal, activated, see	-	4.2	1362
Charcoal, non-activated, see	-	4.2	1361
CHARGES, BURSTING, PLASTICS BONDED	-	1.1D	0457
CHARGES, BURSTING, PLASTICS BONDED	-	1.2D	0458
CHARGES, BURSTING, PLASTICS BONDED	-	1.4D	0459
CHARGES, BURSTING, PLASTICS BONDED	-	1.4S	0460
CHARGES, DEMOLITION	_	1.1D	0048
CHARGES, DEPTH	-	1.1D	0056
Charges, expelling, explosive, for fire extinguishers, see CARTRIDGES, POWER DEVICE	-	-	-
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	-	1.1D	0442
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	-	1.2D	0443
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	-	1.4D	0444
CHARGES, EXPLOSIVE, COMMERCIAL without detonator	-	1.4S	0445
CHARGES, PROPELLING	-	1.1C	0271
CHARGES, PROPELLING	-	1.2C	0415
CHARGES, PROPELLING	-	1.3C	0272
CHARGES, PROPELLING	-	1.4C	0491
CHARGES, PROPELLING, FOR CANNON	-	1.1C	0279
CHARGES, PROPELLING, FOR CANNON	-	1.2C	0414
CHARGES, PROPELLING, FOR CANNON	-	1.3C	0242
CHARGES, SHAPED, FLEXIBLE, LINEAR	-	1.1D	0288
CHARGES, SHAPED, FLEXIBLE, LINEAR	-	1.4D	0237
CHARGES, SHAPED without detonator	-	1.1D	0059
CHARGES, SHAPED without detonator	-	1.2D	0439
CHARGES, SHAPED without detonator	-	1.4D	0440
CHARGES, SHAPED without detonator	-	1.4S	0441
CHARGES, SUPPLEMENTARY, EXPLOSIVE	-	1.1D	0060
CHEMICAL KIT	-	9	3316
CHEMICAL SAMPLE, TOXIC	_	6.1	3315
CHEMICAL UNDER PRESSURE, N.O.S.	_	2.2	3500
CHEMICAL UNDER PRESSURE, CORROSIVE, N.O.S.	_	2.2	3503
CHEMICAL UNDER PRESSURE, FLAMMABLE, N.O.S.	-	2.1	3501
CHEMICAL UNDER PRESSURE, FLAMMABLE, CORROSIVE, N.O.S.	-	2.1	3505
CHEMICAL UNDER PRESSURE, FLAMMABLE, TOXIC, N.O.S.	-	2.1	3504
CHEMICAL UNDER PRESSURE, TOXIC, N.O.S.	-	2.2	3502
Chile saltpetre, see	-	5.1	1498
Chinomethionat, see PESTICIDE, N.O.S.	-	-	-

Substance, material or article	MP	Class	UN No.
CHLORAL, ANHYDROUS, STABILIZED	-	6.1	2075
CHLORATE AND BORATE MIXTURE	-	5.1	1458
CHLORATE AND MAGNESIUM CHLORIDE MIXTURE, SOLID	-	5.1	1459
CHLORATE AND MAGNESIUM CHLORIDE MIXTURE SOLUTION	-	5.1	3407
CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	-	5.1	3210
CHLORATES, INORGANIC, N.O.S.	-	5.1	1461
Chlordane, see ORGANOCHLORINE PESTICIDE	Р	-	-
Chlordimeform, see ORGANOCHLORINE PESTICIDE	-	_	_
Chlordimeform hydrochloride, see ORGANOCHLORINE PESTICIDE	-	-	-
Chlorfenvinphos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	_
CHLORIC ACID, AQUEOUS SOLUTION with a concentration exceeding 10% (transport prohibited)	-	-	-
CHLORIC ACID, AQUEOUS SOLUTION with not more than 10% chloric acid	-	5.1	2626
Chlorinated paraffins ($C_{10}-C_{13}$), see	Р	9	3082
Chlorinated paraffins ($C_{14}-C_{17}$) with more than 1% shorter chain length, see	Р	9	3082
CHLORINE	Р	2.3	1017
CHLORINE, ADSORBED	-	2.3	3520
Chlorine bromide, see	-	2.3	2901
Chlorine cyanide, stabilized, see	Р	2.3	1589
CHLORINE PENTAFLUORIDE	-	2.3	2548
CHLORINE TRIFLUORIDE	-	2.3	1749
CHLORITES, INORGANIC, N.O.S.	-	5.1	1462
CHLORITE SOLUTION	-	8	1908
Chlormephos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Chloroacetaldehyde, see	-	6.1	2232
CHLOROACETIC ACID, MOLTEN	-	6.1	3250
CHLOROACETIC ACID, SOLID	-	6.1	1751
CHLOROACETIC ACID SOLUTION	-	6.1	1750
CHLOROACETONE, STABILIZED	Р	6.1	1695
CHLOROACETONITRILE	-	6.1	2668
CHLOROACETOPHENONE, LIQUID	-	6.1	3416
CHLOROACETOPHENONE, SOLID	-	6.1	1697
CHLOROACETYL CHLORIDE	_	6.1	1752
para-Chloro-ortho-aminophenol, see	-	6.1	2673
2-Chloroaniline, see	-	6.1	2019
3-Chloroaniline, see	-	6.1	2019
4-Chloroaniline, see	-	6.1	2018
meta-Chloroaniline, see	-	6.1	2019
ortho-Chloroaniline, see	-	6.1	2019
para-Chloroaniline, see	-	6.1	2018
CHLOROANILINES, LIQUID	-	6.1	2019
CHLOROANILINES, SOLID	-	6.1	2018

Substance, material or article	MP	Class	UN No.
CHLOROANISIDINES	-	6.1	2233
CHLOROBENZENE	-	3	1134
CHLOROBENZOTRIFLUORIDES	-	3	2234
CHLOROBENZYL CHLORIDES, LIQUID	Р	6.1	2235
CHLOROBENZYL CHLORIDES, SOLID	Р	6.1	3427
1-Chloro-3-bromopropane, see	-	6.1	2688
2-Chlorobutadiene-1,3, stabilized, see	-	3	1991
1-Chlorobutane, see	-	3	1127
2-Chlorobutane, see	-	3	1127
CHLOROBUTANES	-	3	1127
Chlorocarbonates, toxic, corrosive, flammable, n.o.s., see	-	6.1	2742
Chlorocarbonates, toxic, corrosive, n.o.s., see	-	6.1	3277
CHLOROCRESOLS, SOLID	-	6.1	3437
CHLOROCRESOLS SOLUTION	-	6.1	2669
3-Chloro-4-diethylaminobenzenediazonium zinc chloride (concentration 100%), see	-	4.1	3226
CHLORODIFLUOROBROMOMETHANE	-	2.2	1974
1-CHLORO-1,1-DIFLUOROETHANE	-	2.1	2517
CHLORODIFLUOROMETHANE	-	2.2	1018
CHLORODIFLUOROMETHANE AND CHLOROPENTAFLUOROETHANE MIXTURE with a fixed boiling point, with approximately 49% chlorodifluoromethane	-	2.2	1973
3-Chloro-1,2-dihydroxypropane, see	-	6.1	2689
Chlorodimethyl ether, see	-	6.1	1239
CHLORODINITROBENZENES, LIQUID	Р	6.1	1577
CHLORODINITROBENZENES, SOLID	Р	6.1	3441
2-CHLOROETHANAL	-	6.1	2232
Chloroethane, see	-	2.1	1037
Chloroethane nitrile, see	-	6.1	2668
2-Chloroethanol, see	-	6.1	1135
2-Chloroethyl alcohol, see	-	6.1	1135
CHLOROFORM	-	6.1	1888
CHLOROFORMATES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	-	6.1	2742
CHLOROFORMATES, TOXIC, CORROSIVE, N.O.S.	-	6.1	3277
Chloromethane, see	-	2.1	1063
1-Chloro-3-methylbutane, see	-	3	1107
2-Chloro-2-methylbutane, see	-	3	1107
CHLOROMETHYL CHLOROFORMATE	-	6.1	2745
Chloromethyl cyanide, see	-	6.1	2668
CHLOROMETHYL ETHYL ETHER	-	3	2354
Chloromethyl methyl ether, see	-	6.1	1239
Chloromethylphenols, solution, see	_	6.1	2669
Chloromethylphenols, solid, see	-	6.1	3437
3-CHLORO-4-METHYLPHENYL ISOCYANATE, LIQUID	_	6.1	2236

Substance, material or article	MP	Class	UN No.
3-CHLORO-4-METHYLPHENYL ISOCYANATE, SOLID	-	6.1	3428
Chloromethylpropanes, see	-	3	1127
3-Chloro-2-methylprop-1-ene, see	-	3	2554
CHLORONITROANILINES	Р	6.1	2237
CHLORONITROBENZENES, LIQUID	-	6.1	3409
CHLORONITROBENZENES, SOLID	-	6.1	1578
2-Chloro-6-nitrotoluene, see Note 1	Р	-	-
CHLORONITROTOLUENES, LIQUID	Р	6.1	2433
CHLORONITROTOLUENES, SOLID	Р	6.1	3457
1-Chlorooctane, see	Р	9	3082
CHLOROPENTAFLUOROETHANE	-	2.2	1020
Chloropentanes, see	-	3	1107
3-Chloroperoxybenzoic acid (concentration ${\leq}$ 57%, with inert solid and water), see	-	5.2	3106
3-Chloroperoxybenzoic acid (concentration > 57–86%, with inert solid), see	-	5.2	3102
3-Chloroperoxybenzoic acid (concentration ${\leq}77\%$ with inert solid and water), see	-	5.2	3106
Chlorophacinone, see ORGANOCHLORINE PESTICIDE	-	-	-
CHLOROPHENOLATES, LIQUID	-	8	2904
CHLOROPHENOLATES, SOLID	-	8	2905
CHLOROPHENOLS, LIQUID	-	6.1	2021
CHLOROPHENOLS, SOLID	-	6.1	2020
CHLOROPHENYLTRICHLOROSILANE	Р	8	1753
CHLOROPICRIN	Р	6.1	1580
CHLOROPICRIN AND METHYL BROMIDE MIXTURE with more than 2% chloropicrin	-	2.3	1581
CHLOROPICRIN AND METHYL CHLORIDE MIXTURE	-	2.3	1582
CHLOROPICRIN MIXTURE, N.O.S.	-	6.1	1583
CHLOROPLATINIC ACID, SOLID	-	8	2507
CHLOROPRENE, STABILIZED	-	3	1991
1-CHLOROPROPANE	-	3	1278
2-CHLOROPROPANE	-	3	2356
3-Chloropropanediol-1,2, see	-	6.1	2689
1-Chloro-2-propanol, see	-	6.1	2611
3-CHLOROPROPANOL-1	-	6.1	2849
2-CHLOROPROPENE	-	3	2456
3-Chloropropene, see	-	3	1100
3-Chloroprop-1-ene, see	-	3	1100
2-CHLOROPROPIONIC ACID	_	8	2511
alpha-Chloropropionic acid, see	-	8	2511
2-Chloropropylene, see	_	3	2456
alpha-Chloropropylene, see	-	3	1100
2-CHLOROPYRIDINE	_	6.1	2822

Substance, material or article	MP	Class	UN No.
CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.	-	8	2986
CHLOROSILANES, CORROSIVE, N.O.S.	-	8	2987
CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.	_	3	2985
CHLOROSILANES, TOXIC, CORROSIVE, FLAMMABLE, N.O.S.	-	6.1	3362
CHLOROSILANES, TOXIC, CORROSIVE, N.O.S.	-	6.1	3361
CHLOROSILANES, WATER-REACTIVE, FLAMMABLE, CORROSIVE, N.O.S.	-	4.3	2988
CHLOROSULPHONIC ACID (with or without sulphur trioxide)	-	8	1754
Chlorosulphuric acid, see	-	6.1	1834
1-CHLORO-1,2,2,2-TETRAFLUOROETHANE	-	2.2	1021
meta-Chlorotoluene, see	-	3	2238
ortho-Chlorotoluene, see	Р	3	2238
para-Chlorotoluene, see	-	3	2238
CHLOROTOLUENES	-	3	2238
4-CHLORO-0-TOLUIDINE HYDROCHLORIDE, SOLID	_	6.1	1579
4-CHLORO-0-TOLUIDINE HYDROCHLORIDE SOLUTION	-	6.1	3410
CHLOROTOLUIDINES, LIQUID	-	6.1	3429
CHLOROTOLUIDINES, SOLID	-	6.1	2239
1-CHLORO-2,2,2-TRIFLUOROETHANE	-	2.2	1983
Chlorotrifluoroethylene, stabilized, see	-	2.3	1082
CHLOROTRIFLUOROMETHANE	-	2.2	1022
CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE with approximately 60% chlorotrifluoromethane	-	2.2	2599
2-Chloro-5-trifluoromethylnitrobenzene, see	Р	6.1	2307
Chlorovinyl acetate, see	-	6.1	2589
Chlorphacinone, see ORGANOCHLORINE PESTICIDE	-	-	-
Chlorpyriphos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Chlorthiophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Chromic acid, solid, see	-	5.1	1463
CHROMIC ACID SOLUTION	-	8	1755
Chromic anhydride, see	-	5.1	1463
CHROMIC FLUORIDE, SOLID	-	8	1756
CHROMIC FLUORIDE SOLUTION	-	8	1757
Chromic nitrate, see	-	5.1	2720
Chromium(VI) dichloride dioxide, see	-	8	1758
Chromium(III) fluoride, solid, see	-	8	1756
Chromium fluoride, solid, see	-	8	1756
Chromium fluoride solution, see	_	8	1757
CHROMIUM NITRATE	-	5.1	2720
Chromium(III) nitrate, see	-	5.1	2720
CHROMIUM OXYCHLORIDE	-	8	1758
CHROMIUM TRIOXIDE, ANHYDROUS	-	5.1	1463
CHROMOSULPHURIC ACID	-	8	2240

Substance, material or article	MP	Class	UN No.
Chromyl chloride, see	-	8	1758
Chrysotile, see	-	9	2590
Cinene, see	Р	3	2052
Cinnamene, see	-	3	2055
Cinnamol, see	-	3	2055
CLINICAL WASTE, UNSPECIFIED, N.O.S.	-	6.2	3291
COAL GAS, COMPRESSED	-	2.3	1023
Coal tar, see	Р	9	3082
COAL TAR DISTILLATES, FLAMMABLE	-	3	1136
Coal tar naphtha, see	-	3	1268
Coal tar oil, see		3	1136
COATING SOLUTION (includes surface treatments or coatings used for industrial purposes such as vehicle under-coating, drum or barrel lining)	-	3	1139
COBALT NAPHTHENATES, POWDER	-	4.1	2001
COBALT RESINATE, PRECIPITATED	-	4.1	1318
Cocculus, see	Р	6.1	3172
Coconitrile, see	Р	9	3082
Collodion cottons (class 1), see NITROCELLULOSE	-	-	-
Collodion cotton with alcohol, see	-	4.1	2556
Collodion cotton with plasticizing substance, see	-	4.1	2557
Collodion cotton with water, see	-	4.1	2555
Collodion solution, see	-	3	2059
COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	-	1.1B	0461
COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	-	1.2B	0382
COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	-	1.4B	0383
COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	-	1.4S	0384
Composition B, see	-	1.1D	0118
COMPRESSED GAS, FLAMMABLE, N.O.S.	-	2.1	1954
COMPRESSED GAS, N.O.S.	-	2.2	1956
COMPRESSED GAS, OXIDIZING, N.O.S.	-	2.2	3156
COMPRESSED GAS, TOXIC, CORROSIVE, N.O.S.	-	2.3	3304
COMPRESSED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.	-	2.3	3305
COMPRESSED GAS, TOXIC, FLAMMABLE, N.O.S.	-	2.3	1953
COMPRESSED GAS, TOXIC, N.O.S.	-	2.3	1955
COMPRESSED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	-	2.3	3306
COMPRESSED GAS, TOXIC, OXIDIZING, N.O.S.	-	2.3	3303
Container under fumigation, see	-	9	3359
CONTRIVANCES, WATER-ACTIVATED with burster, expelling charge or propelling charge	-	1.2L	0248
CONTRIVANCES, WATER-ACTIVATED with burster, expelling charge or propelling charge	-	1.3L	0249
COPPER ACETOARSENITE	Р	6.1	1585
Copper arsenate, see	-	6.1	1557

Substance, material or article	MP	Class	UN No.
COPPER ARSENITE	Р	6.1	1586
Copper(II) arsenite, see	_	6.1	1586
COPPER BASED PESTICIDE, LIQUID, TOXIC	_	6.1	3010
COPPER BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2776
COPPER BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	3009
COPPER BASED PESTICIDE, SOLID, TOXIC	_	6.1	2775
COPPER CHLORATE	-	5.1	2721
Copper(II) chlorate, see	-	5.1	2721
COPPER CHLORIDE	Р	8	2802
Copper compounds, see COPPER BASED PESTICIDE	-	-	-
COPPER CYANIDE	Р	6.1	1587
Copper metal powder, see Note 1	Р	-	-
Copper sulphate, anhydrous, hydrates and solutions, see Note 1	Р	-	-
COPRA	-	4.2	1363
CORD, DETONATING flexible	-	1.1D	0065
CORD, DETONATING flexible	-	1.4D	0289
CORD, DETONATING metal-clad	-	1.1D	0290
CORD, DETONATING metal-clad	-	1.2D	0102
CORD, DETONATING, MILD EFFECT metal-clad	_	1.4D	0104
CORD, IGNITER	-	1.4G	0066
Cordite, see POWDER, SMOKELESS	-	-	-
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.	-	8	3264
CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.	-	8	3265
CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	-	8	3266
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.	-	8	3267
CORROSIVE LIQUID, FLAMMABLE, N.O.S.	-	8	2920
CORROSIVE LIQUID, N.O.S.	-	8	1760
CORROSIVE LIQUID, OXIDIZING, N.O.S.	-	8	3093
CORROSIVE LIQUID, SELF-HEATING, N.O.S.	-	8	3301
CORROSIVE LIQUID, TOXIC, N.O.S.	-	8	2922
CORROSIVE LIQUID, WATER-REACTIVE, N.O.S.	-	8	3094
CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	-	8	3260
CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.	-	8	3261
CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	-	8	3262
CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.	-	8	3263
CORROSIVE SOLID, FLAMMABLE, N.O.S.	-	8	2921
CORROSIVE SOLID, N.O.S.	-	8	1759
CORROSIVE SOLID, OXIDIZING, N.O.S.	-	8	3084
CORROSIVE SOLID, SELF-HEATING, N.O.S.	-	8	3095
CORROSIVE SOLID, TOXIC, N.O.S.	-	8	2923
CORROSIVE SOLID, WATER-REACTIVE, N.O.S.	-	8	3096
Cosmetics, see	-	3	1266

Substance, material or article	MP	Class	UN No.
Cotton, dry, see	-	4.1	3360
COTTON WASTE, OILY	-	4.2	1364
COTTON, WET	-	4.2	1365
Coumachlor, see COUMARIN DERIVATIVE PESTICIDE	Р	-	-
Coumafuryl, see COUMARIN DERIVATIVE PESTICIDE	-	-	_
Coumaphos, see COUMARIN DERIVATIVE PESTICIDE	Р	-	-
COUMARIN DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint less than 23°C	_	3	3024
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC	-	6.1	3026
COUMARIN DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint not less than 23°C	-	6.1	3025
COUMARIN DERIVATIVE PESTICIDE, SOLID, TOXIC	-	6.1	3027
Coumatetralyl, see COUMARIN DERIVATIVE PESTICIDE	-	-	-
Creosote, see	Р	9	3082
Creosote salts, see	Р	4.1	1334
CRESOLS, LIQUID	-	6.1	2076
CRESOLS, SOLID	-	6.1	3455
Cresyl diphenyl phosphate, see	Р	9	3082
CRESYLIC ACID	-	6.1	2022
Crimidine, see ORGANOCHLORINE PESTICIDE	-	-	-
Crocidolite, see	-	9	2212
CROTONALDEHYDE	Р	6.1	1143
CROTONALDEHYDE, STABILIZED	Р	6.1	1143
CROTONIC ACID, LIQUID	-	8	3472
CROTONIC ACID, SOLID	-	8	2823
Crotonic aldehyde, stabilized, see	Р	6.1	1143
CROTONYLENE	-	3	1144
Crotoxyphos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Crude naphtha, see	-	3	1268
Crufomate, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Cumene, see	-	3	1918
Cumyl hydroperoxide (concentration \leq 90%, with diluent Type A), see	-	5.2	3109
Cumyl hydroperoxide (concentration >90–98%, with diluent Type A), see	-	5.2	3107
Cumyl peroxyneodecanoate (concentration ${\leq}52\%$ as a stable dispersion in water), see	-	5.2	3119
Cumyl peroxyneodecanoate (concentration \leq 77%, with diluent Type B), see	_	5.2	3115
Cumyl peroxyneodecanoate (concentration \leq 87%, with diluent Type A), see	-	5.2	3115
Cumyl peroxyneoheptanoate (concentration ${\leq}77\%,$ with diluent Type A), see	-	5.2	3115
Cumyl peroxypivalate (concentration \leq 77%, with diluent Type B), see	-	5.2	3115
Cupric arsenite, see	Р	6.1	1586
Cupric chlorate, see	-	5.1	2721

Substance, material or article	MP	Class	UN No.
Cupric chloride, see	Р	8	2802
Cupric cyanide, see	Р	6.1	1587
Cupric sulphate, see Note 1	Р	-	-
CUPRIETHYLENEDIAMINE SOLUTION	Р	8	1761
Cuprous chloride, see	Р	8	2802
Cut-backs, see	-	3	1999
CUTTERS, CABLE, EXPLOSIVE	-	1.4S	0070
Cyanazine, see TRIAZINE PESTICIDE	-	_	-
Cyanide mixture, inorganic, solid, N.O.S., see	Р	6.1	1588
CYANIDES, INORGANIC, SOLID, N.O.S.	Р	6.1	1588
CYANIDE SOLUTION, N.O.S.	Р	6.1	1935
Cyanides, organic, flammable, toxic, N.O.S., see	-	3	3273
Cyanides, organic, toxic, flammable, N.O.S., see	-	6.1	3275
Cyanides, organic, toxic, N.O.S., see	-	6.1	3276
Cyanoacetonitrile, see	-	6.1	2647
CYANOGEN	-	2.3	1026
CYANOGEN BROMIDE	Р	6.1	1889
CYANOGEN CHLORIDE, STABILIZED	Р	2.3	1589
Cyanophos, see ORGANOPHOSPHORUS PESTICIDE	Р	_	-
CYANURIC CHLORIDE	-	8	2670
CYCLOBUTANE	-	2.1	2601
CYCLOBUTYL CHLOROFORMATE	-	6.1	2744
1,5,9-CYCLODODECATRIENE	Р	6.1	2518
CYCLOHEPTANE	Р	3	2241
CYCLOHEPTATRIENE	-	3	2603
1,3,5-Cycloheptatriene, see	-	3	2603
CYCLOHEPTENE	-	3	2242
1,4-Cyclohexadienedione, see	-	6.1	2587
CYCLOHEXANE	-	3	1145
CYCLOHEXANETHIOL	-	3	3054
CYCLOHEXANONE	-	3	1915
Cyclohexanone peroxide(s) (concentration ${\leq}32\%,$ with inert solid) (exempt)	-	-	-
Cyclohexanone peroxide(s) (concentration \leq 72%, as a paste, with diluent Type A, with or without water, available oxygen \leq 9%), see	-	5.2	3106
Cyclohexanone peroxide(s) (concentration \leq 72%, with diluent Type A, available oxygen \leq 9%), see	-	5.2	3105
Cyclohexanone peroxide(s) (concentration \leq 91%, with water), see	-	5.2	3104
CYCLOHEXENE	-	3	2256
CYCLOHEXENYLTRICHLOROSILANE	-	8	1762
Cycloheximide, see PESTICIDE, N.O.S.	-	-	-
CYCLOHEXYL ACETATE	-	3	2243
CYCLOHEXYLAMINE	-	8	2357
CYCLOHEXYL ISOCYANATE	-	6.1	2488

Substance, material or article	MP	Class	UN No.
CYCLOHEXYL MERCAPTAN	-	3	3054
CYCLOHEXYLTRICHLOROSILANE	-	8	1763
CYCLONITE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
CYCLONITE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
CYCLONITE AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
CYCLONITE AND HMX MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
CYCLONITE AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
CYCLONITE AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
CYCLONITE, DESENSITIZED	-	1.1D	0483
CYCLONITE, WETTED with not less than 15% water, by mass	-	1.1D	0072
CYCLOOCTADIENEPHOSPHINES	_	4.2	2940
CYCLOOCTADIENES	-	3	2520
CYCLOOCTATETRAENE	-	3	2358
CYCLOPENTANE	-	3	1146
CYCLOPENTANOL	-	3	2244
CYCLOPENTANONE	-	3	2245
CYCLOPENTENE	-	3	2246
CYCLOPROPANE	-	2.1	1027
CYCLOTETRAMETHYLENETETRANITRAMINE, DESENSITIZED	-	1.1D	0484
CYCLOTETRAMETHYLENETETRANITRAMINE, WETTED with not less than 15% water, by mass	-	1.1D	0226
CYCLOTRIMETHYLENETRINITRAMINE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
CYCLOTRIMETHYLENETRINITRAMINE AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
CYCLOTRIMETHYLENETRINITRAMINE AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
CYCLOTRIMETHYLENETRINITRAMINE AND HMX MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
CYCLOTRIMETHYLENETRINITRAMINE AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
CYCLOTRIMETHYLENETRINITRAMINE AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass	_	1.1D	0391
CYCLOTRIMETHYLENETRINITRAMINE, DESENSITIZED	-	1.1D	0483
CYCLOTRIMETHYLENETRINITRAMINE, WETTED with not less than 15% water, by mass	-	1.1D	0072
Cyhexatin, see ORGANOTIN PESTICIDE	Р	-	-
CYMENES	Р	3	2046
Cymol, see	Р	3	2046

Substance, material or article	MP	Class	UN No.
Cypermethrin, see PYRETHROID PESTICIDE	Р	-	-
2,4-D, see PHENOXYACETIC ACID DERIVATIVE PESTICIDE	-	-	-
DANGEROUS GOODS IN ARTICLES	-	9	3363
DANGEROUS GOODS IN APPARATUS	-	9	3363
DANGEROUS GOODS IN MACHINERY	-	9	3363
Dazomet, see PESTICIDE, N.O.S.	-	-	-
2,4-DB, see PHENOXYACETIC ACID DERIVATIVE PESTICIDE	-	-	-
DDT, see ORGANOCHLORINE PESTICIDE	Р	-	-
Deanol, see	-	8	2051
DECABORANE	-	4.1	1868
DECAHYDRONAPHTHALENES	-	3	1147
Decaldehyde, see	Р	9	3082
Decalin, see	-	3	1147
([3R-(3R,5aS,6S,8aS,9R,10R,12S,12aR**)]-Decahydro-10-methoxy- 3,6,9-trimethyl-3,12-epoxy-12H-pyrano[4,3-j]-1,2-benzodioxepin), see	-	5.2	3106
n-DECANE	-	3	2247
Decyl acrylate, see	Р	9	3082
Decyloxytetrahydrothiophene dioxide , see Note 1	Р	-	-
DEF, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
DEFLAGRATING METAL SALTS OF AROMATIC NITRO- DERIVATIVES, N.O.S.	-	1.3C	0132
Demephion, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Demeton, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Demeton-O, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Demeton-O-methyl, thiono isomer, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Demeton-S-methyl, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Demeton-S-methylsulphoxyd, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Depth charges, see	-	1.1D	0056
DESENSITIZED EXPLOSIVE, LIQUID, N.O.S.	-	3	3379
DESENSITIZED EXPLOSIVE, SOLID, N.O.S.	-	4.1	3380
Desmedipham, see Note 1	Р	-	-
Detonating relays, see DETONATOR ASSEMBLIES, NON-ELECTRIC, for blasting <i>or see</i> DETONATORS, NON-ELECTRIC for blasting	-	_	-
DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting	-	1.1B	0360
DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting	-	1.4B	0361
DETONATOR ASSEMBLIES, NON-ELECTRIC for blasting	-	1.4S	0500
DETONATORS, ELECTRIC for blasting	_	1.1B	0030
DETONATORS, ELECTRIC for blasting	-	1.4B	0255
DETONATORS, ELECTRIC for blasting	-	1.4S	0456
DETONATORS, ELECTRONIC programmable for blasting	_	1.1B	0511

Substance, material or article	MP	Class	UN No.
DETONATORS, ELECTRONIC programmable for blasting	-	1.4B	0512
DETONATORS, ELECTRONIC programmable for blasting	-	1.4S	0513
DETONATORS FOR AMMUNITION	-	1.1B	0073
DETONATORS FOR AMMUNITION	-	1.2B	0364
DETONATORS FOR AMMUNITION	-	1.4B	0365
DETONATORS FOR AMMUNITION	-	1.4S	0366
DETONATORS, NON-ELECTRIC for blasting	-	1.1B	0029
DETONATORS, NON-ELECTRIC for blasting	-	1.4B	0267
DETONATORS, NON-ELECTRIC for blasting	-	1.4S	0455
DEUTERIUM, COMPRESSED	-	2.1	1957
DEVICES, SMALL, HYDROCARBON GAS POWERED	-	2.1	3150
Diacetone, see	-	3	1148
DIACETONE ALCOHOL	-	3	1148
Diacetone alcohol peroxides (concentration \leq 57%, with diluent Type B and water, hydrogen peroxide \leq 9%, available oxygen \leq 10%), see	-	5.2	3115
Diacetyl, see	-	3	2346
Diacetyl peroxide (concentration \leq 27%, with diluent Type B), see	-	5.2	3115
Dialifos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Diallate, see PESTICIDE, N.O.S.	Р	-	-
DIALLYLAMINE	-	3	2359
DIALLYL ETHER	-	3	2360
Diamine, aqueous solution, see	-	6.1	3293
Diaminobenzenes (ortho-; meta-; para-), see	-	6.1	1673
4,4'-DIAMINODIPHENYLMETHANE	Р	6.1	2651
1,2-Diaminoethane, see	-	8	1604
1,6-Diaminohexane, solid, see	-	8	2280
1,6-Diaminohexane solution, see	-	8	1783
Diaminopropylamine, see	-	8	2269
DI-n-AMYLAMINE	-	3	2841
Di- <i>tert</i> -amyl peroxide (concentration \leq 100%), see	-	5.2	3107
2,2-Di-(tert-amylperoxy)butane (concentration ${\leq}57\%$, with diluent Type A)	-	5.2	3105
1,1-Di-(tert-amylperoxy)cyclohexane (concentration ${\leq}$ 82%, with diluent Type A), see	-	5.2	3103
Diazinon, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
DIAZODINITROPHENOL, WETTED with not less than 40% water or mixture of alcohol and water, by mass	-	1.1A	0074
2-Diazo-1-naphthol-4-sulphonyl chloride (concentration 100%), see	-	4.1	3222
2-Diazo-1-naphthol-5-sulphonyl chloride (concentration 100%), see	_	4.1	3222
2-Diazo-1-naphtholsulphonic acid ester mixtures Type D (concentration < 100%), see	-	4.1	3226
Dibenzopyridine, see	_	6.1	2713
Dibenzoyl peroxide (concentration \leq 35%, with inert solid) (exempt)	-	-	-
Dibenzoyl peroxide (concentration $>$ 35–52%, with inert solid), see	_	5.2	3106

Substance, material or article	MP	Class	UN No.
Dibenzoyl peroxide (concentration > 36–42%, with diluent Type A and water), <i>see</i>	-	5.2	3107
Dibenzoyl peroxide (concentration ${\leq}42\%$ as a stable dispersion in water), see	-	5.2	3109
Dibenzoyl peroxide (concentration $>$ 52–100%, with inert solid), see	-	5.2	3102
Dibenzoyl peroxide (concentration ${\leq}$ 52%, as a paste, with diluent Type A, with or without water), see	-	5.2	3108
Dibenzoyl peroxide (concentration $>$ 52–62%, as a paste, with diluent Type A, with or without water), see	-	5.2	3106
Dibenzoyl peroxide (concentration ${\leq}56.5\%$ as a paste, with water), see	-	5.2	3108
Dibenzoyl peroxide (concentration \leq 62%, with inert solid and water), see	-	5.2	3106
Dibenzoyl peroxide (concentration \leq 77%, with water), see	-	5.2	3104
Dibenzoyl peroxide (concentration >77–94%, with water), see	-	5.2	3102
DIBENZYLDICHLOROSILANE	-	8	2434
DIBORANE	-	2.3	1911
1,3-Dibromobenzene, see	Р	9	3082
1,2-DIBROMOBUTAN-3-ONE	-	6.1	2648
1,2-Dibromo-3-chloropropane (pesticides), see DIBROMOCHLOROPROPANES	-	6.1	2872
DIBROMOCHLOROPROPANES	-	6.1	2872
DIBROMODIFLUOROMETHANE	-	9	1941
1,2-Dibromoethane, see	-	6.1	1605
DIBROMOMETHANE	-	6.1	2664
2,5-Dibutoxy-4-(4-morpholinyl)benzenediazonium tetrachlorozincate (2:1) (concentration 100%), see	-	4.1	3228
Di-n-BUTYLAMINE	-	8	2248
Dibutylaminoethanol, see	-	6.1	2873
2-Dibutylaminoethanol, see	-	6.1	2873
DI-BUTYLAMINOETHANOL	-	6.1	2873
1,4-Di-tert-butylbenzene, see	Р	9	3077
DI-(4- <i>tert</i> -butylcyclohexyl) peroxydicarbonate (concentration \leq 42%, as a paste), see	-	5.2	3116
Di-(4- <i>tert</i> -butylcyclohexyl) peroxydicarbonate (concentration \leq 42%, as a stable dispersion in water), see	-	5.2	3119
Di-(4- <i>tert</i> -butylcyclohexyl) peroxydicarbonate (concentration \leq 100%), see	-	5.2	3114
DIBUTYL ETHERS	-	3	1149
Di-normal-butyl ketone, see	Р	3	1224
Di- <i>tert</i> -butyl peroxide (concentration \leq 52%, with diluent Type B), see	-	5.2	3109
Di-tert-butyl peroxide (concentration > 52–100%), see	-	5.2	3107
Di- <i>tert</i> -butyl peroxyazelate (concentration \leq 52%, with diluent Type A), see	-	5.2	3105
2,2-Di-(tert-butylperoxy)butane (concentration \leq 52%, with diluent Type A), see	-	5.2	3103

Substance, material or article	MP	Class	UN No.
1,6-Di-(<i>tert</i> -butylperoxycarbonyloxy)hexane (concentration \leq 72%, with diluent Type A), see	-	5.2	3103
1,1-Di-(tert-butylperoxy)cyclohexane (concentration \leq 13%, with diluents Type A and B), see	-	5.2	3109
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration \leq 27%, with diluent Type A), see	-	5.2	3107
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration ${\leq}42\%$, with diluent Type A), see	-	5.2	3109
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration \leq 42%, with diluent Type A and inert solid), see	-	5.2	3106
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration > 42–52%, with diluent Type A)	-	5.2	3105
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration > 52–80%, with diluent Type A), see	-	5.2	3103
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration \leq 72%, with diluent Type B), see	-	5.2	3103
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane (concentration > 80–100%), see	-	5.2	3101
1,1-Di-(<i>tert</i> -butylperoxy)cyclohexane + <i>tert</i> -butyl peroxy-2-ethylhexanoate (concentration \leq 43% + \leq 16%, with diluent Type A)	-	5.2	3105
Di-n-butyl peroxydicarbonate (concentration ${\leq}27\%$, with diluent Type B), see	-	5.2	3117
Di- <i>n</i> -butyl peroxydicarbonate (concentration >27–52%, with diluent Type B), see	-	5.2	3115
Di-n-butyl peroxydicarbonate (concentration ${\leq}42\%$ as a stable dispersion in water (frozen)), see	-	5.2	3118
Di-sec-butyl peroxydicarbonate (concentration ${\leq}52\%$, with diluent Type B), see	-	5.2	3115
Di-sec-butyl peroxydicarbonate (concentration > 52-100%), see	-	5.2	3113
Di-(2- <i>tert</i> -butylperoxyisopropyl)benzene(s) (concentration \leq 42%, with inert solid) (exempt)	-	-	-
Di-(<i>tert</i> -butylperoxyisopropyl)benzene(s) (concentration > 42–100%, with inert solid), see	-	5.2	3106
Di-(tert-butylperoxy) phthalate (concentration \leq 42%, with diluent Type A), see	-	5.2	3107
Di-(tert-butylperoxy) phthalate (concentration $>$ 42–52%, with diluent Type A), see	-	5.2	3105
Di-(<i>tert</i> -butylperoxy) phthalate (concentration \leq 52%, as a paste with diluent Type A, with or without water), see	-	5.2	3106
2,2-Di-(<i>tert</i> -butylperoxy)propane (concentration \leq 42%, with diluent Type A, with inert solid), see	-	5.2	3106
2,2-Di-(<i>tert</i> -butylperoxy)propane (concentration \leq 52% with diluent Type A), see	-	5.2	3105
1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration ≤32%, with diluents Type A and B), see	-	5.2	3107
1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration <57%, with diluent Type A), see	-	5.2	3107
1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration \leq 57%, with inert solid), <i>see</i>	_	5.2	3110
1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration > 57–90%, with diluent Type A), see	-	5.2	3103

Substance material or article	MP	Class	UN No
11-Di-/tert-butylperoxy)-3 3 5-trimethylcyclobexape		5.2	3103
(concentration \leq 77%, with diluent Type B), see		5.2	5105
1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration ≤90%, with diluent Type B)	-	5.2	3103
1,1-Di-(<i>tert</i> -butylperoxy)-3,3,5-trimethylcyclohexane (concentration >90–100%), see	-	5.2	3101
2,4-Di-tert-butylphenol, see Note 1	-	-	-
2,6-Di-tert-butylphenol, see Note 1	_	-	-
Di-n-butyl phthalate, see	Р	9	3082
Dicetyl peroxydicarbonate (concentration ${\leq}42\%$ as a stable dispersion in water), see	-	5.2	3119
Dicetyl peroxydicarbonate (concentration \leq 100%), see	-	5.2	3120
Dichlofenthion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
1,1-DICHLORO-1-NITROETHANE	-	6.1	2650
DICHLOROACETIC ACID	_	8	1764
1,3-DICHLOROACETONE	-	6.1	2649
DICHLOROACETYL CHLORIDE	-	8	1765
DICHLOROANILINES, LIQUID	Р	6.1	1590
DICHLOROANILINES, SOLID	Р	6.1	3442
1,2-Dichlorobenzene, see	-	6.1	1591
1,3-Dichlorobenzene, see	Р	6.1	2810
1,4-Dichlorobenzene, see	Р	9	3082
meta-Dichlorobenzene, see	Р	6.1	2810
o-DICHLOROBENZENE	-	6.1	1591
para-Dichlorobenzene, see	Р	9	3082
Di-(4-chlorobenzoyl) peroxide (concentration ${\leq}$ 32%, with inert solid) (exempt)	-	-	-
Di-4-chlorobenzoyl peroxide (concentration \leq 52%, as a paste, with diluent Type A, with or without water), see	-	5.2	3106
Di-4-chlorobenzoyl peroxide (concentration ${\leq}77\%$, with water), see	-	5.2	3102
2,2'-DICHLORODIETHYL ETHER	-	6.1	1916
DICHLORODIFLUOROMETHANE	-	2.2	1028
DICHLORODIFLUOROMETHANE AND DIFLUOROETHANE AZEOTROPIC MIXTURE with approximately 74% dichloro-difluoromethane	_	2.2	2602
Dichlorodifluoromethane and ethylene oxide mixture, see	-	2.2	3070
DICHLORODIMETHYL ETHER, SYMMETRICAL	-	6.1	2249
1,1-DICHLOROETHANE	-	3	2362
1,2-Dichloroethane, see	-	3	1184
1,1-Dichloroethylene, stabilized, see	Р	3	1303
1,2-DICHLOROETHYLENE	-	3	1150
Di-(2-chloroethyl) ether, see	-	6.1	1916
DICHLOROFLUOROMETHANE	-	2.2	1029
1,6-Dichlorohexane, see	Р	9	3082
alpha-Dichlorohydrin, see	_	6.1	2750

Substance, material or article	MP	Class	UN No.
DICHLOROISOCYANURIC ACID, DRY	-	5.1	2465
DICHLOROISOCYANURIC ACID SALTS	_	5.1	2465
Dichloroisopropyl alcohol, see	-	6.1	2750
DICHLOROISOPROPYL ETHER	-	6.1	2490
DICHLOROMETHANE	-	6.1	1593
DICHLOROPENTANES	_	3	1152
2,4-Dichlorophenol, see	Р	6.1	2020
Dichlorophenols, liquid, see	_	6.1	2021
Dichlorophenols, solid, see	-	6.1	2020
DICHLOROPHENYL ISOCYANATES	-	6.1	2250
DICHLOROPHENYLTRICHLOROSILANE	Р	8	1766
1,1-Dichloropropane, see	-	3	1993
1,2-DICHLOROPROPANE	-	3	1279
1,3-Dichloropropane, see	-	3	1993
1,3-DICHLOROPROPANOL-2	-	6.1	2750
1,3-Dichloro-2-propanone, see	-	6.1	2649
1,3-Dichloropropene, see	Р	3	2047
DICHLOROPROPENES	-	3	2047
DICHLOROSILANE	-	2.3	2189
1,2-DICHLORO-1,1,2,2-TETRAFLUOROETHANE	-	2.2	1958
Dichloro-s-triazine-2,4,6-trione	-	5.1	2465
Dichlorvos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Diclofop-methyl, see Note 1	Р	-	-
Dicoumarol, see COUMARIN DERIVATIVE PESTICIDE	-	-	-
Dicrotophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Dicumyl peroxide (concentration \leq 52%, with inert solid) (exempt)	_	-	-
Dicumyl peroxide (concentration > 52–100%), see	-	5.2	3110
1,4-Dicyanobutane, see	-	6.1	2205
Dicyanogen, see	-	2.3	1026
Dicycloheptadiene, stabilized, see	-	3	2251
DICYCLOHEXYLAMINE	-	8	2565
Dicyclohexylamine nitrite, see	-	4.1	2687
DICYCLOHEXYLAMMONIUM NITRITE	-	4.1	2687
Dicyclohexyl peroxydicarbonate (concentration ${\leq}42\%$ as a stable dispersion in water), see	-	5.2	3119
Dicyclohexyl peroxydicarbonate (concentration ${\leq}$ 91%, with water), see	-	5.2	3114
Dicyclohexyl peroxydicarbonate (concentration > 91–100%), see	-	5.2	3112
DICYCLOPENTADIENE	-	3	2048
Didecanoyl peroxide (concentration \leq 100%), see	-	5.2	3114
2,2-Di-(4,4-di-(<i>tert</i> -butylperoxy)cyclohexyl)propane (concentration ≤22%, with water), see	-	5.2	3107
2,2-Di-(4,4-di-(<i>tert</i> -butylperoxy)cyclohexyl)propane (concentration \leq 42%, with inert solid), see	_	5.2	3106

Substance, material or article	MP	Class	UN No.
Di-2,4-dichlorobenzoyl peroxide (concentration \leq 52%, as a paste)	-	5.2	3118
Di-(2,4-dichlorobenzoyl) peroxide (concentration ${\leq}52\%$, as a paste, with silicon oil), see	-	5.2	3106
Di-(2,4-dichlorobenzoyl) peroxide (concentration ${\leq}77\%,$ with water), see	-	5.2	3102
1,2-DI(DIMETHYLAMINO)ETHANE	-	3	2372
DIDYMIUM NITRATE	_	5.1	1465
Dieldrin, see ORGANOCHLORINE PESTICIDE	Р	-	-
DIESEL FUEL	-	3	1202
1,1-Diethoxyethane, see	-	3	1088
1,2-Diethoxyethane, see	-	3	1153
Di-(2-ethoxyethyl) peroxydicarbonate (concentration ${\leq}52\%$, with diluent Type B), see	-	5.2	3115
DIETHOXYMETHANE	-	3	2373
2,5-Diethoxy-4-morpholinobenzenediazonium tetrafluoroborate (concentration 100%), see	-	4.1	3236
2,5-Diethoxy-4-morpholinobenzenediazonium zinc chloride (concentration 66%), see	-	4.1	3236
2,5-Diethoxy-4-morpholinobenzenediazonium zinc chloride (concentration 67–100%), see	-	4.1	3236
2,5-Diethoxy-4-(4-morpholinyl)benzenediazonium sulphate (concentration 100%), see	-	4.1	3226
2,5-Diethoxy-4-(phenylsulphonyl)benzenediazonium zinc chloride (concentration 67%), see	-	4.1	3236
3,3-DIETHOXYPROPENE	-	3	2374
Diethylacetaldehyde, see	-	3	1178
DIETHYLAMINE	-	3	1154
1-Diethylamino-4-aminopentane, see	-	6.1	2946
Diethylaminoethanol, see	-	8	2686
2-DIETHYLAMINOETHANOL	-	8	2686
3-DIETHYLAMINOPROPYLAMINE	-	3	2684
N,N-DIETHYLANILINE	-	6.1	2432
DIETHYLBENZENES	-	3	2049
Diethyl carbinol, see	-	3	1105
DIETHYL CARBONATE	-	3	2366
DIETHYLDICHLOROSILANE	-	8	1767
Diethylenediamine, see	-	8	2579
Diethylenediamine, solid, see	-	8	2579
1,4-Diethylene dioxide, see	-	3	1165
Diethyleneglycol bis(allyl carbonate) $+$ di-isopropyl peroxydicarbonate (concentration ${\geq}88\%$ $+{\leq}$ 12%), see	-	4.1	3237
DIETHYLENEGLYCOL DINITRATE, DESENSITIZED with not less than 25% non-volatile water-insoluble phlegmatizer, by mass	-	1.1D	0075
Diethylene oxide, see	_	3	1165
DIETHYLENETRIAMINE	-	8	2079
N,N-Diethylethanolamine, see	_	8	2686

Substance, material or article	MP	Class	UN No.
DIETHYL ETHER	-	3	1155
N,N-DIETHYLETHYLENEDIAMINE	-	8	2685
Diethyl formal, see	-	3	2373
Di-(2-ethylhexyl) peroxydicarbonate (concentration ${\leq}$ 52%, as a stable dispersion in water (frozen)), see	-	5.2	3120
Di-(2-ethylhexyl) peroxydicarbonate (concentration \leq 62%, as a stable dispersion in water), see	-	5.2	3119
Di-(2-ethylhexyl) peroxydicarbonate (concentration ${\leq}77\%$, with diluent Type B), see	-	5.2	3115
Di-(2-ethylhexyl) peroxydicarbonate (concentration > 77–100%), see	-	5.2	3113
Di-(2-ethylhexyl)phosphoric acid, see	-	8	1902
DIETHYL KETONE	-	3	1156
Diethyl oxalate, see	-	6.1	2525
N,N-Diethyl-1,3-propanediamine, see	-	3	2684
DIETHYL SULPHATE	-	6.1	1594
DIETHYL SULPHIDE	-	3	2375
DIETHYLTHIOPHOSPHORYL CHLORIDE	-	8	2751
Diethylzinc, see	-	4.2	3394
Difenacoum, see COUMARIN DERIVATIVE PESTICIDE	-	_	_
Difenzoquat, see PESTICIDE, N.O.S.	-	-	-
2,4-Difluoroaniline, see	-	6.1	2941
Difluorochloroethane, see	-	2.1	2517
Difluorodibromomethane, see	-	9	1941
1,1-DIFLUOROETHANE	-	2.1	1030
Difluoroethane and dichlorodifluoromethane, azeotropic mixture with approximately 74% dichlorodifluoromethane, see DICHLORODIFLUOROMETHANE AND DIFLUOROETHANE, AZEOTROPIC MIXTURE	-	-	-
1,1-DIFLUOROETHYLENE	-	2.1	1959
DIFLUOROMETHANE	-	2.1	3252
DIFLUOROPHOSPHORIC ACID, ANHYDROUS	-	8	1768
2,2-Dihydroperoxypropane (concentration \leq 27%, with inert solid), see	-	5.2	3102
2,3-DIHYDROPYRAN	-	3	2376
meta-Dihydroxybenzene, see	-	6.1	2876
Di-(1-hydroxycyclohexyl) peroxide (concentration \leq 100%), see	-	5.2	3106
DIISOBUTYLAMINE	-	3	2361
DIISOBUTYLENES, ISOMERIC COMPOUNDS	-	3	2050
DIISOBUTYL KETONE	-	3	1157
Diisobutyryl peroxide (concentration \leq 42%, as a stable dispersion in water), see	-	5.2	3119
Diisobutyryl peroxide (concentration \leq 32%, with diluent Type B), see	-	5.2	3115
Diisobutyryl peroxide (concentration > 32–52%, with diluent Type A), see	-	5.2	3111
DIISOOCTYL ACID PHOSPHATE	-	8	1902
Diisopropyl, see	-	3	2457

Substance, material or article	MP	Class	UN No.
DIISOPROPYLAMINE	_	3	1158
Diisopropylbenzene dihydroperoxide (concentration ${\leq}82\%,$ with diluent Type A and water), see	-	5.2	3106
Diisopropylbenzenes, see	Р	9	3082
DIISOPROPYL ETHER	-	3	1159
Diisopropylnaphthalenes, mixed isomers, see	Р	9	3082
Diisopropyl peroxydicarbonate (concentration \leq 32%, with diluent Type A), see	-	5.2	3115
Diisopropyl peroxydicarbonate (concentration ${\leq}$ 52%, with diluent Type B), see	-	5.2	3115
Diisopropyl peroxydicarbonate (concentration > 52–100%), see	-	5.2	3112
DIKETENE, STABILIZED	-	6.1	2521
Dilauroyl peroxide (concentration ${\leq}$ 42%, as a stable dispersion in water), see	-	5.2	3109
Dilauroyl peroxide (concentration \leq 100%), see	-	5.2	3106
Dimefox, see ORGANOPHOSPHORUS PESTICIDE	_	-	-
Dimetan, see CARBAMATE PESTICIDE	_	-	_
Dimethoate, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Di-(3-methoxybutyl) peroxydicarbonate (concentration ${\leq}$ 52%, with diluent Type B), see	-	5.2	3115
1,1-DIMETHOXYETHANE	-	3	2377
1,2-DIMETHOXYETHANE	-	3	2252
Dimethoxymethane, see	-	3	1234
2,5-Dimethoxy-4-(4-methylphenylsulphonyl)benzenediazonium zinc chloride (concentration 79%), see	-	4.1	3236
Dimethoxystrychnine, see	-	6.1	1570
Dimethyl acetal, see	-	3	2377
1,1-Dimethylacetone, see	-	3	2397
Dimethylacetylene, see	-	3	1144
DIMETHYLAMINE, ANHYDROUS	-	2.1	1032
DIMETHYLAMINE, AQUEOUS SOLUTION	-	3	1160
2-DIMETHYLAMINOACETONITRILE	-	3	2378
4-(Dimethylamino)benzenediazonium trichlorozincate(-1) (concentration 100%), see	-	4.1	3228
4-Dimethylamino-6-(2-dimethylaminoethoxy)toluene-2-diazonium zinc chloride (concentration 100%), see	-	4.1	3236
2-DIMETHYLAMINOETHANOL	-	8	2051
2-DIMETHYLAMINOETHYL ACRYLATE, STABILIZED	-	6.1	3302
2-DIMETHYLAMINOETHYL METHACRYLATE, STABILIZED	-	6.1	2522
N,N-DIMETHYLANILINE	-	6.1	2253
3,4-Dimethylaniline, see	-	6.1	1711
Dimethylarsinic acid, see	-	6.1	1572
Dimethylbenzenes, see	-	3	1307
Di-(2-methylbenzoyl) peroxide (concentration <87%, with water), see	-	5.2	3112

 \triangle

Substance, material or article	MP	Class	UN No.
Di-(3-methylbenzoyl) peroxide (concentration \leq 20%), with benzoyl (3-methylbenzoyl) peroxide (concentration \leq 18%), with dibenzoyl peroxide (concentration \leq 4%) and diluent Type B, see	_	5.2	3115
Di-(4-methylbenzoyl) peroxide (concentration ${\leq}$ 52%, as a paste with silicon oil), see	-	5.2	3106
Dimethylbenzylamine, see	-	8	2619
N,N-Dimethylbenzylamine, see	-	8	2619
2,3-DIMETHYLBUTANE	-	3	2457
1,3-DIMETHYLBUTYLAMINE	-	3	2379
DIMETHYLCARBAMOYL CHLORIDE	-	8	2262
Dimethyl carbinol, see	-	3	1219
DIMETHYL CARBONATE	-	3	1161
DIMETHYLCYCLOHEXANES	-	3	2263
N,N-DIMETHYLCYCLOHEXYLAMINE	-	8	2264
2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (concentration ${\leq}$ 82%, with inert solid), see	-	5.2	3106
2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (concentration ${\leq}82\%,$ with water), see	-	5.2	3104
2,5-Dimethyl-2,5-di-(benzoylperoxy)hexane (concentration >82–100%), see	-	5.2	3102
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration ≤47%, as a paste), see	-	5.2	3108
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration \leq 52%, with diluent Type A), see	-	5.2	3109
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration >52–90%), see	-	5.2	3105
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration ≤77%, with inert solid), <i>see</i>	-	5.2	3108
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexane (concentration >90–100%), see	-	5.2	3103
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexyne-3 (concentration \leq 52%, with inert solid), see	-	5.2	3106
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexyne-3 (concentration > 52–86%, with diluent Type A), see	-	5.2	3103
2,5-Dimethyl-2,5-di-(<i>tert</i> -butylperoxy)hexyne-3 (concentration > 86–100%), see	-	5.2	3101
DIMETHYLDICHLOROSILANE	-	3	1162
DIMETHYLDIETHOXYSILANE	-	3	2380
2,5-Dimethyl-2,5-di-(2-ethylhexanoylperoxy)hexane (concentration ≤ 100%), see	-	5.2	3113
2,5-Dimethyl-2,5-dihydroperoxyhexane (concentration ${\leq}$ 82%, with water), see	-	5.2	3104
DIMETHYLDIOXANES	_	3	2707
DIMETHYL DISULPHIDE	Р	3	2381
2,5-Dimethyl-2,5-di-(3,5,5-trimethylhexanoylperoxy)hexane (concentration ≤77%, with diluent Type A), see	-	5.2	3105
N,N-Dimethyldodecylamine, see Note 1	Р	-	-
Dimethyleneimine, stabilized, see	_	6.1	1185

INDEX

Substance, material or article	MP	Class	UN No.
Dimethylethanolamine, see	-	8	2051
DIMETHYL ETHER	-	2.1	1033
N,N-DIMETHYLFORMAMIDE	-	3	2265
N,N-Dimethylglycinonitrile, see	-	3	2378
Dimethylglyoxal, see	-	3	2346
2,6-Dimethyl-4-heptanone, see	-	3	1157
1,1-Dimethylhydrazine, see	Р	6.1	1163
1,2-Dimethylhydrazine, see	Р	6.1	2382
DIMETHYLHYDRAZINE, SYMMETRICAL	Р	6.1	2382
DIMETHYLHYDRAZINE, UNSYMMETRICAL	Р	6.1	1163
1,1-Dimethyl-3-hydroxybutyl peroxyneoheptanoate (concentration \leq 52%, with diluent Type A), see	-	5.2	3117
Dimethyl ketone, see	-	3	1090
Dimethyl ketone solutions, see	-	3	1090
N,N-Dimethyl-4-nitrosoaniline, see	-	4.2	1369
para-Dimethylnitrosoaniline, see	-	4.2	1369
Dimethylphenols, liquid, see	-	6.1	3430
Dimethylphenols, solid, see	-	6.1	2261
Dimethyl phosphorochlorodithionate, see	-	6.1	2267
2,2-DIMETHYLPROPANE	-	2.1	2044
DIMETHYL-N-PROPYLAMINE	-	3	2266
Dimethyl-n-propylamine, see	-	3	2266
Dimethyl normal-propyl carbinol, see	_	3	2560
DIMETHYL SULPHATE	-	6.1	1595
DIMETHYL SULPHIDE	-	3	1164
DIMETHYL THIOPHOSPHORYL CHLORIDE	-	6.1	2267
Dimethylzinc, see	-	4.2	3394
Dimetilan, see CARBAMATE PESTICIDE	-	-	-
Dimexano, see PESTICIDE, N.O.S.	-	-	-
Dimyristyl peroxydicarbonate (concentration ${\leq}42\%$, as a stable dispersion in water), see	-	5.2	3119
Dimyristyl peroxydicarbonate (concentration \leq 100%), see	-	5.2	3116
Di-(2-neodecanoylperoxyisopropyl)benzene (concentration ${\leq}52\%,$ with diluent Type A), see	-	5.2	3115
DINGU	-	1.1D	0489
DINITROANILINES	-	6.1	1596
DINITROBENZENES, LIQUID	-	6.1	1597
DINITROBENZENES, SOLID	-	6.1	3443
Dinitrochlorobenzenes, liquid, see	Р	6.1	1577
Dinitrochlorobenzenes, solid, see	Р	6.1	3441
DINITRO-0-CRESOL	Р	6.1	1598
Dinitrogen oxide, see	-	2.2	1070
Dinitrogen oxide, refrigerated liquid, see	-	2.2	2201
DINITROGEN TETROXIDE	-	2.3	1067

Substance, material or article	MP	Class	UN No.
Dinitrogen tetroxide and nitric oxide mixtures, see NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURE	-	-	-
Dinitrogen trioxide, see	-	2.3	2421
DINITROGLYCOLURIL	-	1.1D	0489
Dinitrophenates (class 1), see	Р	1.3C	0077
Dinitrophenates, wetted, see	Р	4.1	1321
DINITROPHENOLATES alkali metals, dry or wetted with less than 15% water, by mass	Р	1.3C	0077
DINITROPHENOLATES, WETTED with not less than 15% water, by mass	Р	4.1	1321
DINITROPHENOL dry or wetted with less than 15% water, by mass	Р	1.1D	0076
DINITROPHENOL SOLUTION	Р	6.1	1599
DINITROPHENOL, WETTED with not less than 15% water, by mass	Р	4.1	1320
DINITRORESORCINOL dry or wetted with less than 15% water, by mass	-	1.1D	0078
DINITRORESORCINOL, WETTED with not less than 15% water, by mass	-	4.1	1322
DINITROSOBENZENE	-	1.3C	0406
N,N'-Dinitroso-N,N'-dimethylterephthalamide, as a paste (concentration 72%), see	-	4.1	3224
N,N'-Dinitrosopentamethylenetetramine (concentration 82%), see	-	4.1	3224
Dinitrotoluene mixed with sodium chlorate, see	-	1.1D	0083
DINITROTOLUENES, LIQUID	Р	6.1	2038
DINITROTOLUENES, MOLTEN	Р	6.1	1600
DINITROTOLUENES, SOLID	Р	6.1	3454
Dinobuton, see SUBSTITUTED NITROPHENOL PESTICIDE	Р	-	-
Di- <i>n</i> -nonanoyl peroxide (concentration \leq 100%), see	-	5.2	3116
Dinoseb, see SUBSTITUTED NITROPHENOL PESTICIDE	Р	-	-
Dinoseb acetate, see SUBSTITUTED NITROPHENOL PESTICIDE	Р	_	_
Dinoterb, see SUBSTITUTED NITROPHENOL PESTICIDE	-	_	-
Dinoterb acetate, see SUBSTITUTED NITROPHENOL PESTICIDE	-	-	-
Di- <i>n</i> -octanoyl peroxide (concentration \leq 100%), see	-	5.2	3114
Dioxacarb, see CARBAMATE PESTICIDE	Р	-	-
DIOXANE	-	3	1165
Dioxathion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
DIOXOLANE	-	3	1166
DIPENTENE	Р	3	2052
Di-normal-pentylamine, see	-	3	2841
Diphacinone, see PESTICIDE, N.O.S.	Р	-	-
Di-(2-phenoxyethyl) peroxydicarbonate (concentration <85%, with water), see	-	5.2	3106
Di-(2-phenoxyethyl) peroxydicarbonate (concentration > 85–100%), see	-	5.2	3102
Diphenyl, see	Р	9	3077
DIPHENYLAMINE CHLOROARSINE	Р	6.1	1698

Substance, material or article	MP	Class	UN No.
Diphenylbromomethane, see	-	8	1770
DIPHENYLCHLOROARSINE, LIQUID	Р	6.1	1699
DIPHENYLCHLOROARSINE, SOLID	Р	6.1	3450
DIPHENYLDICHLOROSILANE	-	8	1769
DIPHENYLMETHYL BROMIDE	-	8	1770
Diphenyloxide-4,4'-disulphonylhydrazide (concentration 100%), see	-	4.1	3226
DIPICRYLAMINE	-	1.1D	0079
DIPICRYL SULPHIDE dry or wetted with less than 10% water, by mass	-	1.1D	0401
DIPICRYL SULPHIDE, WETTED with not less than 10% water, by mass	-	4.1	2852
Di-2-propenylamine, see	-	3	2359
Dipropionyl peroxide (concentration \leq 27%, with diluent Type B), see	-	5.2	3117
DIPROPYLAMINE	-	3	2383
Di-n-propylamine, see	-	3	2383
4-Dipropylaminobenzenediazonium zinc chloride (concentration 100%), see	-	4.1	3226
Dipropylenetriamine, see	-	8	2269
DI-n-PROPYL ETHER	-	3	2384
DIPROPYL KETONE	-	3	2710
Di- <i>n</i> -propyl peroxydicarbonate (concentration \leq 77%, with diluent Type B), see	-	5.2	3113
Di- <i>n</i> -propyl peroxydicarbonate (concentration \leq 100%), see	-	5.2	3113
Diquat, see BIPYRIDILIUM PESTICIDE	-	-	-
DISINFECTANT, LIQUID, CORROSIVE, N.O.S.	-	8	1903
DISINFECTANT, LIQUID, TOXIC, N.O.S.	-	6.1	3142
DISINFECTANT, SOLID, TOXIC, N.O.S.	-	6.1	1601
DISODIUM TRIOXOSILICATE	-	8	3253
Disodium trioxosilicate pentahydrate, see	-	8	3253
Disuccinic acid peroxide (concentration \leq 72%, with water), see	-	5.2	3116
Disuccinic acid peroxide (concentration $>$ 72–100%), see	-	5.2	3102
Disulfoton, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Disulphuric acid, see	-	8	1831
Disulphuryl chloride, see	-	8	1817
Di-(3,5,5-trimethylhexanoyl) peroxide (concentration ${\leq}38\%,$ with diluent Type A), see	-	5.2	3119
Di-(3,5,5-trimethylhexanoyl) peroxide (concentration > 52–82%, with diluent Type A), see	-	5.2	3115
Di-(3,5,5-trimethylhexanoyl) peroxide (concentration \leq 52%, as a stable dispersion in water), see	-	5.2	3119
Di-(3,5,5-trimethylhexanoyl) peroxide (concentration > 38–52%, with diluent Type A), see	_	5.2	3119
DIVINYL ETHER, STABILIZED	-	3	1167
Divinyl oxide, stabilized, see	_	3	1167
Divinyl, stabilized, see	-	2.1	1010
DNOC, see	Р	6.1	1598
DNOC (pesticide), see SUBSTITUTED NITROPHENOL PESTICIDE	Р	-	-

INDEX

Substance, material or article	MP	Class	UN No.
Dodecahydrodiphenylamine, see	-	8	2565
1-dodecene, see	-	3	2850
Dodecene, see	Р	3	2850
1-Dodecylamine, see Note 1	Р	-	-
Dodecyl diphenyl oxide disulphonate, see	Р	9	3077
Dodecyl hydroxypropyl sulphide, see Note 1	Р	-	-
Dodecylphenol, see	Р	8	3145
DODECYLTRICHLOROSILANE	-	8	1771
Drazoxolon, see ORGANOCHLORINE PESTICIDE	Р	-	-
DRY ICE	-	9	1845
DYE INTERMEDIATE, LIQUID, CORROSIVE, N.O.S.	-	8	2801
DYE INTERMEDIATE, LIQUID, TOXIC, N.O.S.	-	6.1	1602
DYE INTERMEDIATE, SOLID, CORROSIVE, N.O.S.	-	8	3147
DYE INTERMEDIATE, SOLID, TOXIC, N.O.S.	-	6.1	3143
DYE, LIQUID, CORROSIVE, N.O.S.	-	8	2801
DYE, LIQUID, TOXIC, N.O.S.	-	6.1	1602
DYE, SOLID, CORROSIVE, N.O.S.	-	8	3147
DYE, SOLID, TOXIC, N.O.S.	-	6.1	3143
Dynamite, see	-	1.1D	0081
Edifenphos, see ORGANOPHOSPHORUS PESTICIDE	Р	_	_
Electric storage batteries, see BATTERIES	-	-	-
Electrolyte (acid) for batteries, see	-	8	2796
Electrolyte (alkaline) for batteries, see	-	8	2797
ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flashpoint above 60°C, at or above its flashpoint	-	3	3256
ELEVATED TEMPERATURE LIQUID, N.O.S. at or above 100°C and below its flashpoint (including molten metals, molten salts, etc.)	-	9	3257
ELEVATED TEMPERATURE SOLID, N.O.S. at or above 240°C	-	9	3258
Enamel, see PAINT	-	-	-
Endosulfan, see ORGANOCHLORINE PESTICIDE	Р	-	-
Endothal-sodium, see PESTICIDE, N.O.S.	-	-	-
Endothion, see ORGANOPHOSPHORUS PESTICIDE	-	_	_
Endrin, see ORGANOCHLORINE PESTICIDE	Р	-	-
ENGINE, FUEL CELL, FLAMMABLE GAS POWERED	-	2.1	3529
ENGINE, FUEL CELL, FLAMMABLE LIQUID POWERED	-	3	3528
ENGINE, INTERNAL COMBUSTION	Р	9	3530
ENGINE, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED	-	2.1	3529
ENGINE, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED	-	3	3528
Engines, rocket, see ROCKET MOTORS WITH HYPERGOLIC LIQUIDS	-	-	-
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	-	9	3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	-	9	3077
EPIBROMOHYDRIN	Р	6.1	2558
EPICHLOROHYDRIN	Р	6.1	2023

Substance, material or article	MP	Class	UN No.
EPN, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
1,2-Epoxybutane, stabilized, see	-	3	3022
1,2-Epoxyethane, see	-	2.3	1040
1,2-Epoxyethane with nitrogen up to a total pressure of 1 MPa (10 bar) at 50°C, see	-	2.3	1040
1,2-EPOXY-3-ETHOXYPROPANE	-	3	2752
2,3-Epoxy-1-propanal, see	-	3	2622
1,2-Epoxypropane, see	-	3	1280
2,3-Epoxypropionaldehyde, see	-	3	2622
2,3-Epoxypropyl ethyl ether, see	-	3	2752
Esfenvalerate, see Note 1	Р	-	-
ESTERS, N.O.S.	-	3	3272
Ethanal, see	-	3	1089
ETHANE	-	2.1	1035
ETHANE, REFRIGERATED LIQUID	-	2.1	1961
Ethanethiol, see	Р	3	2363
Ethanoic anhydride, see	-	8	1715
ETHANOL	-	3	1170
ETHANOLAMINE	-	8	2491
ETHANOLAMINE SOLUTION	_	8	2491
ETHANOL AND GASOLINE MIXTURE, with more than 10% ethanol	-	3	3475
ETHANOL AND MOTOR SPIRIT MIXTURE, with more than 10% ethanol	-	3	3475
ETHANOL AND PETROL MIXTURE, with more than 10% ethanol	-	3	3475
ETHANOL SOLUTION	-	3	1170
Ethanoyl chloride, see	-	3	1717
Ether, see	-	3	1155
ETHERS, N.O.S.	-	3	3271
Ethion, see ORGANOPHOSPHORUS PESTICIDE	Р	_	_
Ethoate-methyl, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Ethoprophos, see ORGANOPHOSPHORUS PESTICIDE	Р	_	_
2-(<i>N</i> , <i>N</i> -Ethoxycarbonylphenylamino)-3-methoxy-4-(<i>N</i> -methyl- <i>N</i> - cyclohexylamino)benzenediazonium zinc chloride (concentration 62%), <i>see</i>	-	4.1	3236
2-(<i>N</i> , <i>N</i> -Ethoxycarbonylphenylamino)-3-methoxy-4-(<i>N</i> -methyl- <i>N</i> - cyclohexylamino)benzenediazonium zinc chloride (concentration 63–92%), see	-	4.1	3236
2-Ethoxyethanol, see	-	3	1171
2-Ethoxyethyl acetate, see	-	3	1172
1-Ethoxypropane, see	-	3	2615
3-Ethoxy-1-propene, see	-	3	2335
ETHYL ACETATE	-	3	1173
Ethylacetic acid, see	-	8	2820
Ethylacetone, see	-	3	1249
ETHYLACETYLENE, STABILIZED	-	2.1	2452

Substance, material or article	MP	Class	UN No.
ETHYL ACRYLATE, STABILIZED	-	3	1917
Ethylal, see	_	3	2373
ETHYL ALCOHOL	-	3	1170
ETHYL ALCOHOL SOLUTION	-	3	1170
Ethyl aldehyde, see	-	3	1089
Ethyl allyl ether, see	-	3	2335
ETHYLAMINE	-	2.1	1036
ETHYLAMINE, AQUEOUS SOLUTION with not less than 50% but not more than 70% ethylamine	_	3	2270
ETHYL AMYL KETONES	-	3	2271
Ethyl normal-amyl ketone, see	-	3	2271
2-ETHYLANILINE	-	6.1	2273
<i>N</i> -ETHYLANILINE	_	6.1	2272
ortho-Ethylaniline, see	-	6.1	2273
ETHYLBENZENE	-	3	1175
Ethylbenzol, see	-	3	1175
N-ETHYL-N-BENZYLANILINE	-	6.1	2274
N-ETHYLBENZYLTOLUIDINES, LIQUID	-	6.1	2753
N-ETHYLBENZYLTOLUIDINES, SOLID	-	6.1	3460
ETHYL BORATE	-	3	1176
ETHYL BROMIDE	-	6.1	1891
ETHYL BROMOACETATE	-	6.1	1603
Ethyl butanoate, see	-	3	1180
2-ETHYLBUTANOL	-	3	2275
2-ETHYLBUTYL ACETATE	-	3	1177
2-Ethylbutyl alcohol, see	-	3	2275
ETHYL BUTYL ETHER	-	3	1179
2-ETHYLBUTYRALDEHYDE	-	3	1178
ETHYL BUTYRATE	-	3	1180
Ethyl carbonate, see	-	3	2366
ETHYL CHLORIDE	-	2.1	1037
ETHYL CHLOROACETATE	-	6.1	1181
Ethyl chlorocarbonate, see	-	6.1	1182
Ethyl chloroethanoate, see	-	6.1	1181
ETHYL CHLOROFORMATE	-	6.1	1182
ETHYL 2-CHLOROPROPIONATE	-	3	2935
ETHYL CHLOROTHIOFORMATE	Р	8	2826
ETHYL CROTONATE	-	3	1862
Ethyl cyanide, see	-	3	2404
Ethyl 3,3-di-(<i>tert</i> -amylperoxy)butyrate (concentration \leq 67%, with diluent Type A), see	-	5.2	3105
Ethyl 3,3-di-(<i>tert</i> -butylperoxy)butyrate (concentration \leq 52%, with inert solid), see	-	5.2	3106

Substance, material or article	MP	Class	UN No.
Ethyl 3,3-di-(<i>tert</i> -butylperoxy)butyrate (concentration <77%,	-	5.2	3105
with diluent Type A), see			
Ethyl 3,3-di-(<i>tert</i> -butylperoxy)butyrate (concentration >77–100%), see	-	5.2	3103
ETHYLDICHLOROARSINE	Р	6.1	1892
ETHYLDICHLOROSILANE	-	4.3	1183
ETHYLENE	-	2.1	1962
ETHYLENE, ACETYLENE AND PROPYLENE MIXTURE, REFRIGERATED LIQUID containing at least 71.5% ethylene, with not more than 22.5% acetylene and not more than 6% propylene	-	2.1	3138
Ethylene chloride, see	-	3	1184
ETHYLENE CHLOROHYDRIN	-	6.1	1135
ETHYLENEDIAMINE	-	8	1604
ETHYLENE DIBROMIDE	-	6.1	1605
Ethylene dibromide and methyl bromide mixture, liquid, see	Р	6.1	1647
ETHYLENE DICHLORIDE	-	3	1184
Ethylene fluoride, see	-	2.1	1030
ETHYLENE GLYCOL DIETHYL ETHER	-	3	1153
Ethylene glycol dimethyl ether, see	-	3	2252
ETHYLENE GLYCOL MONOETHYL ETHER	-	3	1171
ETHYLENE GLYCOL MONOETHYL ETHER ACETATE	-	3	1172
ETHYLENE GLYCOL MONOMETHYL ETHER	_	3	1188
ETHYLENE GLYCOL MONOMETHYL ETHER ACETATE	-	3	1189
ETHYLENEIMINE, STABILIZED	-	6.1	1185
ETHYLENE OXIDE	-	2.3	1040
ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 87% ethylene oxide	-	2.3	3300
ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with more than 9% but not more than 87% ethylene oxide	-	2.1	1041
ETHYLENE OXIDE AND CARBON DIOXIDE MIXTURE with not more than 9% ethylene oxide	-	2.2	1952
ETHYLENE OXIDE AND CHLOROTETRAFLUOROETHANE MIXTURE with not more than 8.8% ethylene oxide	-	2.2	3297
ETHYLENE OXIDE AND DICHLORODIFLUOROMETHANE MIXTURE with not more than 12.5% ethylene oxide	-	2.2	3070
ETHYLENE OXIDE AND PENTAFLUOROETHANE MIXTURE with not more than 7.9% ethylene oxide	-	2.2	3298
ETHYLENE OXIDE AND PROPYLENE OXIDE MIXTURE with not more than 30% ethylene oxide	-	3	2983
ETHYLENE OXIDE AND TETRAFLUOROETHANE MIXTURE with not more than 5.6% ethylene oxide	-	2.2	3299
ETHYLENE OXIDE WITH NITROGEN up to a total pressure of 1 MPa (10 bar) at 50°C	-	2.3	1040
ETHYLENE, REFRIGERATED LIQUID	-	2.1	1038
Ethyl ethanoate, see	-	3	1173
ETHYL ETHER	-	3	1155
Ethyl fluid, see	Р	6.1	1649
ETHYL FLUORIDE	-	2.1	2453

Substance, material or article	MP	Class	UN No.
ETHYL FORMATE	_	3	1190
Ethyl glycol, see	-	3	1171
Ethyl glycol acetate, see	-	3	1172
2-Ethylhexaldehyde, see	-	3	1191
3-Ethylhexaldehyde, see	_	3	1191
2-Ethylhexanal, see	-	3	1191
3-Ethylhexanal, see	_	3	1191
1-(2-Ethylhexanoylperoxy)-1,3-dimethylbutyl peroxypivalate (concentration \leq 52%, with diluents Type A and B), see	-	5.2	3115
2-ETHYLHEXYLAMINE	-	3	2276
2-ETHYLHEXYL CHLOROFORMATE	-	6.1	2748
2-Ethylhexyl nitrate, see Note 1	Р	-	_
Ethyl hydrosulphide, see	Р	3	2363
Ethylidene chloride, see	-	3	2362
Ethylidene dichloride, see	-	3	2362
Ethylidene diethyl ether, see	-	3	1088
Ethylidene difluoride, see	-	2.1	1030
Ethylidene dimethyl ether, see	-	3	2377
Ethylidene fluoride, see	-	2.1	1030
ETHYL ISOBUTYRATE	-	3	2385
ETHYL ISOCYANATE	-	6.1	2481
Ethyl isopropyl ether, see	-	3	2615
ETHYL LACTATE	-	3	1192
ETHYL MERCAPTAN	Р	3	2363
ETHYL METHACRYLATE, STABILIZED	-	3	2277
Ethyl methanoate, see	-	3	1190
1-Ethyl-2-methylbenzene, see Note 1	Р	-	-
ETHYL METHYL ETHER	-	2.1	1039
ETHYL METHYL KETONE	-	3	1193
Ethyl 2-methylpropanoate, see	-	3	2385
ETHYL NITRITE (transport prohibited)	-	-	-
ETHYL NITRITE SOLUTION	-	3	1194
ETHYL ORTHOFORMATE	-	3	2524
ETHYL OXALATE	-	6.1	2525
Ethylphenylamine, see	-	6.1	2272
N-Ethyl-N-phenylbenzylamine, see	-	6.1	2274
ETHYLPHENYLDICHLOROSILANE	-	8	2435
5-Ethyl-2-picoline, see	-	6.1	2300
1-ETHYLPIPERIDINE	-	3	2386
N-Ethylpiperidine, see	_	3	2386
Ethyl propenoate, stabilized, see	-	3	1917
ETHYL PROPIONATE	-	3	1195
ETHYL PROPYL ETHERS	-	3	2615
Substance, material or article	MP	Class	UN No.
---	----	-------	--------
Ethyl secondary-amyl ketone, see	_	3	2271
Ethyl silicate, see	-	3	1292
Ethyl sulphate, see	_	6.1	1594
Ethyl sulphide, see	-	3	2375
Ethyl tetraphosphate, see	Р	6.1	1611
Ethyl thioalcohol, see	Р	3	2363
Ethylthioethane, see	-	3	2375
N-ETHYLTOLUIDINES	-	6.1	2754
ETHYLTRICHLOROSILANE	-	3	1196
Ethyl vinyl ether, see	-	3	1302
Explosive articles, N.O.S., see ARTICLES, EXPLOSIVE, N.O.S.	-	-	_
EXPLOSIVE, BLASTING, TYPE A	-	1.1D	0081
EXPLOSIVE, BLASTING, TYPE B	-	1.1D	0082
EXPLOSIVE, BLASTING, TYPE B	-	1.5D	0331
EXPLOSIVE, BLASTING, TYPE C	-	1.1D	0083
EXPLOSIVE, BLASTING, TYPE D	-	1.1D	0084
EXPLOSIVE, BLASTING, TYPE E	-	1.1D	0241
EXPLOSIVE, BLASTING, TYPE E	-	1.5D	0332
Explosive, seismic, see EXPLOSIVE, BLASTING, TYPES A to D	-	-	_
Explosives, emulsion, see EXPLOSIVE, BLASTING, TYPE E	-	-	-
Explosive, slurry, see EXPLOSIVE, BLASTING, TYPE E	-	-	-
Explosive substances, N.O.S., see SUBSTANCES, EXPLOSIVE, N.O.S.	-	-	-
Explosive train components, N.O.S., see COMPONENTS, EXPLOSIVE TRAIN, N.O.S.	-	-	-
Explosive, watergel, see EXPLOSIVE, BLASTING, TYPE E	-	-	-
EXTRACTS, AROMATIC, LIQUID	-	3	1169
EXTRACTS, FLAVOURING, LIQUID	-	3	1197
FABRICS, ANIMAL, N.O.S. with oil	-	4.2	1373
FABRICS IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S.	-	4.1	1353
FABRICS, SYNTHETIC, N.O.S. with oil	-	4.2	1373
FABRICS, VEGETABLE, N.O.S. with oil	-	4.2	1373
Fenaminosulf, see PESTICIDE, N.O.S.	-	-	-
Fenaminphos, see ORGANOPHOSPHORUS PESTICIDE	Р	_	_
Fenbutatin oxide, see Note 1	Р	-	-
Fenitrothion, see ORGANOPHOSPHORUS PESTICIDE	Р	_	_
Fenoxapro-ethyl, see Note 1	Р	-	-
Fenoxaprop-P-ethyl, see Note 1	Р	-	_
Fenpropathrin, see PESTICIDE, N.O.S.	Р	-	-
Fensulfothion, see ORGANOPHOSPHORUS PESTICIDE	Р	_	-
Fenthion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Fentin acetate, see ORGANOTIN PESTICIDE	Р	_	-
Fentin hydroxide, see ORGANOTIN PESTICIDE	Р	-	-

Substance, material or article	MP	Class	UN No.
Fermentation amyl alcohol, see	_	3	1201
FERRIC ARSENATE	Р	6.1	1606
FERRIC ARSENITE	Р	6.1	1607
FERRIC CHLORIDE, ANHYDROUS	-	8	1773
FERRIC CHLORIDE SOLUTION	-	8	2582
FERRIC NITRATE	-	5.1	1466
Ferric perchloride, anhydrous, see	_	8	1773
Ferric perchloride solution, see	-	8	2582
FERROCERIUM	-	4.1	1323
FERROSILICON with 30% or more but less than 90% silicon	-	4.3	1408
FERROUS ARSENATE	Р	6.1	1608
FERROUS METAL BORINGS in a form liable to self-heating	-	4.2	2793
FERROUS METAL CUTTINGS in a form liable to self-heating	-	4.2	2793
FERROUS METAL SHAVINGS in a form liable to self-heating	-	4.2	2793
FERROUS METAL TURNINGS in a form liable to self-heating		4.2	2793
FERTILIZER AMMONIATING SOLUTION with free ammonia	-	2.2	1043
Fertilizers containing ammonium nitrate, see AMMONIUM NITRATE BASED FERTILIZERS	-	-	-
FIBRES, ANIMAL, burnt	-	4.2	1372
FIBRES, ANIMAL, damp	-	4.2	1372
FIBRES, ANIMAL, wet	-	4.2	1372
FIBRES, ANIMAL, N.O.S. with oil	-	4.2	1373
FIBRES, SYNTHETIC, N.O.S. with oil	-	4.2	1373
FIBRES, VEGETABLE, burnt	-	4.2	1372
FIBRES, VEGETABLE, damp	-	4.2	1372
FIBRES, VEGETABLE, dry	-	4.1	3360
FIBRES, VEGETABLE, wet	-	4.2	1372
FIBRES, VEGETABLE, N.O.S. with oil	-	4.2	1373
FIBRES IMPREGNATED WITH WEAKLY NITRATED NITROCELLULOSE, N.O.S.	-	4.1	1353
Filler, liquid, see PAINT	-	_	-
Films, nitrocellulose-base, from which gelatin has been removed; film scrap, see	-	4.2	2002
FILMS, NITROCELLULOSE BASE gelatin coated, except scrap	-	4.1	1324
FIRE EXTINGUISHER CHARGES corrosive liquid	-	8	1774
Fire extinguisher charges, expelling, explosive, see CARTRIDGES, POWER DEVICE	_	-	-
FIRE EXTINGUISHERS with compressed or liquefied gas	-	2.2	1044
FIRELIGHTERS, SOLID with flammable liquid	-	4.1	2623
FIREWORKS	-	1.1G	0333
FIREWORKS	-	1.2G	0334
FIREWORKS	-	1.3G	0335
FIREWORKS	-	1.4G	0336
FIREWORKS	-	1.4S	0337

Substance, material or article	MP	Class	UN No.
FIRST AID KIT	-	9	3316
FISH MEAL, STABILIZED anti-oxidant treated. Moisture content greater than 5% but not exceeding 12%, by mass. Fat content not more than 15%	-	9	2216
FISH MEAL, UNSTABILIZED. High hazard. Unrestricted moisture content. Unrestricted fat content in excess of 12%, by mass. Unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fish meal	-	4.2	1374
FISH MEAL, UNSTABILIZED not anti-oxidant treated. Moisture content: more than 5% but not more than 12%, by mass. Fat content: not more than 12%, by mass	-	4.2	1374
FISH SCRAP, STABILIZED anti-oxidant treated. Moisture content greater than 5% but not exceeding 12%, by mass. Fat content not more than 15%	-	9	2216
FISH SCRAP, UNSTABILIZED. High hazard. Unrestricted moisture content. Unrestricted fat content in excess of 12%, by mass. Unrestricted fat content in excess of 15%, by mass, in the case of anti-oxidant treated fish scrap	-	4.2	1374
FISH SCRAP, UNSTABILIZED not anti-oxidant treated. Moisture content: more than 5% but not more than 12%, by mass. Fat content: not more than 12%, by mass	-	4.2	1374
Flammable gas in lighters, see	-	2.1	1057
FLAMMABLE LIQUID, CORROSIVE, N.O.S.	-	3	2924
FLAMMABLE LIQUID, N.O.S.	-	3	1993
FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S.	-	3	3286
FLAMMABLE LIQUID, TOXIC, N.O.S.	-	3	1992
FLAMMABLE SOLID, CORROSIVE, INORGANIC, N.O.S.	-	4.1	3180
FLAMMABLE SOLID, CORROSIVE, ORGANIC, N.O.S.	-	4.1	2925
FLAMMABLE SOLID, INORGANIC, N.O.S.	-	4.1	3178
FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S.	-	4.1	3176
FLAMMABLE SOLID, ORGANIC, N.O.S.	-	4.1	1325
FLAMMABLE SOLID, OXIDIZING, N.O.S.	-	4.1	3097
FLAMMABLE SOLID, TOXIC, INORGANIC, N.O.S.	-	4.1	3179
FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S.	-	4.1	2926
FLARES, AERIAL	-	1.1G	0420
FLARES, AERIAL	-	1.2G	0421
FLARES, AERIAL	-	1.3G	0093
FLARES, AERIAL	-	1.4G	0403
FLARES, AERIAL	-	1.4S	0404
Flares, distress, small, see SIGNAL DEVICES, HAND	-	-	-
Flares, highway or railway, see SIGNAL DEVICES, HAND	-	_	-
FLARES, SURFACE	-	1.1G	0418
FLARES, SURFACE	-	1.2G	0419
FLARES, SURFACE	-	1.3G	0092
Flares, water-activated, see CONTRIVANCES, WATER-ACTIVATED	-	_	-
FLASH POWDER	-	1.1G	0094
FLASH POWDER	-	1.3G	0305

Substance, material or article	MP	Class	UN No.
Flax, dry, see	-	4.1	3360
Flowers of sulphur, see	-	4.1	1350
Flue dust, arsenical, see	-	6.1	1562
Fluoric acid, see	-	8	1790
Fluorine compounds (pesticides), see PESTICIDE, N.O.S.	-	-	-
FLUORINE, COMPRESSED	-	2.3	1045
Fluorine monoxide, compressed, see	-	2.3	2190
Fluoroacetamide, see PESTICIDE, N.O.S.	-	_	-
FLUOROACETIC ACID	-	6.1	2642
FLUOROANILINES	-	6.1	2941
FLUOROBENZENE	-	3	2387
FLUOROBORIC ACID	-	8	1775
Fluoroethane, see	-	2.1	2453
Fluoroethanoic acid, see	-	6.1	2642
Fluoroform, see	-	2.2	1984
Fluoroformyl fluoride, compressed, see	-	2.3	2417
Fluoromethane, see	-	2.1	2454
FLUOROPHOSPHORIC ACID, ANHYDROUS	-	8	1776
FLUOROSILICATES, N.O.S.	-	6.1	2856
FLUOROSILICIC ACID	-	8	1778
FLUOROSULPHONIC ACID	-	8	1777
FLUOROTOLUENES	-	3	2388
Fonofos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Formal, see	-	3	1234
Formaldehyde dimethylacetal, see	-	3	1234
FORMALDEHYDE SOLUTION, FLAMMABLE	-	3	1198
FORMALDEHYDE SOLUTION with not less than 25% formaldehyde	-	8	2209
Formalin solution, flammable, see	-	3	1198
Formalin solution with not less than 25% formaldehyde, see	-	8	2209
Formamidine sulphinic acid, see	-	4.2	3341
Formetanate, see CARBAMATE PESTICIDE	Р	-	-
Formic acid ethyl ester, see	-	3	1190
FORMIC ACID with more than 85% acid, by mass	-	8	1779
FORMIC ACID with not less than 5% but less than 10% acid, by mass	-	8	3412
FORMIC ACID with not less than 10% but not more than 85% acid, by mass	-	8	3412
Formic aldehyde solution, flammable, see	-	3	1198
Formothion, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
2-Formyl-3,4-dihydro-2H-pyran, stabilized, see	-	3	2607
<i>N</i> -FormyI-2-(nitromethylene)-1,3-perhydrothiazine (concentration 100%), see	-	4.1	3236
FRACTURING DEVICES, EXPLOSIVE for oil wells, without detonator	-	1.1D	0099
FUEL, AVIATION, TURBINE ENGINE	-	3	1863

Substance, material or article	MP	Class	UN No.
FUEL CELL CARTRIDGES	_	3	3473
FUEL CELL CARTRIDGES, containing corrosive substances	_	8	3477
FUEL CELL CARTRIDGES, containing hydrogen in metal hydride	_	2.1	3479
FUEL CELL CARTRIDGES, containing liguefied flammable gas	_	2.1	3478
FUEL CELL CARTRIDGES, containing water-reactive substances	_	4.3	3476
FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT	_	3	3473
FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing corrosive substances	-	8	3477
FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing hydrogen in metal hydride	-	2.1	3479
FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing liquefied flammable gas	-	2.1	3478
FUEL CELL CARTRIDGES CONTAINED IN EQUIPMENT, containing water-reactive substances	-	4.3	3476
FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing corrosive substances	-	8	3477
FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing hydrogen in metal hydride	-	2.1	3479
FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing liquefied flammable gas	-	2.1	3478
FUEL CELL CARTRIDGES PACKED WITH EQUIPMENT, containing water-reactive substances	-	4.3	3476
FUEL CELL CARTRIDGES PLACED WITH EQUIPMENT	-	3	3473
Fuel oil No. 1, see	-	3	1223
Fumaroyl dichloride, see	-	8	1780
FUMARYL CHLORIDE	-	8	1780
FUMIGATED CARGO TRANSPORT UNIT	-	9	3359
FURALDEHYDES	-	6.1	1199
FURAN	-	3	2389
2-Furanmethylamine, see	-	3	2526
Furathiocarb (ISO), see CARBAMATE PESTICIDE	Р	-	-
Furfuran, see	-	3	2389
FURFURYL ALCOHOL	-	6.1	2874
FURFURYLAMINE	-	3	2526
alpha-Furfurylamine, see	-	3	2526
2-Furyl carbinol, see	-	6.1	2874
FUSE, DETONATING metal-clad	-	1.1D	0290
FUSE, DETONATING metal-clad	-	1.2D	0102
FUSE, DETONATING, MILD EFFECT, metal-clad	-	1.4D	0104
FUSE, IGNITER tubular, metal-clad	-	1.4G	0103
FUSEL OIL	-	3	1201
FUSE, NON-DETONATING	-	1.3G	0101
FUSE, SAFETY	-	1.4S	0105
Fuze, combination, percussion or time, see FUZES, DETONATING or FUZES, IGNITING	-	-	-
FUZES, DETONATING	_	1.1B	0106

Substance, material or article	MP	Class	UN No.
FUZES, DETONATING	-	1.2B	0107
FUZES, DETONATING	-	1.4B	0257
FUZES, DETONATING	-	1.4S	0367
FUZES, DETONATING with protective features	-	1.1D	0408
FUZES, DETONATING with protective features	-	1.2D	0409
FUZES, DETONATING with protective features	-	1.4D	0410
FUZES, IGNITING	-	1.3G	0316
FUZES, IGNITING	-	1.4G	0317
FUZES, IGNITING	-	1.4S	0368
GALLIUM	-	8	2803
GAS CARTRIDGES without a release device, non-refillable	-	2	2037
Gas drips, hydrocarbon, see HYDROCARBONS, LIQUID, N.O.S.	-	-	-
GAS OIL	-	3	1202
GASOLINE	-	3	1203
Gasoline, casinghead, see	-	3	1203
GAS, REFRIGERATED LIQUID, FLAMMABLE, N.O.S.	-	2.1	3312
GAS, REFRIGERATED LIQUID, N.O.S.	-	2.2	3158
GAS, REFRIGERATED LIQUID, OXIDIZING, N.O.S.	-	2.2	3311
GAS SAMPLE, NON-PRESSURIZED, FLAMMABLE, N.O.S., not refrigerated liquid	-	2.1	3167
GAS SAMPLE, NON-PRESSURIZED, TOXIC, FLAMMABLE, N.O.S., not refrigerated liquid	-	2.3	3168
GAS SAMPLE, NON-PRESSURIZED, TOXIC, N.O.S., not refrigerated liquid	-	2.3	3169
Gelatin, blasting, see	-	1.1D	0081
Gelatin dynamite, see	-	1.1D	0081
GENETICALLY MODIFIED MICROORGANISMS	-	9	3245
GENETICALLY MODIFIED ORGANISMS	-	9	3245
GERMANE	-	2.3	2192
GERMANE, ADSORBED	-	2.3	3523
Germanium hydride, see	-	2.3	2192
GLYCEROL alpha-MONOCHLOROHYDRIN	-	6.1	2689
Glycerol 1,3-dichlorohydrin, see	-	6.1	2750
Glycerol trinitrate (class 1), see NITROGLYCERIN (class 1)	-	-	-
Glyceryl trinitrate, see	-	3	1204
Glyceryl trinitrate (class 1), see NITROGLYCERIN (class 1)	-	-	-
Glycidal, see	-	3	2622
GLYCIDALDEHYDE	-	3	2622
Glycol chlorohydrin, see	-	6.1	1135
Glycol dimethyl ether, see	-	3	2252
GRENADES hand or rifle, with bursting charge	-	1.1D	0284
GRENADES hand or rifle, with bursting charge	-	1.1F	0292
GRENADES hand or rifle, with bursting charge	-	1.2D	0285

Substance, material or article	MP	Class	UN No.
GRENADES hand or rifle, with bursting charge	-	1.2F	0293
Grenades, illuminating, see AMMUNITION, ILLUMINATING	-	-	-
GRENADES, PRACTICE hand or rifle	-	1.2G	0372
GRENADES, PRACTICE hand or rifle	-	1.3G	0318
GRENADES, PRACTICE hand or rifle	-	1.4G	0452
GRENADES, PRACTICE hand or rifle	-	1.4S	0110
Grenades, smoke, see AMMUNITION, SMOKE	-	-	-
Grignard solution, see	-	4.3	1928
GUANIDINE NITRATE	-	5.1	1467
GUANYL NITROSAMINOGUANYLIDENEHYDRAZINE, WETTED with not less than 30% water, by mass	-	1.1A	0113
GUANYL NITROSAMINOGUANYLTETRAZENE, WETTED with not less than 30% water, or mixture of alcohol and water, by mass	-	1.1A	0114
GUNPOWDER, COMPRESSED	-	1.1D	0028
GUNPOWDER granular, or as a meal	-	1.1D	0027
GUNPOWDER IN PELLETS	-	1.1D	0028
HAFNIUM POWDER, DRY	-	4.2	2545
HAFNIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns	-	4.1	1326
HAFNIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (b) chemically produced, particle size less than 840 microns	-	4.1	1326
HAY	-	4.1	1327
HALOGENATED MONOMETHYLDIPHENYLMETHANES, LIQUID	Р	9	3151
HALOGENATED MONOMETHYLDIPHENYLMETHANES, SOLID	Р	9	3152
HEATING OIL, LIGHT	-	3	1202
Heavy hydrogen, see	-	2.1	1957
Heavy hydrogen, compressed, see	-	2.1	1957
HELIUM, COMPRESSED	-	2.2	1046
HELIUM, REFRIGERATED LIQUID	-	2.2	1963
Hemp, dry, see	-	4.1	3360
Heptachlor, see ORGANOCHLORINE PESTICIDE	Р	-	-
HEPTAFLUOROPROPANE	-	2.2	3296
n-HEPTALDEHYDE	-	3	3056
Heptanal, see	-	3	3056
HEPTANES	Р	3	1206
2-Heptanone, see	-	3	1110
4-Heptanone, see	-	3	2710
<i>n</i> -HEPTENE	-	3	2278
Heptenophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Heptyl aldehyde, see	-	3	3056
Heptylbenzene, see	Р	9	3082

Substance, material or article	MP	Class	UN No.
Heptyl chloride, see	Р	3	1993
HETP, see	Р	6.1	1611
HETP (and compressed gas, mixtures), see	-	2.3	1612
HEXACHLOROACETONE	-	6.1	2661
HEXACHLOROBENZENE	-	6.1	2729
HEXACHLOROBUTADIENE	Р	6.1	2279
Hexachloro-1,3-butadiene, see	Р	6.1	2279
1,3-Hexachlorobutadiene, see	Р	6.1	2279
HEXACHLOROCYCLOPENTADIENE	-	6.1	2646
Hexachlorophane, see	-	6.1	2875
HEXACHLOROPHENE	-	6.1	2875
Hexachloro-2-propanone, see	-	6.1	2661
HEXADECYLTRICHLOROSILANE	-	8	1781
1,3-Hexadiene, see	-	3	2458
1,4-Hexadiene, see	-	3	2458
1,5-Hexadiene, see	-	3	2458
2,4-Hexadiene, see		3	2458
HEXADIENES	-	3	2458
HEXAETHYL TETRAPHOSPHATE	Р	6.1	1611
HEXAETHYL TETRAPHOSPHATE AND COMPRESSED GAS MIXTURE	-	2.3	1612
HEXAFLUOROACETONE		2.3	2420
HEXAFLUOROACETONE HYDRATE, LIQUID	-	6.1	2552
HEXAFLUOROACETONE HYDRATE, SOLID	-	6.1	3436
HEXAFLUOROETHANE	-	2.2	2193
HEXAFLUOROPHOSPHORIC ACID	-	8	1782
Hexafluoro-2-propanone, see	-	2.3	2420
HEXAFLUOROPROPYLENE	-	2.2	1858
Hexahydrobenzene, see	-	3	1145
Hexahydrocresol, see	-	3	2617
Hexahydromethylphenol, see	-	3	2617
Hexahydropyridine, see	-	8	2401
Hexahydrothiophenol, see	-	3	3054
Hexahydrotoluene, see	-	3	2296
HEXALDEHYDE	-	3	1207
Hexamethylene, see	-	3	1145
HEXAMETHYLENEDIAMINE, MOLTEN	-	8	2280
HEXAMETHYLENEDIAMINE, SOLID	-	8	2280
HEXAMETHYLENEDIAMINE SOLUTION	-	8	1783
HEXAMETHYLENE DIISOCYANATE	-	6.1	2281
HEXAMETHYLENEIMINE	-	3	2493
HEXAMETHYLENETETRAMINE	-	4.1	1328
Hexamine, see	-	4.1	1328
Hexane, see	Р	3	1208

Substance, material or article	MP	Class	UN No.
1,6-Hexanediamine, solid, see	-	8	2280
1,6-Hexanediamine solution, see	-	8	1783
HEXANES	Р	3	1208
HEXANITRODIPHENYLAMINE	-	1.1D	0079
Hexanitrodiphenyl sulphide, wetted, see	-	4.1	2852
HEXANITROSTILBENE	-	1.1D	0392
Hexanoic acid, see	-	8	2829
HEXANOLS	-	3	2282
1-HEXENE	-	3	2370
HEXOGEN AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
HEXOGEN AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
HEXOGEN AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	_	1.1D	0391
HEXOGEN AND HMX MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
HEXOGEN AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
HEXOGEN AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
HEXOGEN, DESENSITIZED	-	1.1D	0483
HEXOGEN, WETTED with not less than 15% water, by mass	-	1.1D	0072
Hexoic acid, see	-	8	2829
HEXOLITE dry or wetted with less than 15% water, by mass	-	1.1D	0118
Hexone, see	-	3	1245
HEXOTOL dry or wetted with less than 15% water, by mass	-	1.1D	0118
HEXOTONAL	-	1.1D	0393
HEXOTONAL cast, see	-	1.1D	0393
HEXYL	-	1.1D	0079
Hexyl acetate, see	-	3	1233
Hexyl aldehyde, see	-	3	1207
Hexylbenzene, see	Р	9	3082
Hexyl chloride, see	Р	3	1993
alpha-Hexylene, see	-	3	2370
Hexylic acid, see	-	8	2829
tert-Hexyl peroxyneodecanoate (concentration \leq 71%, with diluent Type A), see	-	5.2	3115
tert-Hexyl peroxypivalate (concentration \leq 72%, with diluent Type B), see	_	5.2	3115
HEXYLTRICHLOROSILANE	-	8	1784
HMDI, see	-	6.1	2281
HMX, DESENSITIZED	-	1.1D	0484
HMX AND RDX MIXTURE, WETTED with not less than 15% water, by mass	_	1.1D	0391

Substance, material or article	MP	Class	UN No.
HMX AND RDX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
HMX, WETTED with not less than 15% water, by mass	-	1.1D	0226
HYDRAZINE, ANHYDROUS	-	8	2029
HYDRAZINE AQUEOUS SOLUTION, FLAMMABLE with more than 37% hydrazine, by mass	-	8	3484
HYDRAZINE, AQUEOUS SOLUTION with more than 37% hydrazine, by mass	-	8	2030
HYDRAZINE, AQUEOUS SOLUTION with not more than 37% hydrazine, by mass	_	6.1	3293
Hydrazine base, aqueous solution, see	-	6.1	3293
Hydrazine hydrate, see	-	8	2030
Hydrazinobenzene, see	-	6.1	2572
Hydrides, metal, water-reactive, N.O.S., see	-	4.3	1409
HYDRIODIC ACID	-	8	1787
Hydriodic acid, anhydrous, see	-	2.3	2197
HYDROBROMIC ACID	-	8	1788
HYDROCARBON GAS MIXTURE, COMPRESSED, N.O.S.	-	2.1	1964
HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S.	-	2.1	1965
HYDROCARBON GAS REFILLS FOR SMALL DEVICES with release device	-	2.1	3150
HYDROCARBONS, LIQUID, N.O.S.	-	3	3295
HYDROCHLORIC ACID	-	8	1789
Hydrocyanic acid, anhydrous, stabilized, containing less than 3% water, see	Р	6.1	1051
Hydrocyanic acid, anhydrous, stabilized, containing less than 3% water and absorbed in a porous inert material, see	Р	6.1	1614
HYDROCYANIC ACID, AQUEOUS SOLUTION with not more than 20% hydrogen cyanide	Р	6.1	1613
HYDROCYANIC ACID with more than 20% acid, by mass (transport prohibited)	-	-	-
HYDROFLUORIC ACID AND SULPHURIC ACID MIXTURE	-	8	1786
Hydrofluoric acid, anhydrous, see	-	8	1052
HYDROFLUORIC ACID solution, with more than 60% hydrogen fluoride	-	8	1790
HYDROFLUORIC ACID solution, with not more than 60% hydrogen fluoride	-	8	1790
Hydrofluoroboric acid, see	-	8	1775
Hydrofluorosilicic acid, see	-	8	1778
HYDROGEN AND METHANE MIXTURE, COMPRESSED	-	2.1	2034
Hydrogen antimonide, see	_	2.3	2676
Hydrogen arsenide, see	-	2.3	2188
Hydrogen bromide, see	_	8	1788
HYDROGEN BROMIDE, ANHYDROUS	-	2.3	1048
Hydrogen bromide solution, see	_	8	1788
Hydrogencarboxylic acid, see	-	8	1779

Substance, material or article	MP	Class	UN No.
Hydrogen chloride, see	-	8	1789
HYDROGEN CHLORIDE, ANHYDROUS	-	2.3	1050
HYDROGEN CHLORIDE, REFRIGERATED LIQUID (transport prohibited)	-	2.3	2186
HYDROGEN, COMPRESSED	-	2.1	1049
HYDROGEN CYANIDE, AQUEOUS SOLUTION with not more than 20% hydrogen cyanide	Р	6.1	1613
HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with more than 45% hydrogen cyanide (transport prohibited)	-	-	-
HYDROGEN CYANIDE, SOLUTION IN ALCOHOL with not more than 45% hydrogen cyanide	Р	6.1	3294
HYDROGEN CYANIDE, STABILIZED containing less than 3% water	Р	6.1	1051
HYDROGEN CYANIDE, STABILIZED containing less than 3% water and absorbed in a porous inert material	Р	6.1	1614
HYDROGENDIFLUORIDES, SOLID, N.O.S.	-	8	1740
HYDROGENDIFLUORIDES SOLUTION, N.O.S.	-	8	3471
Hydrogen fluoride, see	-	8	1790
HYDROGEN FLUORIDE, ANHYDROUS	-	8	1052
HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM	-	2.1	3468
HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM CONTAINED IN EQUIPMENT	-	2.1	3468
HYDROGEN IN A METAL HYDRIDE STORAGE SYSTEM PACKED WITH EQUIPMENT	-	2.1	3468
Hydrogen iodide, see	-	8	1787
HYDROGEN IODIDE, ANHYDROUS	-	2.3	2197
HYDROGEN PEROXIDE AND PEROXYACETIC ACID MIXTURE with acid(s), water and not more than 5% peroxyacetic acid, STABILIZED	-	5.1	3149
HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED with more than 60% hydrogen peroxide	-	5.1	2015
HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 8% but less than 20% hydrogen peroxide (stabilized as necessary)	-	5.1	2984
HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary)	-	5.1	2014
Hydrogen peroxide carbamide, solid, see	-	5.1	1511
HYDROGEN PEROXIDE, STABILIZED	-	5.1	2015
Hydrogen phosphide, see	-	2.3	2199
HYDROGEN, REFRIGERATED LIQUID	-	2.1	1966
HYDROGEN SELENIDE, ADSORBED	-	2.3	3526
HYDROGEN SELENIDE, ANHYDROUS	-	2.3	2202
Hydrogen silicide, compressed, see	-	2.1	2203
Hydrogen sulphates, aqueous solution, see	-	8	2837
HYDROGEN SULPHIDE	-	2.3	1053
Hydroselenic acid, anhydrous, see	-	2.3	2202
Hydrosilicofluoric acid, see	-	8	1778
1-HYDROXYBENZOTRIAZOLE, ANHYDROUS, dry or wetted with less than 20% water, by mass	-	1.3C	0508

Substance, material or article	MP	Class	UN No.
1-HYDROXYBENZOTRIAZOLE MONOHYDRATE	_	4.1	3474
3-Hydroxybutanal, see	-	6.1	2839
3-Hydroxybutan-2-one, see	-	3	2621
3-Hydroxybutyraldehyde, see	-	6.1	2839
2-Hydroxycamphane, see	-	4.1	1312
Hydroxydimethylbenzenes, liquid, see	-	6.1	3430
Hydroxydimethylbenzenes, solid, see	_	6.1	2261
3-Hydroxy-1,1-dimethylbutyl peroxyneodecanoate (concentration \leq 52%, as a stable dispersion in water)	-	5.2	3119
3-Hydroxy-1,1-dimethylbutyl peroxyneodecanoate (concentration \leq 52%, with diluent Type A)	-	5.2	3117
3-Hydroxy-1,1-dimethylbutyl peroxyneodecanoate (concentration \leq 77%, with diluent Type A)	-	5.2	3115
2-(2-Hydroxyethoxy)-1-(pyrrolidin-1-yl)benzene-4-diazonium zinc chloride (concentration 100%), see	-	4.1	3236
3-(2-Hydroxyethoxy)-4-(pyrrolidin-1-yl)benzenediazonium zinc chloride (concentration 100%), see	-	4.1	3236
2-Hydroxyethylamine, see	-	8	2491
HYDROXYLAMINE SULPHATE	-	8	2865
Hydroxylammonium sulphate, see	-	8	2865
1-Hydroxy-3-methyl-2-penten-4-yne, see	-	8	2705
3-Hydroxyphenol, see	-	6.1	2876
HYPOCHLORITES, INORGANIC, N.O.S.	-	5.1	3212
HYPOCHLORITE SOLUTION	Р	8	1791
IGNITERS	-	1.1G	0121
IGNITERS	-	1.2G	0314
IGNITERS	_	1.3G	0315
IGNITERS	-	1.4G	0325
IGNITERS	_	1.4S	0454
Imazalil, see PESTICIDE, N.O.S.	-	-	-
3,3'-IMINODIPROPYLAMINE	_	8	2269
INFECTIOUS SUBSTANCE, AFFECTING ANIMALS only	-	6.2	2900
INFECTIOUS SUBSTANCE, AFFECTING HUMANS	-	6.2	2814
Inflammable , see FLAMMABLE	-	-	-
INSECTICIDE GAS, FLAMMABLE, N.O.S.	-	2.1	3354
INSECTICIDE GAS, N.O.S.	-	2.2	1968
INSECTICIDE GAS, TOXIC, FLAMMABLE, N.O.S.	-	2.3	3355
INSECTICIDE GAS, TOXIC, N.O.S.	-	2.3	1967
IODINE	-	8	3495
IODINE MONOCHLORIDE, LIQUID	-	8	3498
IODINE MONOCHLORIDE, SOLID	-	8	1792
IODINE PENTAFLUORIDE	-	5.1	2495
2-IODOBUTANE	-	3	2390
lodomethane, see	-	6.1	2644

Substance, material or article	MP	Class	UN No.
IODOMETHYLPROPANES	_	3	2391
IODOPROPANES	-	3	2392
alpha-lodotoluene, see	-	6.1	2653
loxynil, see PESTICIDE, N.O.S.	Р	-	_
Iprobenfos, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Iron carbonyl, see	_	6.1	1994
Iron chloride, anhydrous, see	-	8	1773
Iron(III) chloride, anhydrous, see	-	8	1773
Iron chloride solution, see	-	8	2582
IRON OXIDE, SPENT obtained from coal gas purification	-	4.2	1376
IRON PENTACARBONYL	-	6.1	1994
Iron perchloride, anhydrous, see	-	8	1773
Iron perchloride solution, see	-	8	2582
Iron powder, see	-	4.2	1383
Iron powder, pyrophoric, see	-	4.2	1383
IRON SPONGE, SPENT obtained from coal gas purification	-	4.2	1376
Iron swarf, see	-	4.2	2793
Iron trichloride, anhydrous, see	-	8	1773
Iron trichloride solution, see	-	8	2582
Isoamyl acetate, see	-	3	1104
Isoamyl alcohol, see	-	3	1105
Isoamyl bromide, see	-	3	2341
Isoamyl butyrate, see	_	3	2620
alpha-Isoamylene, see	-	3	2561
Isoamyl formate, see	-	3	1109
Isoamyl mercaptan, see	-	3	1111
Isoamyl nitrate, see	-	3	1112
Isoamyl nitrite, see	-	3	1113
Isobenzan, see ORGANOCHLORINE PESTICIDE	Р	-	-
Isobutanal, see	-	3	2045
ISOBUTANE	-	2.1	1969
ISOBUTANOL	-	3	1212
Isobutene, see	_	2.1	1055
Isobutenol, see	-	3	2614
Isobutenyl chloride, see	_	3	2554
ISOBUTYL ACETATE	-	3	1213
ISOBUTYL ACRYLATE, STABILIZED	-	3	2527
ISOBUTYL ALCOHOL	-	3	1212
ISOBUTYL ALDEHYDE	-	3	2045
ISOBUTYLAMINE	-	3	1214
Isobutylbenzene, see	Р	3	2709
Isobutyl bromide, see	-	3	2342
ISOBUTYLENE	_	2.1	1055

Substance, material or article	MP	Class	UN No.
ISOBUTYL FORMATE	-	3	2393
Isobutyl iodide, see	-	3	2391
ISOBUTYL ISOBUTYRATE	-	3	2528
ISOBUTYL ISOCYANATE	-	6.1	2486
Isobutyl mercaptan, see	-	3	2347
ISOBUTYL METHACRYLATE, STABILIZED	_	3	2283
ISOBUTYL PROPIONATE	-	3	2394
Isobutyl vinyl ether, see	_	3	1304
ISOBUTYRALDEHYDE	-	3	2045
ISOBUTYRIC ACID	-	3	2529
ISOBUTYRONITRILE	-	3	2284
ISOBUTYRYL CHLORIDE	-	3	2395
ISOCYANATES, FLAMMABLE, TOXIC, N.O.S.	-	3	2478
ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.	-	3	2478
ISOCYANATE SOLUTION, TOXIC, FLAMMABLE, N.O.S.	-	6.1	3080
ISOCYANATE SOLUTION, TOXIC, N.O.S.	-	6.1	2206
ISOCYANATES, TOXIC, FLAMMABLE, N.O.S.	-	6.1	3080
ISOCYANATES, TOXIC, N.O.S.	-	6.1	2206
ISOCYANATOBENZOTRIFLUORIDES	-	6.1	2285
3-Isocyanatomethyl-3,5,5-trimethylcyclohexyl isocyanate, see	-	6.1	2290
Isodecyl acrylate, see	Р	9	3082
Isododecane, see	-	3	2286
Isodrin, see ORGANOCHLORINE PESTICIDE	-	_	-
Isofenphos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	_
ISOHEPTENES	-	3	2287
ISOHEXENES	_	3	2288
Isolan, see CARBAMATE PESTICIDE	-	-	-
Isooctaldehyde, see	-	3	1191
Isooctane, see	Р	3	1262
ISOOCTENES	_	3	1216
Isooctyl nitrate, see	Р	9	3082
Isopentane, see	-	3	1265
ISOPENTENES	-	3	2371
Isopentylamine, see	_	3	1106
Isopentyl nitrite, see	-	3	1113
ISOPHORONEDIAMINE	_	8	2289
ISOPHORONE DIISOCYANATE	-	6.1	2290
ISOPRENE, STABILIZED	Р	3	1218
Isoprocarb, see CARBAMATE PESTICIDE	Р	-	-
ISOPROPANOL	-	3	1219
ISOPROPENYL ACETATE	-	3	2403
ISOPROPENYLBENZENE	_	3	2303
Isopropenyl carbinol, see	-	3	2614

Substance, material or article	MP	Class	UN No.
Isopropenyl chloride, see	_	3	2456
2-Isopropoxypropane. see	_	3	1159
ISOPROPYL ACETATE	-	3	1220
ISOPROPYL ACID PHOSPHATE	_	8	1793
ISOPROPYL ALCOHOL	-	3	1219
ISOPROPYLAMINE	_	3	1221
ISOPROPYLBENZENE	-	3	1918
Isopropyl bromide, see	-	3	2344
Isopropyl sec-butyl peroxydicarbonate (concentration \leq 32%) with di-sec-butyl peroxydicarbonate (concentration \leq 15–18%) and di-isopropyl peroxydicarbonate (concentration \leq 12–15%), with diluent Type A, see	-	5.2	3115
Isopropyl sec-butyl peroxydicarbonate (concentration \leq 52%) with di-sec-butyl peroxydicarbonate (concentration \leq 28%) and di-isopropyl peroxydicarbonate (concentration \leq 22%), see	-	5.2	3111
ISOPROPYL BUTYRATE	-	3	2405
Isopropyl carbinol, see	-	3	1212
Isopropyl chloride, see	-	3	2356
ISOPROPYL CHLOROACETATE	-	3	2947
Isopropyl chlorocarbonate, see	-	6.1	2407
ISOPROPYL CHLOROFORMATE	-	6.1	2407
Isopropyl chloromethanoate, see	-	6.1	2407
ISOPROPYL 2-CHLOROPROPIONATE	-	3	2934
alpha-Isopropyl alpha-chloropropionate, see	-	3	2934
Isopropylcumyl hydroperoxide (concentration \leq 72%, with diluent Type A), see	-	5.2	3109
Isopropyl cyanide, see	-	3	2284
Isopropyl ether, see	-	3	1159
Isopropylethylene, see	-	3	2561
Isopropyl formate, see	-	3	1281
Isopropylideneacetone, see	-	3	1229
ISOPROPYL ISOBUTYRATE	-	3	2406
ISOPROPYL ISOCYANATE	-	6.1	2483
Isopropyl mercaptan, see	-	3	2402
Isopropyl methanoate, see	-	3	1281
ISOPROPYL NITRATE	-	3	1222
ISOPROPYL PROPIONATE	-	3	2409
Isopropyltoluene, see	Р	3	2046
Isopropyltoluol, see	Р	3	2046
ISOSORBIDE-5-MONONITRATE	-	4.1	3251
ISOSORBIDE DINITRATE MIXTURE with not less than 60% lactose, mannose, starch, or calcium hydrogen phosphate	-	4.1	2907
Isotetramethylbenzene, see	Р	9	3082
Isothioate, see ORGANOPHOSPHORUS PESTICIDE	-	_	-
Isovaleraldehyde, see	-	3	2058

Substance, material or article	MP	Class	UN No.
Isovalerone, see	_	3	1157
Isoxathion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
JET PERFORATING GUNS, CHARGED oil well, without detonator	-	1.1D	0124
JET PERFORATING GUNS, CHARGED oil well, without detonator	_	1.4D	0494
Jet tappers, without detonator, see CHARGES, SHAPED, COMMERCIAL	-	-	-
Jute, dry, see	-	4.1	3360
Kapok, dry, see	-	4.1	3360
Kelevan, see ORGANOCHLORINE PESTICIDE	-	-	-
KEROSENE	-	3	1223
Kerosine, see	-	3	1223
KETONES, LIQUID, N.O.S.	-	3	1224
KRILL MEAL	-	4.2	3497
KRYPTON, COMPRESSED	-	2.2	1056
KRYPTON, REFRIGERATED LIQUID	-	2.2	1970
Lacquer, see PAINT	-	-	-
Lacquer base, liquid, see PAINT	-	_	_
Lacquer base solution, see	-	3	2059
LEAD ACETATE	Р	6.1	1616
Lead and zinc calcines, see	Р	6.1	2291
LEAD ARSENATES	Р	6.1	1617
LEAD ARSENITES	Р	6.1	1618
LEAD AZIDE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	_	1.1A	0129
Lead chloride, solid, see	Р	6.1	2291
LEAD COMPOUND, SOLUBLE, N.O.S.	Р	6.1	2291
LEAD CYANIDE	Р	6.1	1620
LEAD DIOXIDE	-	5.1	1872
Lead dross, see	-	8	1794
Lead(II) acetate, see	-	6.1	1616
Lead(II) cyanide, see	-	6.1	1620
LEAD NITRATE	Р	5.1	1469
Lead(II) nitrate, see LEAD NITRATE	-	-	-
Lead(II) perchlorate, see	-	5.1	1470
LEAD PERCHLORATE, SOLID	Р	5.1	1470
LEAD PERCHLORATE SOLUTION	Р	5.1	3408
Lead peroxide, see	-	5.1	1872
LEAD PHOSPHITE, DIBASIC	_	4.1	2989
LEAD STYPHNATE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	-	1.1A	0130
LEAD SULPHATE with more than 3% free acid	_	8	1794

Substance, material or article	MP	Class	UN No.
Lead tetraethyl, see	Р	6.1	1649
Lead tetramethyl, see	Р	6.1	1649
LEAD TRINITRORESORCINATE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	-	1.1A	0130
LIFE-SAVING APPLIANCES, NOT SELF-INFLATING containing dangerous goods as equipment	-	9	3072
LIFE-SAVING APPLIANCES, SELF-INFLATING	-	9	2990
LIGHTER REFILLS containing flammable gas	-	2.1	1057
LIGHTERS containing flammable gas	-	2.1	1057
LIGHTERS, FUSE	-	1.4S	0131
Ligroin, see PETROLEUM DISTILLATES, N.O.S. <i>or</i> see PETROLEUM PRODUCTS, N.O.S.	-	-	-
Limonene, see	Р	3	2052
Lindane, see ORGANOCHLORINE PESTICIDE	Р	-	-
Linuron, see Note 1	Р	-	-
LIQUEFIED GASES non-flammable, charged with nitrogen, carbon dioxide or air	-	2.2	1058
LIQUEFIED GAS, FLAMMABLE, N.O.S.	-	2.1	3161
LIQUEFIED GAS, N.O.S.	-	2.2	3163
LIQUEFIED GAS, OXIDIZING, N.O.S.	-	2.2	3157
LIQUEFIED GAS, TOXIC, CORROSIVE, N.O.S.	-	2.3	3308
LIQUEFIED GAS, TOXIC, FLAMMABLE, CORROSIVE, N.O.S.	-	2.3	3309
LIQUEFIED GAS, TOXIC, FLAMMABLE, N.O.S.	-	2.3	3160
LIQUEFIED GAS, TOXIC, N.O.S.	-	2.3	3162
LIQUEFIED GAS, TOXIC, OXIDIZING, CORROSIVE, N.O.S.	-	2.3	3310
LIQUEFIED GAS, TOXIC, OXIDIZING, N.O.S.	-	2.3	3307
Liquefied petroleum gases, see	-	2.1	1075
Liquified natural gas, see	-	2.1	1972
LITHIUM	-	4.3	1415
Lithium alkyls, liquid, see	-	4.2	3394
Lithium alkyls, solid, see	-	4.2	3393
Lithium alloy (liquid), see	-	2.1	1001
LITHIUM ALUMINIUM HYDRIDE	-	4.3	1410
LITHIUM ALUMINIUM HYDRIDE, ETHEREAL	-	4.3	1411
Lithium amalgams, liquid, see	-	4.3	1389
Lithium amalgams, solid, see	-	4.3	3401
Lithium amide, see	-	4.3	1390
LITHIUM BATTERIES INSTALLED IN CARGO TRANSPORT UNIT lithium ion batteries or lithium metal batteries	-	9	3536
LITHIUM BOROHYDRIDE	-	4.3	1413
Lithium dispersions, see	-	4.3	1391
LITHIUM FERROSILICON	-	4.3	2830
LITHIUM HYDRIDE	-	4.3	1414
LITHIUM HYDRIDE, FUSED SOLID	-	4.3	2805
LITHIUM HYDROXIDE	_	8	2680

Substance, material or article	MP	Class	UN No.
Lithium hydroxide, solid, see	-	8	2680
LITHIUM HYDROXIDE SOLUTION	-	8	2679
LITHIUM HYPOCHLORITE, DRY	-	5.1	1471
LITHIUM HYPOCHLORITE MIXTURE	-	5.1	1471
Lithium in cartouches, see	-	4.3	1415
LITHIUM ION BATTERIES (including lithium ion polymer batteries)	-	9	3480
LITHIUM ION BATTERIES CONTAINED IN EQUIPMENT (including lithium ion polymer batteries)	-	9	3481
LITHIUM ION BATTERIES PACKED WITH EQUIPMENT (including lithium ion polymer batteries)	-	9	3481
LITHIUM METAL BATTERIES (including lithium alloy batteries)	-	9	3090
LITHIUM METAL BATTERIES CONTAINED IN EQUIPMENT (including lithium alloy batteries)	-	9	3091
LITHIUM METAL BATTERIES PACKED WITH EQUIPMENT (including lithium alloy batteries)	-	9	3091
LITHIUM NITRATE	-	5.1	2722
LITHIUM NITRIDE	-	4.3	2806
LITHIUM PEROXIDE	-	5.1	1472
Lithium silicide, see	-	4.3	1417
LITHIUM SILICON	-	4.3	1417
LNG, see	-	2.1	1972
LONDON PURPLE	Р	6.1	1621
LPG, see	-	2.1	1075
Lye, see	-	8	1823
M86 fuel, see	-	3	3165
MACHINERY, FUEL CELL, FLAMMABLE GAS POWERED	-	2.1	3529
MACHINERY, FUEL CELL, FLAMMABLE LIQUID POWERED	-	3	3528
MACHINERY, INTERNAL COMBUSTION	Р	9	3530
MACHINERY, INTERNAL COMBUSTION, FLAMMABLE GAS POWERED	-	2.1	3529
MACHINERY, INTERNAL COMBUSTION, FLAMMABLE LIQUID POWERED	-	3	3528
MAGNESIUM	-	4.1	1869
Magnesium alkyls, see	-	4.2	3394
Magnesium alloys, see	-	4.3	1393
MAGNESIUM ALLOYS POWDER	-	4.3	1418
MAGNESIUM ALLOYS with more than 50% magnesium in pellets, turnings or ribbons	-	4.1	1869
MAGNESIUM ALUMINIUM PHOSPHIDE	-	4.3	1419
Magnesium amalgams, liquid, see	_	4.3	1392
Magnesium amalgams, solid, see	-	4.3	3402
MAGNESIUM ARSENATE	Р	6.1	1622
Magnesium bisulphite solution, see	-	8	2693
MAGNESIUM BROMATE	_	5.1	1473

Substance, material or article	MP	Class	UN No.
MAGNESIUM CHLORATE	-	5.1	2723
Magnesium chloride and chlorate mixture, see	-	5.1	1459
MAGNESIUM DIAMIDE	-	4.2	2004
Magnesium diphenyl, see	-	4.2	3393
Magnesium dispersions, see	-	4.3	1391
MAGNESIUM FLUOROSILICATE	-	6.1	2853
MAGNESIUM GRANULES, COATED particle size not less than 149 microns	-	4.3	2950
Magnesium hexafluorosilicate, see	-	6.1	2853
MAGNESIUM HYDRIDE	-	4.3	2010
MAGNESIUM NITRATE		5.1	1474
MAGNESIUM PERCHLORATE	-	5.1	1475
MAGNESIUM PEROXIDE	_	5.1	1476
MAGNESIUM PHOSPHIDE	-	4.3	2011
MAGNESIUM POWDER	_	4.3	1418
Magnesium scrap, see	-	4.1	1869
MAGNESIUM SILICIDE	-	4.3	2624
Magnesium silicofluoride, see	-	6.1	2853
Magnesium silicon, see	-	4.3	2624
MAGNETIZED MATERIAL	-	9	2807
Malathion, see	Р	9	3082
MALEIC ANHYDRIDE	-	8	2215
MALEIC ANHYDRIDE, MOLTEN	-	8	2215
Malonodinitrile, see	-	6.1	2647
MALONONITRILE	-	6.1	2647
Mancozeb (ISO), see	Р	9	3077
MANEB	Р	4.2	2210
MANEB PREPARATION, STABILIZED against self-heating	Р	4.3	2968
MANEB PREPARATION with not less than 60% Maneb	Р	4.2	2210
MANEB, STABILIZED	Р	4.3	2968
Manganese ethylene-bis-dithiocarbamate, see	Р	4.2	2210
Manganese ethylene-1,2-bis-dithiocarbamate, see	Р	4.2	2210
Manganese ethylene-bis-dithiocarbamate, stabilized, see	Р	4.3	2968
Manganese ethylene-1,2-bis-dithiocarbamate, stabilized, see	Р	4.3	2968
MANGANESE NITRATE	-	5.1	2724
Manganese(III) nitrate, see	-	5.1	2724
MANGANESE RESINATE	-	4.1	1330
Manganous nitrate, see	-	5.1	2724
MANNITOL HEXANITRATE, WETTED with not less than 40% water, or mixture of alcohol and water, by mass	-	1.1D	0133
MATCHES, FUSEE	-	4.1	2254
MATCHES, SAFETY (book, card or strike on box)	-	4.1	1944
MATCHES, "STRIKE ANYWHERE"	-	4.1	1331
MATCHES, WAX 'VESTA'	-	4.1	1945

Substance, material or article	MP	Class	UN No.
Meal, oily, see	-	4.2	1386
Mecarbam, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
MEDICAL WASTE, CATEGORY A, AFFECTING ANIMALS only, solid	-	6.2	3549
MEDICAL WASTE, CATEGORY A, AFFECTING HUMANS, solid	-	6.2	3549
MEDICAL WASTE, N.O.S.	-	6.2	3291
MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	-	3	3248
MEDICINE, LIQUID, TOXIC, N.O.S.	-	6.1	1851
MEDICINE, SOLID, TOXIC, N.O.S.	-	6.1	3249
Medinoterb, see SUBSTITUTED NITROPHENOL PESTICIDE	-	-	-
$\rho\text{-Menthyl}$ hydroperoxide (concentration \leq 72%, with diluent Type A), see	-	5.2	3109
p-Menthyl hydroperoxide (concentration > 72–100%), see	-	5.2	3105
Mephosfolan, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, N.O.S.	-	3	3336
MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.	-	3	1228
MERCAPTAN MIXTURE, LIQUID, TOXIC, FLAMMABLE, N.O.S.	-	6.1	3071
MERCAPTANS, LIQUID, FLAMMABLE, N.O.S.	-	3	3336
MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S.	-	3	1228
MERCAPTANS, LIQUID, TOXIC, FLAMMABLE, N.O.S.	-	6.1	3071
Mercaptoacetic acid, see	-	8	1940
Mercaptodimethur, see CARBAMATE PESTICIDE	Р	-	-
2-Mercaptoethanol, see	-	6.1	2966
2-Mercaptopropionic acid, see	-	6.1	2936
5-MERCAPTOTETRAZOL-1-ACETIC ACID	-	1.4C	0448
Mercuric acetate, see	Р	6.1	1629
Mercuric ammonium chloride, see	Р	6.1	1630
MERCURIC ARSENATE	Р	6.1	1623
Mercuric benzoate, see	Р	6.1	1631
Mercuric bisulphate, see	Р	6.1	1645
Mercuric bromide, see	Р	6.1	1634
MERCURIC CHLORIDE	Р	6.1	1624
Mercuric cyanide, see	Р	6.1	1636
Mercuric gluconate, see	Р	6.1	1637
Mercuric iodide, see	Р	6.1	1638
MERCURIC NITRATE	Р	6.1	1625
Mercuric oleate, see	Р	6.1	1640
Mercuric oxide, see	Р	6.1	1641
Mercuric oxycyanide, desensitized, see	Р	6.1	1642
MERCURIC POTASSIUM CYANIDE	Р	6.1	1626
Mercuric sulphate, see	Р	6.1	1645
Mercuric thiocyanate, see	Р	6.1	1646
Mercurol, see	Р	6.1	1639
Mercurous acetate, see	Р	6.1	1629

INDEX

Substance, material or article	MP	Class	UN No.
Mercurous bisulphate, see	Р	6.1	1645
Mercurous bromide, see	Р	6.1	1634
Mercurous chloride, see	Р	6.1	2025
MERCUROUS NITRATE	Р	6.1	1627
Mercurous salicylate, see	Р	6.1	1644
Mercurous sulphate, see	Р	6.1	1645
MERCURY	-	8	2809
MERCURY ACETATE	Р	6.1	1629
MERCURY AMMONIUM CHLORIDE	Р	6.1	1630
MERCURY BASED PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	Р	3	2778
MERCURY BASED PESTICIDE, LIQUID, TOXIC	Р	6.1	3012
MERCURY BASED PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	Р	6.1	3011
MERCURY BASED PESTICIDE, SOLID, TOXIC	Р	6.1	2777
MERCURY BENZOATE	Р	6.1	1631
Mercury bichloride, see	Р	6.1	1624
Mercury bisulphate, see	Р	6.1	1645
MERCURY BROMIDES	Р	6.1	1634
MERCURY COMPOUND, LIQUID, N.O.S.	Р	6.1	2024
MERCURY COMPOUND, SOLID, N.O.S.	Р	6.1	2025
MERCURY CONTAINED IN MANUFACTURED ARTICLES	-	8	3506
MERCURY CYANIDE	Р	6.1	1636
MERCURY FULMINATE, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	-	1.1A	0135
MERCURY GLUCONATE	Р	6.1	1637
Mercury(II) (mercuric) compounds, see MERCURY BASED PESTICIDE	Р	-	-
Mercury(I) (mercurous) compounds, see MERCURY BASED PESTICIDE	Р	-	-
MERCURY IODIDE	Р	6.1	1638
MERCURY NUCLEATE	Р	6.1	1639
MERCURY OLEATE	Р	6.1	1640
MERCURY OXIDE	-	6.1	1641
MERCURY OXYCYANIDE, DESENSITIZED	Р	6.1	1642
MERCURY OXYCYANIDE pure (transport prohibited)	-	-	-
Mercury potassium cyanide, see	Р	6.1	1626
MERCURY POTASSIUM IODIDE	Р	6.1	1643
MERCURY SALICYLATE	Р	6.1	1644
MERCURY SULPHATE	Р	6.1	1645
MERCURY THIOCYANATE	Р	6.1	1646
Mesitylene, see	Р	3	2325
MESITYL OXIDE	-	3	1229
Mesyl chloride, see	-	6.1	3246
Metaarsenic acid, see	-	6.1	1554

INDEX

Substance, material or article	MP	Class	UN No.
Metacetone, see	-	3	1156
Metal alkyl halides, water-reactive, n.o.s., see	_	4.2	3394
Metal alkyl hydrides, water-reactive, n.o.s., see	-	4.2	3394
Metal alkyls, water-reactive, n.o.s., see	-	4.2	3394
Metal aryl halides, water-reactive, n.o.s., see	-	4.2	3394
Metal aryl hydrides, water-reactive, n.o.s., see	_	4.2	3394
Metal aryls, water-reactive, n.o.s., see	-	4.2	3394
METAL CARBONYLS, LIQUID, N.O.S.	-	6.1	3281
METAL CARBONYLS, SOLID, N.O.S.	-	6.1	3466
METAL CATALYST, DRY	-	4.2	2881
METAL CATALYST, WETTED with a visible excess of liquid	-	4.2	1378
METALDEHYDE	-	4.1	1332
METAL HYDRIDES, FLAMMABLE, N.O.S.	-	4.1	3182
METAL HYDRIDES, WATER-REACTIVE, N.O.S.	-	4.3	1409
METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	-	4.3	3208
METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.	-	4.3	3209
METAL POWDER, FLAMMABLE, N.O.S.	-	4.1	3089
METAL POWDER, SELF-HEATING, N.O.S.	-	4.2	3189
METAL SALTS OF ORGANIC COMPOUNDS, FLAMMABLE, N.O.S.	-	4.1	3181
Metam-sodium, see THIOCARBAMATE PESTICIDE	Р	-	-
Methacraldehyde, stabilized, see	-	3	2396
METHACRYLALDEHYDE, STABILIZED	-	3	2396
3-Methacrylic acid, liquid, see	-	8	3472
3-Methacrylic acid, solid, see	-	8	2823
METHACRYLIC ACID, STABILIZED	-	8	2531
METHACRYLONITRILE, STABILIZED	-	6.1	3079
METHALLYL ALCOHOL	-	3	2614
Methamidophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Methanal, see	-	3	1198
Methanal, see	-	8	2209
Methane and hydrogen, mixtures, compressed, see	-	2.1	2034
METHANE, COMPRESSED	-	2.1	1971
METHANE, REFRIGERATED LIQUID	-	2.1	1972
METHANESULPHONYL CHLORIDE	-	6.1	3246
Methanethiol, see	Р	2.3	1064
METHANOL	-	3	1230
Methasulfocarb, see CARBAMATE PESTICIDE	-	-	-
Methidathion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Methomyl, see CARBAMATE PESTICIDE	Р	-	-
ortho-Methoxyaniline, see	-	6.1	2431
Methoxybenzene, see	-	3	2222
1-Methoxybutane, see	-	3	2350
Methoxyethane see	-	21	1039

Substance, material or article	MP	Class	UN No.
2-Methoxyethanol, see	-	3	1188
2-Methoxyethyl acetate, see	-	3	1189
METHOXYMETHYL ISOCYANATE	-	6.1	2605
4-METHOXY-4-METHYLPENTAN-2-ONE	-	3	2293
4-Methoxy-4-methyl-2-pentanone, see	-	3	2293
Methoxynitrobenzenes, liquid, see	-	6.1	2730
Methoxynitrobenzenes, solid, see	-	6.1	3458
1-Methoxypropane, see	-	3	2612
1-METHOXY-2-PROPANOL	-	3	3092
METHYL ACETATE	-	3	1231
Methylacetic acid, see	-	8	1848
METHYLACETYLENE AND PROPADIENE MIXTURE, STABILIZED	-	2.1	1060
beta-Methylacrolein, see	Р	6.1	1143
2-Methylacrolein, stabilized	-	3	2396
3-Methylacrolein, stabilized, see	Р	6.1	1143
METHYL ACRYLATE, STABILIZED	-	3	1919
METHYLAL	-	3	1234
Methyl alcohol, see	-	3	1230
Methyl allyl alcohol, see	-	3	2614
Methylallyl alcohol, see	-	3	2614
METHYLALLYL CHLORIDE	-	3	2554
METHYLAMINE, ANHYDROUS	-	2.1	1061
METHYLAMINE, AQUEOUS SOLUTION	-	3	1235
2-(<i>N</i> , <i>N</i> -Methylaminoethylcarbonyl)-4- (3,4-dimethylphenylsulphonyl)benzenediazonium hydrogen sulphate (concentration 96%), <i>see</i>	-	4.1	3236
METHYLAMYL ACETATE	-	3	1233
Methyl amyl alcohol, see	-	3	2053
Methylamyl alcohol, see	-	3	2053
Methyl normal-amyl ketone, see	-	3	1110
N-METHYLANILINE	Р	6.1	2294
Methylated spirits, see	-	3	1987
Methylated spirits, see	-	3	1986
Methylbenzene, see	-	3	1294
4-Methylbenzenesulphonylhydrazide (concentration 100%), see	-	4.1	3226
Methylbenzol, see	-	3	1294
alpha-METHYLBENZYL ALCOHOL, LIQUID	-	6.1	2937
alpha-METHYLBENZYL ALCOHOL, SOLID	-	6.1	3438
Methyl borate, see	-	3	2416
Methyl bromide and chloropicrin mixture, see	-	2.3	1581
METHYL BROMIDE AND ETHYLENE DIBROMIDE MIXTURE, LIQUID	Р	6.1	1647
METHYL BROMIDE with not more than 2.0% chloropicrin	-	2.3	1062
METHYL BROMOACETATE	_	6.1	2643
2-Methyl-1,3-butadiene, stabilized, see	-	3	1218

Substance, material or article	MP	Class	UN No.
2-METHYLBUTANAL	-	3	3371
2-Methylbutane, see	-	3	1265
Methylbutanols, see	-	3	1105
3-METHYLBUTAN-2-ONE	-	3	2397
3-Methyl-2-butanone, see	-	3	2397
2-METHYL-1-BUTENE	-	3	2459
2-METHYL-2-BUTENE	-	3	2460
3-METHYL-1-BUTENE	-	3	2561
2-Methyl butylacrylate, stabilized, see	-	3	2227
N-METHYLBUTYLAMINE	-	3	2945
METHYL tert-BUTYL ETHER	-	3	2398
METHYL BUTYRATE	-	3	1237
Methyl carbonate, see	_	3	1161
METHYL CHLORIDE	-	2.1	1063
Methyl chloride and chloropicrin mixture, see	-	2.3	1582
METHYL CHLORIDE AND METHYLENE CHLORIDE MIXTURE	-	2.1	1912
METHYL CHLOROACETATE	-	6.1	2295
Methylchlorobenzenes, see	-	3	2238
Methyl chlorocarbonate, see	-	6.1	1238
Methyl chloroform, see	-	6.1	2831
Methylchloroform, see		6.1	2831
METHYL CHLOROFORMATE	-	6.1	1238
METHYL CHLOROMETHYL ETHER	-	6.1	1239
METHYL 2-CHLOROPROPIONATE	-	3	2933
alpha-Methyl alpha-chloropropionate, see	-	3	2933
METHYLCHLOROSILANE	-	2.3	2534
Methyl cyanide, see	-	3	1648
METHYLCYCLOHEXANE	Р	3	2296
METHYLCYCLOHEXANOLS, flammable	-	3	2617
Methylcyclohexanone peroxide(s) (concentration ${\leq}67\%$, with diluent Type B), see	-	5.2	3115
METHYLCYCLOHEXANONE	-	3	2297
METHYLCYCLOPENTANE	-	3	2298
METHYL DICHLOROACETATE	-	6.1	2299
METHYLDICHLOROSILANE	-	4.3	1242
Methyldinitrobenzenes, liquid, see	Р	6.1	2038
Methyldinitrobenzenes, molten, see	Р	6.1	1600
Methyldinitrobenzenes, solid, see	Р	6.1	3454
Methyl disulphide, see	Р	3	2381
Methyldithiomethane, see	Р	3	2381
2,2'-Methylenebis-(3,4,6-trichlorophenol), see	-	6.1	2875
Methylene bromide, see	-	6.1	2664
Methylene chloride, see	_	6.1	1593

Substance, material or article	MP	Class	UN No.
Methylene chloride and methyl chloride mixture, see METHYL	-	-	-
Methylene chlorobromide, see	_	6.1	1887
Methylene cyanide, see	-	6.1	2647
p,p'-Methylenedianiline, see	Р	6.1	2651
Methylene dibromide, see	_	6.1	2664
Methyl ether, see	_	2.1	1033
Methyl ethyl carbinol, see	-	3	1120
Methyl ethyl ether, see	-	2.1	1039
METHYL ETHYL KETONE	-	3	1193
Methyl ethyl ketone peroxide(s) (concentration \leq 40%, with diluent Type A, available oxygen \leq 8.2%), see	-	5.2	3107
Methyl ethyl ketone peroxide(s) (concentration \leq 45%, with diluent Type A, available oxygen \leq 10%), see	-	5.2	3105
Methyl ethyl ketone peroxide(s) (concentration \leq 52%, with diluent Type A, available oxygen $>$ 10% and \leq 10.7%), see	-	5.2	3101
2-METHYL-5-ETHYLPYRIDINE	-	6.1	2300
METHYL FLUORIDE	-	2.1	2454
Methylfluorobenzenes (ortho-; meta-; para-), see	-	3	2388
METHYL FORMATE	-	3	1243
2-METHYLFURAN	-	3	2301
Methyl glycol, see	-	3	1188
Methyl glycol acetate, see	-	3	1189
2-Methylheptane, see	Р	3	1262
2-METHYL-2-HEPTANETHIOL	-	6.1	3023
5-METHYLHEXAN-2-ONE	-	3	2302
5-Methyl-2-hexanone, see	-	3	2302
METHYLHYDRAZINE	-	6.1	1244
METHYL IODIDE	-	6.1	2644
Methyl isobutenyl ketone, see	-	3	1229
METHYL ISOBUTYL CARBINOL	-	3	2053
Methyl isobutyl carbinol acetate, see	-	3	1233
METHYL ISOBUTYL KETONE	-	3	1245
Methyl isobutyl ketone peroxide(s) (concentration \leq 62%, with \geq 19% by mass diluent Type A and methyl isobutyl ketone), see	-	5.2	3105
METHYL ISOCYANATE	-	6.1	2480
METHYL ISOPROPENYL KETONE, STABILIZED	-	3	1246
Methyl isopropyl ketone, see	-	3	2397
Methyl isopropyl ketone peroxide(s) (with diluent Type A and active oxygen ${\leq}6.7\%)$	-	5.2	3109
METHYL ISOTHIOCYANATE	_	6.1	2477
METHYL ISOVALERATE	-	3	2400
METHYLMAGNESIUM BROMIDE IN ETHYL ETHER	_	4.3	1928
METHYL MERCAPTAN	Р	2.3	1064
Methyl mercaptopropionaldehyde, see	_	6.1	2785

Substance, material or article	MP	Class	UN No.
METHYL METHACRYLATE MONOMER, STABILIZED	-	3	1247
4-METHYLMORPHOLINE	-	3	2535
N-METHYLMORPHOLINE	-	3	2535
METHYL NITRITE (transport prohibited)	-	2.2	2455
Methylnitrophenols, see	-	6.1	2446
METHYL ORTHOSILICATE	-	6.1	2606
METHYLPENTADIENES	-	3	2461
2-Methylpentane, see	Р	3	1208
3-Methylpentane, see	-	3	1208
2-METHYLPENTAN-2-OL	-	3	2560
4-Methylpentan-2-ol, see	-	3	2053
4-Methyl-2-pentanone, see	-	3	1245
4-Methyl-3-penten-2-one, see	-	3	1229
3-Methyl-2-penten-4-yn-ol, see	-	8	2705
METHYLPHENYLDICHLOROSILANE	-	8	2437
Methyl phenyl ether, see	-	3	2222
2-Methyl-2-phenylpropane, see	Р	3	2709
1-METHYLPIPERIDINE	-	3	2399
N-Methylpiperidine, see	-	3	2399
2-Methylpropanol-1, see	-	3	1212
2-Methyl-2-propanol	-	3	1120
2-Methylpropanoyl chloride, see	-	3	2395
2-Methyl-2-propen-1-ol, see	-	3	2614
METHYL PROPIONATE	-	3	1248
2-Methylpropionic acid, see	-	3	2529
Methylpropyl acrylate, stabilized, see	-	3	2527
Methylpropylbenzenes, see	Р	3	2046
METHYL PROPYL ETHER	_	3	2612
2-Methylpropyl isobutyrate, see	-	3	2528
METHYL PROPYL KETONE	-	3	1249
Methylpyridines (2-; 3-; 4-), see	-	3	2313
3-Methyl-4-(pyrrolidin-1-yl)benzenediazonium tetrafluoroborate (concentration 95%), see	-	4.1	3234
alpha-Methylstyrene, see	-	3	2303
Methylstyrenes, stabilized, see	-	3	2618
Methyl sulphate, see	-	6.1	1595
Methyl sulphide, see	-	3	1164
METHYLTETRAHYDROFURAN	-	3	2536
METHYL TRICHLOROACETATE	-	6.1	2533
METHYLTRICHLOROSILANE	-	3	1250
Methyltrithion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	_
alpha-METHYLVALERALDEHYDE	-	3	2367
1-Methylvinyl acetate, see	_	3	2403

Substance, material or article	MP	Class	UN No.
Methylvinylbenzenes, stabilized, see	-	3	2618
METHYL VINYL KETONE, STABILIZED	-	6.1	1251
Mevinphos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Mexacarbate, see CARBAMATE PESTICIDE	Р	-	-
M.I.B.C., see	-	3	2053
MINES with bursting charge	-	1.1D	0137
MINES with bursting charge	-	1.1F	0136
MINES with bursting charge	-	1.2D	0138
MINES with bursting charge	-	1.2F	0294
Mirex, see ORGANOCHLORINE PESTICIDE	Р	-	-
Mischmetall, see	-	4.1	1333
Missiles, guided, see ROCKETS	-	-	-
Mixed acid, see	-	8	1796
Mixed acid, spent, see	-	8	1826
Mixtures of an inorganic nitrite with an ammonium salt (transport prohibited)	-	-	-
Mobam, see CARBAMATE PESTICIDE	-	-	-
MOLYBDENUM PENTACHLORIDE	-	8	2508
Monobromobenzene, see	Р	3	2514
Monochloroacetic acid, molten, see	-	6.1	3250
Monochloroacetic acid, solid, see	-	6.1	1751
Monochloroacetic acid solution, see	-	6.1	1750
Monochloroacetone, stabilized, see	Р	6.1	1695
Monochlorobenzene, see	-	3	1134
Monochlorobenzol, see	-	3	1134
Monochlorodifluoromethane, see	-	2.2	1018
Monochlorodifluoromethane and monochloropentafluoroethane mixture with a fixed boiling point containing about 49% monochlorodifluoromethane, see	-	2.2	1973
Monochlorodifluoromonobromomethane, see	-	2.2	1974
Monochloropentafluoroethane, see	-	2.2	1020
Monochlorotetrafluoroethane, see	-	2.2	1021
Monochlorotrifluoromethane, see	-	2.2	1022
Monocrotophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Monoethanolamine, see	-	8	2491
Monoethylamine, see	-	2.1	1036
Monoethylamine, aqueous solution, see	-	3	2270
Monomethylamine, anhydrous, see	-	2.1	1061
Monomethylamine, aqueous solution, see	-	3	1235
Monomethylaniline, see	-	6.1	2294
MONONITROTOLUIDINES	_	6.1	2660
Monopropylamine, see	-	3	1277
MORPHOLINE	_	8	2054
MOTOR FUEL ANTI-KNOCK MIXTURE	Р	6.1	1649

Substance, material or article	MP	Class	UN No.
MOTOR FUEL ANTI-KNOCK MIXTURE, FLAMMABLE	Р	6.1	3483
MOTOR SPIRIT	-	3	1203
Muriatic acid, see	-	8	1789
Muritan, see CARBAMATE PESTICIDE	-	-	-
MUSK XYLENE	-	4.1	2956
Mysorite, see	-	9	2212
Nabam, see Note 1	Р	-	-
Naled, see ORGANOPHOSPHORUS PESTICIDE	Р	-	_
Naphtha, see	-	3	1268
NAPHTHALENE, CRUDE	Р	4.1	1334
NAPHTHALENE, MOLTEN	Р	4.1	2304
NAPHTHALENE, REFINED	Р	4.1	1334
Naphtha, petroleum, see	-	3	1268
Naphtha, solvent, see		3	1268
alpha-NAPHTHYLAMINE	-	6.1	2077
beta-NAPHTHYLAMINE, SOLID		6.1	1650
beta-NAPHTHYLAMINE SOLUTION	-	6.1	3411
NAPHTHYLTHIOUREA	-	6.1	1651
1-Naphthylthiourea, see	-	6.1	1651
alpha-Naphthylthiourea, see		6.1	1651
NAPHTHYLUREA	-	6.1	1652
NATURAL GAS, COMPRESSED with high methane content	-	2.1	1971
Natural gasoline, see MOTOR SPIRIT or GASOLINE or PETROL	-	-	-
NATURAL GAS, REFRIGERATED LIQUID with high methane content	-	2.1	1972
Neodymium nitrate and praseodymium nitrate mixture, see	-	5.1	1456
Neohexane, see	-	3	1208
NEON, COMPRESSED	-	2.2	1065
NEON, REFRIGERATED LIQUID	-	2.2	1913
Neopentane, see	-	2.1	2044
Neothyl, see	-	3	2612
NICKEL CARBONYL	Р	6.1	1259
NICKEL CYANIDE	Р	6.1	1653
Nickel(II) cyanide, see	Р	6.1	1653
NICKEL NITRATE	-	5.1	2725
Nickel(II) nitrate, see	-	5.1	2725
NICKEL NITRITE	-	5.1	2726
Nickel(II) nitrite, see	-	5.1	2726
Nickelous nitrate, see	_	5.1	2725
Nickelous nitrite, see	-	5.1	2726
Nickel tetracarbonyl, see	Р	6.1	1259
NICOTINE	-	6.1	1654
NICOTINE COMPOUND, LIQUID, N.O.S.	_	6.1	3144

Substance, material or article	MP	Class	UN No.
NICOTINE COMPOUND, SOLID, N.O.S.	-	6.1	1655
NICOTINE HYDROCHLORIDE, LIQUID	-	6.1	1656
NICOTINE HYDROCHLORIDE, SOLID	-	6.1	3444
NICOTINE HYDROCHLORIDE SOLUTION	-	6.1	1656
NICOTINE PREPARATION, LIQUID, N.O.S.	-	6.1	3144
NICOTINE PREPARATION, SOLID, N.O.S.	-	6.1	1655
NICOTINE SALICYLATE	-	6.1	1657
NICOTINE SULPHATE, SOLID	-	6.1	3445
NICOTINE SULPHATE SOLUTION	-	6.1	1658
NICOTINE TARTRATE	-	6.1	1659
NITRATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	-	5.1	3218
NITRATES, INORGANIC, N.O.S.	-	5.1	1477
NITRATING ACID MIXTURE, SPENT with more than 50% nitric acid	-	8	1826
NITRATING ACID MIXTURE, SPENT with not more than 50% nitric acid	-	8	1826
NITRATING ACID MIXTURE with more than 50% nitric acid	-	8	1796
NITRATING ACID MIXTURE with not more than 50% nitric acid	-	8	1796
NITRIC ACID other than red fuming, with at least 65% but with not more than 70% nitric acid	-	8	2031
NITRIC ACID other than red fuming, with less than 65% nitric acid	-	8	2031
NITRIC ACID other than red fuming, with more than 70% nitric acid	-	8	2031
NITRIC ACID, RED FUMING	-	8	2032
NITRIC OXIDE AND DINITROGEN TETROXIDE MIXTURE	-	2.3	1975
NITRIC OXIDE AND NITROGEN DIOXIDE MIXTURE	-	2.3	1975
NITRIC OXIDE, COMPRESSED	-	2.3	1660
NITRILES, FLAMMABLE, TOXIC, N.O.S.	-	3	3273
NITRILES, TOXIC, FLAMMABLE, N.O.S.	-	6.1	3275
NITRILES, LIQUID TOXIC, N.O.S.	-	6.1	3276
NITRILES, SOLID, TOXIC, N.O.S.	-	6.1	3439
NITRITES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	-	5.1	3219
Nitrites, inorganic, mixtures with ammonium compounds (transport prohibited)	-	-	-
NITRITES, INORGANIC, N.O.S.	-	5.1	2627
NITROANILINES (o-, m-, p-)	-	6.1	1661
NITROANISOLES, LIQUID	-	6.1	2730
NITROANISOLES, SOLID	-	6.1	3458
NITROBENZENE	-	6.1	1662
Nitrobenzene bromides, liquid, see	-	6.1	2732
Nitrobenzene bromides, solid, see	-	6.1	3459
NITROBENZENESULPHONIC ACID	-	8	2305
Nitrobenzol, see	-	6.1	1662
5-NITROBENZOTRIAZOL	-	1.1D	0385
NITROBENZOTRIFLUORIDES, LIQUID	Р	6.1	2306
NITROBENZOTRIFLUORIDES, SOLID	Р	6.1	3431

Substance, material or article	MP	Class	UN No.
NITROBROMOBENZENES, LIQUID	_	6.1	2732
NITROBROMOBENZENES, SOLID	-	6.1	3459
Nitrocarbonitrates, see EXPLOSIVE, BLASTING, TYPE B	_	-	_
NITROCELLULOSE dry or wetted with less than 25% water (or alcohol), by mass	-	1.1D	0340
NITROCELLULOSE MEMBRANE FILTERS with not more than 12.6% nitrogen, by dry mass	-	4.1	3270
NITROCELLULOSE, PLASTICIZED with not less than 18% plasticizing substance, by mass	-	1.3C	0343
NITROCELLULOSE SOLUTION, FLAMMABLE with not more than 12.6% nitrogen, by dry mass, and not more than 55% nitrocellulose	-	3	2059
NITROCELLULOSE unmodified or plasticized with less than 18% plasticizing substance, by mass	-	1.1D	0341
NITROCELLULOSE, WETTED with not less than 25% alcohol, by mass	-	1.3C	0342
NITROCELLULOSE WITH ALCOHOL (not less than 25% alcohol, by mass, and not more than 12.6% nitrogen, by dry mass)	-	4.1	2556
NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITHOUT PLASTICIZER, WITHOUT PIGMENT	-	4.1	2557
NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITHOUT PLASTICIZER, WITH PIGMENT	-	4.1	2557
NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH PLASTICIZER, WITHOUT PIGMENT	-	4.1	2557
NITROCELLULOSE with not more than 12.6% nitrogen, by dry mass, MIXTURE WITH PLASTICIZER, WITH PIGMENT	-	4.1	2557
NITROCELLULOSE WITH WATER (not less than 25% water, by mass)	-	4.1	2555
Nitrochlorobenzenes, see	-	6.1	1578
3-NITRO-4-CHLOROBENZOTRIFLUORIDE	Р	6.1	2307
Nitrocotton solution, see	-	3	2059
Nitrocotton with alcohol, see	-	4.1	2556
Nitrocotton with plasticizing substance, see	-	4.1	2557
Nitrocotton with water, see	-	4.1	2555
NITROCRESOLS, LIQUID	-	6.1	3434
NITROCRESOLS, SOLID	-	6.1	2446
NITROETHANE	-	3	2842
NITROGEN, COMPRESSED	-	2.2	1066
NITROGEN DIOXIDE	-	2.3	1067
Nitrogen dioxide and nitric oxide mixtures, see	-	2.3	1975
Nitrogen peroxide, see	-	2.3	1067
NITROGEN, REFRIGERATED LIQUID	-	2.2	1977
Nitrogen sesquioxide, see	-	2.3	2421
NITROGEN TRIFLUORIDE	-	2.2	2451
NITROGEN TRIOXIDE	-	2.3	2421
NITROGLYCERIN, DESENSITIZED with not less than 40% non-volatile water-insoluble phlegmatizer, by mass	_	1.1D	0143
NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, FLAMMABLE, N.O.S. with not more than 30% nitroglycerin, by mass	-	3	3343

Substance, material or article	MP	Class	UN No.
NITROGLYCERIN MIXTURE, DESENSITIZED, LIQUID, N.O.S. with not more than 30% nitroglycerin, by mass	_	3	3357
NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 2% but not more than 10% nitroglycerin, by mass	-	4.1	3319
NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 5% nitroglycerin	-	3	3064
NITROGLYCERIN SOLUTION IN ALCOHOL with more than 1% but not more than 10% nitroglycerin	-	1.1D	0144
NITROGLYCERIN SOLUTION IN ALCOHOL with not more than 1% nitroglycerin	-	3	1204
NITROGUANIDINE dry or wetted with less than 20% water, by mass	-	1.1D	0282
NITROGUANIDINE, WETTED with not less than 20% water, by mass	_	4.1	1336
NITROHYDROCHLORIC ACID	-	8	1798
NITROMANNITE, WETTED with not less than 40% water, or mixture of alcohol and water, by mass	-	1.1D	0133
NITROMETHANE	-	3	1261
Nitromuriatic acid, see	_	8	1798
NITRONAPHTHALENE	-	4.1	2538
NITROPHENOLS (o-, m-, p-)	-	6.1	1663
4-NITROPHENYLHYDRAZINE with not less than 30% water, by mass	-	4.1	3376
NITROPROPANES	-	3	2608
p-NITROSODIMETHYLANILINE	-	4.2	1369
4-Nitrosophenol (concentration 100%), see	-	4.1	3236
NITROSTARCH dry or wetted, with less than 20% water, by mass	-	1.1D	0146
NITROSTARCH, WETTED with not less than 20% water, by mass	-	4.1	1337
NITROSYL CHLORIDE	-	2.3	1069
NITROSYLSULPHURIC ACID, LIQUID	-	8	2308
NITROSYLSULPHURIC ACID, SOLID	-	8	3456
NITROTOLUENES, LIQUID	-	6.1	1664
NITROTOLUENES, SOLID	-	6.1	3446
NITROTOLUIDINES (MONO)	-	6.1	2660
NITROTRIAZOLONE	-	1.1D	0490
Nitrotrichloromethane, see	-	6.1	1580
NITRO UREA	-	1.1D	0147
Nitrous ether solution, see	-	3	1194
NITROUS OXIDE	-	2.2	1070
NITROUS OXIDE, REFRIGERATED LIQUID	-	2.2	2201
NITROXYLENES, LIQUID	-	6.1	1665
NITROXYLENES, SOLID	-	6.1	3447
Non-activated carbon, see	-	4.2	1361
Non-activated charcoal, see	-	4.2	1361
NONANES	Р	3	1920
Nonylphenol, see	Р	8	3145
NONYLTRICHLOROSILANE	-	8	1799
Norbormide, see PESTICIDE, N.O.S.	_	_	_

Substance, material or article	MP	Class	UN No.
2,5-NORBORNADIENE, STABILIZED	-	3	2251
NTO	_	1.1D	0490
OCTADECYLTRICHLOROSILANE	_	8	1800
OCTADIENE	-	3	2309
OCTAFLUOROBUT-2-ENE	_	2.2	2422
Octafluoro-2-butene, see	-	2.2	2422
OCTAFLUOROCYCLOBUTANE	-	2.2	1976
OCTAFLUOROPROPANE	-	2.2	2424
Octaldehyde, see	-	3	1191
OCTANES	Р	3	1262
3-Octanone, see	-	3	2271
OCTOGEN, DESENSITIZED	-	1.1D	0484
OCTOGEN, WETTED with not less than 15% water, by mass	-	1.1D	0226
OCTOL dry or wetted with less than 15% water, by mass	-	1.1D	0266
OCTOLITE dry or wetted with less than 15% water, by mass	-	1.1D	0266
OCTONAL	-	1.1D	0496
OCTYL ALDEHYDES	-	3	1191
tert-Octyl mercaptan, see	-	6.1	3023
OCTYLTRICHLOROSILANE	-	8	1801
Oenanthol, see	-	3	3056
Oil cake, see	-	4.2	1386
OIL GAS, COMPRESSED	-	2.3	1071
Oleum, see	_	8	1831
Oleylamine, see Note 1	Р	-	-
Omethoate, see ORGANOPHOSPHORUS PESTICIDE	_	-	-
Organic peroxide, liquid, sample, see	-	5.2	3103
Organic peroxide, liquid, sample, temperature controlled, see	_	5.2	3113
Organic peroxide, solid, sample, see	-	5.2	3104
Organic peroxide, solid, sample, temperature controlled, see	-	5.2	3114
ORGANIC PEROXIDE TYPE B, LIQUID	-	5.2	3101
ORGANIC PEROXIDE TYPE B, LIQUID, TEMPERATURE CONTROLLED	-	5.2	3111
ORGANIC PEROXIDE TYPE B, SOLID	-	5.2	3102
ORGANIC PEROXIDE TYPE B, SOLID, TEMPERATURE CONTROLLED	_	5.2	3112
ORGANIC PEROXIDE TYPE C, LIQUID	-	5.2	3103
ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED	-	5.2	3113
ORGANIC PEROXIDE TYPE C, SOLID	-	5.2	3104
ORGANIC PEROXIDE TYPE C, SOLID, TEMPERATURE CONTROLLED	-	5.2	3114
ORGANIC PEROXIDE TYPE D, LIQUID	-	5.2	3105
ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED	_	5.2	3115
ORGANIC PEROXIDE TYPE D, SOLID	-	5.2	3106

Substance, material or article	MP	Class	UN No.
ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE CONTROLLED	_	5.2	3116
ORGANIC PEROXIDE TYPE E, LIQUID	-	5.2	3107
ORGANIC PEROXIDE TYPE E, LIQUID, TEMPERATURE CONTROLLED	-	5.2	3117
ORGANIC PEROXIDE TYPE E, SOLID	-	5.2	3108
ORGANIC PEROXIDE TYPE E, SOLID, TEMPERATURE CONTROLLED	-	5.2	3118
ORGANIC PEROXIDE TYPE F, LIQUID	-	5.2	3109
ORGANIC PEROXIDE TYPE F, LIQUID, TEMPERATURE CONTROLLED	-	5.2	3119
ORGANIC PEROXIDE TYPE F, SOLID	-	5.2	3110
ORGANIC PEROXIDE TYPE F, SOLID, TEMPERATURE CONTROLLED	-	5.2	3120
ORGANIC PIGMENTS, SELF-HEATING	-	4.2	3313
ORGANOARSENIC COMPOUND, LIQUID, N.O.S.	-	6.1	3280
ORGANOARSENIC COMPOUND, SOLID, N.O.S.	-	6.1	3465
ORGANOCHLORINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2762
ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC	-	6.1	2996
ORGANOCHLORINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	2995
ORGANOCHLORINE PESTICIDE, SOLID, TOXIC	-	6.1	2761
Organometallic compound dispersion, water-reactive, flammable, see	-	4.3	3399
Organometallic compound solid, water-reactive, flammable, see	-	4.3	3396
Organometallic compound solution, water-reactive, flammable, see	-	4.3	3399
ORGANOMETALLIC COMPOUND, LIQUID, TOXIC, N.O.S.	-	6.1	3282
ORGANOMETALLIC COMPOUND, SOLID, TOXIC, N.O.S.	-	6.1	3467
ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC	-	4.2	3392
ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER-REACTIVE	-	4.2	3394
ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE	-	4.3	3398
ORGANOMETALLIC SUBSTANCE, LIQUID, WATER-REACTIVE, FLAMMABLE	-	4.3	3399
ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC	-	4.2	3391
ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE	-	4.2	3393
ORGANOMETALLIC SUBSTANCE, SOLID, SELF-HEATING	-	4.2	3400
ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE	-	4.3	3395
ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, FLAMMABLE	-	4.3	3396
ORGANOMETALLIC SUBSTANCE, SOLID, WATER-REACTIVE, SELF-HEATING	-	4.3	3397
ORGANOPHOSPHORUS COMPOUND, TOXIC, FLAMMABLE, N.O.S.	-	6.1	3279
ORGANOPHOSPHORUS COMPOUND, LIQUID, TOXIC, N.O.S.	-	6.1	3278
ORGANOPHOSPHORUS COMPOUND, SOLID, TOXIC, N.O.S.	-	6.1	3464
ORGANOPHOSPHORUS PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	_	3	2784
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC	-	6.1	3018

Substance, material or article	MP	Class	UN No.
ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	3017
ORGANOPHOSPHORUS PESTICIDE, SOLID, TOXIC	-	6.1	2783
ORGANOTIN COMPOUND, LIQUID, N.O.S.	Р	6.1	2788
ORGANOTIN COMPOUND, SOLID, N.O.S.	Р	6.1	3146
Organotin compounds (pesticides), see ORGANOTIN PESTICIDE	Р	_	_
ORGANOTIN PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	Р	3	2787
ORGANOTIN PESTICIDE, LIQUID, TOXIC	Р	6.1	3020
ORGANOTIN PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	Р	6.1	3019
ORGANOTIN PESTICIDE, SOLID, TOXIC	Р	6.1	2786
Orthoarsenic acid, see	-	6.1	1553
Orthophosphoric acid, liquid, see	-	8	1805
Orthophosphoric acid, solid, see	-	8	3453
OSMIUM TETROXIDE	Р	6.1	2471
Oxamyl, see CARBAMATE PESTICIDE	Р	-	-
OXIDIZING LIQUID, CORROSIVE, N.O.S.	-	5.1	3098
OXIDIZING LIQUID, N.O.S.	-	5.1	3139
OXIDIZING LIQUID, TOXIC, N.O.S.	-	5.1	3099
OXIDIZING SOLID, CORROSIVE, N.O.S.	-	5.1	3085
OXIDIZING SOLID, FLAMMABLE, N.O.S.	- /	5.1	3137
OXIDIZING SOLID, N.O.S.	-	5.1	1479
OXIDIZING SOLID, SELF-HEATING, N.O.S.	-	5.1	3100
OXIDIZING SOLID, TOXIC, N.O.S.	-	5.1	3087
OXIDIZING SOLID, WATER-REACTIVE, N.O.S.	-	5.1	3121
Oxirane, see	-	2.3	1040
Oxirane with nitrogen up to a total pressure of 1 MPa (10 bar) at 50°C	-	2.3	1040
Oxydemeton-methyl, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Oxydisulfoton, see ORGANOPHOSPHORUS PESTICIDE	Р	_	-
OXYGEN, COMPRESSED	-	2.2	1072
OXYGEN DIFLUORIDE, COMPRESSED	-	2.3	2190
Oxygen fluoride, compressed, see	-	2.3	2190
OXYGEN GENERATOR, CHEMICAL	_	5.1	3356
OXYGEN, REFRIGERATED LIQUID	-	2.2	1073
1-Oxy-4-nitrobenzene, see	-	6.1	1662
PACKAGINGS, DISCARDED, EMPTY, UNCLEANED	-	9	3509
PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	-	3	1263
PAINT (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	_	8	3066
PAINT, CORROSIVE, FLAMMABLE (including paint, lacquer, enamel, stain, shellac, varnish, polish, liquid filler and liquid lacquer base)	-	8	3470

INDEX

Substance, material or article	MP	Class	UN No.
PAINT, ELAMMABLE, COBROSIVE (including paint, lacquer, enamel.	_	3	3469
stain, shellac, varnish, polish, liquid filler and liquid lacquer base)		·	0.00
PAINT RELATED MATERIAL (including paint thinning or reducing compound)	-	3	1263
PAINT RELATED MATERIAL (including paint thinning or reducing compound)	-	8	3066
PAINT RELATED MATERIAL, CORROSIVE, FLAMMABLE (including paint thinning or reducing compound)	-	8	3470
PAINT RELATED MATERIAL, FLAMMABLE, CORROSIVE (including paint thinning or reducing compound)	-	3	3469
PAPER, UNSATURATED OIL TREATED incompletely dried (including carbon paper)	-	4.2	1379
Para-acetaldehyde, see	-	3	1264
PARAFORMALDEHYDE	-	4.1	2213
PARALDEHYDE	-	3	1264
Paraoxon, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Paraquat, see BIPYRIDILIUM PESTICIDE	_	_	-
Parathion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Parathion-methyl, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
PCBs, liquid, see	Р	9	2315
PCBs, solid, see	Р	9	3432
PENTABORANE	-	4.2	1380
PENTACHLOROETHANE	Р	6.1	1669
PENTACHLOROPHENOL	Р	6.1	3155
Pentachlorophenol, see ORGANOCHLORINE PESTICIDE	Р	-	-
PENTAERYTHRITE TETRANITRATE, DESENSITIZED with not less than 15% phlegmatizer, by mass	-	1.1D	0150
PENTAERYTHRITE TETRANITRATE MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass	-	4.1	3344
PENTAERYTHRITE TETRANITRATE, WETTED with not less than 25% water, by mass	-	1.1D	0150
PENTAERYTHRITE TETRANITRATE with not less than 7% wax, by mass	-	1.1D	0411
PENTAERYTHRITOL TETRANITRATE, DESENSITIZED with not less than 15% phlegmatizer, by mass	-	1.1D	0150
PENTAERYTHRITOL TETRANITRATE MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass	-	4.1	3344
PENTAERYTHRITOL TETRANITRATE, WETTED with not less than 25% water, by mass	-	1.1D	0150
PENTAERYTHRITOL TETRANITRATE with not less than 7% wax, by mass	-	1.1D	0411
PENTAFLUOROETHANE	-	2.2	3220
Pentafluoroethoxytrifluoroethylene, see	-	2.1	3154
Pentafluoroethyl trifluorovinyl ether, see	-	2.1	3154
Pentalin, see	Р	6.1	1669
Pentamethylene, see	-	3	1146

Substance, material or article	MP	Class	UN No.
PENTAMETHYLHEPTANE	-	3	2286
3,3,5,7,7-Pentamethyl-1,2,4-trioxepane (concentration \leq 100%)	-	5.2	3107
Pentanals, see	-	3	2058
Pentane, see	-	3	1265
PENTANE-2,4-DIONE	-	3	2310
2,4-Pentanedione, see	-	3	2310
PENTANES, liquid	-	3	1265
Pentanethiols, see	-	3	1111
PENTANOLS	-	3	1105
2-Pentanone, see	-	3	1249
3-Pentanone, see	-	3	1156
1-PENTENE	-	3	1108
1-PENTOL	-	8	2705
PENTOLITE dry or wetted with less than 15% water, by mass	-	1.1D	0151
Pentylamines, see	-	3	1106
n-Pentylbenzene, see Note 1	Р	-	-
Pentyl butanoates, see	-	3	2620
Pentyl butyrates, see	-	3	2620
Pentyl formates, see	-	3	1109
Pentyl nitrates, see	-	3	1112
Pentyl nitrite, see	/	3	1113
PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	-	5.1	3211
PERCHLORATES, INORGANIC, N.O.S.	-	5.1	1481
PERCHLORIC ACID with more than 50% but not more than 72% acid, by mass	-	5.1	1873
PERCHLORIC ACID, with more than 72% acid by mass (transport prohibited)	_	-	_
PERCHLORIC ACID with not more than 50% acid, by mass	-	8	1802
Perchlorobenzene, see	-	6.1	2729
Perchlorocyclopentadiene, see	-	6.1	2646
Perchloroethylene, see	Р	6.1	1897
PERCHLOROMETHYL MERCAPTAN	Р	6.1	1670
PERCHLORYL FLUORIDE	-	2.3	3083
Perfluoroacetyl chloride, see	-	2.3	3057
Perfluoro-2-butene, see	-	2.2	2422
PERFLUORO(ETHYL VINYL ETHER)	-	2.1	3154
PERFLUORO(METHYL VINYL ETHER)	-	2.1	3153
Perfluoropropane, see	-	2.2	2424
PERFUMERY PRODUCTS with flammable liquid	-	3	1266
PERMANGANATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	-	5.1	3214
PERMANGANATES, INORGANIC, N.O.S.	-	5.1	1482
PEROXIDES, INORGANIC, N.O.S.	-	5.1	1483
Peroxyacetic acid and hydrogen peroxide mixture, see	-	5.1	3149
Peroxyacetic acid, Type D (concentration \leq 43%), stabilized, see	-	5.2	3105
Substance, material or article	MP	Class	UN No.
--	----	-------	--------
Peroxyacetic acid, Type E (concentration \leq 43%), stabilized, see	_	5.2	3107
Peroxyacetic acid, Type F (concentration < 43%), stabilized, see	_	5.2	3109
Peroxylauric acid (concentration < 100%), see	_	5.2	3118
PERSULPHATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.	_	5.1	3216
PERSULPHATES, INORGANIC, N.O.S.	_	5.1	3215
PESTICIDE, LIQUID, FLAMMABLE, TOXIC, N.O.S. flashpoint less than 23°C	-	3	3021
PESTICIDE, LIQUID, TOXIC, FLAMMABLE, N.O.S. flashpoint not less than 23°C	-	6.1	2903
PESTICIDE, LIQUID, TOXIC, N.O.S.	-	6.1	2902
PESTICIDE, SOLID, TOXIC, N.O.S.		6.1	2588
PETN, DESENSITIZED with not less than 15% phlegmatizer, by mass	-	1.1D	0150
PETN MIXTURE, DESENSITIZED, SOLID, N.O.S. with more than 10% but not more than 20% PETN, by mass	-	4.1	3344
PETN/TNT, see	-	1.1D	0151
PETN, WETTED with not less than 25% water, by mass	-	1.1D	0150
PETN with not less than 7% wax, by mass	-	1.1D	0411
PETROL	-	3	1203
PETROLEUM CRUDE OIL	-	3	1267
PETROLEUM DISTILLATES, N.O.S.	-	3	1268
Petroleum ether, see	-	3	1268
PETROLEUM GASES, LIQUEFIED	-	2.1	1075
Petroleum naphtha, see	-	3	1268
Petroleum oil, see	-	3	1268
PETROLEUM PRODUCTS, N.O.S.	-	3	1268
Petroleum raffinate, see	-	3	1268
PETROLEUM SOUR CRUDE OIL, FLAMMABLE, TOXIC	-	3	3494
Petroleum spirit, see PETROLEUM DISTILLATES, N.O.S. or PETROLEUM PRODUCTS, N.O.S.	-	-	-
PHENACYL BROMIDE	-	6.1	2645
Phenarsazine chloride, see	Р	6.1	1698
PHENETIDINES	-	6.1	2311
Phenkapton, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
PHENOLATES, LIQUID	-	8	2904
PHENOLATES, SOLID	-	8	2905
PHENOL, MOLTEN	-	6.1	2312
PHENOL, SOLID	-	6.1	1671
PHENOL SOLUTION	-	6.1	2821
PHENOLSULPHONIC ACID, LIQUID	-	8	1803
d-Phenothrin, see Note 1	Р	-	-
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, FLAMMABLE, TOXIC flashpoint less than 23°C	-	3	3346
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC	-	6.1	3348
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, LIQUID, TOXIC, FLAMMABLE flashpoint not less than 23°C	-	6.1	3347

INDEX

Substance, material or article	MP	Class	UN No.
PHENOXYACETIC ACID DERIVATIVE PESTICIDE, SOLID, TOXIC	-	6.1	3345
Phenthoate, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
PHENYLACETONITRILE, LIQUID	-	6.1	2470
PHENYLACETYL CHLORIDE	-	8	2577
Phenylamine, see	Р	6.1	1547
Phenyl bromide, see	Р	3	2514
1-Phenylbutane, see	Р	3	2709
2-Phenylbutane, see	Р	3	2709
Phenyl carbimide, see	-	6.1	2487
PHENYLCARBYLAMINE CHLORIDE	-	6.1	1672
Phenylchloroform, see	-	8	2226
PHENYL CHLOROFORMATE	-	6.1	2746
Phenyl chloromethyl ketone, liquid or solid, see	-	6.1	1697
Phenyl cyanide, see	-	6.1	2224
Phenylcyclohexane, see	Р	9	3082
Phenyldichlorophosphine, see	-	8	2798
Phenyldichlorophosphine sulphide, see	-	8	2799
PHENYLENEDIAMINES (o-, m-, p-)	-	6.1	1673
Phenylethane, see	-	3	1175
Phenylethylene, stabilized, see	-	3	2055
1-Phenylethyl hydroperoxide (concentration \leq 38%, with diluent Type B), see	-	5.2	3109
Phenyl fluoride, see	-	3	2387
PHENYLHYDRAZINE	-	6.1	2572
Phenyliminophosgene, see	-	6.1	1672
PHENYL ISOCYANATE	-	6.1	2487
Phenyl isocyanodichloride, see	-	6.1	1672
PHENYL MERCAPTAN	-	6.1	2337
PHENYLMERCURIC ACETATE	Р	6.1	1674
PHENYLMERCURIC COMPOUND, N.O.S.	Р	6.1	2026
PHENYLMERCURIC HYDROXIDE	Р	6.1	1894
PHENYLMERCURIC NITRATE	Р	6.1	1895
Phenyl methyl carbinol, solid or liquid, see	_	6.1	2937
Phenyl methyl ether, see	-	3	2222
PHENYLPHOSPHORUS DICHLORIDE	_	8	2798
PHENYLPHOSPHORUS THIODICHLORIDE	-	8	2799
2-Phenylpropene, see	_	3	2303
PHENYLTRICHLOROSILANE	-	8	1804
Phenyltrifluoromethane, see	_	3	2338
Phorate, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Phosalone, see ORGANOPHOSPHORUS PESTICIDE	Р	-	_
Phosfolan, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
PHOSGENE	_	2.3	1076

Substance, material or article	MP	Class	UN No.
Phosmet, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
9-PHOSPHABICYCLONONANES	-	4.2	2940
Phosphamidon, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
PHOSPHINE	_	2.3	2199
PHOSPHINE, ADSORBED	-	2.3	3525
Phosphoretted hydrogen, see	_	2.3	2199
PHOSPHORIC ACID, SOLID	-	8	3453
PHOSPHORIC ACID SOLUTION	-	8	1805
Phosphoric anhydride, see	-	8	1807
Phosphoric chloride, see	-	8	1806
Phosphoric pentachloride, see	-	8	1806
Phosphoric perchloride, see	-	8	1806
Phosphorothioic acid, o-[(cyanophenyl methylene) azanyl] o,o-diethyl ester (concentration 82-91% (Z isomer)), see	-	4.1	3227
PHOSPHOROUS ACID	_	8	2834
PHOSPHORUS, AMORPHOUS	-	4.1	1338
Phosphorus bromide, see	-	8	1808
Phosphorus chloride, see	-	6.1	1809
PHOSPHORUS HEPTASULPHIDE free from yellow or white phosphorus	-	4.1	1339
PHOSPHORUS OXYBROMIDE	-	8	1939
PHOSPHORUS OXYBROMIDE, MOLTEN	-	8	2576
PHOSPHORUS OXYCHLORIDE	-	6.1	1810
PHOSPHORUS PENTABROMIDE	-	8	2691
PHOSPHORUS PENTACHLORIDE	-	8	1806
PHOSPHORUS PENTAFLUORIDE	-	2.3	2198
PHOSPHORUS PENTAFLUORIDE, ADSORBED	-	2.3	3524
PHOSPHORUS PENTASULPHIDE free from yellow or white phosphorus	-	4.3	1340
PHOSPHORUS PENTOXIDE	-	8	1807
Phosphorus, red, see	-	4.1	1338
PHOSPHORUS SESQUISULPHIDE free from yellow or white phosphorus	-	4.1	1341
Phosphorus(V) sulphide, free from from yellow or white phosphorus, see	-	4.3	1340
Phosphorus sulphochloride, see	-	8	1837
PHOSPHORUS TRIBROMIDE	-	8	1808
PHOSPHORUS TRICHLORIDE	-	6.1	1809
PHOSPHORUS TRIOXIDE	-	8	2578
PHOSPHORUS TRISULPHIDE free from yellow or white phosphorus	-	4.1	1343
PHOSPHORUS, WHITE, DRY	Р	4.2	1381
PHOSPHORUS, WHITE, IN SOLUTION	Р	4.2	1381
PHOSPHORUS, WHITE, MOLTEN	Р	4.2	2447
PHOSPHORUS, WHITE, UNDER WATER	Р	4.2	1381
PHOSPHORUS, YELLOW, DRY	Р	4.2	1381

Substance, material or article	MP	Class	UN No.
PHOSPHORUS, YELLOW, IN SOLUTION	Р	4.2	1381
PHOSPHORUS, YELLOW, UNDER WATER	Р	4.2	1381
Phosphoryl bromide, molten, see	-	8	2576
Phosphoryl bromide, solid, see	-	8	1939
Phosphoryl chloride, see	-	6.1	1810
PHTHALIC ANHYDRIDE with more than 0.05% of maleic anhydride	-	8	2214
PICOLINES	-	3	2313
Picramic acid, wetted with not less than 20% water, by mass, see	-	4.1	3317
PICRAMIDE	-	1.1D	0153
PICRIC ACID dry or wetted with less than 30% water, by mass	-	1.1D	0154
PICRIC ACID, WETTED with not less than 10% water, by mass	-	4.1	3364
PICRIC ACID, WETTED with not less than 30% water, by mass	-	4.1	1344
PICRITE dry or wetted with less than 20% water, by mass	-	1.1D	0282
PICRITE, WETTED with not less than 20% water, by mass	-	4.1	1336
PICRYL CHLORIDE	-	1.1D	0155
PICRYL CHLORIDE, WETTED with not less than 10% water, by mass	-	4.1	3365
Pinanyl hydroperoxide (concentration \leq 56%, with diluent Type A), see	-	5.2	3109
Pinanyl hydroperoxide (concentration >56-100%), see	-	5.2	3105
Pindone (and salts of), see PESTICIDE, N.O.S.	Р	-	-
alpha-PINENE	Р	3	2368
PINE OIL	Р	3	1272
PIPERAZINE	-	8	2579
PIPERIDINE	-	8	2401
Pirimicarb, see CARBAMATE PESTICIDE	Р	-	_
Pirimiphos-ethyl, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Pivaloyl chloride, see	-	6.1	2438
Plastic explosives, see	-	1.1D	0084
PLASTICS MOULDING COMPOUND in dough, sheet or extruded rope form, evolving flammable vapour	-	9	3314
PLASTICS, NITROCELLULOSE-BASED, SELF-HEATING, N.O.S.	-	4.2	2006
Platinic chloride, solid, see	-	8	2507
Polish, see PAINT	-	-	-
POLYAMINES, FLAMMABLE, CORROSIVE, N.O.S.	-	3	2733
POLYAMINES, LIQUID, CORROSIVE, FLAMMABLE, N.O.S.	-	8	2734
POLYAMINES, LIQUID, CORROSIVE, N.O.S.	-	8	2735
POLYAMINES, SOLID, CORROSIVE, N.O.S.	-	8	3259
POLYCHLORINATED BIPHENYLS, LIQUID	Р	9	2315
POLYCHLORINATED BIPHENYLS, SOLID	Р	9	3432
POLYESTER RESIN KIT, liquid base material	-	3	3269
POLYESTER RESIN KIT, solid base material	-	4.1	3527
Polyether poly- <i>tert</i> -butylperoxycarbonate (concentration ≤52%, with diluent Type B), see	-	5.2	3107
POLYHALOGENATED BIPHENYLS, LIQUID	Р	9	3151
POLYHALOGENATED BIPHENYLS, SOLID	Р	9	3152

Substance, material or article	MP	Class	UN No.
POLYHALOGENATED TERPHENYLS, LIQUID	Р	9	3151
POLYHALOGENATED TERPHENYLS, SOLID	Р	9	3152
POLYMERIC BEADS. EXPANDABLE evolving flammable vapour	_	9	2211
POLYMERIZING SUBSTANCE, LIQUID, STABILIZED, N.O.S.	_	4.1	3532
POLYMERIZING SUBSTANCE, LIQUID, TEMPERATURE CONTROLLED, N.O.S.	-	4.1	3534
POLYMERIZING SUBSTANCE, SOLID, STABILIZED, N.O.S.	-	4.1	3531
POLYMERIZING SUBSTANCE, SOLID, TEMPERATURE CONTROLLED, N.O.S.	-	4.1	3533
Polystyrene beads, expandable, see	-	9	2211
Polystyrene beads, expandable, evolving flammable vapour, see	-	9	2211
POTASSIUM	-	4.3	2257
Potassium acid fluoride, solid, see	-	8	1811
Potassium acid fluoride solution, see	-	8	1811
Potassium alloys, metal, see	-	4.3	1420
Potassium amalgams, liquid, see	_	4.3	1389
Potassium amalgams, solid, see	-	4.3	3401
Potassium amide, see	-	4.3	1390
Potassium antimony tartrate, see	-	6.1	1551
POTASSIUM ARSENATE	-	6.1	1677
POTASSIUM ARSENITE	-	6.1	1678
Potassium bifluoride, solid, see	-	8	1811
Potassium bifluoride solution, see	-	8	3421
Potassium bisulphate, see	-	8	2509
Potassium bisulphite solution, see	-	8	2693
POTASSIUM BOROHYDRIDE	-	4.3	1870
POTASSIUM BROMATE	-	5.1	1484
POTASSIUM CHLORATE	-	5.1	1485
POTASSIUM CHLORATE, AQUEOUS SOLUTION	-	5.1	2427
Potassium chlorate mixed with mineral oil, see	-	1.1D	0083
POTASSIUM CUPROCYANIDE	Р	6.1	1679
POTASSIUM CYANIDE, SOLID	Р	6.1	1680
POTASSIUM CYANIDE SOLUTION	Р	6.1	3413
Potassium cyanocuprate(I), see	Р	6.1	1679
Potassium cyanomercurate, see	Р	6.1	1626
Potassium dicyanocuprate(I), see	-	6.1	1679
Potassium dihydrogen arsenate, see	-	6.1	1677
Potassium dispersions, see	-	4.3	1391
POTASSIUM DITHIONITE	-	4.2	1929
POTASSIUM FLUORIDE, SOLID	_	6.1	1812
POTASSIUM FLUORIDE SOLUTION	-	6.1	3422
POTASSIUM FLUOROACETATE	_	6.1	2628
POTASSIUM FLUOROSILICATE	-	6.1	2655
Potassium hexafluorosilicate, see	-	6.1	2655

Substance, material or article	MP	Class	UN No.
Potassium hydrate, see	-	8	1814
POTASSIUM HYDROGEN DIFLUORIDE, SOLID	-	8	1811
POTASSIUM HYDROGEN DIFLUORIDE SOLUTION	-	8	3421
Potassium hydrogen fluoride, solid, see	-	8	1811
Potassium hydrogen fluoride solution, see	-	8	3421
POTASSIUM HYDROGEN SULPHATE	-	8	2509
POTASSIUM HYDROSULPHITE	-	4.2	1929
Potassium hydroxide, liquid, see	-	8	1814
POTASSIUM HYDROXIDE, SOLID	-	8	1813
POTASSIUM HYDROXIDE SOLUTION	-	8	1814
Potassium hypochlorite solution, see	-	8	1791
Potassium mercuric iodide, see	Р	6.1	1643
POTASSIUM METAL ALLOYS, LIQUID	-	4.3	1420
POTASSIUM METAL ALLOYS, SOLID	-	4.3	3403
POTASSIUM METAVANADATE	-	6.1	2864
POTASSIUM MONOXIDE	-	8	2033
POTASSIUM NITRATE	-	5.1	1486
Potassium nitrate and sodium nitrate mixture, see	-	5.1	1499
POTASSIUM NITRATE AND SODIUM NITRITE MIXTURE	-	5.1	1487
POTASSIUM NITRITE	-	5.1	1488
Potassium oxide, see	-	8	2033
POTASSIUM PERCHLORATE	-	5.1	1489
POTASSIUM PERMANGANATE	-	5.1	1490
POTASSIUM PEROXIDE	-	5.1	1491
POTASSIUM PERSULPHATE	-	5.1	1492
POTASSIUM PHOSPHIDE	-	4.3	2012
Potassium silicofluoride, see	-	6.1	2655
POTASSIUM SODIUM ALLOYS, LIQUID	-	4.3	1422
POTASSIUM SODIUM ALLOYS, SOLID	-	4.3	3404
POTASSIUM SULPHIDE, ANHYDROUS	-	4.2	1382
POTASSIUM SULPHIDE, HYDRATED with not less than 30% water of crystallization	-	8	1847
POTASSIUM SULPHIDE with less than 30% water of crystallization	-	4.2	1382
POTASSIUM SUPEROXIDE	-	5.1	2466
Potassium tetracyanomercurate(II), see	-	6.1	1626
Potassium vanadate, see	-	6.1	2864
POWDER CAKE, WETTED with not less than 17% alcohol, by mass	-	1.1C	0433
POWDER CAKE, WETTED with not less than 25% water, by mass	-	1.3C	0159
POWDER PASTE, WETTED with not less than 17% alcohol, by mass	-	1.1C	0433
POWDER PASTE, WETTED with not less than 25% water, by mass	-	1.3C	0159
POWDER, SMOKELESS	-	1.1C	0160
POWDER, SMOKELESS	-	1.3C	0161
POWDER, SMOKELESS	-	1.4C	0509

Substance, material or article	MP	Class	UN No.
Power devices, explosive, see CARTRIDGES, POWER DEVICE	-	-	-
Praseodymium nitrate and neodymium nitrate mixture, see	-	5.1	1465
PRIMERS, CAP TYPE	-	1.1B	0377
PRIMERS, CAP TYPE	-	1.4B	0378
PRIMERS, CAP TYPE	-	1.4S	0044
Primers, small arms, see	-	1.4S	0044
PRIMERS, TUBULAR	-	1.3G	0319
PRIMERS, TUBULAR	-	1.4G	0320
PRIMERS, TUBULAR	-	1.4S	0376
PRINTING INK flammable	-	3	1210
PRINTING INK RELATED MATERIAL (including printing ink thinning or reducing compound), flammable	-	3	1210
Projectiles, illuminating, see AMMUNITION, ILLUMINATING	-	-	-
PROJECTILES inert, with tracer	-	1.3G	0424
PROJECTILES inert, with tracer	-	1.4G	0425
PROJECTILES inert, with tracer	-	1.4S	0345
PROJECTILES with burster or expelling charge	-	1.2D	0346
PROJECTILES with burster or expelling charge	-	1.2F	0426
PROJECTILES with burster or expelling charge	-	1.2G	0434
PROJECTILES with burster or expelling charge	-	1.4D	0347
PROJECTILES with burster or expelling charge	-	1.4F	0427
PROJECTILES with burster or expelling charge	-	1.4G	0435
PROJECTILES with bursting charge	-	1.1D	0168
PROJECTILES with bursting charge	-	1.1F	0167
PROJECTILES with bursting charge	-	1.2D	0169
PROJECTILES with bursting charge	-	1.2F	0324
PROJECTILES with bursting charge	-	1.4D	0344
Promecarb, see CARBAMATE PESTICIDE	Р	-	-
Promurit, see CARBAMATE PESTICIDE	-	-	-
Propachlor, see Note 1	Р	-	-
Propadiene and methylacetylene mixture, stabilized, see	-	2.1	1060
PROPADIENE, STABILIZED	-	2.1	2200
PROPANE	-	2.1	1978
PROPANETHIOLS	-	3	2402
n-PROPANOL (PROPYL ALCOHOL, NORMAL)	-	3	1274
1-Propanol, see	-	3	1274
2-Propanol, see	-	3	1219
2-Propanone, see	-	3	1090
2-Propanone solutions, see	-	3	1090
Propanoyl chloride, see	-	3	1815
Propaphos, see ORGANOPHOSPHORUS PESTICIDE	Р	_	-
Propargyl bromide, see	-	3	2345
PROPELLANT, LIQUID	_	1.1C	0497

Substance, material or article	MP	Class	UN No.
PROPELLANT, LIQUID	-	1.3C	0495
PROPELLANT, SOLID	-	1.1C	0498
PROPELLANT, SOLID	-	1.3C	0499
PROPELLANT, SOLID	-	1.4C	0501
Propellants, single, double or triple base, see POWDER, SMOKELESS	-	-	-
Propenal, stabilized, see	Р	6.1	1092
Propene, see	-	2.1	1077
Propenenitrile, stabilized, see	-	3	1093
2-Propenoic acid dimethylaminoethyl ester, see	-	6.1	3302
Propenoic acid, stabilized, see	Р	8	2218
3-(2-Propenoxy)propene, see	-	3	2360
Propenyl alcohol, see	Р	6.1	1098
2-Propenylamine, see	-	6.1	2334
alpha-Propenyldichlorohydrin, see	-	6.1	2750
PROPIONALDEHYDE	-	3	1275
PROPIONIC ACID with not less than 10% and less than 90% acid, by mass	-	8	1848
PROPIONIC ACID with not less than 90% acid, by mass	-	8	3463
Propionic aldehyde, see	-	3	1275
PROPIONIC ANHYDRIDE	-	8	2496
PROPIONITRILE	-	3	2404
PROPIONYL CHLORIDE	-	3	1815
Propoxur, see CARBAMATE PESTICIDE	Р	-	-
1-Propoxypropane, see	-	3	2384
n-PROPYL ACETATE	-	3	1276
n-Propyl alcohol, see	-	3	1274
PROPYL ALCOHOL, NORMAL	-	3	1274
Propyl aldehyde, see	-	3	1275
PROPYLAMINE	-	3	1277
<i>n</i> -PROPYLBENZENE	-	3	2364
Propyl bromides, see	-	3	2344
Propyl chloride, see	-	3	1278
Propyl chlorocarbonate, see	-	6.1	2740
n-PROPYL CHLOROFORMATE	-	6.1	2740
Propyl cyanide, see	-	3	2411
PROPYLENE	-	2.1	1077
Propylene, acetylene and ethylene mixture, refrigerated liquid, see	-	2.1	3138
PROPYLENE CHLOROHYDRIN	-	6.1	2611
1,2-PROPYLENEDIAMINE	-	8	2258
Propylene dichloride, see	-	3	1279
PROPYLENEIMINE, STABILIZED	_	3	1921
PROPYLENE OXIDE	-	3	1280
PROPYLENE TETRAMER	Р	3	2850

Substance, material or article	MP	Class	UN No.
Propylene trimer, see	-	3	2057
Propyl ether, see	-	3	2384
PROPYL FORMATES	-	3	1281
Propylformic acid, see	-	8	2820
Propylidene dichloride, see	-	3	1993
Propyl iodides, see	-	3	2392
n-PROPYL ISOCYANATE	-	6.1	2482
Propyl mercaptan, see	-	3	2402
Propyl methanoates, see	-	3	1281
<i>n</i> -PROPYL NITRATE	-	3	1865
PROPYLTRICHLOROSILANE	-	8	1816
Prothoate, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Prussic acid, anhydrous, stabilized, containing less than 3% water, see	Р	6.1	1051
Prussic acid, anhydrous, stabilized, containing less than 3% water and absorbed in a porous inert material, see	Р	6.1	1614
Prussic acid, aqueous solution, see	Р	6.1	1613
Prussic acid, aqueous solution with not more than 20% hydrogen cyanide, see	Р	6.1	1613
Pyrazine hexahydride, solid, see	-	8	2579
Pyrazophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Pyrazoxon, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
PYRETHROID PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	3350
PYRETHROID PESTICIDE, LIQUID, TOXIC	-	6.1	3352
PYRETHROID PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	3351
PYRETHROID PESTICIDE, SOLID, TOXIC	-	6.1	3349
PYRIDINE	-	3	1282
PYROPHORIC ALLOY, N.O.S.	-	4.2	1383
Pyrophoric articles, see	-	1.2L	0380
PYROPHORIC LIQUID, INORGANIC, N.O.S.	-	4.2	3194
PYROPHORIC LIQUID, ORGANIC, N.O.S.	-	4.2	2845
PYROPHORIC METAL, N.O.S.	-	4.2	1383
Pyrophoric organometallic compound, water-reactive, liquid, see	-	4.2	3394
Pyrophoric organometallic compound, water-reactive, solid, see	-	4.2	3393
PYROPHORIC SOLID, INORGANIC, N.O.S.	-	4.2	3200
PYROPHORIC SOLID, ORGANIC, N.O.S.	-	4.2	2846
Pyrosulphuric acid, see	-	8	1831
PYROSULPHURYL CHLORIDE	-	8	1817
Pyroxylin solution, see	-	3	2059
PYRROLIDINE	-	3	1922
Quinalphos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
QUINOLINE	_	6.1	2656

Substance, material or article	MP	Class	UN No.
Quinone, see	-	6.1	2587
Quizalofop, see Note 1	Р	_	-
Quizalofop-P-ethyl, see Note 1	Р	-	-
Racumin, see COUMARIN DERIVATIVE PESTICIDE	-	-	-
Radioactive isotopes (A_1 and A_2 values for), see 2.7.2.2	-	-	-
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES	-	7	2911
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM DEPLETED URANIUM	-	7	2909
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM NATURAL THORIUM	-	7	2909
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – ARTICLES MANUFACTURED FROM NATURAL URANIUM	-	7	2909
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – EMPTY PACKAGING	-	7	2908
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – INSTRUMENTS	-	7	2911
RADIOACTIVE MATERIAL, EXCEPTED PACKAGE – LIMITED QUANTITY OF MATERIAL	-	7	2910
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), FISSILE	-	7	3324
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III), FISSILE	-	7	3325
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-I), non fissile or fissile-excepted	-	7	2912
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-II), non fissile or fissile-excepted	-	7	3321
RADIOACTIVE MATERIAL, LOW SPECIFIC ACTIVITY (LSA-III), non fissile or fissile-excepted	-	7	3322
RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II), FISSILE	-	7	3326
RADIOACTIVE MATERIAL, SURFACE CONTAMINATED OBJECTS (SCO-I or SCO-II), non fissile or fissile-excepted	-	7	2913
RADIOACTIVE MATERIAL, TRANSPORTED UNDER SPECIAL ARRANGEMENT, FISSILE	-	7	3331
RADIOACTIVE MATERIAL TRANSPORTED UNDER SPECIAL ARRANGEMENT non fissile or fissile-excepted	-	7	2919
RADIOACTIVE MATERIAL, TYPE A PACKAGE, FISSILE, non-special form	-	7	3327
RADIOACTIVE MATERIAL, TYPE A PACKAGE, non-special form, non fissile or fissile-excepted	-	7	2915
RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, FISSILE	-	7	3333
RADIOACTIVE MATERIAL, TYPE A PACKAGE, SPECIAL FORM, non fissile or fissile-excepted	-	7	3332
RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, FISSILE	-	7	3329
RADIOACTIVE MATERIAL, TYPE B(M) PACKAGE, non fissile or fissile-excepted	_	7	2917
RADIOACTIVE MATERIAL TYPE B(U) PACKAGE, FISSILE	-	7	3328
RADIOACTIVE MATERIAL, TYPE B(U) PACKAGE, non fissile or fissile-excepted	_	7	2916
RADIOACTIVE MATERIAL. TYPE C PACKAGE. FISSILE	_	7	3330

Substance material or article	MP	Class	UN No
BADIOACTIVE MATERIAL TYPE C PACKAGE non fissile or	_	7	3323
fissile-excepted		,	0020
RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE, FISSILE	-	7	2977
RADIOACTIVE MATERIAL, URANIUM HEXAFLUORIDE, non fissile or fissile-excepted	-	7	2978
Radionuclides (A_1 and A_2 values for), see 2.7.2.2	-	-	-
RAGS, OILY	-	4.2	1856
Railway fusees, see SIGNAL DEVICES, HAND	-	-	-
RDX AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
RDX AND CYCLOTETRAMETHYLENETETRANITRAMINE MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
RDX AND HMX MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
RDX AND HMX MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
RDX AND OCTOGEN MIXTURE, DESENSITIZED with not less than 10% phlegmatizer, by mass	-	1.1D	0391
RDX AND OCTOGEN MIXTURE, WETTED with not less than 15% water, by mass	-	1.1D	0391
RDX, DESENSITIZED	-	1.1D	0483
RDX/TNT, see	-	1.1D	0118
RDX/TNT/aluminium, see	-	1.1D	0393
RDX, WETTED with not less than 15% water, by mass	-	1.1D	0072
RECEPTACLES, SMALL, CONTAINING GAS without a release device, non refillable	-	2	2037
Red phosphorus, see	-	4.1	1338
REFRIGERANT GAS, N.O.S.	-	2.2	1078
REFRIGERANT GAS R 12	-	2.2	1028
REFRIGERANT GAS R 12B1	-	2.2	1974
REFRIGERANT GAS R 13	-	2.2	1022
REFRIGERANT GAS R 13B1	-	2.2	1009
REFRIGERANT GAS R 14	-	2.2	1982
REFRIGERANT GAS R 21	-	2.2	1029
REFRIGERANT GAS R 22	-	2.2	1018
REFRIGERANT GAS R 23	-	2.2	1984
REFRIGERANT GAS R 32	-	2.1	3252
REFRIGERANT GAS R 40	-	2.1	1063
REFRIGERANT GAS R 41	-	2.1	2454
REFRIGERANT GAS R 114	-	2.2	1958
REFRIGERANT GAS R 115	-	2.2	1020
REFRIGERANT GAS R 116	_	2.2	2193
REFRIGERANT GAS R 124	-	2.2	1021
REFRIGERANT GAS R 125	-	2.2	3220
REFRIGERANT GAS R 133a	-	2.2	1983
REFRIGERANT GAS R 134a	_	2.2	3159

Substance, material or article	MP	Class	UN No.
REFRIGERANT GAS R 142b	-	2.1	2517
REFRIGERANT GAS R 143a	-	2.1	2035
REFRIGERANT GAS R 152a	-	2.1	1030
REFRIGERANT GAS R 161	-	2.1	2453
REFRIGERANT GAS R 218	-	2.2	2424
REFRIGERANT GAS R 227	-	2.2	3296
REFRIGERANT GAS R 404A	-	2.2	3337
REFRIGERANT GAS R 407A	-	2.2	3338
REFRIGERANT GAS R 407B	-	2.2	3339
REFRIGERANT GAS R 407C	-	2.2	3340
REFRIGERANT GAS R 500	-	2.2	2602
REFRIGERANT GAS R 502	-	2.2	1973
REFRIGERANT GAS R 503	-	2.2	2599
REFRIGERANT GAS R 1113	-	2.3	1082
REFRIGERANT GAS R 1132a	-	2.1	1959
REFRIGERANT GAS R 1216	-	2.2	1858
REFRIGERANT GAS R 1318	-	2.2	2422
REFRIGERANT GAS RC 318	-	2.2	1976
REFRIGERATING MACHINES containing flammable, non-toxic, liquefied gas	-	2.1	3358
REFRIGERATING MACHINES containing non-flammable, non-toxic gases or ammonia solution (UN 2672)	-	2.2	2857
REGULATED MEDICAL WASTE, N.O.S.	-	6.2	3291
RELEASE DEVICES, EXPLOSIVE	-	1.4S	0173
RESIN SOLUTION flammable	-	3	1866
Resorcin, see	-	6.1	2876
RESORCINOL	-	6.1	2876
RIVETS, EXPLOSIVE	-	1.4S	0174
Road asphalt, see	-	3	1999
ROCKET MOTORS	-	1.1C	0280
ROCKET MOTORS	-	1.2C	0281
ROCKET MOTORS	-	1.3C	0186
ROCKET MOTORS	-	1.4C	0510
ROCKET MOTORS, LIQUID FUELLED	-	1.2J	0395
ROCKET MOTORS, LIQUID FUELLED	-	1.3J	0396
ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge	-	1.2L	0322
ROCKET MOTORS WITH HYPERGOLIC LIQUIDS with or without expelling charge	-	1.3L	0250
ROCKETS, LINE-THROWING	-	1.2G	0238
ROCKETS, LINE-THROWING	-	1.3G	0240
ROCKETS, LINE-THROWING	-	1.4G	0453
ROCKETS, LIQUID FUELLED with bursting charge	-	1.1J	0397
ROCKETS, LIQUID FUELLED with bursting charge	_	1.2J	0398

Substance, material or article	MP	Class	UN No.
ROCKETS with bursting charge	_	1.1E	0181
ROCKETS with bursting charge	-	1.1F	0180
ROCKETS with bursting charge	_	1.2E	0182
BOCKETS with bursting charge	-	1.2E	0295
BOCKETS with expelling charge	_	1.20	0436
BOCKETS with expelling charge	-	1.30	0437
BOCKETS with expelling charge	_	1.00 1.4C	0438
BOCKETS with inert head	_	1.10	0502
BOCKETS with inert head	_	1.30	0183
BOSIN OIL	_	3	1286
Botenone see PESTICIDE N.O.S.	Р	_	-
BUBBER SCRAP powdered or granulated not exceeding 840 microns	_	<i>A</i> 1	1345
and rubber content exceeding 45%		4.1	1545
RUBBER SHODDY powdered or granulated, not exceeding 840 microns and rubber content exceeding 45%	-	4.1	1345
RUBBER SOLUTION	-	3	1287
RUBIDIUM	-	4.3	1423
Rubidium alloy (liquid), see	-	4.3	1421
Rubidium amalgams, liquid, see	-	4.3	1389
Rubidium amalgams, solid, see	-	4.3	3401
Rubidium amide, see	-	4.3	1390
Rubidium dispersion, see	-	4.3	1391
Rubidium nitrate, see	-	5.1	1477
RUBIDIUM HYDROXIDE	-	8	2678
RUBIDIUM HYDROXIDE SOLUTION	-	8	2677
SAFETY DEVICES, electrically initiated	-	9	3268
SAFETY DEVICES, PYROTECHNIC	-	1.4G	0503
Salithion, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Saltpetre, see	-	5.1	1486
SAMPLES, EXPLOSIVE other than initiating explosive	-	1	0190
Sand acid, see	-	8	1778
Schradan, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Seat-belt pretensioners, see	-	1.4G	0503
Seat-belt pretensioners, see	-	9	3268
 SEED CAKE, containing vegetable oil (a) mechanically expelled seeds, containing more than 10% of oil or more than 20% of oil and moisture combined 	-	4.2	1386
SEED CAKE, containing vegetable oil(b) solvent extractions and expelled seeds, containing not more than 10% of oil and when the amount of moisture is higher than 10%, not more than 20% of oil and moisture combined	-	4.2	1386
SEED CAKE with not more than 1.5% oil and not more than 11% moisture	-	4.2	2217
Seed expellers, oily, see	-	4.2	1386
SELENATES	-	6.1	2630

Substance, material or article	MP	Class	UN No.
SELENIC ACID	-	8	1905
Seleninyl chloride, see	-	8	2879
SELENITES	-	6.1	2630
SELENIUM COMPOUND, LIQUID, N.O.S.	-	6.1	3440
SELENIUM COMPOUND, SOLID, N.O.S.	-	6.1	3283
SELENIUM DISULPHIDE	-	6.1	2657
SELENIUM HEXAFLUORIDE	-	2.3	2194
Selenium hydride, see	-	2.3	2202
SELENIUM OXYCHLORIDE	-	8	2879
SELF-HEATING LIQUID, CORROSIVE, INORGANIC, N.O.S.	-	4.2	3188
SELF-HEATING LIQUID, CORROSIVE, ORGANIC, N.O.S.	-	4.2	3185
SELF-HEATING LIQUID, INORGANIC, N.O.S.	-	4.2	3186
SELF-HEATING LIQUID, ORGANIC, N.O.S.	-	4.2	3183
SELF-HEATING LIQUID, TOXIC, INORGANIC, N.O.S.	-	4.2	3187
SELF-HEATING LIQUID, TOXIC, ORGANIC, N.O.S.	-	4.2	3184
SELF-HEATING SOLID, CORROSIVE, INORGANIC, N.O.S.	-	4.2	3192
SELF-HEATING SOLID, CORROSIVE, ORGANIC, N.O.S.	-	4.2	3126
SELF-HEATING SOLID, INORGANIC, N.O.S.	-	4.2	3190
SELF-HEATING SOLID, ORGANIC, N.O.S.	-	4.2	3088
SELF-HEATING SOLID, OXIDIZING, N.O.S.	-	4.2	3127
SELF-HEATING SOLID, TOXIC, INORGANIC, N.O.S.	-	4.2	3191
SELF-HEATING SOLID, TOXIC, ORGANIC, N.O.S.	-	4.2	3128
Self-reactive liquid, sample, see	-	4.1	3223
Self-reactive liquid, sample, temperature controlled, see	-	4.1	3233
SELF-REACTIVE LIQUID TYPE B	-	4.1	3221
SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED	-	4.1	3231
SELF-REACTIVE LIQUID TYPE C	-	4.1	3223
SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED	-	4.1	3233
SELF-REACTIVE LIQUID TYPE D	-	4.1	3225
SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED	-	4.1	3235
SELF-REACTIVE LIQUID TYPE E	-	4.1	3227
SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED	-	4.1	3237
SELF-REACTIVE LIQUID TYPE F	-	4.1	3229
SELF-REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED	-	4.1	3239
Self-reactive solid, sample, see	-	4.1	3224
Self-reactive solid, sample, temperature controlled, see	-	4.1	3234
SELF-REACTIVE SOLID TYPE B	-	4.1	3222
SELF-REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED	-	4.1	3232
SELF-REACTIVE SOLID TYPE C	-	4.1	3224
SELF-REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED	-	4.1	3234
SELF-REACTIVE SOLID TYPE D	-	4.1	3226
SELF-REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED	-	4.1	3236
SELF-REACTIVE SOLID TYPE E	-	4.1	3228

Substance, material or article	MP	Class	UN No.
SELF-REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED	_	4.1	3238
SELF-REACTIVE SOLID TYPE F	_	4.1	3230
SELF-REACTIVE SOLID TYPE F, TEMPERATURE CONTROLLED	-	4.1	3240
SHALE OIL	-	3	1288
Shaped charges, see CHARGES, SHAPED	-	_	-
Shellac, see PAINT	-	_	-
SIGNAL DEVICES, HAND	-	1.4G	0191
SIGNAL DEVICES, HAND	_	1.4S	0373
SIGNALS, DISTRESS, ship	-	1.1G	0194
SIGNALS, DISTRESS, ship	-	1.3G	0195
SIGNALS, DISTRESS, ship	-	1.4G	0505
SIGNALS, DISTRESS, ship	-	1.4S	0506
Signals, distress, ship, water-activated, <i>see</i> CONTRIVANCES, WATER-ACTIVATED	-	-	-
SIGNALS, RAILWAY TRACK, EXPLOSIVE	-	1.1G	0192
SIGNALS, RAILWAY TRACK, EXPLOSIVE	-	1.3G	0492
SIGNALS, RAILWAY TRACK, EXPLOSIVE	-	1.4G	0493
SIGNALS, RAILWAY TRACK, EXPLOSIVE	-	1.4S	0193
SIGNALS, SMOKE	-	1.1G	0196
SIGNALS, SMOKE	_	1.2G	0313
SIGNALS, SMOKE	-	1.3G	0487
SIGNALS, SMOKE	-	1.4G	0197
SIGNALS, SMOKE	-	1.4S	0507
Silafluofen, see Note 1	Р	-	-
SILANE	-	2.1	2203
Silicofluoric acid, see	-	8	1778
Silicofluorides, n.o.s., see	-	6.1	2856
Silicon chloride, see	-	8	1818
SILICON POWDER, AMORPHOUS	-	4.1	1346
SILICON TETRACHLORIDE	-	8	1818
SILICON TETRAFLUORIDE	-	2.3	1859
SILICON TETRAFLUORIDE, ADSORBED	-	2.3	3521
Silicon tetrahydride, compressed, see	-	2.1	2203
SILVER ARSENITE	Р	6.1	1683
SILVER CYANIDE	Р	6.1	1684
SILVER NITRATE	-	5.1	1493
Silver orthoarsenite, see	Р	6.1	1683
SILVER PICRATE, dry or wetted with less than 30% water, by mass (transport prohibited)	-	-	-
SILVER PICRATE, WETTED with not less than 30% water, by mass	-	4.1	1347
Sisal, dry, see	-	4.1	3360
SLUDGE ACID	-	8	1906
Slurry, explosives, see EXPLOSIVES, BLASTING, TYPE E	-	-	-
Smokeless powder, see	-	1.1C	0160

I	n	d	ex
		u	67

Substance, material or article	MP	Class	UN No.
SODA LIME with more than 4% sodium hydroxide	_	8	1907
SODIUM	-	4.3	1428
SODIUM ALUMINATE, SOLID	-	8	2812
SODIUM ALUMINATE SOLUTION	-	8	1819
SODIUM ALUMINIUM HYDRIDE	-	4.3	2835
Sodium amalgams, liquid, see	-	4.3	1389
Sodium amalgams, solid, see	-	4.3	3401
Sodium amide, see	-	4.3	1390
SODIUM AMMONIUM VANADATE	_	6.1	2863
SODIUM ARSANILATE	-	6.1	2473
SODIUM ARSENATE	-	6.1	1685
SODIUM ARSENITE, AQUEOUS SOLUTION	-	6.1	1686
Sodium arsenite (pesticide), see ARSENICAL PESTICIDE	-	-	-
SODIUM ARSENITE, SOLID	-	6.1	2027
SODIUM AZIDE	-	6.1	1687
Sodium bifluoride, see	-	8	2439
Sodium bisulphite solution, see	-	8	2693
SODIUM BOROHYDRIDE	-	4.3	1426
SODIUM BOROHYDRIDE AND SODIUM HYDROXIDE SOLUTION with not more than 12% sodium borohydride and not more than 40% sodium hydroxide, by mass	-	8	3320
SODIUM BROMATE	-	5.1	1494
SODIUM CACODYLATE	-	6.1	1688
SODIUM CARBONATE PEROXYHYDRATE	-	5.1	3378
SODIUM CHLORATE	-	5.1	1495
SODIUM CHLORATE, AQUEOUS SOLUTION	-	5.1	2428
Sodium chlorate mixed with dinitrotoluene, see	_	1.1D	0083
SODIUM CHLORITE	-	5.1	1496
SODIUM CHLOROACETATE	-	6.1	2659
Sodium copper cyanide, solid, see	Р	6.1	2316
Sodium copper cyanide solution, see	Р	6.1	2317
SODIUM CUPROCYANIDE, SOLID	Р	6.1	2316
SODIUM CUPROCYANIDE SOLUTION	Р	6.1	2317
SODIUM CYANIDE, SOLID	Р	6.1	1689
SODIUM CYANIDE SOLUTION	Р	6.1	3414
Sodium 2-diazo-1-naphthol-4-sulphonate (concentration 100%), see	-	4.1	3226
Sodium 2-diazo-1-naphthol-5-sulphonate (concentration 100%), see	-	4.1	3226
Sodium dicyanocuprate(I), solid, see	Р	6.1	2316
Sodium dicyanocuprate(I) solution, see	_	6.1	2317
SODIUM DINITRO- <i>ortho</i> -CRESOLATE dry or wetted with less than 15% water, by mass	Р	1.3C	0234
SODIUM DINITRO- <i>o</i> -CRESOLATE, WETTED with not less than 10% water, by mass	Р	4.1	3369
SODIUM DINITRO- <i>o</i> -CRESOLATE, WETTED with not less than 15% water, by mass	Р	4.1	1348

Substance, material or article	MP	Class	UN No.
Sodium dioxide, see	_	5.1	1504
Sodium dispersion, see	-	4.3	1391
SODIUM DITHIONITE	-	4.2	1384
SODIUM FLUORIDE, SOLID	-	6.1	1690
SODIUM FLUORIDE SOLUTION	-	6.1	3415
SODIUM FLUOROACETATE	-	6.1	2629
SODIUM FLUOROSILICATE	-	6.1	2674
Sodium hexafluorosilicate, see	-	6.1	2674
Sodium hydrate, see	-	8	1824
SODIUM HYDRIDE	-	4.3	1427
Sodium hydrogen 4-aminophenylarsenate, see	-	6.1	2473
SODIUM HYDROGENDIFLUORIDE	-	8	2439
Sodium hydrogen sulphite solution, see	-	8	2693
SODIUM HYDROSULPHIDE with less than 25% water of crystallization	-	4.2	2318
SODIUM HYDROSULPHIDE, HYDRATED with not less than 25% water of crystallization	-	8	2949
SODIUM HYDROSULPHITE	-	4.2	1384
SODIUM HYDROXIDE, SOLID	-	8	1823
SODIUM HYDROXIDE SOLUTION	-	8	1824
Sodium hypochlorite solution, see	Р	8	1791
Sodium metaarsenite, see	-	6.1	2027
Sodium metasilicate, see	-	8	3253
Sodium metasilicate pentahydrate, see	-	8	3253
Sodium methoxide, see	-	4.2	1431
Sodium methoxide solutions in alcohols, see	-	3	1289
SODIUM METHYLATE	-	4.2	1431
SODIUM METHYLATE SOLUTION in alcohol	-	3	1289
Sodium monochloroacetate, see	-	6.1	2659
SODIUM MONOXIDE	-	8	1825
SODIUM NITRATE	-	5.1	1498
SODIUM NITRATE AND POTASSIUM NITRATE MIXTURE	-	5.1	1499
SODIUM NITRITE	-	5.1	1500
Sodium nitrite and potassium nitrate mixture, see	-	5.1	1487
Sodium orthoarsenate, see	-	6.1	1685
Sodium oxide, see	-	8	1825
SODIUM PENTACHLOROPHENATE	Р	6.1	2567
Sodium perborate, anhydrous, see	-	5.1	3247
SODIUM PERBORATE MONOHYDRATE	-	5.1	3377
Sodium percarbonate, see	-	5.1	3378
SODIUM PERCHLORATE	-	5.1	1502
SODIUM PERMANGANATE	-	5.1	1503
SODIUM PEROXIDE	_	5.1	1504
SODIUM PEROXOBORATE, ANHYDROUS	-	5.1	3247

Substance, material or article	MP	Class	UN No.
SODIUM PERSULPHATE	_	5.1	1505
SODIUM PHOSPHIDE	-	4.3	1432
SODIUM PICRAMATE dry or wetted with less than 20% water, by mass	-	1.3C	0235
SODIUM PICRAMATE, WETTED with not less than 20% water, by mass	-	4.1	1349
Sodium potassium alloys, see	_	4.3	1422
Sodium silicofluoride, see	-	6.1	2674
SODIUM SULPHIDE, ANHYDROUS	_	4.2	1385
SODIUM SULPHIDE, HYDRATED with not less than 30% water	-	8	1849
SODIUM SULPHIDE with less than 30% water of crystallization	-	4.2	1385
Sodium sulphydrate, see	-	4.2	2318
SODIUM SUPEROXIDE	_	5.1	2547
SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S.	-	8	3244
SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	-	4.1	3175
SOLIDS CONTAINING TOXIC LIQUID, N.O.S.	-	6.1	3243
Solvents, flammable, n.o.s., see	-	3	1993
Solvents, toxic, flammable, n.o.s., see	-	3	1992
SOUNDING DEVICES, EXPLOSIVE	-	1.1D	0374
SOUNDING DEVICES, EXPLOSIVE	-	1.1F	0296
SOUNDING DEVICES, EXPLOSIVE	-	1.2D	0375
SOUNDING DEVICES, EXPLOSIVE	-	1.2F	0204
Squibs, see IGNITERS, UN 0325 and UN 0454	-	-	-
Stain, see PAINT	-	-	-
STANNIC CHLORIDE, ANHYDROUS	-	8	1827
STANNIC CHLORIDE PENTAHYDRATE	-	8	2440
STANNIC PHOSPHIDE	-	4.3	1433
Steel swarf, see	-	4.2	2793
STIBINE	-	2.3	2676
STRAW	-	4.1	1327
Strontium alloy, non-pyrophoric, see	-	4.3	1393
Strontium alloy, pyrophoric, see	-	4.2	1383
Strontium amalgams, liquid, see	-	4.3	1392
Strontium amalgams, solid, see	-	4.3	3402
STRONTIUM ARSENITE	-	6.1	1691
STRONTIUM CHLORATE	-	5.1	1506
Strontium dioxide, see	-	5.1	1509
Strontium dispersion, see	-	4.3	1391
STRONTIUM NITRATE	-	5.1	1507
Strontium orthoarsenite, see	-	6.1	1691
STRONTIUM PERCHLORATE	-	5.1	1508
STRONTIUM PEROXIDE	-	5.1	1509
STRONTIUM PHOSPHIDE	-	4.3	2013
Strontium, powder, see	-	4.2	1383

Substance, material or article	MP	Class	UN No.
Strontium powder, pyrophoric, see	_	4.2	1383
STRYCHNINE	Р	6.1	1692
Strychnine pesticides, see PESTICIDE, N.O.S.	Р	_	-
STRYCHNINE SALTS	Р	6.1	1692
STYPHNIC ACID dry or wetted with less than 20% water, or mixture of alcohol and water, by mass	-	1.1D	0219
STYPHNIC ACID, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	-	1.1D	0394
STYRENE MONOMER, STABILIZED	-	3	2055
SUBSTANCES, EVI, N.O.S.	-	1.5D	0482
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.1A	0473
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.1C	0474
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.1D	0475
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.1G	0476
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.1L	0357
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.2L	0358
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.3C	0477
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.3G	0478
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.3L	0359
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.4C	0479
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.4D	0480
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.4G	0485
SUBSTANCES, EXPLOSIVE, N.O.S.	-	1.4S	0481
SUBSTANCES, EXPLOSIVE, VERY INSENSITIVE, N.O.S.	-	1.5D	0482
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2780
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC	-	6.1	3014
SUBSTITUTED NITROPHENOL PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	3013
SUBSTITUTED NITROPHENOL PESTICIDE, SOLID, TOXIC	-	6.1	2779
Sulfotep, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Sulfur, see Sulphur	-	-	-
SULPHAMIC ACID	-	8	2967
Sulphonyl chloride, see	-	6.1	1834
SULPHUR	-	4.1	1350
SULPHUR CHLORIDES	-	8	1828
Sulphur dichloride, see	-	8	1828
SULPHUR DIOXIDE	-	2.3	1079
Sulphuretted hydrogen, see	-	2.3	1053
SULPHUR HEXAFLUORIDE	-	2.2	1080
Sulphuric acid and hydrofluoric acid mixture, see	-	8	1786
SULPHURIC ACID, FUMING	-	8	1831
SULPHURIC ACID, SPENT	-	8	1832
SULPHURIC ACID with more than 51% acid	-	8	1830

Substance, material or article	MP	Class	UN No.
SULPHURIC ACID with not more than 51% acid	-	8	2796
Sulphuric anhydride, stabilized, see	-	8	1829
Sulphuric chloride, see	-	6.1	1834
Sulphuric oxychloride, see	-	6.1	1834
Sulphuric oxyfluoride, see	-	2.3	2191
SULPHUR, MOLTEN	-	4.1	2448
Sulphur monochloride, see	-	8	1828
SULPHUROUS ACID	-	8	1833
Sulphurous oxychloride, see	-	8	1836
Sulphur oxychloride, see	-	8	1836
SULPHUR TETRAFLUORIDE	-	2.3	2418
SULPHUR TRIOXIDE, STABILIZED	-	8	1829
SULPHURYL CHLORIDE	-	6.1	1834
SULPHURYL FLUORIDE	-	2.3	2191
Sulprophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Synthetic fabrics, oily, see	-	4.2	1373
Synthetic fibres, oily, see	-	4.2	1373
Systox, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
2,4,5-T, see PHENOXYACETIC ACID DERIVATIVE PESTICIDE	-	-	-
Table Tennis Balls, see		4.1	2000
Talcum with tremolite and/or actinolite, see	-	9	2212
Tallow nitrile, see	Р	9	3082
TARS, LIQUID, including road oils, and cutback bitumens	-	3	1999
Tartar emetic, see	-	6.1	1551
TEAR GAS CANDLES	-	6.1	1700
TEAR GAS SUBSTANCE, LIQUID, N.O.S.	_	6.1	1693
TEAR GAS SUBSTANCE, SOLID, N.O.S.	-	6.1	3448
TELLURIUM COMPOUND, N.O.S.	-	6.1	3284
TELLURIUM HEXAFLUORIDE	-	2.3	2195
Temephos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
TEPP, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Terbufos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Terbumeton, see TRIAZINE PESTICIDE	-	-	-
TERPENE HYDROCARBONS, N.O.S.	_	3	2319
Terpenes, n.o.s., see	-	3	2319
TERPINOLENE	_	3	2541
TETRABROMOETHANE	Р	6.1	2504
1,1,2,2-Tetrabromoethane, see	Р	6.1	2504
Tetrabromomethane, see	Р	6.1	2516
1,1,2,2-TETRACHLOROETHANE	Р	6.1	1702
TETRACHLOROETHYLENE	Р	6.1	1897
Tetrachloromethane, see	Р	6.1	1846

Substance, material or article	MP	Class	UN No.
Tetrachlorophenol, see	-	6.1	2020
Tetrachlorvinphos, see Note 1	Р	-	-
Tetraethoxysilane, see	-	3	1292
TETRAETHYL DITHIOPYROPHOSPHATE	Р	6.1	1704
TETRAETHYLENEPENTAMINE	-	8	2320
Tetraethyllead, see	Р	6.1	1649
Tetraethyl orthosilicate, see	-	3	1292
TETRAETHYL SILICATE	-	3	1292
Tetrafluorodichloroethane, see	-	2.2	1958
1,1,2,2-Tetrafluoro-1,2-dichloroethane, see	-	2.2	1958
1,1,1,2-TETRAFLUOROETHANE	-	2.2	3159
TETRAFLUOROETHYLENE, STABILIZED	-	2.1	1081
TETRAFLUOROMETHANE	-	2.2	1982
Tetrafluorosilane, compressed, see	-	2.3	1859
Tetrahydro-1,4-oxazine, see	-	8	2054
1,2,3,6-TETRAHYDROBENZALDEHYDE	-	3	2498
Tetrahydrobenzene, see	-	3	2256
TETRAHYDROFURAN	-	3	2056
TETRAHYDROFURFURYLAMINE	-	3	2943
Tetrahydromethylfuran, see	_	3	2536
TETRAHYDROPHTHALIC ANHYDRIDES with more than 0.05% maleic anhydride	-	8	2698
1,2,3,6-TETRAHYDROPYRIDINE	-	3	2410
TETRAHYDROTHIOPHENE	-	3	2412
Tetramethoxysilane, see	-	6.1	2606
Tetramethrin, see Note 1	Р	-	-
TETRAMETHYLAMMONIUM HYDROXIDE, SOLID	-	8	3423
TETRAMETHYLAMMONIUM HYDROXIDE SOLUTION	-	8	1835
1,1,3,3-Tetramethylbutyl hydroperoxide (concentration \leq 100%), see	-	5.2	3105
1,1,3,3-Tetramethylbutyl peroxy-2-ethylhexanoate (concentration \leq 100%), see	-	5.2	3115
1,1,3,3-Tetramethylbutyl peroxyneodecanoate (concentration \leq 52%, as a stable dispersion in water), see	-	5.2	3119
1,1,3,3-Tetramethylbutyl peroxyneodecanoate (concentration ${\leq}72\%,$ with diluent Type B), see	-	5.2	3115
1,1,3,3-Tetramethylbutyl peroxypivalate (concentration \leq 77%, with diluent Type A), see	-	5.2	3115
Tetramethylene, see	-	2.1	2601
Tetramethylene cyanide, see	-	6.1	2205
N,N,N',N'-Tetramethylethylenediamine, see	-	3	2372
Tetramethyl lead, see	Р	6.1	1649
TETRAMETHYLSILANE	-	3	2749
Tetramine palladium(II) nitrate (concentration 100%), see	-	4.1	3234
TETRANITROANILINE	-	1.1D	0207
TETRANITROMETHANE	-	6.1	1510

Substance, material or article	MP	Class	UN No.
Tetrapropylene, see	Р	3	2850
TETRAPROPYL ORTHOTITANATE	-	3	2413
TETRAZENE, WETTED with not less than 30% water, or mixture of alcohol and water, by mass	-	1.1A	0114
TETRAZOL-1-ACETIC ACID	_	1.4C	0407
1H-TETRAZOLE	-	1.1D	0504
TETRYL	_	1.1D	0208
TEXTILE WASTE, WET	-	4.2	1857
THALLIUM CHLORATE	Р	5.1	2573
Thallium(I) chlorate, see	-	5.1	2573
THALLIUM COMPOUND, N.O.S.	Р	6.1	1707
THALLIUM NITRATE	Р	6.1	2727
Thallium(I) nitrate, see	_	6.1	2727
Thallium sulphate, see	Р	6.1	1707
Thallous chlorate, see	Р	5.1	2573
4-THIAPENTANAL	-	6.1	2785
Thia-4-pentanal, see	-	6.1	2785
THIOACETIC ACID	-	3	2436
Thioacetic acid, see	-	3	2436
THIOCARBAMATE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2772
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC	-	6.1	3006
THIOCARBAMATE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	3005
THIOCARBAMATE PESTICIDE, SOLID, TOXIC	-	6.1	2771
Thiocarbonyl chloride, see	-	6.1	2474
Thiocarbonyl tetrachloride, see	Р	6.1	1670
THIOGLYCOL	-	6.1	2966
THIOGLYCOLIC ACID	_	8	1940
THIOLACTIC ACID	-	6.1	2936
Thiometon, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Thionazin, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
THIONYL CHLORIDE	-	8	1836
THIOPHENE	-	3	2414
Thiophenol, see	-	6.1	2337
THIOPHOSGENE	-	6.1	2474
THIOPHOSPHORYL CHLORIDE	_	8	1837
Thiopropyl alcohols, see	-	3	2402
THIOUREA DIOXIDE	_	4.2	3341
Tin chloride, fuming, see	-	8	1827
Tin(IV) chloride, anhydrous, see	-	8	1827
Tin(IV) chloride pentahydrate, see	-	8	2440
TINCTURES, MEDICINAL	-	3	1293
Tin monophosphide, see	_	4.3	1433

Substance, material or article	MP	Class	UN No.
Tin tetrachloride, see	_	8	1827
Titanic chloride, see	-	6.1	1838
TITANIUM DISULPHIDE	-	4.2	3174
TITANIUM HYDRIDE	-	4.1	1871
TITANIUM POWDER, DRY	-	4.2	2546
TITANIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns	-	4.1	1352
TITANIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (b) chemically produced, particle size less than 840 microns	-	4.1	1352
TITANIUM SPONGE GRANULES	-	4.1	2878
TITANIUM SPONGE POWDERS	-	4.1	2878
TITANIUM TETRACHLORIDE	-	6.1	1838
TITANIUM TRICHLORIDE MIXTURE	-	8	2869
TITANIUM TRICHLORIDE MIXTURE, PYROPHORIC	-	4.2	2441
TITANIUM TRICHLORIDE, PYROPHORIC	-	4.2	2441
Titanous chloride, pyrophoric, see	-	4.2	2441
TNT AND HEXANITROSTILBENE MIXTURE	-	1.1D	0388
TNT AND TRINITROBENZENE MIXTURE	-	1.1D	0388
TNT dry or wetted with less than 30% water, by mass	-	1.1D	0209
TNT mixed with aluminium, see	-	1.1D	0390
TNT MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE	-	1.1D	0389
TNT, WETTED with not less than 10% water, by mass	-	4.1	3366
TNT, WETTED with not less than 30% water, by mass	-	4.1	1356
Toe puffs, nitrocellulose base, see	-	4.1	1353
TOLUENE	-	3	1294
TOLUENE DIISOCYANATE	-	6.1	2078
Toluene trichloride, see	-	8	2226
TOLUIDINES, LIQUID	Р	6.1	1708
TOLUIDINES, SOLID	Р	6.1	3451
Toluol, see	-	3	1294
2,4-TOLUYLENEDIAMINE, SOLID	-	6.1	1709
2,4-TOLUYLENEDIAMINE SOLUTION	-	6.1	3418
Toluylene diisocyanate, see	-	6.1	2078
Tolylene diisocyanate, see	-	6.1	2078
Tolylethylene, stabilized, see	-	3	2618
TORPEDOES, LIQUID FUELLED with inert head	-	1.3J	0450
TORPEDOES, LIQUID FUELLED with or without bursting charge	-	1.1J	0449
TORPEDOES with bursting charge	-	1.1D	0451
TORPEDOES with bursting charge	_	1.1E	0329
TORPEDOES with bursting charge	-	1.1F	0330

Substance material or article	MP	Class	LIN No
TOYIC BY INHALATION LIGHTD, CORPOSIVE N.O.S. with an		6 1	3380
LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	-	0.1	3369
TOXIC BY INHALATION LIQUID, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	-	6.1	3390
TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	-	6.1	3488
TOXIC BY INHALATION LIQUID, FLAMMABLE, CORROSIVE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	-	6.1	3489
TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	-	6.1	3384
TOXIC BY INHALATION LIQUID, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	-	6.1	3383
TOXIC BY INHALATION LIQUID, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	-	6.1	3382
TOXIC BY INHALATION LIQUID, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	-	6.1	3381
TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	-	6.1	3388
TOXIC BY INHALATION LIQUID, OXIDIZING, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC ₅₀	-	6.1	3387
TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	-	6.1	3490
TOXIC BY INHALATION LIQUID, WATER-REACTIVE, FLAMMABLE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	-	6.1	3491
TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC_{50} lower than or equal to 1,000 mL/m ³ and saturated vapour concentration greater than or equal to 10 LC_{50}	-	6.1	3386
TOXIC BY INHALATION LIQUID, WATER-REACTIVE, N.O.S. with an LC_{50} lower than or equal to 200 mL/m ³ and saturated vapour concentration greater than or equal to 500 LC_{50}	-	6.1	3385
TOXIC LIQUID, CORROSIVE, INORGANIC, N.O.S.	-	6.1	3289
TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.	-	6.1	2927
TOXIC LIQUID, FLAMMABLE, ORGANIC, N.O.S.	-	6.1	2929
TOXIC LIQUID, INORGANIC, N.O.S.	-	6.1	3287
TOXIC LIQUID, ORGANIC, N.O.S.	_	6.1	2810
TOXIC LIQUID, OXIDIZING, N.O.S.	-	6.1	3122
TOXIC LIQUID, WATER-REACTIVE, N.O.S.	-	6.1	3123
TOXIC SOLID, CORROSIVE, INORGANIC, N.O.S.	-	6.1	3290
TOXIC SOLID, CORROSIVE, ORGANIC, N.O.S.	_	6.1	2928

Substance, material or article	MP	Class	UN No.
TOXIC SOLID, FLAMMABLE, INORGANIC, N.O.S.	-	6.1	3535
TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S.	-	6.1	2930
TOXIC SOLID, INORGANIC, N.O.S.	-	6.1	3288
TOXIC SOLID, ORGANIC, N.O.S.	-	6.1	2811
TOXIC SOLID, OXIDIZING, N.O.S.	-	6.1	3086
TOXIC SOLID, SELF-HEATING, N.O.S.	-	6.1	3124
TOXIC SOLID, WATER-REACTIVE, N.O.S.	-	6.1	3125
TOXINS, EXTRACTED FROM LIVING SOURCES, LIQUID, N.O.S.	-	6.1	3172
TOXINS, EXTRACTED FROM LIVING SOURCES, SOLID, N.O.S.	-	6.1	3462
TRACERS FOR AMMUNITION	-	1.3G	0212
TRACERS FOR AMMUNITION	-	1.4G	0306
Tremolite, see	-	9	2212
Triadimefon, see PHENOXYACETIC ACID DERIVATIVE PESTICIDE	-	-	-
TRIALLYLAMINE	-	3	2610
TRIALLYL BORATE	-	6.1	2609
Triamiphos, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
Triaryl phosphates, isopropylated, see	Р	9	3082
Triaryl phosphates, n.o.s., see	Р	9	3082
TRIAZINE PESTICIDE, LIQUID, FLAMMABLE, TOXIC, flashpoint less than 23°C	-	3	2764
TRIAZINE PESTICIDE, LIQUID, TOXIC	-	6.1	2998
TRIAZINE PESTICIDE, LIQUID, TOXIC, FLAMMABLE, flashpoint not less than 23°C	-	6.1	2997
TRIAZINE PESTICIDE, SOLID, TOXIC	-	6.1	2763
Triazophos, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Tribromoborane, see	-	8	2692
Tribromomethane, see	Р	6.1	2515
TRIBUTYLAMINE	-	6.1	2542
TRIBUTYLPHOSPHANE	-	4.2	3254
Tributyltin compounds, see ORGANOTIN PESTICIDE	Р	-	-
Tricamba, see PESTICIDE, N.O.S.	-	-	-
Trichlorfon, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Trichloroacetaldehyde, see	-	6.1	2075
TRICHLOROACETIC ACID, SOLID	-	8	1839
TRICHLOROACETIC ACID SOLUTION	-	8	2564
Trichloroacetic aldehyde, anhydrous, stabilized, see	-	6.1	2075
TRICHLOROACETYL CHLORIDE	-	8	2442
1,2,3-Trichlorobenzenes, see Note 1	Р	-	-
TRICHLOROBENZENES, LIQUID	Р	6.1	2321
TRICHLOROBUTENE	Р	6.1	2322
Trichlorobutylene, see	Р	6.1	2322
1,1,1-TRICHLOROETHANE	-	6.1	2831
1,1,2-Trichloroethane, see	-	9	3082
TRICHLOROETHYLENE	_	6.1	1710

Substance, material or article	MP	Class	UN No.
TRICHLOROISOCYANURIC ACID, DRY	-	5.1	2468
Trichloromethane, see	_	6.1	1888
Trichloromethanesulphuryl chloride, see	Р	6.1	1670
Trichloromethyl sulphochloride, see	Р	6.1	1670
Trichloronat, see ORGANOPHOSPHORUS PESTICIDE	Р	-	-
Trichloronitromethane, see	-	6.1	1580
TRICHLOROSILANE	-	4.3	1295
2,4,6-Trichloro-1,3,5-triazine, see	-	8	2670
1,3,5-Trichloro-s-triazine-2,4,6-trione, see	-	5.1	2468
Tricresyl phosphate, less than 1% ortho-isomer, see	Р	9	3082
Tricresyl phosphate, not less than 1% but not more than 3% ortho-isomer, see	Р	9	3082
TRICRESYL PHOSPHATE with more than 3% ortho-isomer	Р	6.1	2574
Tricyanogen chloride, see	-	8	2670
Triethoxyboron, see	-	3	1176
Triethoxymethane, see	-	3	2524
TRIETHYLAMINE	-	3	1296
Triethylbenzene, see	Р	9	3082
Triethyl borate, see	-	3	1176
Triethylenephosphoramide solution, see	-	6.1	2501
TRIETHYLENETETRAMINE	-	8	2259
3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxonane (concentration \leq 17%, with diluent Type A, with inert solid)	-	5.2	3110
Triethyl orthoformate, see	_	3	2524
TRIETHYL PHOSPHITE	-	3	2323
3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxonane (concentration \leq 42%, with diluent Type A, available oxygen \leq 7.6%), see	_	5.2	3105
TRIFLUOROACETIC ACID	-	8	2699
TRIFLUOROACETYL CHLORIDE	_	2.3	3057
Trifluorobromomethane, see	-	2.2	1009
Trifluorochloroethane, see	-	2.2	1983
TRIFLUOROCHLOROETHYLENE, STABILIZED (REFRIGERANT GAS R 1113)	-	2.3	1082
Trifluorochloromethane, see	_	2.2	1022
1,1,1-TRIFLUOROETHANE	-	2.1	2035
TRIFLUOROMETHANE	_	2.2	1984
Trifluoromethane and chlorotrifluoromethane azeotropic mixture, see CHLOROTRIFLUOROMETHANE AND TRIFLUOROMETHANE AZEOTROPIC MIXTURE	-	-	-
TRIFLUOROMETHANE, REFRIGERATED LIQUID	_	2.2	3136
Trifluoromethoxytrifluoroethylene, see	-	2.1	3153
2-TRIFLUOROMETHYLANILINE	_	6.1	2942
3-TRIFLUOROMETHYLANILINE	-	6.1	2948
Trifluoromethylbenzene, see	_	3	2338
Trifluoromethylphenyl isocyanates, see	-	6.1	2285

Substance, material or article	MP	Class	UN No.
Trifluoromethyl trifluorovinyl ether, see	_	2.1	3153
Trifluoromonochloroethylene, stabilized, see	-	2.3	1082
TRIISOBUTYLENE	-	3	2324
Triisopropylated phenyl phosphates, see	Р	9	3077
TRIISOPROPYL BORATE	-	3	2616
TRIMETHYLACETYL CHLORIDE	_	6.1	2438
TRIMETHYLAMINE, ANHYDROUS	-	2.1	1083
TRIMETHYLAMINE, AQUEOUS SOLUTION not more than 50% trimethylamine, by mass	-	3	1297
1,3,5-TRIMETHYLBENZENE	Р	3	2325
TRIMETHYL BORATE	-	3	2416
Trimethyl carbinol, see	-	3	1120
TRIMETHYLCHLOROSILANE	-	3	1298
TRIMETHYLCYCLOHEXYLAMINE	_	8	2326
Trimethylene chlorobromide, see	-	6.1	2688
Trimethylene chlorohydrin, see	-	6.1	2849
Trimethylene dichloride, see	-	3	1993
Trimethylgallium, see	-	4.2	3394
TRIMETHYLHEXAMETHYLENEDIAMINES	-	8	2327
TRIMETHYLHEXAMETHYLENE DIISOCYANATE	-	6.1	2328
2,2,4-Trimethylpentane, see	Р	3	1262
2,4,4-Trimethylpentene-1, see	-	3	2050
2,4,4-Trimethylpentene-2, see	-	3	2050
TRIMETHYL PHOSPHITE	-	3	2329
2,4,6-Trimethyl-1,3,5-trioxane, see	-	3	1264
TRINITROANILINE	-	1.1D	0153
TRINITROANISOLE	-	1.1D	0213
TRINITROBENZENE dry or wetted with less than 30% water, by mass	-	1.1D	0214
TRINITROBENZENESULPHONIC ACID	-	1.1D	0386
TRINITROBENZENE, WETTED with not less than 10% water, by mass	-	4.1	3367
TRINITROBENZENE, WETTED with not less than 30% water, by mass	-	4.1	1354
TRINITROBENZOIC ACID dry or wetted with less than 30% water, by mass	-	1.1D	0215
TRINITROBENZOIC ACID, WETTED with not less than 10% water, by mass	-	4.1	3368
TRINITROBENZOIC ACID, WETTED with not less than 30% water, by mass	-	4.1	1355
TRINITROCHLOROBENZENE	-	1.1D	0155
TRINITROCHLOROBENZENE, WETTED with not less than 10% water, by mass	-	4.1	3365
TRINITRO-m-CRESOL	-	1.1D	0216
TRINITROFLUORENONE	-	1.1D	0387
TRINITRONAPHTHALENE	-	1.1D	0217
TRINITROPHENETOLE	-	1.1D	0218
TRINITROPHENOL dry or wetted with less than 30% water, by mass	-	1.1D	0154

Substance, material or article	MP	Class	UN No.
TRINITROPHENOL, WETTED with not less than 10% water, by mass	-	4.1	3364
TRINITROPHENOL, WETTED with not less than 30% water, by mass	-	4.1	1344
TRINITROPHENYLMETHYLNITRAMINE	-	1.1D	0208
TRINITRORESORCINOL dry or wetted with less than 20% water, or mixture of alcohol and water, by mass	-	1.1D	0219
TRINITRORESORCINOL, WETTED with not less than 20% water, or mixture of alcohol and water, by mass	-	1.1D	0394
TRINITROTOLUENE AND HEXANITROSTILBENE MIXTURE	-	1.1D	0388
TRINITROTOLUENE AND TRINITROBENZENE MIXTURE	-	1.1D	0388
TRINITROTOLUENE dry or wetted with less than 30% water, by mass	-	1.1D	0209
TRINITROTOLUENE MIXTURE CONTAINING TRINITROBENZENE AND HEXANITROSTILBENE	-	1.1D	0389
TRINITROTOLUENE, WETTED with not less than 10% water, by mass	-	4.1	3366
TRINITROTOLUENE, WETTED with not less than 30% water, by mass	-	4.1	1356
Trinitrotoluol, wetted with not less than 10% water by mass, see	-	4.1	3366
Trinitrotoluol, wetted with not less than 30% water by mass, see	-	4.1	1356
Triphenyl phosphate, see	Р	9	3077
Triphenyl phosphate/tert-butylated triphenyl phosphates mixtures containing 5% to 10% of triphenyl phosphate, see Note 1	Р	-	-
Triphenyl phosphate/tert-butylated triphenyl phosphates mixtures containing 10% to 48% of triphenyl phosphate, see Note 1	Р	-	-
Triphenyltin compounds (other than Fentin acetate and Fentin hydroxide), see ORGANOTIN PESTICIDE	Р	-	-
TRIPROPYLAMINE	-	3	2260
TRIPROPYLENE	Р	3	2057
TRIS-(1-AZIRIDINYL)PHOSPHINE OXIDE SOLUTION	-	6.1	2501
Tritolyl phosphate, see	Р	6.1	2574
TRITONAL	-	1.1D	0390
Trixylenyl phosphate, see	Р	9	3082
Tropilidene, see	-	3	2603
TUNGSTEN HEXAFLUORIDE	-	2.3	2196
TURPENTINE	Р	3	1299
TURPENTINE SUBSTITUTE	-	3	1300
UNDECANE	-	3	2330
Uranium hexafluoride, fissile, see	-	7	2977
Uranium hexafluoride, non fissile or fissile-excepted, see	-	7	2978
URANIUM HEXAFLUORIDE, RADIOACTIVE MATERIAL, EXCEPTED PACKAGE, less than 0.1 kg per package, non-fissile or fissile-excepted	-	6.1	3507
UREA HYDROGEN PEROXIDE	-	5.1	1511
UREA NITRATE dry or wetted, with less than 20% water, by mass	-	1.1D	0220
UREA NITRATE, WETTED with not less than 10% water, by mass	-	4.1	3370
UREA NITRATE, WETTED with not less than 20% water, by mass	-	4.1	1357
Urotropine, see	-	4.1	1328

Substance, material or article	MP	Class	UN No.
Valeral, see	-	3	2058
VALERALDEHYDE	-	3	2058
Valeric aldehyde(s), see	-	3	2058
VALERYL CHLORIDE	-	8	2502
Vamidothion, see ORGANOPHOSPHORUS PESTICIDE	-	-	-
VANADIUM COMPOUND, N.O.S.	-	6.1	3285
Vanadium(IV) oxide sulphate	-	6.1	2931
Vanadium oxysulphate, see	-	6.1	2931
VANADIUM OXYTRICHLORIDE	-	8	2443
VANADIUM PENTOXIDE, non-fused form	-	6.1	2862
VANADIUM TETRACHLORIDE	-	8	2444
VANADIUM TRICHLORIDE	-	8	2475
VANADYL SULPHATE	-	6.1	2931
Varnish, see PAINT	-	-	-
Vegetable fabrics, oily, see	-	4.2	1373
Vegetable fibres, burnt, see	-	4.2	1372
Vegetable fibres, damp, see	-	4.2	1372
Vegetable fibres, dry, see	-	4.1	3360
Vegetable fibres, oily, see	-	4.2	1373
Vegetable fibres, wet, see	-	4.2	1372
VEHICLE, FLAMMABLE GAS POWERED	-	9	3166
VEHICLE, FLAMMABLE LIQUID POWERED	-	9	3166
VEHICLE, FUEL CELL, FLAMMABLE GAS POWERED	-	9	3166
VEHICLE, FUEL CELL, FLAMMABLE LIQUID POWERED	-	9	3166
VINYL ACETATE, STABILIZED	-	3	1301
Vinylbenzene, stabilized, see	-	3	2055
VINYL BROMIDE, STABILIZED	-	2.1	1085
Vinyl normal-butyl ether, stabilized, see	-	3	2352
VINYL BUTYRATE, STABILIZED	-	3	2838
VINYL CHLORIDE, STABILIZED	-	2.1	1086
VINYL CHLOROACETATE	-	6.1	2589
Vinyl cyanide, stabilized, see	-	3	1093
Vinyl ether, stabilized, see	-	3	1167
VINYL ETHYL ETHER, STABILIZED	-	3	1302
VINYL FLUORIDE, STABILIZED	-	2.1	1860
VINYLIDENE CHLORIDE, STABILIZED	Р	3	1303
Vinylidene fluoride, see	-	2.1	1959
VINYL ISOBUTYL ETHER, STABILIZED	-	3	1304
VINYL METHYL ETHER, STABILIZED	-	2.1	1087
VINYLPYRIDINES, STABILIZED	-	6.1	3073
VINYLTOLUENES, STABILIZED	-	3	2618
VINYLTRICHLOROSILANE	-	3	1305

Substance, material or article	MP	Class	UN No.
Warfarin (and salts of), see COUMARIN DERIVATIVE PESTICIDE	Р	-	-
Warheads for guided missiles, see WARHEADS, ROCKET	-	-	-
WARHEADS, ROCKET with burster or expelling charge	-	1.4D	0370
WARHEADS, ROCKET with burster or expelling charge	-	1.4F	0371
WARHEADS, ROCKET with bursting charge	-	1.1D	0286
WARHEADS, ROCKET with bursting charge	-	1.1F	0369
WARHEADS, ROCKET with bursting charge	-	1.2D	0287
WARHEADS, TORPEDO with bursting charge	-	1.1D	0221
Water-activated contrivances, see CONTRIVANCES, WATER-ACTIVATED	-	-	-
Water gels, see EXPLOSIVE, BLASTING, TYPE E	-	-	-
WATER-REACTIVE LIQUID, CORROSIVE, N.O.S.	-	4.3	3129
WATER-REACTIVE LIQUID, N.O.S.	_	4.3	3148
WATER-REACTIVE LIQUID, TOXIC, N.O.S.	-	4.3	3130
WATER-REACTIVE SOLID, CORROSIVE, N.O.S.	-	4.3	3131
WATER-REACTIVE SOLID, FLAMMABLE, N.O.S.	-	4.3	3132
WATER-REACTIVE SOLID, N.O.S.	-	4.3	2813
WATER-REACTIVE SOLID, OXIDIZING, N.O.S.	-	4.3	3133
WATER-REACTIVE SOLID, SELF-HEATING, N.O.S.	-	4.3	3135
WATER-REACTIVE SOLID, TOXIC, N.O.S.	-	4.3	3134
White arsenic, see	-	6.1	1561
White phosphorus, dry, see	Р	4.2	1381
White phosphorus, wet, see	Р	4.2	1381
White spirit, see	Р	3	1300
White spirit, low (15–20%) aromatic, see	Р	3	1300
WOOD PRESERVATIVES, LIQUID	-	3	1306
Wood tar, see	Р	9	3082
WOOL WASTE, WET	-	4.2	1387
XANTHATES	-	4.2	3342
XENON	-	2.2	2036
XENON, REFRIGERATED LIQUID	-	2.2	2591
XYLENES	-	3	1307
XYLENOLS, LIQUID	-	6.1	3430
XYLENOLS, SOLID	-	6.1	2261
XYLIDINES, LIQUID	-	6.1	1711
XYLIDINES, SOLID	-	6.1	3452
Xylols, see	-	3	1307
XYLYL BROMIDE, LIQUID	-	6.1	1701
XYLYL BROMIDE, SOLID	-	6.1	3417
Yellow phosphorus, dry, see	Р	4.2	1381
Yellow phosphorus, wet, see	Р	4.2	1381

Substance, material or article	MP	Class	UN No.
ZINC AMMONIUM NITRITE (transport prohibited)	-	5.1	1512
ZINC ARSENATE	-	6.1	1712
ZINC ARSENATE AND ZINC ARSENITE MIXTURE	-	6.1	1712
ZINC ARSENITE	-	6.1	1712
ZINC ASHES	-	4.3	1435
Zinc bisulphite solution, see	-	8	2693
ZINC BROMATE	-	5.1	2469
Zinc bromide, see	Р	9	3077
ZINC CHLORATE	-	5.1	1513
ZINC CHLORIDE, ANHYDROUS	Р	8	2331
ZINC CHLORIDE SOLUTION	Р	8	1840
ZINC CYANIDE	Р	6.1	1713
ZINC DITHIONITE	-	9	1931
ZINC DUST	-	4.3	1436
Zinc dust, pyrophoric, see	-	4.2	1383
ZINC FLUOROSILICATE	_	6.1	2855
Zinc hexafluorosilicate, see	-	6.1	2855
ZINC HYDROSULPHITE	-	9	1931
ZINC NITRATE	-	5.1	1514
ZINC PERMANGANATE	-	5.1	1515
ZINC PEROXIDE	-	5.1	1516
ZINC PHOSPHIDE	-	4.3	1714
ZINC POWDER	-	4.3	1436
Zinc powder, pyrophoric, see	-	4.2	1383
ZINC RESINATE	-	4.1	2714
Zinc silicofluoride, see	-	6.1	2855
ZIRCONIUM, DRY coiled wire, finished metal sheets, strip (thinner than 254 microns but not thinner than 18 microns)	-	4.1	2858
ZIRCONIUM, DRY finished sheets, strip or coiled wire	-	4.2	2009
ZIRCONIUM HYDRIDE	-	4.1	1437
ZIRCONIUM NITRATE	-	5.1	2728
ZIRCONIUM PICRAMATE dry or wetted with less than 20% water, by mass	-	1.3C	0236
ZIRCONIUM PICRAMATE, WETTED with not less than 20% water, by mass	-	4.1	1517
ZIRCONIUM POWDER, DRY	-	4.2	2008
ZIRCONIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns	-	4.1	1358
ZIRCONIUM POWDER, WETTED with not less than 25% water (a visible excess of water must be present) (b) chemically produced, particle size less than 840 microns	-	4.1	1358
ZIRCONIUM, SCRAP	-	4.2	1932
ZIRCONIUM, SUSPENDED IN A FLAMMABLE LIQUID	-	3	1308
ZIRCONIUM TETRACHLORIDE	-	8	2503